

```
'use client';
```

```
import * as React from 'react';
```

```
import * as TabsPrimitive from '@radix-ui/react-tabs';
```

```
import { cn } from '@shared/utils/cn';
```

```
const Tabs = TabsPrimitive.Root;
```

```
interface TabsListProps
```

```
  extends React.ComponentPropsWithoutRef<typeof TabsPrimitive.List> {
```

```
  orientation?: 'vertical' | 'horizontal';
```

```
}
```

```
const TabsList = React.forwardRef<
```

```
  React.ElementRef<typeof TabsPrimitive.List>,
```

```
  TabsListProps
```

```
>(({ className, ...props }, ref) => (
```

```
  <TabsPrimitive.List
```

```
    ref={ref}
```

```
    className={cn(
```

```
      props.orientation === 'vertical'
```

```
        ? 'flex flex-col h-auto'
```

```
        : 'inline-flex h-10',
```

```
      ' items-center justify-center rounded-md bg-muted p-1 text-muted-foreground',
```

```
      className,
```

```

    }}

    {...props}

  />

));

TabsList.displayName = TabsPrimitive.List.displayName;

const TabsTrigger = React.forwardRef<
  React.ElementRef<typeof TabsPrimitive.Trigger>,
  React.ComponentPropsWithoutRef<typeof TabsPrimitive.Trigger>
>(({ className, ...props }, ref) => (
  <TabsPrimitive.Trigger
    ref={ref}
    className={cn(
      'inline-flex items-center justify-center whitespace-nowrap rounded-sm px-3 py-1.5 text-sm
font-medium ring-offset-background transition-all focus-visible:outline-none focus-visible:ring-2
focus-visible:ring-ring focus-visible:ring-offset-0 disabled:pointer-events-none disabled:opacity-50
data-[state=active]:bg-background data-[state=active]:text-foreground
data-[state=active]:shadow-sm',
      className,
    )}
    {...props}
  />
));

TabsTrigger.displayName = TabsPrimitive.Trigger.displayName;

const TabsContent = React.forwardRef<

```

```

React.ElementRef<typeof TabsPrimitive.Content>,
React.ComponentPropsWithoutRef<typeof TabsPrimitive.Content>
>(({ className, ...props }, ref) => (
  <TabsPrimitive.Content
    ref={ref}
    className={cn(
      'mt-2 ring-offset-background focus-visible:outline-none focus-visible:ring-2 focus-visible:ring-ring
focus-visible:ring-offset-0',
      className,
    )}
    {...props}
  />
));
TabsContent.displayName = TabsPrimitive.Content.displayName;

export { Tabs, TabsList, TabsTrigger, TabsContent };

```