```
%PDF-1.5
%
204 0 obj
<</Linearized 1/L 756233/O 206/E 176346/N 22/T 752037/H [ 1616 1293]>>
endobj
xref
204 66
0000000016 00000 n
0000002909 00000 n
0000003042 00000 n
0000004135 00000 n
0000004268 00000 n
0000004731 00000 n
0000005526 00000 n
0000005553 00000 n
0000005667 00000 n
0000006379 00000 n
0000007036 00000 n
0000007073 00000 n
0000007188 00000 n
0000007300 00000 n
0000007841 00000 n
0000008259 00000 n
0000008354 00000 n
0000008654 00000 n
```

0000040296 00000 n

```
0
%%EOF
269 0 obj
<//Filter/FlateDecode/I 1786/L 1770/Length 1201/S 1432>>stream
hU[p U M6M&., uZ i6M I D@ *¢ +L yQ+O8P f< x y# }2^` RB) |•{. F |Q 0J)V
] 8Z?5 {6L~4/H h1Q::/ u~:)E y<[•wO•,21E%1@779m% |~.47Q A"tY\x0/oz
n nHXKV510 #^%* AcX! -fXb5; 1)"L>"iqk Q1$ XPn85PVFJv
. B > ' d = Zh | Gc**(C d[G?{r} t)
gJCaA}b% • 1b>rs :t •pV)Q 3BH Z@ ] y `W `JLSE" G }[ ]e4P- gU /<_A C&AdDd% #jD wTXZ s I
,kh zUW D $B"#FQOz/a/$, eq Q eFG":I[f$~8b&j(zj2+ ( J•b b*& y:a "\ ;}4.iL-(=kvOn] Mf2B-t;vm{aO.
 nCxit `'uHL.agz3uF&.u|b 67 9 Y <c.y[6R •ab wZ 6z 5^7m •ZRAz9P!xv<DU
^{t8}cT > :vkg.aF P[\ u \ | a; 6ymwqCpp^3 u R= 0 sN]
& [ 8 \cdot Q \times Z/qu \times u \sim . j94 \cdot 8 \times B \times Z[i5rF] \text{ peZ } \cdot (@(3M q) M$q)
endstream
endobj
205 0 obj
<</Lang(en-US)/Metadata
                                          R/PageLabels
                                                                         R/Pages
                             202
                                    0
                                                            195
                                                                   0
                                                                                     197
                                                                                             0
R/Type/Catalog/ViewerPreferences<</Direction/L2R>>>>
endobj
206 0 obj
<</ArtBox[0.0 0.0 612.0 792.0]/BleedBox[0.0 0.0 612.0 792.0]/Contents[221 0 R 222 0 R 223 0 R
227 0 R 228 0 R 229 0 R 240 0 R 241 0 R]/CropBox[0.0 0.0 612.0 792.0]/Group 268 0
R/MediaBox[0.0
                         0.0
                                       612.0
                                                       792.0]/Parent
                                                                               198
                                                                                             0
R/PieceInfo<</InDesign<</DocumentID<FEFF0078006D0070002E006400690064003A0038003200
```

startxref

6200370033006500370030002D0064003800360062002D0037003500340064002D003900390061
0035002D006300380066006300370063003800350064003900350038>/LastModified<FEFF004400
3A00320030003200330030003400300033003200300035003600310038005A>/NumberofPages
1/OriginalDocumentID<FEFF0078006D0070002E006400690064003A00420045003500320042004
3003800340032003200380042003100310036003800380043003800350046003300330044004200
42003100430031003400390030>/PageUIDList<</0
1109>>/PageWidthList<</0
612.0>>>>>/Resources<</ColorSpace<</CS0 214 0 R>>/ExtGState<</GS0 211 0 R/GS1 216 0
R>>/Font<</C2_0 207 0 R/T1_0 208 0 R/T1_1 209 0 R/T1_2 224 0 R/T1_3 238 0 R/T1_4 239 0
R/T1_5 234 0 R>>/ProcSet[/PDF/Text]/XObject<</Fm0 259 0 R/Fm1 263 0 R/Fm2 267 0
R>>>>/Rotate 0/TrimBox[0.0 0.0 612.0 792.0]/Type/Page>>
endobj

207 0 obj

<</BaseFont/OGSTZF+SymbolMT/DescendantFonts

210

0

R/Encoding/Identity-H/Subtype/Type0/ToUnicode 220 0 R/Type/Font>>

endobj

208 0 obi

<</BaseFont/QWMFBB+MyriadPro-BoldCond/Encoding 219 0 R/FirstChar 29/FontDescriptor 218 0 R/LastChar 121/Subtype/Type1/ToUnicode 217 0 R/Type/Font/Widths[489 531 259 159 0 0 0 0 0 0 0 0 0 0 259 233 0 0 426 426 426 0 0 0 0 0 0 233 0 0 0 0 0 458 483 395 491 394 392 472 515 248 0 0 380 637 516 481 457 0 470 394 393 0 452 0 0 402 0 0 0 0 0 0 422 447 323 447 419 286 447 458 223 0 413 225 680 458 431 447 0 294 324 311 452 395 616 396 391]>> endobj

209 0 obi

```
250 250 0 0 0 321 0 623 605 696 780 584 538 747 806 338 345 675 553 912 783 795 549 795 645
489 660 746 676 960 0 574 641 0 0 0 0 0 0 404 500 400 509 396 290 446 515 257 253 482 247
257 257 0 0 0 0 0 486]>>
endobj
210 0 obj
[251 0 R]
endobj
211 0 obi
<</AIS false/BM/Normal/CA 1.0/OP false/OPM 1/SA true/SMask/None/Type/ExtGState/ca 1.0/op
false>>
endobi
212 0 obj
<</Filter/FlateDecode/Length 642>>stream
H\n0 z
C. `H?% Ppq|{
lo6 ù 2]K~axx• Nl26Ow]1N]I ~n&p I
^.b L=O ?c0UK´.C p Ymgy]:LE: •jmC 3Glc\ )Ki5*?.Q3w\fd+ 9ml]BW ]P v J,.QDM6 6!G# x< !G# x<
!G# x~
)SO!O ? ,14
             =kyQVSZ <ky~;hU=//
/}
<J+%_W+
~% W+
~% W)j w w=5xj OC
```

```
r6A4 L 8)|k)4NL4>qh)|? KH
```

endstream

endobj

213 0 obj

<</Ascent 917/CapHeight

660/CharSet(/tcommaaccent/ffl/ffi/ff/fl/fi/T_h/space/parenleft/parenright/comma/hyphen/period/slash/zero/one/two/three/four/five/six/seven/eight/nine/colon/semicolon/question/A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R/S/T/U/V/W/Y/Z/a/b/c/d/e/f/g/h/i/j/k/l/m/n/o/p/q/r/s/t/u/

v/w/x/y/z/asciitilde/quoteright/quotedblleft/quotedblright/endash/emdash/aacute/adieresis/eacute/igra ve/iacute/oacute)/Descent -354/Flags 34/FontBBox[-183 -354 1354 917]/FontFamily(Adobe Garamond Pro)/FontFile3 243 0

R/FontName/OGSTZF+AGaramondPro-Regular/FontStretch/Normal/FontWeight 400/ItalicAngle

0/StemV 76/Type/FontDescriptor/XHeight 397>>

endobj

214 0 obj

[/ICCBased 245 0 R]

endobj

215 0 obj

<</BaseEncoding/WinAnsiEncoding/Differences[25/tcommaaccent/ffl/ffi/ff/fl/fi/T_h]/Type/Encoding>

endobj

>

216 0 obj

<</AIS false/BM/Normal/CA 1.0/OP true/OPM 0/SA true/SMask/None/Type/ExtGState/ca 1.0/op

true>>

endobj

```
<</Filter/FlateDecode/Length 471>>stream
H\n0 ~
/E !u+!4JY&
d\& = s6/vd \text{ in qoS D} = s6
{ . \sim!\#\;;;;y=zyyyyyxx \emptyset #G0 r \f d f d k>?y%WWsF^Y yy y
                              t ZT$-%ms{ * s
endstream
endobj
218 0 obj
<</Ascent
                                                                                                                                                                                                                                                                                    884/CapHeight
674/CharSet(/A/B/C/D/E/F/G/H/I/L/M/N/O/P/R/S/T/V/Y/a/b/c/colon/d/e/f/ff/fi/g/h/hyphen/i/k/I/m/n/o/on
e/p/period/r/s/space/t/three/two/u/uniF6BA/v/w/x/y)/Descent -250/Flags 32/FontBBox[-68 -250 970
884]/FontFamily(Myriad
                                                                                                                       Pro
                                                                                                                                                                            Cond)/FontFile3
                                                                                                                                                                                                                                                                           252
                                                                                                                                                                                                                                                                                                                                 0
R/FontName/QWMFBB+MyriadPro-BoldCond/FontStretch/Condensed/FontWeight 700/ItalicAngle
0/StemV 132/Type/FontDescriptor/XHeight 489>>
endobj
219 0 obj
<</BaseEncoding/WinAnsiEncoding/Differences[29/fi/ff/uniF6BA]/Type/Encoding>>
endobj
220 0 obi
<</Filter/FlateDecode/Length 230>>stream
H\j0 ~
  Cqv 1X pl%3,QC~: ?[> 27 C 8 Bc u6{Wn7:gZ k"W8<QWF8|^#nl ' 4
x d tN = cM 0.zuFTu\%@"($O~p_7aMeLq'{(0K d kJ1PQ? o)}
endstream
```

217 0 obj

```
221 0 obj
<</Filter/FlateDecode/Length 533>>stream
HR]00 } -` E4m kyqL
I]>LH s=\sim'#cG(]M$ Y;gNsN BJR
 T9q,}( G @ R5y" *[X k! = \{ITwcz \sim Bn (I6ps > EAcWI; p M Z@
bt]
'AuJ A QT*+Y;et7vhS+9NGxtS*y t lceCWa14
.X z(Ir 1$S;• rSp CFExy$.su{AeT7 pmk
$B
M|Ti'A>&,3gOI: \{ww\#2p5k\_\Kge! \sim 0 \&
endstream
endobj
222 0 obj
<</Filter/FlateDecode/Length 505>>stream
HS]o }HR iIzOTa &
!iw!e\p8,fn' U-¤ mA0n
v M{\{fTI"UI[4<Qg ?'w_` *Q9 X \m 32 (=\^'@
FePj2B+.)w8~{oP6n xZq(aB]!;= PS" WZ wv j N Z&zGsB!KL "j- €(A(Qpp g =+ 17S ]H=~OQ {4<$<
[b. jz•ap *_ # f{U-|T8`U:k _ kDJ8
Н
2%, q )qseo{ ? $#_\{LFH3P:~ 0 ^'
endstream
endobj
223 0 obj
<</Filter/FlateDecode/Length 520>>stream
```

endobj

```
HTM0 + | HvsXrkW+c b#l J+3 oy|0JI: >QN+'d zIF QP>d_ I[ JC •MZDo j ~pxw E1J}R Z
<q`$AIDqW .Eb a1gD0"I g|UI ~(D XBZQ F10
.O AuVM#8k}V9+œU:!p5H ng8 P x? yM?6IF6 foZ *
50Ki CT 1
4YM9Y @•\;mn{Evkql~G 87; Mh I7S f-FH]
5fh{Xw_^|3•PJá YÕ6 w ~ð # ` 9
endstream
endobj
224 0 obj
<</BaseFont/OGSTZF+AGaramondPro-Bold/Encoding/WinAnsiEncoding/FirstChar
32/FontDescriptor 226 0 R/LastChar 121/Subtype/Type1/ToUnicode 225 0 R/Type/Font/Widths[240
748 788 601 0 664 506 0 0 0 0 0 0 0 0 0 0 0 0 443 0 416 537 420 311 479 547 286 0 0 278 806
550 516 543 528 371 358 323 544 457 0 0 469]>>
endobj
225 0 obj
<</Filter/FlateDecode/Length 368>>stream
H\0 y M a ]a!o ta 1_~f$)cl&a05N
8 `P^9t- 7^$1 slq
z W"y CW2o`n,
i^ (%I]M:=loX G
c+:o•{ "pAq1g[-f D|f +(rjWc +fE 40 yOnt\ Y&g`g
                                            g`7
                                                  7`∙
                                                         •,0
                                                               0,0
                                                                      O,O
                                                                              O,O
O`8PQ• _|Be_Rot e.~ t
endstream
endobj
226 0 obj
```

<</Ascent 899/CapHeight

```
660/CharSet(/space/A/B/C/F/I/N/O/P/R/S/a/c/d/e/f/g/h/i/I/m/n/o/p/q/r/s/t/u/v/y)/Descent
                                                                                 -302/Flags
34/FontBBox[-158 -302 1147 899]/FontFamily(Adobe Garamond Pro Bold)/FontFile3 244 0
R/FontName/OGSTZF+AGaramondPro-Bold/FontStretch/Normal/FontWeight
                                                                             700/ItalicAngle
0/StemV 132/Type/FontDescriptor/XHeight 403>>
endobj
227 0 obj
<</Filter/FlateDecode/Length 541>>stream
HT0 +tvdo6C MP(o(FI6>9
D 73:9_3Z•; %_ iLa%u^eEs$0 LX W o`A+_[]@pW: `Qj o sq
46Blm F FaLd G!/q Xn yioCi.Etqch pkf2: pLo&•is`j•d#z7
Hd3U<~"M1%JB 1z$b/y@>W[Qz ) L a^(w:!1#d m&N( x\d JLx~qavSJzZli qj<APS1PQq ;%<t%@!
Z $1 1,k XpI#]E6 I)r42m 9 zGHQ#p 7 u hGe6•!• %-
endstream
endobj
228 0 obj
<</Filter/FlateDecode/Length 483>>stream
HSMo0 Wh #mC `@
E -r3Q = \frac{|h^d XQE 6 ZK7P = |<5{q Oo }|(%z + HNGr{bh9bz` O ,6J>e}|}{}
u)hBF c F1{
{ n">h OV WK/1 m
tSzO SH` "a ntO BR m ^2 e N/^4 WH MG ^46Z= 6[%^47%5 . #8
]w
<. #- 2N!45 Tyy xg" |';+ Z
6?9^: o<|H
```

0 E.

```
endstream
endobj
229 0 obj
<</Filter/FlateDecode/Length 500>>stream
HSn0 +xXI @ @ T"^9$6•Ev wfn?g<.YY g_(+ 9Y%.ar ea V!!M%@R a;0 Z<KJj|~+ie%iio > |A#Q`%
h=y;-|3 yHD
+68 kiÀ4 n/2YBEW4 ("FHI}?kjP%fSX)A S54•= G 9~xhUih`
IPHhA9':= m 6 ^ 4
#:{ o]5h@%"
7dGcO| pw v\,`&/V 9 /'_ ~NK
endstream
endobj
230 0 obj
<</Filter/FlateDecode/Length 275>>stream
H = >, Y 4 PR
YB>@ThTY; *|2( [9`Y q . e)1N - % 8=*;7k \ (mALF/{ W d^Q^B!T^fUQ L Z ZFEM = U,...
LU*r&+ S`!1 .sGd&4>M v [rFOfj q f ;X]
endstream
```

endobj

231 0 obj

<//Ascent 863/CapHeight 674/CharSet(/space/zero/two/three/A/i/l/p/r/bar)/Descent -250/Flags 32/FontBBox[-47 -250 970 863]/FontFamily(Myriad Pro Light Cond)/FontFile3 242 0 R/FontName/OGSTZF+MyriadPro-LightCond/FontStretch/Condensed/FontWeight 300/ItalicAngle 0/StemV 44/Type/FontDescriptor/XHeight 480>>

```
endobj
232 0 obj
<</Filter/FlateDecode/Length 373>>stream
H\Kn0 @ > "k[, $ ~T Rb!3(j = gQY *72zS[*u [g N$v) YD \VF8&7n:VD ?|VFua X D] 
 : c\sim W|fi',N,so \column{s}{0.5em} \column{s}{0.5em} c\sim W|fi',N,so \column{s}{0.5em} \column{s}{0.5em
?
endstream
endobj
233 0 obj
<</Ascent
                                                                                                                                                                                                                        871/CapHeight
674/CharSet(/uniF6BA/space/colon/A/B/C/D/E/F/G/I/L/M/N/O/P/R/S/T/Y/a/d/e/i/l/n/o/r/t/u/y)/Descent
-250/Flags 32/FontBBox[-42 -250 970 871]/FontFamily(Myriad Pro Cond)/FontFile3 246 0
R/FontName/OGSTZF+MyriadPro-Cond/FontStretch/Condensed/FontWeight
                                                                                                                                                                                                                        400/ItalicAngle
0/StemV 76/Type/FontDescriptor/XHeight 484>>
endobj
234 0 obj
<</BaseFont/OGSTZF+MyriadPro-LightCondIt/Encoding/WinAnsiEncoding/FirstChar
48/FontDescriptor 235 0 R/LastChar 57/Subtype/Type1/ToUnicode 237 0 R/Type/Font/Widths[360
360 360 360 360 360 360 360 360]>>
endobj
235 0 obj
<//Ascent 863/CapHeight 674/CharSet(/zero/one/two/three/four/five/six/seven/eight/nine)/Descent
-250/Flags 96/FontBBox[-108 -250 987 863]/FontFamily(Myriad Pro Light Cond)/FontFile3 253 0
R/FontName/OGSTZF+MyriadPro-LightCondlt/FontStretch/Condensed/FontWeight 300/ItalicAngle
```

-11/StemV 40/Type/FontDescriptor/XHeight 480>>

endobj

```
236 0 obj
<</BaseEncoding/WinAnsiEncoding/Differences[31/uniF6BA]/Type/Encoding>>
endobj
237 0 obj
<</Filter/FlateDecode/Length 276>>stream
H_i \}Xa eK! = $+4Fw\&.[~2+seM GUcXq g Z i p_ '$e
8T EQ '= k[ h P^ r*Mu iv|-![i4Fk (Z R]vxQ9Ih"N#Y93# GS 9 R,L a0+P X| ` i
endstream
endobi
238 0 obj
<</BaseFont/OGSTZF+MyriadPro-Cond/Encoding 236 0 R/FirstChar 31/FontDescriptor 233 0
R/LastChar 121/Subtype/Type1/ToUnicode 232 0 R/Type/Font/Widths[279 157 0 0 0 0 0 0 0 0 0 0 0
0 0 0 0 0 0 0 0 0 0 0 0 0 0 194 0 0 0 0 0 435 416 373 445 354 345 436 0 199 0 0 344 599 465 446
399 0 409 361 354 0 0 0 0 394 0 0 0 0 0 0 364 0 0 399 363 0 0 0 184 0 0 191 0 405 383 0 0 248 0
255 398 0 0 0 346]>>
endobj
239 0 obj
<</BaseFont/OGSTZF+MyriadPro-LightCond/Encoding/WinAnsiEncoding/FirstChar
32/FontDescriptor 231 0 R/LastChar 124/Subtype/Type1/ToUnicode 230 0 R/Type/Font/Widths[155]
endobj
240 0 obj
<</Filter/FlateDecode/Length 644>>stream
HtT]o0 |c 8m
! ehe[- Q fH99a${$ r!7 L<zNXV+D,$d Na3 `bi f1-\=>b&(OD>32 PA& A wN> #Z;GR*P<Fz ;HL tsm
```

```
)|}bM
Ch@ ;Q\k 6 T @z >pF`y ^nF B 4G^jw ~ &(w" , \$$kefA.XS.Hq dp6`D ^?npbe0 4Y[ r ( O!v G( O
<
# Y{5
jlXo j • 5* D7CUUxIUI.+C!, q7d> W ,'1vH# owu V V1v\}[
~Y(|`I/J" 8N PYY ?+
VAc\C0zXu
O1L
0 mK
endstream
endobj
241 0 obj
<</Filter/FlateDecode/Length 424>>stream
HtQo0)~ Mxo4M"W
R\} I > I@G*v3 • o
 D
7\sim_{-} | VL jQ|#i shc+b < ) gN%cSltg& = j `b 7 *1 = mYg ;}HX< 66
k_o ,PS a"G
9> MRjd7] :{q*,b[<0 W k }gd gP DlzUp}dw!z\Vgr: 1u A !~ fi'•@Rt/ 9TuO ™r\ ~C*9:HAtc*b|{!,G 4$h
endstream
endobj
242 0 obj
<</Filter/FlateDecode/Length 985/Subtype/Type1C>>stream
H|S[PSW = 7Z1XnA1L^?R]
Z 4(Hgbr!d fDH - N > v gvpb qfks((A E.-(xn Sza gj4[R g >> x))))
6Y{-I(jb,N + L8)/XmM = 8 rx/]ZorV56sF?s k y5-ut}
```

mD

C #-FT6u IIc V):I \QmE2\$ |RX &2 nY=! 3 !n @m\$ { g IT]!fW]^DXI2 {)8-o [7 |5v@wx 0RMp I% H?_zT&Q v#b(^8 Mqg

o Nh TnZN

endstream

-T~1> a_ O *]},XM):.•z2b •4xuTy DR1 fn }NZtX)•4?O {HaW Z Vnp{ m~_ 4

endobi

243 0 obi

<</Filter/FlateDecode/Length 11362/Subtype/Type1C>>stream

H{TSG MH 5. by. P h

%4n @Y RmP5; 0Q+p 2Wm ?)8\IK- J L()q.;b $\{z == 4.6$

0 DI .a L X P)Jq. NB 1D f f 5Y/ •\$4ZSIu{; U5j5

_ X

 $l \ k \) \ q \ Z \ i^*y-H \ 4 \ _h Ha \{! \ a= \ \ \ ^0\} HG4 \ Cl \} O \bullet r \ YS-2^*6WGOq?a \ /XTE \ j^2G \ L>$ $j5u \ \div \ wt \ _4h LbwB \ | \ 3@~XN_v fl4^* \ e \ X'' \ x2 < E6?g.7ur]''f+p, \ x>M \ \sim \ < pm \ :>: \ \ |M(\ ZM < o>y$ $\bullet F \ _, B7 \) 1K_D \ l \ kv55W \ v \ : \ i^*\{@:d^* \ Zv[e<YB\ Pi \ < Q7@ \ t \ ^F \ t?3G \ \bullet \ r=N \ 1: \ 'jX2u \ |ZX'JrBRi^*5 \ c \ NF \ fnY$ $Us\# \ nb \ \&l-Z(f^*5 \)$

5 fBJ u c A -+W TM<0 8\]}a@ Q6 6P, b ` /_.D@YnTX, Mn`MM5mnf]FO@MFIB[f S2ar.tBcL~ I(Jc PWXfK+o 4T ;-` h Om ;)i

3=<Y xHP`5b*t6aV0m %\$v7nVzzt ~ye) Yu*! ~ 0 K q6el3]VKGA1I

:\ i

zr Z

a /eukp \sim 4 < 1#O c7{ `R

2}; W lk ld{ !>#iN2+_ p \> vPr_u@N (R,B [Jku7 _]g~ K] 3p9q{]Z Y_M Y:Z[T kc} u c aaF ?m}-,žeEJwS/} y [Z` %!){Dhei[m(Uv{ ZY ^

l
<b=? +mT," K =~4 nqS [v_)Wl^2Hd-Pa '@2X%X V o #8 M6P[E+8HxPF ^. vYs_ gm{V ,d.Tozh8# hue;UK

**9*&cY ct;FB-.n• '•> P mKF N=• feuAzM{rX DF VIC v*[E

` @• RNF\H

J'nB A?b* U;•m7> i[;Fv dw S~8?)

Zlj T;&r <\$^, (;\$ }]X@ RJ'gIND• s E=XHH: !> Nh@\$T1.` w < `"^ 8eJ 'S? m8F. : [] "_%hAhK?Q8< 'dSaH0hp8@ EEs7Y aVe&74XM|`d % Mg GI }! jEz PPQ*7C L :g fel ,

7 7b,P_(mHXi yIY9aJbq5pd" >•7k6Ui>: K]eeUUWzZ}WY H dTh *Y6Pb-A%g L c5•^I<-8\PKg7v.{+ 9C Mf Xz \ •<wji F3dA &8V0SZ6 9y= _G

L p=Q` zyl x#G md- lc9B .o vs{hff+ h}z>J^-z't l " M Mq <O % 1:xQ 14fd bz+ hq Aa vxYha/Y@ rOj o;D!i l|{jh qz > p ^AMi /\$;J 'hoz/=9<U" $\stackrel{.}{=}$ 0 \$e&l ! & 8TX SFJ_8 f_f=C)+:=S8p\$Nxt p526 8\$UN B` zGZ a]&* V)Q^}•

2RGh4kNDu<a06"JFY

```
F-ITi)G@nft A!8mr*l
75"
MD dn '< (tFYe pOzcX \sim[-; '=; $jI"d
 PAxzB @)f;n!IH D
k']K (-N-B/NN \bullet y \bullet \wedge MU \#S.Eb?=:y\%+ 2S b[ShcZ4V:L fY =yx)s) \bullet I (s| .E)
6(\"C[iN =
 |>Rt8 r 6r T{RU n9#&lg9 6 H@ " 5]nY Wy 2X X'ML~I%tE'`M Y&4\_{Gvw +ZYdFwt @J: G.]y. etY In
5 dY6BTo=6 oT )|s vD,nml \ z#xUp685' R•8' q^G? x@4
  m's/ Rd C?:q re
n5 id3=;Uu+r ]1, 04 L] s4e v«sm G(!)\ a7> a H'p,y îVZA<O / ) gW 2@4 7/u5#\B*I>(- •B]_ ( 0Zq
 ;O s&o #hZx85+ 7yO X UF|XLFXj1: )p E+ > H}9-G s h M @ > /BO Lx^w oM Q
(?)L FH J\u<S+Sbo: e q @ TP
S0"9T!H^ 5Fz v*I Em `x=V:jv\f3 [v xuN# y6;}
@Vx '1rWEp9 JZT:^W %;w)v +;y!
\ } <; F RIEb, )>H(NW^35y375!1dSr:=7?: *.$ &'#'Qe `-U^v.74N LXH K s
yKwp\zx b.} y tT)P0 Ke MV0^{-}P>: \?{\hat{6}ATP} tVF s*<
R $`Rmu # K S~wa49d75? } hkzMcl % *?FHSô S h Dsgkc Uiy Qoa [r [6W q W Hw{ \ t FtX f-v;} •;
r| i$
F-..?
 boU't_eMe ZhU _! mn yNT: d f • g I q; 9vgL3ofr4^CZ |cO:O+Zmb}BS `u x2 nT' $ Ca, c + I t:1d
  DGsh • ; f'N;jwVUg t @ xy&AB P y@ > uv ESN7~u 9#9~ ,^ I@ (nS4 Is J(gt MZY/>vw-)(cy]2B
G aoHRh2 KY5ZJFX0 E- |/9r|= G r}^uF 1 =^X) •F y 5~•> wCšJ Q? DeW 4j!Rw`g !H 4 t M w dY 4
W[/
F3suz +]<vOG I$ \( \text{DYPRt \J #?6Y m O-bfrCxQwGG7jB-!Ra3o7 2W 4m:~ 6/ 5(L) W}
?N, N-@:IJh$1 | x ~BeRNone•UITe•APkT /4& Mi1 V,7(X Chp"BO\.4Y !i8
```

```
xV S * Fo/C?]64Wiv 8 / eZJe52 %U DJ 8evJT
Y-W [ • I \sim J \to J \to [ MGH.5 > | Y, x=p ] z\{H
Vs. ZQ0(e&!.M c7 r YL9Yg | BFD{| a8•5+54|= aB ZN| r9U"!
v (Fo "9 R?z$2w' [ |8
  Ek1qV8BZ(&- M*IYy8 ho Hv IyA8{Q>].j* (t r 1 }~0ih } fNJ%
•K[ `L
- IBoxz">V U 's:) -p1k z=^SS&Y#5# O] CpF >.iRI/+<T[4 ^y#=}VeMCG
&{> (u M3x&!E; E5d5&3M s D mU ?hbf• $g0n d?^9wx}~Ufx X+<U, )% |["BM1VC% >4 I Z h!|irp'N
+ U `C;\ {{3w`
~ 8'G=<$Htl"9j hU?.[Y
•.X`<
% S|4
6~3 \ M0 L{cv
V.pa[g~•'r <&{# ^i*z:;Y & 2q gH+i O k[@@V[}P Ek
U19;q3| y8=cV7%;I )!mVq #2 Y,y< g
 - Uj $z" Z0& M } y v$NJMHXuQA&Ww
)y/ n<w`PR& M "QR'9ck wchG(:&<& v<# s.{3h ;E;v z O) yp L:!r6 t]O_2\F|OC">xRk
F_fXÕG GK F6m{ =}]y^xhR m &W<tn;MN L>0Bv zaBYK
i S<"|9c{[}*L@N+a CZMfi V v ZU|[oY]
F w8u -f(@(1Zcx
+to~JZ{A;<Z( B 8~^>|} ~ '8!$! MJ2AxLK~ P5 c PIIG9C Dx& Tv# j N hl5 N d Zuig :r6s e
U "XY AQ #< Zhhl
O8 K F ) EF"xv0F &Nd y;j-D7IQ eMs+ V !MX`RP3meX#YJ3 J p5j) + ` X6X _UG, */, is
999 k2(R=Lh([ D tl)\, *Lw26i(+ ~-Ap •pKOt 4MNK@ sH_P0`VmVV3OGqZw4n=he
 U@ #b2 rH JS @Ky•;UY
Z e2 j\u QG<4 {,f S&RskP |.KoM 1B5=Tu' Z } M
```

```
#B) 3Y>]=0 xH xJt'*q9A5:5 qJ KkR#c a4fhb J8@ ]YY 9/•LV`W^ ._C\X k~T,P )i.,KnMm-#
h2H Z\6~KGd?zMO. o.siocF q"~}EhVm7api ^ UvLu( hxpm)Vp }3 z KJGg;D q+ ;
Hs!2J(&
 @sdHj`;"a A)H:% ~•I
P 7\iC Jk\bullet%k'iTU y Q.Y u4/luQ". P2@J: jw o Rs f*|M= z|n 11 a2 fmu}'P+ y <M K v=i ,> k B+T%}
2rYs^{-}/vb Q''>z^{-}pBH''`K^{-}f 37oz ?NY ODv: < X K90}yq${>t
(
     U }k yx i+m= ^t_( `y]X 6*('@ Na]BG3V T%p,]f w` •lp xzQ! C# " BeS J5• g c8T\ b=J% xVs5 d? zh
 EctCf0%T.(/;q:M;\Zd\RODp''''gS0r>W@R=UeQ1EDiFob,n9N4)u,&F-wy3,
|s{;>'?%E
 ?zlb:6k F m6 ~0R3} \
  n% $+rX RaR>}WF C3o0&J^J3x[7]t3 1 r!l=3• yH| 3/<}P +%x Sf 2 @Lwn`5x?• T';BI s{ /B\TUAR i)
{}^{1}? 4Z Y+i +p O; , {bJ dx!} =g| !L*;Z~F]'| io6 O%0= PA] ulwl'p )n { <...
x=J \mid 6^{\bullet} k \mid (/|)n|2y19\{\ensuremath{\mbox{$\land$}}\ensuremath{\mbox{$\land$}}\ensuremath{\mbox{$\land$}}\ensuremath{\mbox{$\land$}}\ensuremath{\mbox{$\land$}}\ensuremath{\mbox{$\land$}}\ensuremath{\mbox{$\land$}}\ensuremath{\mbox{$\land$}}\ensuremath{\mbox{$\land$}}\ensuremath{\mbox{$\land$}}\ensuremath{\mbox{$\land$}}\ensuremath{\mbox{$\land$}}\ensuremath{\mbox{$\land$}}\ensuremath{\mbox{$\land$}}\ensuremath{\mbox{$\land$}}\ensuremath{\mbox{$\land$}}\ensuremath{\mbox{$\land$}}\ensuremath{\mbox{$\land$}}\ensuremath{\mbox{$\land$}}\ensuremath{\mbox{$\land$}}\ensuremath{\mbox{$\land$}}\ensuremath{\mbox{$\land$}}\ensuremath{\mbox{$\land$}}\ensuremath{\mbox{$\land$}}\ensuremath{\mbox{$\land$}}\ensuremath{\mbox{$\land$}}\ensuremath{\mbox{$\land$}}\ensuremath{\mbox{$\land$}}\ensuremath{\mbox{$\land$}}\ensuremath{\mbox{$\land$}}\ensuremath{\mbox{$\land$}}\ensuremath{\mbox{$\land$}}\ensuremath{\mbox{$\land$}}\ensuremath{\mbox{$\land$}}\ensuremath{\mbox{$\land$}}\ensuremath{\mbox{$\land$}}\ensuremath{\mbox{$\land$}}\ensuremath{\mbox{$\land$}}\ensuremath{\mbox{$\land$}}\ensuremath{\mbox{$\land$}}\ensuremath{\mbox{$\land$}}\ensuremath{\mbox{$\land$}}\ensuremath{\mbox{$\land$}}\ensuremath{\mbox{$\land$}}\ensuremath{\mbox{$\land$}}\ensuremath{\mbox{$\land$}}\ensuremath{\mbox{$\land$}}\ensuremath{\mbox{$\land$}}\ensuremath{\mbox{$\land$}}\ensuremath{\mbox{$\land$}}\ensuremath{\mbox{$\land$}}\ensuremath{\mbox{$\land$}}\ensuremath{\mbox{$\land$}}\ensuremath{\mbox{$\land$}}\ensuremath{\mbox{$\land$}}\ensuremath{\mbox{$\land$}}\ensuremath{\mbox{$\land$}}\ensuremath{\mbox{$\land$}}\ensuremath{\mbox{$\land$}}\ensuremath{\mbox{$\land$}}\ensuremath{\mbox{$\land$}}\ensuremath{\mbox{$\land$}}\ensuremath{\mbox{$\land$}}\ensuremath{\mbox{$\land$}}\ensuremath{\mbox{$\land$}}\ensuremath{\mbox{$\land$}}\ensuremath{\mbox{$\land$}}\ensuremath{\mbox{$\land$}}\ensuremath{\mbox{$\land$}}\ensuremath{\mbox{$\land$}}\ensuremath{\mbox{$\land$}}\ensuremath{\mbox{$\land$}}\ensuremath{\mbox{$\land$}}\ensuremath{\mbox{$\land$}}\ensuremath{\mbox{$\land$}}\ensuremath{\mbox{$\land$}}\ensuremath{\mbox{$\land$}}\ensuremath{\mbox{$\land$}}\ensuremath{\mbox{$\land$}}\ensuremath{\mbox{$\land$}}\ensuremath{\mbox{$\land$}}\ensuremath{\mbox{$\land$}}\ensuremath{\mbox{$\land$}}\ensuremath{\mbox{$\land$}}\ensuremath{\mbox{$\land$}}\ensuremath{\mbox{$\land$}}\ensuremath{\mbox{$\land$}}\ensuremath{\mbo
[Jonnnmo = 5U3`=e'o~m • 2wY IU]=swOnl,(ol*k ab;r=0d p% M v; :;: =[ o?z 5 MZ'J()nko) (=ey E:,
    v \sim \log (1/k^* w^2) = 7:£2wnk?0 't"# MWJgl9 F_CZ \, V-aboYr.Vo@Mir0â s 8G < ].5y4{ g1 Z ?IY}
[;::[kgM8m r,Zrw ]9|•jn•?wfz: y87s]:GW
endstream
endobj
244 0 obi
<</Filter/FlateDecode/Length 4690/Subtype/Type1C>>stream
HIT{T WICa
                                                                   Z[(y $! = 1\&/*b Q£+km[ZmO=.gOoxss("p8q;$sKL&g+dIY)]
    G F+-3w1`js q8?m %G•/_lgeE <J)2\Tix!\%[(!lv_7lK,Uq\%J\R:*QBrqP,)+T/ /l,|$dX /S([ **E (es* O]%]) = (!lv_7lK,Uq\%J\R:*QBrqP,)+T/ /l,|$dX /S([ **QBrqP,]) = (!lv_7lK,Uq\%J\R:*QBrqP,Uq\%J\R:*QBrqP,U
  a 0h A)a
     Ao@ C¶G8"E*6Dq?: oH1 L x1mf9I: sp5"hz Y Y 3 2\langle Lz# Y<* -4 •#} jA\:WF z ihAKPj G, F:\%2
```

 $xO| Ii-mI(XUP)Z|P\& \sim gvG'zVU M67\} 8 m!G$ O -q:2nl@1P 79 Y+AL% t &k! x ve2"P%? @; [,2 NZ2(#"~.is aP=+?P (kB • !v 5d fX-XX O t•<zR?mmS "lcf"L4 c_A'yKpqM",- & y LM} $\left|-d\right|^*/X$ B E} $\left|QnJ_Q\right|$ bs` 3F n S B[g aZU!zZ,z sY 1 AZUn2.5l Y~ z)<@g"p; mNQ QJF{ -~c_N\$= ^gP k}(^e |2rz g3 t t^sC W. '^FpH~ u:80d Np6)&]E<Pa/cA; x0Icz; Mvmn&iXI>b). \$IM4=i'wl 1(ZmEU#!L/kaYi))} Pk(] pVS="0mQB}B/7T 4 P~7f-s * v ' }\ENv o 55!r@W isa.lMkP |VY\$1m9! JB0 HAf 1 rle0sU@.5 . & y =blK`u E 9 k@RtT bBkT AV5N<jj\! 3\j XQV X=ctG+ **PMG** [1Z1\b@i 9'K_B7•E R~4iDr a*YmP7mà N9S B^k m9~)r2j^<i+ MI "J{pn_D J#KY 0~nD`A~jR;d c`6H rS oBvGu DWo|FVn#m9j TC p \$XDw><-CW'P§O[I<Wjo?E 1 o -IUZ A h D^)+SZ h p5mCn H4 EY #dD gU ?+zg3M(N0.•]Fn 4av Y`]MI* nvX (7rvf 3 Z % HP`06.e!^ \$0d`0 I.L4M;MNJSgH•AlNg~}}oyu. u G r! .3*UkL Ht'v oT\$(& h]% z Jo*_kG+3W g &Gh=#u5` Ef +0 J úE6 ^`qX5y a'H;:E nQ3 A?.;Os u VII"X Z4~ I%1lbL?|| w NQJ4} •< 1a%; wo\$• 89+ z ke '|t}5 M+?SX mI5*9 [j j@ Gj:]X/^-V <SM{KU FU6? •#I~=yxarG\NI, UGi> (p fdf/ F#Ox B|3:&.W?-7GA.?F ~.,!`k&Vw9C [oP4K f eR <e+3 i .] #hn/P%z+\8WckP*8 J

FSzI +?\ Wy9y Cli9{ vUWH(5xZQU= ~\x q A8 'Dd!Pw1 !e=.s2h gB '4`NX ?; •80•M a *(\$d m J2 Q6PuJ8X R48 pd= AC 7 #c(\P# a 0@s ?+8b^H+O8, {]L.c,Tl t[73c d &1z:R@<+ CA{)}!!k;+{k~

```
ukqpb THZ A !Z5d a-B? Z _ OsV<X- ?/\
.k_(0[i9 YL49NY w dM>B s` >CU<3yf<H/` •=vHkR27 l# |dn < 40" 5_Lj;*=M~enu4 M/ w$c
r#•[ _~ 4<[tra!B ?R=a + 8
¢]{XaY.L2< 5 J
c$Kg < sQT=XU {w{ K% /;M {yW3H & p Q# n V s (M #41 0kO <" pd Vhc% -a` V00-\Q w @ MV 4I
4^k n'Ev > 8 [z.s7zE;H\i#f|hWWH_ -O{ G u I
-G2 U
U1`It 6 K 7jZ%I0 x}t-y) H{x I!+ ft ecSJv
 >f^qUj$va c
_W^ O29
K "c!JN}% \.RiOv
JSIX v /+ <_`$2m H(
n | &r \+#3L&Z K
-1e$QI B@W V ssHL ZFrby5Dz ~:{,7 Y S.Z.gx 1fr W| (<1z _) t<.)=d*N7 G ~ utknvk $s vNrVuYv
uw fffVif $~s U TT y[bx~•y• vx| ~|s s huumpi = qqq^mu $r {av[ybutv •u x fefV`g $s {(h {(n
 G
endstream
endobj
245 0 obj
<</Filter/FlateDecode/Length 2574/N 3>>stream
HyTSw •oc
[5la Q I BH AD ED2mtFOE.c ] 08 8GNg 9w '0 J b
  2y.-;! KZ ^ i"L0-
@ 8 (r;q7L y&Q q4j|9
```

```
$FZUn (4T%) 0C& Zi 8bxEB• ;PA om?W=
x - [0]y)7 ta>jT7 @t`q2&6ZL? _ yxg)z çLU* u SkS •eO4?c . R
-25 \text{ S} \times \text{Vd'rn} \times \text{Y} + \text{`}; \bullet \text{ A4} \quad \text{A9} = -t \text{ I'}; \sim \text{p Gp} \text{ [I'L' < "A YA + Cb(R, *T 2B-t)]}
   nQt \} MA0al Sxk&^>0|>_', G !"F$H:R!z FQd?r 9\A&G rQ h E]a4z Bg E #H *B=0Hlpp0
                                                                                                                                                                        V KY dE"El2EBGt4MzN r!YK
MxJ$ D 1D,
 ?%_&#(0J:EAiQ(())WT6U@P+!~ m D e!hh/']B/ ?a0 nhF!X8kc&5S 6lla2cKMA!E# dV ( kel
}}Cq9
N' )].uJr
  wG xR^{\circ} oc hg^{\circ}>b$ *~
:Eb~ ,m,- ,Y¬*6X[F=3Y~dó t i zf6~`{v.Ng#{}} j c1X 6f m ; '_9 r: 8q: O:8uJq nv=MmR 4
n3kGz = [==<=G</z^{n}]^2 ZQ B0FX'+t<u-\{__-G,_-\}/ H h 8 mW2p[AiAN #8$X ?AKHI{!7<qWy(!46-aa)} AKHI{!7<qWy(!46-aa)} AKHI{!7<qWy(!46-aa)}
a• W @ @`I YH,$((Yh7b<b*b<~ L &Y&9 %uMssNpJP%MI JIN<DHJItCj'KwKgC%Nd |O= %mLuvx:
HoL!C&13#s$/Y=Osbsrn sO1v=\h #¼• oZ<] TUt}`IOsKV-Y,+>TB(/S,]6*-W:#7 * e^YDY•}UjAyT`#D
="b{ +•:!kJ4G mt}uC%K7Y VfFY .=b?S y
 k 5%4 m7lqlioZ IG+Zzmzy]?uuw|"•NwW&e*|j5 kyg^y kEkID_p7Dmo1m I{M
   nLI<90 [$hB d@ iG& vV8 nR7 u\D- u`K38% yhYJ°;.!
zpg_XQKFA=:8655679<?DINU\dlv )6DScs
 2F[p (@Xr 4Pm 8Ww )Km
endstream
endobj
246 0 obj
<</Filter/FlateDecode/Length 2430/Subtype/Type1C>>stream
H|S{T w !d:Vi3 bD+ kA|+ Z,T}
                                                                                                                                                                                                                                   I(Fy
\simC q(U v?<g <w3w~swq q\}._?ovh"PM>9 K)•d \sima#3!g \simfkLV G)Y>2g //_I|*2@-Q o DEjc*| rh:Z
 >!"F:Z!RGB# Cr:8qU J} . •yR *u -°%
```

V)gB0iW 8#8w8_Q Qi @&A)/ g>'K t;\

```
}a8 öbv 0/ ¶al /-,
f T:K VB0]/b Cd C"R):-zdj f•3 \L BN#
3lo N 5uBS li \ @hm~\#z *V < V cb i QSW2r, z`^
Q! M(J) + zZpmi5 9>g=s"g; t@Bu w]F*Jf{Kn3WK Z: Ebnb}k &Yuw6{pg Jnq, ;-k}
TY> « Cxx < E 1^3 s i9Q(0F2-ky{ '+i sv\3 Yu WZ ^1p Bm) t?h yN tr A ( .8)}
yoyg?LuIXh-L szu8 hxG ("#=) f
                                        @b SK u6,F !rTctjEoCkb'})! vzd'"2E @i?DY 5-'T-V N 6a
#t" y P• •b j1 alQ)"9{ar+ ,0k~,qv Cx H$pD$> N>MMEi |X J7N DH •$ iC\3q
* ?! `6 kL #d(C ,| !kd azQ0./WOw^0_e. v&4WjBv nO `]S
y+?5mu[%9`He<cc L1. flB \ U 27jce•;C? Ze= i 0=UPHEW$]N NwCga *)
Yln 4(m4 R
•zz 1-W[s
/: oqW ¬a
f . ' \sim Mx5 mO lwZ oo G M
Q<} n0 7A [w•BRKXTq o $BnnDJW8){ o uR)Uwdloj&
(2 CJ `S')Rt=.(vk;W<n)dNMgo :Sfk 9MG)2hU9 R)dNz7 RsR)[}9dmcqQi`c 3]wE:~{i_ + 9 .i2N
\ YQWh j/8sqwY]; 'qn—(6 dwV^<v21 }*J / 1CJ9 3z vu 9 c >> P "\
F2biMZ -2^EAV-jC }:[f^N ^B I
% q = Vp \cdot A 9PQ Hju v \sim ou . R?w x > {} \sim twa^ V \cdot > I xX vw x R s{kwqvprvu~J}
? Rhgo K ? o Po 6Z,] 03c 6^/t JLo `E
1
endstream
endobj
```

I

```
247 0 obj
<</Ordering(Identity)/Registry(Adobe)/Supplement 0>>
endobj
248 0 obj
<</Filter/FlateDecode/Length 15>>stream
Hj`@
endstream
endobj
249 0 obj
<</Filter/FlateDecode/Length 3698/Length1 5870>>stream
HVyp }Jd +bS| [1 [0 *! 0G9 H\(
Gh@ - J $f!dPdB; !$ mv}[- @ !?S?BZk so^ 0 o9x7d#53 0W 2Ù'• $&1veK+ 3
xR<3} \V' p f}m^pnMfLgCu k^t; r6AXx cTU d QGII@[esDw^ r3 u57osGg{:Yr i 8f IT |b)
~&|2TC
V@3•j@\%U ?>Iz !6g•U/ LtW ß.•k/3G G•>3 i4Bb\ 9<uH9zh,y )a
&]aGwh&`.^ZI,a':
Z:G_$Q/Nq'" C;# nv ` [_` [N34#B i8W:[K
2We@W= `V5Nr1 uXXgd-62I `0' ' +8sI|"* 4~@3i m AD•1@ c81Sb0D8!o9BK<% (#2KY1f U +;Z bf
Ets: gO%w5 <9u spF[kgUm4o >wq s~
 3)r} OKh Fun Mtr _L K
AI 1$.r'LiNBNS4Xn;N(P
JeZV +) *|H
3 QO5[G[h9;tD&C >~i- KzqVDH;! 1 pO $C4f Ffr JVR5x GP2B b o h RpQ TQ%N Q#69P :L_pU '
@P^9qb/e."Jh2~ FFVG&;)U\"'n8•ak KoP|go)i&HTA ,xw^nNv•udFzZjJ.1 TE
BW/ hFVPa,Z 2# #`h*och^5g<YYI. O^5\5>7~ Gp%+F$1vM-
```

```
h^|Im ( K\4'0Uk CDWoa#22Y! 2 6*en?/>>pTP scJ
{6J F r T!~Gr -3jw$ot ,2 ~Y3v=*u[w`[Y \*5~Akfebe_8 kó qGJ!t1(] 2 @x7SK WrKa :8[G6Y [X >'B G9
VSp [ YF\i *ft-| < s [6,YcC1 rO9 t^F1Xsik V5`: FX_ az "`I J:O$ %m '-X_t
GV[[hP!iWT c'4o8Z yA 3:dhDly()[/P2q
uuS Vn Zx4j4-;0œtQ;]xa +Ybp8Q U4wZTf 1OUB 65$H+!BWAJh-gg+ Ocdwr&
hAX_>!/ s{{ J+0PN mK PvP S-_B I eKI> %?sYKB; _;{z'.; b|w;.mjWQ$—_k ~>svzi5G5o ) v/MS
Us:Tjv#> Z DJ,.•)}qB " 2J)$ M A
Gi t S A / @ M6A NR _Qq; 5whx\,N B_k\@> C%qO 7I 3rB Ux{ tUbrK"-O ~F 2J = |
Po:n hR# \sim P!d + A0 [+
XO rm1J;Am M 4 RP[`kEDA• (XC^5O
ki _;\d5 qac5sW
N!*&aoa| F( •U@%Pc2K 2c(R I&;I + tS•F
 6VO a s e` P!9P:m0 (YQs(|' {yt 'Q; $ 93.Ot 4 sg s{1Fs ~X% @Kb Ftl d:/"
y KR0 #{B Qcc} XO+vPvP IEWr v Gy):{FzHoq Qo • D A1 B)!. .o
T < Cwi3TH/ d{b$ Y9m WA < TsvME 6{Cf
•@
 Ad 7H (EkQu-#PP( [~x/mfsR( 5y
7W+L">~Y -6 ]n \,G 01W4ZI #VRv66iL[V O/ 9 {x •ErL[x _-g)&%SY,P E Q R N+eIH"E x// H UVoR
N_{x}^{m} xQ-R_{t}; X_{x}^{g}=g_{0}^{g} G_{0}^{g} 2x @3e.C g.k &I sO 81/g_{c+z}^{g} i(bx NG s)
=E=.g mcCgtYB$Xxd/71%,OI .KxDS" sG yDEmL!w wvN xUAwvfFU *;O (a X WJ)\
U ^r W^euU&K,n[zy. 2L] vkO ~
endstream
endobj
250 0 obj
<//Ascent 1005/CIDSet 248 0 R/CapHeight 700/Descent -220/Flags 4/FontBBox[0 -220 1113
1005]/FontFamily(Symbol)/FontFile2
                                                           249
                                                                                         0
```

```
R/FontName/OGSTZF+SymbolMT/FontStretch/Normal/FontWeight
                                                                 400/ItalicAngle
                                                                                  0/StemV
75/Type/FontDescriptor/XHeight 500>>
endobj
251 0 obj
<</BaseFont/OGSTZF+SymbolMT/CIDSystemInfo
                                                                R/CIDToGIDMap/Identity/DW
                                                  247
                                                          0
1000/FontDescriptor 250 0 R/Subtype/CIDFontType2/Type/Font/W[120[460]]>>
endobj
252 0 obj
<</Filter/FlateDecode/Length 3988/Subtype/Type1C>>stream
HITIT W
B 1Pip@PD"
                                                                                      "K 1
-0jHD@D jz"q; =fL4[wNS][}wiiZ",gF`vzbt\pzO88T&YKv?.# JQv<'>ph@hZ)~Z o4)aC=C=wj :$;#S^ 7
mRgW2tzK2T Q L ]FKKLI NPGu c.N KNORfNU)&?) +J)
    *DN%S-E(/ H SqT)I#z'uV dL#[%= kM10?eh#~Q(+.66lg&w n]]Ywl!{u| ix& kp4U!2l"d!j5 U {EH -
o b%d?
                                                        B yOxg=[] -Ak < [b], Q 8r = 5M %
x4 8 g X_d U;' % 1%;30v G`0o > '{•aP}• ~:Q4'/ b [=}mB•kb0 g / JUn]_G*B{ +p`" } $uD&GO Ku4 S
8
JO a
 v 2x 260{JE2uU 1M}P ò fp lw * rGQ•ZTrNn></M62@ Y+/V |YemiunMhBZ1 M^C o Qb2) R K ]/8`
0[•Y:¿ J!:RN WUw xuUT # {w ^I:/ %8%{g}pV (0n$xg U%U-
Wb)%` 0 ~<xlb- Z 7Dl19vRg@i@$9 bo @ f5 .0 aix , !0 o raj}| iP,ŠvwJE3o
, K'5& 'H w BfgV J@&zK b,vB, rmCKb,SP\p][XQro}/
+Q-.ih\ N\ dd?^{K}^{,\bullet}QNF\ 0S\ B]U\&\ m^!p3\ jr^{*}I[\ U\ bN/P^{k}\ C<0\ y<0]
D?>x g < r@Ai - nyi qU = O.{I/! jQqU%K}
```

}! k)0 yXV8 vqql)q

```
D? 7] wkuU[ rf`f < Ga_n?xl'';- cN bwi`.j] N\@li>Q#
PF \sim \langle N?\% | sB == 5 [wG X; SAK \sim Oe + mJ]
_[SbK ?EN 0gJOsl
#p 4 /MEx) y E(;C p OC0Xzc I#|*, X<7"7 > 0 G3V#p•7 Vz{sa LxN/=9 -U2ok 6r,+L \ w• q*" r
:z y|Ur^ff!+suKEq7!,b
>sv EuaWrJw nP S+NB4M! ^ , ,]rk M Vm
hc:IG8]~gt3=GfJ2eX
                                                                              t6C4)}1`+a X
^zN06\#^f^3kc|yRzEcHMVp > s "DzMEy/ 9{^gtq JnA+Zpm <; 2`uY(Q ?Jz(B& [e06st =? N)$ 4i: &) RA[}
c?Qv| n/*hZTmX• "ni !1 f w} Z%K V=OJu
gM N0}r8L 8+ F nW U dd rn•v wXgP", 1
                                                     B/-"yy_LkdDg^/D@
                                                                                        } g.
**aK^$*t OÜw_R$D MUT&( 7z.UeV\U% JW @| `y `r5wc \;E .\R
Zi oh3 (?m 6m
iip&D n7'/_f6 3Bo (
!w"@/! I # 2 whNW4u,D G• 1 Trw5 x| | dYX,C9n.oMK ~• K
JVU*Va7 W 8$g s&f DTs=^id m>3;Q?Q sLEN1 ;3 O ^xJ, b !~ 7+!3/dU•fjoi7e` -e +9L'qm %s<) e_
o Qql%_{_!. nj8Y2-ej{•
W4KkpAS>B+_=4 {=e\; T^a dqFKwH
? = H1w, |Z4'6`wWv&Z, ii R!* ~>b N #.D v•*m
`okGk % M gugBbe8
i0o lu}e]
[aK A
IFO tV-`D*47 b,! ]d`] }:!Ar<i,C2> D % WHx4• `3~] H3i6H :,@9F VavJi &3zlc@ 4V@D V Z a#-C
H cn1}m
Gz " fz "} |+ x@\z IOH -UC:?"$G,s PVYi,2yXcO]w]_
%/ìw
,E * jObkxQv)2 ;8c 6uk1A( lhg0?,? 8@$E•Jt
```

```
\&/ ;y?\^ G
y 0sK ) Uur 7.'d 2^.eV n<\ t-"C %kgbdlu':j ^ bK Y 5
endstream
endobj
253 0 obj
<</Filter/FlateDecode/Length 1241/Subtype/Type1C>>stream
H|SkP g MMPuQ `J | )(VEF @6 1,
Hu @ H":X X 1 2s~q=sfc y&_yQn1K6s
c<mBdC...i !d 0T/? 1 : O |H$ Yp6Fgr} MQSiacvf& $3 JX} a\^3rZr 1u4~k|d plf 6UmK< %
4\n b\+5 [$ E\$be &\&irB\\\ \approx \z2C(\% 70 o | EnD\\\ \sight\ <d.:\#P\` f
X#6 `D1 0 Q.X
'z EX s AqW. "k,g0 B ,W X agkWuGJ 6(`Rqq ,*7@s{y
$ tEF8qsr8zmN"c 8aLX '&W Sm|77^ AJ 7D{N AA R!• V $G H J!P
 @*A=e[uy YDS= y_ n 4z(@LiL.C] fy J joeMg;T h_;iOmSUVk*ERR\I ^LE uiQP d]k`c[4= D^
y(kU(?Jon8XzT-'r.4• /R^*8 *IE,@r>K 8p'>;qw @IT |'IAv=
POgc•d:: 5> | 8\5qujj|T /6g"f'g0v:H 8]qCGznu ^:6}~(#8 e q<|XztCnONC&9h]I1;+s+LUIUEU<SiO>w
BFr
{j\%Ve?g6J + (K \sim \& P;X q ^N)}
YB6 7a
endstream
endobj
254 0 obj
<</Filter/FlateDecode/Length 695>>stream
HT; p kmaTHI$E R2)G)Jh! 3kx^{\bullet}% xB^{\sim}7O= `W
```

;Op • pD;\$ @DUFUE j#u DTLR= NHmLLmLJk f`R21)YYi-9\lf 6+5 ry |AI[a)P K+2HG9 Y #AHP

x Cn XKAQQ iM C0@I?

```
Al+# YmD EdD $ (#dh7KR{yT >1 ~ c^18)
! %b'b G, W:"d1 ? r\01;
&DBB4_xjA2E"]-Je*J&_ g9bE\Q,* *N-i Zc, 4+UqMkLuN7faal wj5wmfowvjs = o?•=; y O"'g gW W 5x{}
on]{ <>|•| •_-_
endstream
endobj
255 0 obj
[/Indexed 214 0 R 255 254 0 R]
endobj
256 0 obj
<</Length 7833/Subtype/XML/Type/Metadata>>stream
<?xpacket begin="" id="W5M0MpCehiHzreSzNTczkc9d"?>
<x:xmpmeta xmlns:x="adobe:ns:meta/" x:xmptk="Adobe
                                                         XMP
                                                                Core 5.6-c148 79.163765,
2019/01/24-18:11:46
 <rdf:RDF xmlns:rdf="http://www.w3.org/1999/02/22-rdf-syntax-ns#">
   <rdf:Description rdf:about=""
       xmlns:xmp="http://ns.adobe.com/xap/1.0/"
      xmlns:dc="http://purl.org/dc/elements/1.1/"
       xmlns:xmpMM="http://ns.adobe.com/xap/1.0/mm/"
      xmlns:stEvt="http://ns.adobe.com/xap/1.0/sType/ResourceEvent#"
      xmlns:stRef="http://ns.adobe.com/xap/1.0/sType/ResourceRef#"
      xmlns:photoshop="http://ns.adobe.com/photoshop/1.0/"
      xmlns:xmpTPg="http://ns.adobe.com/xap/1.0/t/pg/"
      xmlns:stDim="http://ns.adobe.com/xap/1.0/sType/Dimensions#"
      xmlns:xmpG="http://ns.adobe.com/xap/1.0/g/">
     <xmp:CreatorTool>Adobe Illustrator 25.2 (Macintosh)</xmp:CreatorTool>
```

```
<xmp:CreateDate>2021-09-15T23:13:03+08:00</xmp:CreateDate>
     <xmp:MetadataDate>2021-09-15T23:13:03+08:00</xmp:MetadataDate>
     <xmp:ModifyDate>2021-09-15T23:13:03+08:00</xmp:ModifyDate>
     <dc:format>application/postscript</dc:format>
     <dc:creator>
      <rdf:Seq>
        <rdf:li>emacuser</rdf:li>
      </rdf:Seq>
     </dc:creator>
     <dc:title>
      <rdf:Alt>
        <rdf:li xml:lang="x-default">(Adobe Illustrator Artwork)</rdf:li>
      </rdf:Alt>
     </dc:title>
<xmpMM:InstanceID>xmp.iid:38600a2e-15d4-4bd7-859c-15770b577575</xmpMM:InstanceID>
<xmpMM:DocumentID>xmp.did:38600a2e-15d4-4bd7-859c-15770b577575</xmpMM:DocumentID>
<xmpMM:OriginalDocumentID>xmp.did:545ef5a2-5afe-4c75-baa2-8ca507c2910f</xmpMM:Original</p>
DocumentID>
     <xmpMM:History>
      <rdf:Seq>
        <rdf:li rdf:parseType="Resource">
          <stEvt:action>created</stEvt:action>
          <stEvt:instanceID>xmp.iid:545ef5a2-5afe-4c75-baa2-8ca507c2910f</stEvt:instanceID>
```

```
<stEvt:when>2019-03-29T14:40:18-04:00</stEvt:when>
          <stEvt:softwareAgent>Adobe Photoshop CC 2017 (Macintosh)</stEvt:softwareAgent>
         </rdf:li>
         <rdf:li rdf:parseType="Resource">
          <stEvt:action>saved</stEvt:action>
          <stEvt:instanceID>xmp.iid:c057527b-6a1f-409c-aee8-e87c3559cb1c</stEvt:instanceID>
          <stEvt:when>2019-03-29T14:41:04-04:00</stEvt:when>
          <stEvt:softwareAgent>Adobe Photoshop CC 2017 (Macintosh)</stEvt:softwareAgent>
          <stEvt:changed>/</stEvt:changed>
         </rdf:li>
         <rdf:li rdf:parseType="Resource">
          <stEvt:action>converted</stEvt:action>
                                   <stEvt:parameters>from application/vnd.adobe.photoshop to
image/tiff</stEvt:parameters>
         </rdf:li>
         <rdf:li rdf:parseType="Resource">
          <stEvt:action>derived</stEvt:action>
                         <stEvt:parameters>converted from application/vnd.adobe.photoshop to
image/tiff</stEvt:parameters>
         </rdf:li>
         <rdf:li rdf:parseType="Resource">
          <stEvt:action>saved</stEvt:action>
          <stEvt:instanceID>xmp.iid:3848fdbb-0a19-412a-a475-0b55951a8f7c</stEvt:instanceID>
          <stEvt:when>2019-03-29T14:41:04-04:00</stEvt:when>
          <stEvt:softwareAgent>Adobe Photoshop CC 2017 (Macintosh)</stEvt:softwareAgent>
          <stEvt:changed>/</stEvt:changed>
```

```
</rdf:li>
         <rdf:li rdf:parseType="Resource">
          <stEvt:action>saved</stEvt:action>
<stEvt:instanceID>xmp.iid:9452b34c-4817-45c6-892a-457108898336</stEvt:instanceID>
          <stEvt:when>2019-03-29T14:51:32-04:00</stEvt:when>
          <stEvt:softwareAgent>Adobe Photoshop CC 2017 (Macintosh)</stEvt:softwareAgent>
          <stEvt:changed>/</stEvt:changed>
         </rdf:li>
         <rdf:li rdf:parseType="Resource">
          <stEvt:action>converted</stEvt:action>
          <stEvt:parameters>from image/tiff to image/epsf</stEvt:parameters>
         </rdf:li>
         <rdf:li rdf:parseType="Resource">
          <stEvt:action>derived</stEvt:action>
          <stEvt:parameters>converted from image/tiff to image/epsf</stEvt:parameters>
         </rdf:li>
         <rdf:li rdf:parseType="Resource">
          <stEvt:action>saved</stEvt:action>
          <stEvt:instanceID>xmp.iid:88964da7-df8b-4c93-b4e9-30e41bfac865</stEvt:instanceID>
          <stEvt:when>2019-03-29T14:51:32-04:00</stEvt:when>
          <stEvt:softwareAgent>Adobe Photoshop CC 2017 (Macintosh)</stEvt:softwareAgent>
          <stEvt:changed>/</stEvt:changed>
         </rdf:li>
         <rdf:li rdf:parseType="Resource">
          <stEvt:action>saved</stEvt:action>
```

```
<stEvt:instanceID>xmp.iid:38600a2e-15d4-4bd7-859c-15770b577575</stEvt:instanceID>
          <stEvt:when>2021-09-15T23:13:03+08:00</stEvt:when>
          <stEvt:softwareAgent>Adobe Illustrator 25.2 (Macintosh)</stEvt:softwareAgent>
          <stEvt:changed>/</stEvt:changed>
        </rdf:li>
      </rdf:Seq>
     </xmpMM:History>
     <xmpMM:DerivedFrom rdf:parseType="Resource">
       <stRef:instanceID>xmp.iid:4973ca7d-73cb-4cee-bafb-76fe23d98359</stRef:instanceID>
<stRef:documentID>adobe:docid:photoshop:4f1f6aca-92e2-117c-afc9-88ce94212970</stRef:docum
entID>
<stRef:originalDocumentID>xmp.did:545ef5a2-5afe-4c75-baa2-8ca507c2910f</stRef:originalDocum
entID>
     </xmpMM:DerivedFrom>
     <photoshop:ColorMode>8</photoshop:ColorMode>
     <photoshop:DocumentAncestors>
      <rdf:Bag>
        <rdf:li>adobe:docid:photoshop:431ef0d8-9234-117c-903d-da883267bd41</rdf:li>
      </rdf:Bag>
     </photoshop:DocumentAncestors>
     <xmpTPg:NPages>1</xmpTPg:NPages>
     <xmpTPg:HasVisibleTransparency>False</xmpTPg:HasVisibleTransparency>
     <xmpTPg:HasVisibleOverprint>False</xmpTPg:HasVisibleOverprint>
```

```
<xmpTPg:MaxPageSize rdf:parseType="Resource">
 <stDim:w>51.000000</stDim:w>
 <stDim:h>66.000000</stDim:h>
 <stDim:unit>Picas</stDim:unit>
</mpTPg:MaxPageSize>
<xmpTPg:PlateNames>
 <rdf:Seq>
   <rdf:li>Cyan</rdf:li>
   <rdf:li>Magenta</rdf:li>
   <rdf:li>Yellow</rdf:li>
   <rdf:li>Black</rdf:li>
 </rdf:Seq>
</xmpTPg:PlateNames>
<xmpTPg:SwatchGroups>
 <rdf:Seq>
   <rdf:li rdf:parseType="Resource">
    <xmpG:groupName>Default Swatch Group</xmpG:groupName>
    <xmpG:groupType>0</xmpG:groupType>
     <xmpG:Colorants>
      <rdf:Seq>
        <rdf:li rdf:parseType="Resource">
         <xmpG:swatchName>PANTONE 364 C</xmpG:swatchName>
         <xmpG:type>PROCESS</xmpG:type>
         <xmpG:tint>100.000000/xmpG:tint>
         <xmpG:mode>CMYK</xmpG:mode>
         <xmpG:cyan>76.999998</xmpG:cyan>
```

```
<xmpG:magenta>31.999999</xmpG:magenta>
               <xmpG:yellow>100.000000</xmpG:yellow>
               <xmpG:black>19.000000</xmpG:black>
             </rdf:li>
            </rdf:Seq>
          </xmpG:Colorants>
        </rdf:li>
       </rdf:Seq>
     </xmpTPg:SwatchGroups>
   </rdf:Description>
 </rdf:RDF>
</x:xmpmeta>
<?xpacket end="r"?>
endstream
endobj
257 0 obj
<</Metadata 256 0 R>>
endobj
258 0 obj
                                                                 R/Filter/FlateDecode/Height
                                              255
<</BitsPerComponent
                           8/ColorSpace
                                                         0
                                           114841/Name/X/Subtype/Image/Type/XObject/Width
437/Intent/RelativeColorimetric/Length
2236>>stream
HVJ# dD!U•w*=nvKR`r•
                                       *t> K~ " |I VoKZ F S !ó~.\r> k g d='?]K [t>*2k=s %rz0
x_~U?,yZ
```

v= C1/ Ra bUj wD r2M7/}/ p* m bK#158Kq]g{^ RKC ^ \vJ 4- *i •t[lO6l|{lgp|n p 5 yrJ[.e mV] %r/hmy' ;0l' A # p3 GLRt41Zoz".F YbT{vm TMDX•V gT,Z7! fq~ 'e C GvXcr Y |4 <+ \S4NQzW AAv/C;o >l lu.| b<H/A { F:| gE ']*4K~ '2 59UuN&Zwa/| K\! qllF gc <lM m o,_o •F•a|Z "'z1 2/hLN{j]vl E (_ wUgE|EbjiTZ'O%

•_AUF1!/Ebw<L 2 Ju(uU?Xt OW! Y_r(_v] Sy<•"Y-H2nU, J iw(* Q krgy>M ~;N%s_OO+•;_<?]K8g`~ 1j'|y[: d2db9NNg\

vB> /Y{W !N[#1?*` d .xy 6•AR[t!_fB >r;V !.Psq|"/K2=c Km{ ayr=5u A~[.aWe•W_Bu{_~9 d1g)@x8W ^2cVq%~FREI *Yg !.cT0xD A d E

I FI z 8I1,bH < \sim /UF h Z M en!S\Ttcd+)o(J Jgb%vZ LJ Vp ` X_;{

 $o \quad |\# \ m \ , (\%a) \ W"EC \ b \ \} \\ 8W[JG^{\ } \ K \ 7Ai = \quad E \ /P \ , d?1 \ !JpQ1/3] \\ 4-tr \ ("XF \ 9-a7pR \ , e > _^vky' \ | \ \{U:V" \ $\ .xN_Db \ 1+Qn"O\#<U \ fNy] \ hwY/UzX+\{1)rf!e \ ~x2n$

V n w{YX x z sjE .v]_6.Yc~,soQ'Qt \C^"

9q dlls >J %,jGEw(">" $^$ gf] ?WqRe

7z?zz. 9 v (aF~ _ k:"/8&-: d Z:M! SF s!#5M E3>/w %#6•o r Y"0I; % LRS $\{v(:h)<'dQ \#5\}B+5m yobO]4*aoi JRO N64 z "0KkH i|J ~ Y! ~g^ 4A)g w •_JI \}wR0o ;Lmhybc} wq Ok }9 v Ozfm f u BkY)sn <LBGb_D.|WJ{}3sGw z}:}qB}Y6;$u^ o tP I Mc!6RH$

XF C"sl B`eu.nV_Oh#R_s.M

,tdds? wP_;• 3J M I ^ 02'u^() 1.\$* qV e ;cfF)I -+ NÔh: S#])SfLZ] oPH<M^OK8 "c*]/]h6KGWX9X{ hB_?]_s X Y%~%1wL3.&i@D=_%! 7 Q hybUXL8]PR 6Vz]#7 KcuB•6BG =:*]4t<. p)}!_~ ~V ~ 4A~EYV+•B^Jy 'RFVX.Z/'I* \ #Vs rg - +43&h&" u {]jy98 <{|R^V/ :•AyKd =Im. g@*zW\. f 6"ws5l6v=(>_+WEZ'\n Be/

]h?9CvUh38i2 %|yr/y IX, T*K4 Ro• c7zc6

tPjðd @T !DZH !& (y||e~1p \^oT

($| f < gS_{-} | tq_8/| e^2S_{-} : Y; P>x ^9S_{rJfCY} | 63ece/ {q #M{GvWKC/}} | 63ece/ {q #M{GvWKC/}}$

 $S[RoB_H'.Y^*]. Sf hC 2|7<%P\#\%Pz u = ar| |m2S PJ 4CHu/, %QqYK]qRo @ox m *{[p !`J| V i{,Q R F [/:'| vrS6 ws4P; u| •9Sn ?q@Z5• HS 7u"mj r})x 0 7.! tQ • c ` oR$

```
6 6v%SJu[u^Gqz f+ "MOsWH4h0J pMCB4td9?:\`+ -t-}g?
Nq\L)"%Rh:N \L0"qXXIUJJJJ*5 nW:q G aZ b 0(W) a. xQ_vFX`hVs f{OZG `+°"Ix:S !OAx!
; = g = i \%:L}1! K m*~L keuzX > {2 $RRRRWBz ; -jP>P_$]A_ > (Iv i#M vY\ ! % .7 *( .ny[h#LM5? [
~td 4:Gn <}II0c m d9l ~TP@ti3]c%zrMkp& Vm?aq <EoC# w
i )'a <g+SSUu_# U 0B>!
NEt•P[1a @Xk KUL7L+4 aY+aq^ \S Y{ }It F>Ady p z~R•&x~- (JTO0VDu 2 IIIIIBaa I >V
*KRZzJ{be!
XL ,aw- %e
.Q} 'sBZhy 4/a"O!el.2[sv/.b<=e2B uzzfu K< I2.: #SB8 2 h4tN^p90&* v&< >~ T#" |d A 9x e
^{t7} + UZz.'Hf \acute{A}? oaQ" x'^)=:< >v i tLY<A.d |OUAZM% ~d8 yS^IZI< ,8RRRRc?'m m&
(:/fgF~9gB^nN1~v~s3a,y~e/*~^`
>E 'sAyd5p`c^O a R $C1iwr n2V1F.~ 8BMb J8 54Zd m2uY A.&LxW+ypj `Z;/ n i au 5vQZ Qo \q|_
-GÏ cOn{QFYnqO2/?"+ P]PP Z?-f$ tC!1: 6 & rd 4G !e P• %yz}>_ ` _ ;] )` F•
te b ^ pKut4M)on B~6J3g Bq'^ Xb 5 bRfvm- C
G XSOz
oi+/# /W9 @))))?&}<|6sRx^X> }\ 1iAgo+[< ^7>t Nni(u.Fy/.% ml gw ] ' e 8\v "s%l/4qyEy OV/ P^{w > L
KG WXPJJJJ
N eE9| L F7o}s7+e,Y~904y`6 K1: CeQP
s>r \ 9q^7{a\
•.Z@2FÃh?K 03]•4dk*)
1?; E x! z w# 6U[nx'] ßQ>KhT(Y}t;471p]c 3
pF/m
 { va/b y= zvQ ?/F dt!/iR #| W :eb'H }` -b 7. x ~E rZpPA\ XL |©x Ti^6 'zAs?sq9kW3m5| k1 a0*+* |'
!jX vb p SvQ X
~\$]T^- c B0f g\h>vz@H<{vcA.aU(xdH't"HN6 u2 I* ?* g_*.p V *WY Hw0 IhH•gl!!!!"t6)
```

```
UV/Q6 PF w K@F s0: 89_C1Ms{2 ![O e_ f_ =x]l>_T`xz~', m NO ` %["#@5 x)p; e | ,gWx/$$$$
tH'B; m' N6^`K o0kMLxK0j
] 0 xNakGbu \ "4W P#n:|M~ a nFHVT X#2 <b&c } \ \@
v9%p<Y v=b }U X -H |d# Q 5BBBBBS!t c cBTjs-<|( ]d :8
,`/
~ 'Hr,@
$QqKy7S=e IR H ^7?IG J n {/.:,6Yc 6)I)4ba8 CiRF(b ~m $1!!!!m!YM^cR |#oE3B9(Amu «G R | ^$
9n} V vY nl`F 4| .<I
(o Zq]xB cEI:rwE h VZV)@Ixy b-pwf H?•D!!!o-~U 0 ~^/ 6 .C 3 xQf /8R' |I]= c/ln6^ ly Ct ub bce R
p ,W<\M](Vz@^\circ t zZe5vQ^\circ Sfm^\circ VQnEz^q + CGd\{II\} L;vGV d;CI \sim G 05/f
>d'%\Qv-!\{tW\ K,yAw?
6g-m/80 v b { )a a68^Ev -Z J B+`p7J R~ZN HJG/ .{ G@($$$$ <4 Gj4_dw aBQ mn)r9|!1X ~/ Hrk{
/Y hA{[] |
0•VJ |#\ H H {YIK8,(; ws3g # H N4is !xt¬
Wdks% q 8 k'#}W "$$$)d]P4tK'k{N'EyO,p _r` Jx[V ro rq3/ jDe}
L _ X_
9 Bah`P1iaD1c d<: AFSv1 *W)/ *,<_vt~ % N KYjO iA1(/%$$$K6g LB
F0_FJ wa DxX)w oyoE!O" &@p9a.4Z\sim=d #'Af Ln.M< .%\_ V H|jhw Hc2 gOe1Iw\4r > 9 ?
o)XHHH X!]<Q*5Ad1w2{Oh ~c Z FSTB;• dp\ ]~[ KkJG$ v• KK E " iX I TEBà\2
VVB~hd h{ ;dt8}s+"{8f"YBpr}3* n xyibi iAAp : - t}lhroP 7?K` y
~ -ha pq-.ê`Zvz' 0f=T SWM;m1 \{Ryp:vAV 6!Y3 ?
 Oaz. 7@,r] Itc X_lbB0 {)me! ] ~iz
n RAVSpV|$ X +~3N0 T g|eN q s' J'd
.U• IH [jD ?•M$x~ <0G
                                         #|8f< /eEu
                                                                                       ? A
)ges-
Y/fV • I CL*I8DOb1?02 Hg 8 > e vsY r vOHs = K1 8Ã= @ *r&J$Y4* u GU&t Fu>R#
```

```
•2 / ]Q] 8dQ9(15•jwwxSjA]BD O ,q#%[rFaK,e0~ [Niaz {%(L•| bPH5W*s> F_hJ)_ #;
. •
,Np wm_ @.•I •ck U`Y $ }]ggD`n2uSQ &,}{|E^e .F9 jh -r@v N!~T%aK d tD,Q [~ :y-cL1F8•BXg_,oi-
jh{' .4dUM q E/3xz 6v DBw vx 1s f]Nce`X
:a?C]>)7 /T4 og %•}XHT']h:|TX1 Oh c hea#a. .SX xO D•D/{ bmhx] / 2ü ^>v \ \oS i(-D8s S,.<Fd
`% _=
9i*gyt 83D s CV
yf~{P ]a %H|/ c} ]v i^ P^3Fb0 2iR(0% A MF|ZYH8(]
                                                              % /.Zk.
                                                                                     $ w
Bvg -d' A \xgBVvy KYKd;XgCU ^<hb kXF1W *c zT v} ge
'986 s\ M2T< ]v5!zr' k{#l +DT `' _. F &Pm,"]@j /gS5> >.p .DEx ^3)5A tn>
[d@\SiD2 La*_d@h C;FJ
N[H
Mnj #e;{}vž Xxo & {7[ a$h~'`|>"7PWQ •]:w y7 % LVA!UZ}2; 0h_(ak5TR>~J ^z I- {R<rOkeAC6#v"
9o#>G '
ST A8Q6K! .</ o f}Xjf t" Q3bg x=•b Y7Hsv5KGRC9yx_~h;k 9 k) a &! •jGU?@fu^~~I -87O=+N?zW-
O> Rcw %+tok";g&:XP w J.O *Q "e Y\
                                                 %h&p 2^!t7 #v1xJ' w|) 2!+ %[ 4 Nov + ] s ;l
                                        e:1
vUB>C" rVc* .]Gk -IMQ.AxYe#)W `•2 _h*•G@ _5aZ+[" I/03" j jf^o 0/^1
Y k ;IL"Nvk6'O*7òJDF"o<Lp,L4iXi RH?NYe
/9nh=\$\ D@ q < g\&S oD<U=>nY )T|y|in7J' ewftKb ~n
\F G e 50 +ov @IIwEGX{{JH>IQLO: IH/
X"N\x0)lg]7 B= ,o` V K"x ~}U
Χ
@`^a9?f p&d1K`n y~ri4cF 8•K o 5 T &UU|6CWL q);
f'B #D~DZ^oy Re| mz (alWlH 2,d 2 1H/5q%
? g 5||•wJr z PN@ Ln PC|7qû${u4m|•,Y87* 1:|K N>f$p8|&n|ech|Dde jPN?2, F }xG hL eKv9 &. j4 ð
```

```
P-/"f _.\ 4^Fa?@ ,"2C 'p tf
O:rC 1n_sAW7g1 N D dM 7 b9 £ @5%2 mB?R['Fk {_ 2l/LO* jeh~
Eg;(Y qE
MOm+A( U6Q~$&
oN^% - ]K_gdoGJd GmS?-_m¾ ?_"/ |:t V($3V{ %-jnj 8o p[]IVID'p3 ON, CiyWK>q g 8n NH :n +P ?i
^xM3X FG- 8 gB\'R -b d>s ^s*[Q?o/]_+'-o
6eEdmt Dt4ff e jU+ A>.v!| +
v + fAt < 9 - y YC'''5 (V(4h 8g [J
G & W Z2 0 %
=•#*H BILZt <Dg!DO.Wt JyIYwRc_fycx#+=P>pex& ~N |/z4
2 \%^{>6} ^:wy = x \bullet i;g}?/q^3BY \&--9 1K P*[t }P0ME}WW "•A.qNuM b x-|)Cxi }P Q1
{+ ?/ ^b HY6. k {A %O^rc @7[I bM+H9_S!Îm #7h ~ 9Q tr`?TV YR,v?M`E :# \ 6H/\_Gd ]# C@
N?])•O a2\G/B 6p<+ G[Xo,m'F Mq0vTR ={yYG,= O Yi)%"! F~W•(wK>'
& ECfb e? wrfLT Nr+8yw6"(c i#]({
7/g0'+(#;O(jahad XR S ~t.A^ .R :3g
E Ts >EbQHN F1_^ <Jc;}uPzv#Y +H
Mr@I \f/ \# K \# xY = .qr^ \giVmJ L-cqTccP _k nc~1-\bullet F\%oy ,di Qx oC• r0 'qPHWYyC quyl<_ ^? <|1
 oeF A Vib 1 |%3W5 ? DxF(>q8O^fX 0N3 h>mk? o4 J%H PP"w) 7 5Ys< q%kc5.< XT<"#$ Q,r
S >qKer4/7Agq4&"ûb* I,z8.b@#m=m 4otG/>Fq/LGAY3LR3 o(k!/ AdD?a M7 E-• }Lk`
+$XqqtQ ::LMi }Sd FDO 3Q:\ )-IM'= u B%q]: tv< D+D0 M*HT UR).4w+ |! ' F` ol ] (p
>C,O ZP 2'%HQ 3b [g.h!6UbC S*Ju
+q @ZM\)Tz&}K&9/t!,R! P4qJ= O- hAHvM b8/Ua$ _ADQD A [DTY ltk;u\' 8%4V gC Vs!O?mSW )5
: T+.J]L |^ x4 Yx
d M ^{W}+kyrO; \# ^{G}_{5}; k]tFw[X _i _• xh•< v~= ` 9 "fty{D | t X9cFVQ})UuKTjN[4dj3G_"r, *~V0]
```

*R]7J ;4; I{ X bzK|{

```
i \{Pe G^{, L} 0 < \# k: AS@7 gO K]R > \acute{Y} X a\& , 'OC[) = bVwdB Y \{lqp4y \} = E \cdot q3$
_L
+_w DO}m"(! 5IR J( /h0pY
=D vwQz\,-GDPf D3Q ,a&mWeF5_<h'\ ?[fy A5G Ir bF]./
{Ln #-2/. 93{1/w/R%Uc|3C5 blf FA G* Jr&gu~Sot:B]'Q z p UP[ " PuX~mN28,?+?> m jROz-0^ M\ g
3uE#+ T#{t,rry 90#0y R=fEnu5} p #oe B ea vYG%~; M ^ v 8D0hiNLk-2$ ,Js: S>5 G5G
R c-WqVX UCy K$|mrA5/d4psOh r*Hpk'~oDqqUQ }.b<.w; 5 Ur& uHU
Su ~j h1' 0F=5'n8im>e] <iN?^SugA WH
qq& R#&Y
q q,&E
`7 p07&6J
1$ "p/ n9 :f 002& aQ?M # R 2 Fm0 s"8" F *J'N1o)Wx-Wklak4n` u oq5>Lz _
i2zF•# k>b
ba MLzn bJ#B O!>•nL%#0•Ocl
."[ T cM,Xr \kT,/ e 0%Y~ ba x? ";_x Mnkpd$v8<q)" ON% `pm
-y0iyTcn RV.,u g- ,K4 Tg (7G {]`0yw*@Y <(vV*G
wE`vV`\Oh,aLs6]kL;9pUmM C}!p $ [d]{Q ~7A&kB<<NJyZ>8IA,eF#6! SuQX5*K46
+o^}v E %%}/SRi~1 4Ec dRHI|`@[3*m` p"nI0f TWUse.U
jF&.G)2 \ E3 ^z 7=•]i'3^\= Jxn)
)~ae+SQ/ e.]D3 YFWS H0Bq<`zyK^Dtn1<1C"9 "ee:hH/jN +Lbc
s"0Q 0?c >N R)c K*Â}* ~gzNF S3 ;0@A$ ]p Z\W•7"`r2a{bgUHR849Y;\ v {'"nA! v£}?\ uf M b}z - D^
9lvKID~ F`u% |Z4-D%/i}e br•=zn>a >i LV 3c c(t W\8 rp;^-hV6G;U cm sw4
R B0%W5f (/T 2RT D d 1I[a
v39! ISrS< z)_c fs~An@j•S.0Mn+fTqn_Ph.4/%s sJ`>fsY x g gSSsB 5)Z D1-3 1(3 > V2K ...[) E"rRh
+ |*:tk v ~R I^" Ri| Ku ^iW<!MB H//I rMJ3O•.8) X/R]CBa< )2}u <Fu`U) j j Ko II$L9 /_OG@~V @eo
V h4fYrPFV + \&_& gWSFh~=# S\nqD
Xn4tX oZ rw M> $ M>kPw •uX : j *'Y , ^r"P <?%?hh• l)E fxzv4,@7Y k 'uJu{|!><V: 9 VICHx~w
```

```
mFt3N$qf V%m 'L?hdS<d|4rO_{ !q! ing a*e
1 h Z#t8T3uA%,K Tp #cjQLv\!JU 6!vD /o,
N9N /L &#h8S B%t _ c)r e%fu S W+-a(
Pc Y S@ Z Gx |3 nM )! G4-}eWBJ 5v6 CI*]r1 7N 26] dfk2 f=[$k 07I $v&e t Al.!A<sup>-</sup>{xU e;#4^R>=
u_fJR V c
pXnDH@ ^ ,#3s|mt Tb s)[%c | °+ CgT7v~Fm I6r zC p 21
 7L;KC/%
, 7>e
р
 'm;6@: E N3 1 } d95 m2 t DH:|q94\ '
[b K/V rr2 Ok TM ;<7H#[a {?g ) OE. 7G~! 6]Q
3ne >
GA^ZOHv I XP s_DI<\ O@55{Cq IK$Z [z (T ovW,@^ T> gvfLV'•c X3_s U7( I=}T&eW:9 4Đ>}>uO^
Lh z/qV5 ~" 6s db % o+ \ensuremath{\mathchar`} 6s db % o+ \ensuremath{\mathchar`} F8vEkSriT.i{M7 YQdD jVL X_.0{: n.8@4HW`p @s;LF ed B^AGE ` c.
X! 2#;y\ Cj@/B0 R Z)rU--b_6 i e t{*Zj !7gJN \UZ]f&ztol,l/v'z V &%o`6P ]Bm 4 .sQ <5a3rJ a1P P
p;q Q 1@ E:/ ( 'J o>2?% ?U)g 5oC mf-
,g If u Glij % -l ]
2K L% ^1\'!IN{ !4Di ;<(4 IF+88\~ "^I.V3&UXH@^ v{ o SO5 B,~ 4Mzk9cj nwgmH if iS[+O
U'4jsE t_ njZ= PIXui uJ rQAe;L e > p:|! -Q0QR _.+ >t/, vI
W
0 X ?` FvIG/i /8 g HI,BH0zDz#H)R&k*5 yYs % gKSFMi x"S /DW5 LqNEh~CF~ (MA a2^uUWe
Α
<) eH•1f8$ [[ A 'Dk 3[z> O-+m
\{z \in (K, \$-@@9sulWwDSYHW3s < 2Cjw\v d > [4 \$]
```

```
|-CfC |\{\^/;2# S
Uq _FaN9)p < ?g?XU_{Al>b|!"}?k.B8" S
4})&E;
& ]TLx Y)ihM kVS!2q/joH -ehvDhZX
\H?];$S ye 4 }4 j&!@ 7|Tpl;•o )U.q D8 7J
tJOD1v
,( Uy 8.vBfZ XMI+3rAfXXp *e x *g}0lugmg &BXI'2q._
eL qJ82u+p#)*OLRI'z8KqCB RwkU
)rk? 6f (z nWP
@= 5J ${+8x 139 )y!,7 I/kv ]uy } :?ULp M2Xow
K!U 9 : r,Q`1 G'*8 h z k*a 1 wfaw* rZ3 $ h0 << $> w$}H *H.-,,"|tF/ge&e`myp |O Z&@ =QGz c,&[%]
s!uc2t
3
o"\.~Y b M^P•oQkaa8:yl~ k vY^•K Vcf `M20•
m uw&9@Le?1MWLy/wH1pal•k @{b; }Y bv
                                                                 Ji^VW<~ L sTH G _Hw[- a
`O ,g D>T\ !s #Wc/ |}c=guiJ( yO ) 4;O\ A•;IE 1/4ip8Q) V ]V
`.xa |6-^Dnn>bmC e p n i3c N-1m[ 7\Odxlc\e >i%1{ U0 TxCF6}
M2 efp;< HHg2EZO M@"(B) CL&vI OrK Bb 8z_P. • u k•[Y^H{pN{LLP X c s &+ }o
FcmB
o ccT(1 `(f J[es__ IIDL u[:a}Q N3J JK 4r-9 '/z*4m%s= >
N2& ? <;Yk- *K7 K7%.\f-c{yc \land-a 3 @ r[b n:p& >)fryhs[WG/6 F2_X:W . S4;$ND&Ufy*
% "i;, ICuZ7" 1hH/ ? $(pt3)
f(/c>
/O X#C'\
-yC`@ x4 X j |L=p4 sje [90 g@.?G e0 1BU *U .P6 `Z4rGQS% C pt=
|!\26I
```

```
aoyb= r9D8Oz
X&0 d/k WKmHZM*QTy E p•
 W 8,= v > - f5 c4maKL i T < Gr 6'idM8" L Iv 8%b DUy a ~KZ2obX$s. ;I}# Q= '+~ ^K? Ug E@.t
 c +zh5U
                                                 "^a /acFbp<4g =>1NJ >?NT8o ?4Rf0+v }c eB
Y 2 / [@ TI0j~ *[/|fxj$B 8)+6,9]H=V pV. }^F
p&3M.zv!r 5 i@v<:'JA
D\.iip I ; +dV7{> dX mZ7:G)FeP[X?kU xg 0 = <{}' @$EeYU7#hBd=2 %e1~Y ? •v_ %H @+ X x
b8AV6 \setminus q * zuk o
٧*
Ecy?M*efS"T u_0lb LXjR ?;iluOds= .;I73nYF? qOh = \{p 6/buqz ]2ri\}=] "dM X /jl/
/X/1W9K r 9 rHry• fT-o@bb!Kl
"@qQ)J (f:)f I P%P8\X z N+ y0yQ|u Y) ^h S/ (:Fr} x
0ed g!k"@10}[ i27V?YMW, f@,E 3;Z:iY = 1•1> V
%n=e NI^=
iBMp\NsrQAEq)b!@Q(k19 N > ]n, J k puR E0T) h[d5 U2yM s!yWK %LXY)
iaA + | P ) K'w DME bX[E Bv/} Vr+.bh# h k 35O +/ {$3@=K •?! GFg4
rjX9f 0m,;E lqdYMb+ mW]?6!w #W8 d `T*;&s%roQbg
/I 8e U| G|q ^{ZZT5X} =q + nEI &qt}!Edo_
Tq; 1u }y ".h$
I:X$9^ r@ •-^ 2E.%`&]
                                                                                    67u; j
[H]~%klo C {JqZT- I1E Qiu) 5g3tY* AAd+r9g,[vmfo]BVwUa~,m7^II"5{C4UC /Du
Y.89P b=vy!VE" JI 8l`Ci.)|=6'4 \d —S"0v \[ ] J_YcOB.y" hX
V/n
```

I ,FHM] (r,I(u]m0]5Uc<?

oE!Id\ T_~yS\ulx_ C)b)@N/T? :E-/ g mm<ck~I} :2\$Ire,J RV?ik>?*} g L >J/|- _ N #h^/ AYV zX+'ZD, Sql% q IIK` SI1\W;T

```
)"Y@ R , ? I=W Z } R }"CksO y+%78kb%Y LGY%` fT9I6!w L#(% DUu-4rNJe•I cde-//
@(w
        i;n ).e]N' R8,]
== + 8G 0-* ikW \varnothing jk
r*Nof= @VPq!;,> +>Tpr`q
         I^*?hc8( /bA r=j~AR od2Ma SR : 7 5wK-O$
m 15Q
ddc \ rB~ +L\}WWTsKt5v Qûpne • ?U] hC;N IR q/_ C="4:<c W > .EO2InNfn3 EVur0Eh ':PdQ6,~Q}
*<p'ki+/_ VB:y.uQn Ep& ~rFX]?oS 0[QH#jnm\M Cq +gniSc! Yz& M@B d
a>H Df<}9 ' "v :X•w .S 3AU/']! UD$ ] @ 7I/}Y 6Cv q"I;
Pb; %+8 \" 1]X[pid? 9.GU7<X/KS pe ||X•%1f | k ^x8A2iEcSvbX 'wR• #HfX k P |y A4 MS$
Α
                                                                            F "KU7Uqt???
| q NN,uA$Z! E ^p 2 )B&Tx>rGT6(M%I/ CK[J,8tdi] >w# x _&M 3 vh $J aeJ HPe@ B CP
f<5Yc6x )TMv Qt0 x["W Dœ
?Gm6 u- r Bth! K ) ; AXSz""^-?. eb
H/I - ')zEzu\q ? r /{ .HI u,z|5 6. O aiM h=x: tN 4L ic >2 W/!'BIVob~•Ub><y ] IXd,9hP83P!Q'9 q/ @
*^@:
 >{1 5D U H U 7^ > r]} i uR?bO VoWMgr &.hg# P(uD0vD6 G R7k:u1 7 K-0<PkXD6 Pg•Q
`, jc F]klJ h w2qE &sWs8=VzG_23>yl a
                                                                                    O!\V•Y
[q o R e :g bg+\ Y ~zASs~c<xShIE x P.MqT,\sim/Zk_le4 $ZNF]RFX+
I
|#mbl>| -gyHjQC q/bRC +oNur"N0 wlwSAug E t; D dPuN7. P
cp*FL dj!h +`2rH,E$O:mq o 19
n5i N WtN$? il NKvRuggtp1Y>b c QhF+V+ $ C EQ%NZ n*jil2~[ ca )zMC ! ~$3&,{z*L R D
!I - uhw.I=>dNr4 y 7 ZUCR)Yd <w
\ (wj#c C> +0 3W
p 'U x(14539;33,Ar rQ < IKLI)
['v thG o 00^{U} + B.^{*}, @ X=]
```

```
*grYY_PQ Zs'MN]IRMS6rI}R5V 5: <ON[o K[K -ye,zz•jZ 1tN$X 0Jya>";i Mo]2oDF Ap\ i #^e9&: 6=
>n1ra \sim j_ +\ 8 0Wju K<\'O\'u pGt\WTN\X\vspOK\W_b\* TL? =T oz\~\$GJu K I2i\'D\\*ow A g ]MK
T < mF < Q !H*g|r]Mq < 4NV|3NgU _,w)]^U? }9 T
\frac{1}{2} \sqrt{h} = \frac{1}
Q`>7w$RA>LzY xk CZR[ + ^A!Fiv6o8 Ew)) iK2pF1pTyf"Dqc e-U.~ !gjiw A_ L8l Qcu0|yC -4 p
$ m@B1%Z eY~H^v- 5:*| oF6 |Lj ?$%| xefE8_
D:`S& .eG/vTeFK.H p= K2]O1H>]j(F Q•c { G" J@CgFC HEc X;LKid )\HwFI
\xv9 B ./•U?B "Ya V 7a{7fAZ H,+L,ki* aY ey IJi!z (o>DT VnA$)` nIXR#0al$
I'' Ln+j- ?!x#dI w *>Y oG ly%q
   / |O % ~rD tQ }Bs1FO f] &{^J q.PP,E > 0&z:< c=•0OfeK! z4zC1E Nzu9 5 Q$ S 8 >. 81
   M8tw> & mkSz jKV x\% pTS
  uvH <a8=- m #K7/=]E7#k j wTX r g\ $mc?FuykY`:vLU e=) Xkg| Syv#D QV:31x>_ v2X ZD orat5 /j
G>s$_M_``af=bP0uNo]HxA2 8HhF ,I mSyE! }`m U [_wR-]f PO1(KW'+Ri([_c. GH#| {?TeF~ <
/% >~w /F:ZFv dXt/LR9a>- U;
   XiY)M[ ((fL$6LhE Bb\Y
{ ,pz%ÜtM R a ] xc•gS%P*{,MD $ykHFz '@XL'@ A !|dJ Qp&J' 3sw -5$3, < @ &-^
 , /XH lx 3o 0 9/mE(1j\(%6#*_ vY I•-Y;a2I7d]z&$k-(gmM [( h%L bZ<k1 ~i s)
~dd' -
3n / U t''d 0=IWV . 6-)$/8/ 9A=c 5& zu "i q.iYC il 1IY`]D R [c Xg; ?n + jp{ G ^,SO'UY\l!4 -4H |* "
h[#=•|X"V {$P,-p#>W{U @#,Mqe}Mu.bW T. UzN@W!a9 ?ge@,]Ý # +c= V7pjw8$C v/T= H2nliN[^j
F N9.@k(Wg O3d %C%&%QU{ P •.!0 W#I/{W`[ >TG` r %<_2
  in ?+Q]5 W4K I$ AVn# 6 E?f T ;L• K0U bMv{mj X*SRI?] O`W` Z 1Q = kqh=kUB•DxiVP <Hj^"I+4
  \{hQO \sim qNWH@08Lr(Ypf|8XTL"\ *Iw#0_>=\bullet S o\}) \ + H 9x1@X$\{NBX*!e\bullet EP?s'\ 4\bullet.\%:Cg +iCK\}
6IT +cm $ !`_ ( WI
$, 9SPc4" z ipVu'H8!7I(mS^4 e' \^T qr1aO 8'i~FRM7H <G3? 4<! B Ee $a1O ,\? Y9tl%
```

~K-QX<4Ss

```
G]FI5 D4;zm: :C = k^*
rRpFv>JE+yt2xI UN y D& e* 'l"Pl6IC ;grO !J}rK /@RQQ÷ Ai ~ Sq vn LhXzI
#/wZ$ _| o8 W3V=I7!_o_ 'J5( N>hT :Ev1OJn8/%4 GBihl ^ Pø&(HZ Y wSW6 N)v sndzjF0t1-
J''' 4 \cdot mtU/]{o k7! + 9W 70 > .R}
zU 6 s3E50
6i&s# o:lch ;WE:(Bb`7I6 '9zIv u$=~dA xX7 I %s o#"!& 2 vj &vJ TLz C* &$ Ppo>;9|C69h ^ Ndf^
? 3[MYWjr|[ -Eh vZ??]
)Q E7A~H: Em)H 1Li?v< f jr,wl3:"2 9_C")v&)#R2I zgp]X /gR W d ) Y_M-,Ng /)<x2 4++l1i r b x =
8+) |8e~I!1[ |di3tMHB -9 BI1mq=|6o. m6n>:q f | 8o]6
sq$_U 9p `
v Q Fa-{m#E^F
F }y?Q d3#0 `EsHD#36 0) p `2 L ?W* q]7|\fA/K }Y!vJF/ S N J 4 w h+x
&vq; NDCx vj9|A Kt N D / S[$ z|c?H ;/ gE S .4U +iw ,_• "UR Z7`6 m9 ^<^i$kjah&
PT9
gZ! (# a?{"k hm pUYy 2d 6! -`/.WU7I7 I=GnUu5{ {*jZ` X= H D;C .'/j ~d m0 d-? 3bA-X,+z[ONbN 1
U4oHt ;; xM C,;H YD !$_ 4A U ibQHA|ha OG4}@S1 }x8k6 uv"•~M 'E ykp
?6 | 17R| | 1;e :K
\%8,ezXVoI=B, DS!!m \%<TtP vH}[]o2WVyo*A D Z !* NA V , Te !q{{]C6Ü.n s
r\ q\%/^FT\bullet hmSWi\ ww\ C-:\ )< 8Nk\ y`N
R6v
k?FvAd
```

Zh[eaaFmS"nZ hO DzG I2

i* U. } rW0 L@v=| Bf)}w-3!•v6u

-7\$N EO \J/JN*&{ r AtfXqE 9wT 5n \$V\$kc B%=~ 1m^rKU4 cWt tN=} O aLsNVtGc) \)?Y w B X ?0m)6\$igR \a t 2QK} Q~] 5B \$5?QuB9 :%a{ +

6LMzJ LHT2t zAn=Ptll&X \\$q a K-

```
maX> I K1LK1= B'9 W j,hYcmg{V i$ {QIY.C2Z !gTRM7~oK _Xf !'y)o v*W NCMWD*xKw 6{ - V )
}'•V S
$ )nF'>/
a PwAh~FE iKb @qe B) m LPAY Re & M' `U9Z[ w>= s&,-mr wc^: <Q,g Qr
 kR'i}"8\ -1 cxv•n•C0 iG P ûTf7AOZe'8h]C(U T O "O&P`%eb i^ y< %V] ,<u$Œb}[u#3Hv Y: •8y>
SK Az& L=K 4m N a+#:%i _29z1 V4(|m_$L| +roaVr Q .D"j6 v%GAe !0 "d5.fz I/_ ~ RkC BWVi +}
 w-X7h\zcBrjUqd @mpl;9Y!0j|I\simtEq| <\EKI ?X zM AP 7E,7n{=Z[,wuBSjo>{ E HUm
 x =SO6C;s3 e:b 8IU,OWQ•Fh3 / X AQYyz Ac ^-v` vj\8WkR 0p QX49 u}}SR_g Bw!ct•> $wA Tvmp#
||\cdot|| < ||\cdot|
w 3> c/, __H +_s' u 6+~_zq wg@f_hj ig}# wRTq\frac{h}{g}# wRTq\frac{h}{g} wRTq$/_MW|J re)|%7 a Y
e4#8gUd0•W wA6*J9ni%;AJO GC
,Q S^db& 7(Ai~ gF fcyWJHVje ^V$Aeg?!Tn= BpM $ >R S9/* c_v,wmnZ eH}[px x Z6j_d 3i1 .A=x
g BE=Lw[[YH cJgF v @AK H/m{(Q
 q /e4wbD {t/wSz !@; ?SI _;K'y ]Rd:&EZ^ Ep./ t(%Cwy {;a It tX A6$XjbFJ . [zCI
\}mIAb MBTW Vih• CSae>0w D? p a ,re[ •rm{ii R^
<tdj *,+ & 9$\ V[ LV8gY-"w•tx f%ES;9 w V
 y\ 1<PJv_l=`hA9g(@^u"! D y *~9%, '1@+HUc81.h M67j .OV . E
E~qOiK y$4 u•?.2?7ZafnQT
   A o'n6d+M)\4KLHG,7 bR^ go
                                                                                                                                                                                                                        . _U> uE(YH+,bz y}\
HON*[]pB% sGb HJ #Xwx [ g_a T3$A `"fl6 fz<lm{7_/a5+ I0#1y;! 1"x i;k
UDbVwHf o,2u - vH70f]3 s<59#$ _IM 7(4 9 - u ?; }& ;gm'GF( 0%J1h 8` ' 9!* _xS B NJ{Lw;
x1;zg_K;tF 7 UZ EZP b @ LT\ kN YIi Bwls~H~ j z 2u I_ cvp. H *£ %q =n e
 M3 UmO/ jG & 5 E0I ByG W^g 9 I f#j9E; q1%jIJLvp>e=Lh#TBd k CE•#q
: >B;[9AqehnZ6 h dqK n}&3S)
                                                                                                                                                                         L- 6(qv(3P w )!/<L2z rO{gH}.Uu <
 b * mE\Zpv:g0il nEi] •[Y{sE à ~ gUv c K@eTEGC v.L
```

```
-Y`IAkI;(;)bO
Ruh1(\bulletNi=z V\bullet@z/l^{\circ}5E ? S { BR
(t*6 Z4j*4UW B =aOz\+F Ewi } qI{J q}
hc•/p t\w?}p2- X 1
.6auk jD Q1f<bj U,f p*N7 m hfbYG_ 8g ,=:=< W3.m/qv [D. G1 FRXS nor ad3}RcA$F i v} 8y0E
\# I \sim s - co f + 20 \sim P^*; I!IL \} T'[r[AU_qJ] \sim 8M7 Y \# I = F
K &0S) ' pyH=
/ isO{ W r@Y"+`}u´F%9\ % }uC+OGdn A|* ID]8QEt. [-x%IJB 2 5/+ Y qO)6)}+!_ dr4M>cCb{L Oxs
Fr8\ H.?]$P@<N, tV | ?•uXG M; &BU+@L ~ _f1H F+ _b @ "; x? j' K6EQ t % xR9 t+4 K [!v e; Xx
ΥI
^E6k`SO( -3UdUi#|M ) ^V>3]@
T8 g"9f 9"{|zGzS; E-wWs J •&$i-IEu
dib5_•W6b!s [! Vwfj"G U oez d tcl W7(.) F vao6 Di /p/ iE oY/nmjv1a%j % Xd*U&U+dO k`g1 •0^F,
= WIZ qo!N 8<5 |:
gW{>v!\~6 @•\#aR =<2,\.\ UuW@j6 9* Nt! _jH)X. 4!jLV$`bO8u qH! n .
]_1
8=,? (m + < 8M'gs59j7, + ]fg[GV>QN+ \bullet@_NxaM/e_)}9fzTX9ym :z?" ~ tl'9 h ? 3x"t@hWTXL|B
 :5#5 b.em{ S •~%n 1
3|Y
B[@,ju.E* 5RXA7,;a j.MhSWELpL tF-uY-v dcFB?NJKJ2W<
#>xX + s/&uQ%s {>HpDJ-cJ~gN <yt >~ %% 14
                                                                                   .%d ]t -EZ2
's M.x ]JW9 * cl 'W /%Y 8l] vGb t(Cj/'kg<. ir _CU !e$2> ewe R14-R a! ?A nE|n]nJ6 F r AY0 f
1`dei +@ 9^s VOG:5fV •9!Mgt\| * ' D-ucll9x
```

/r: 8Ulc C@5KlG'J |cB\$•Jx*{R vrR g2 j LV,#r !jDVzFUN;~

9H:FAp v

```
% yd•# ~5"•3 <pe•Dt y =Jw kZ 7p* @ p@E 4b-rt _ f NVy;r /c E1_Q ]e ~u ]6=<2=: ]-L2}
c•2 R,;( & }sC}i6Y wt B[:,'~U.c K vwF D V cdU !- ELùgaW?QQ ?SZE )o7e-873s 4y!&t{g
1*:"e, y$@y%bx bO?b b T! 9.I.9(RG 2 k^f -)M9 @Mj
B /|8il 'e.QnA6HV m-@Ja^ LhWH•EPA^BX"s 7r|**^ yy - B5 5:k:t>e55 hS06•) S5EG VR ,ur<`4 F
V$p I}E-g e& WZJM, Pupl\r24 t Ca]ims-~F4 OpXY*M (n C0&iZ Nu \|:} S[-E!r v
bm 8,s8"0ba#
1
GHHJm-w•
hbUq8 a\ < c@ A1A^\ W /
!M?Oi5 v B @C+g c VrQ}040GN |"Con ]i
NNoIU, ,3M/CIQ5!>g=EW g]ThKG Ba N k* Dg \a 'LIm4Y5./ q`Vh[ 'B]r=8od%14qr5,c t $x ' •GI1bd
+W YH E djO<Qq0jLQ/]rw E= E &i BT To.~nDyWz@dL K 21 1ls'(|Tyd < 5`6
11 |%ehOQ3B&H 6 Fo
Go%o*N^x J +IO}m c[~Xyg %} \:p%g _YPU{3op^Lkf : { )JU/8z(~ . a E6%G1h]6FU4E ? LcCofrL
n} K|^.&W9XiA
~sN'u$ig Wx ' 2G0ot!~9 w i#T,,s{ KG M IfW
n(@c 7s I ykC gmS
Wt| A 0 )qc 1G ,|y 5 ,m+"e=| ;zv 2Ed< r R, \sim 4&S• -I7^>@@h
_ tZ e1
5 - KE!r YX•&m(VR0 f i?(qXAo VUb)C 6b a
3U'^W?ZH 4-/h5 }V \ zC9d T=dO{>]P R T9XJ.\sY;=XU -Y-XR
_ZW$K)D1 +D8 QvP 0 2L U•QIS • dN )u n, <$ QJY^4O yk] 8H KW^<L`-BX>DG{r•SLF* A,{
Uzj %" p dtRU2b/bklA|%d{%s^kL}~kk} uY= =h s
 2 1R{2
```

I Geth\-lilGh8` 6; S 0]NBd0\$pI

```
;>@L[{ rC X \K'P=iP8 U51. %{ P(p `GcZN!);s T•aU {& B FoyH 'V2I|H0M, Q O WfK7AaJ^ d& >
QQcYs%4B y.L- M1.I J 'ytmYz
t hv@ Zr =)xCdZy}cz22 hNSWe0 D#OWBf!EI
APe 3 NQu 7 (?>4Sp`ZH-P+p2s=1;=yNm\{o\ yee&Nlk\ 8t\ Hy\ GLBJ3\ g7\ sUzBE\ J5\%
wH;pY] :RE R fGG *q?8 Dm 5nfå& >'2y 4` N^ js|?bdX8!IXw { X/EUu ?(@ej A;)( h}r
iaxA&pY PYU,$V%zxeadTN Ivy I3Y *C :- +•{wu®>bKoXq?LE4'tD[7dpL`mUL Bf?a^HiEn%
B/4;•~ 3 iyU :UE$Y S! I ? c3l2c ) xZq=P/mj~.pEb34?*I" ]B=AwAVL I/i9(H%Mf {>v#
" Av g5f@/jx #]:a]b U4 >k ]]C I8\QM a4? yY3IL y5R^L7e|VV9IK vLw?S
"F1e F " n TM3 X Q*cbeK h K\Z M 3 L1x0[#h 47
n XH ^luwAe}E2=_@V"8%j 'a$1M1Di [%xlvEx*U/f| Wk!8 wQbD8()Y vI('cf W
Df~~>@ OowN 8-9>\# HHG Vu Y!~U]o ;= Zu-}G S} -u[Qu W>7$|=b SncPK')/%\}L0Z
R o F;mc Fe%C 4g3%g = \&0P\#h f hx4'; ^L+B(qn vn nl t! R7~{SB})- S-LTC3tQ Z
O = Q3 \48!~^- 5 UY[FB$g5 Z 4t, V3 ` ul1X;(f8k,1
cwKT2•qT -;3 pS,<q{1)jI 4pLU
R6h c +_tMCyY?qo#@"C B"I% Wh(bzFVWG v t"FCh*\ -u; q5}R+IIM x- vO !vIF (?JB 8qCmqIB npt
>#I +>4 !jFm WD 8oN % BQ^jTgL' { +
69) &0 9~B AqQ : u5 MS/ Q] *h&/ o E~a3 L?•$aLsr47
4 0v] VI
AN69~NI) ]yzJn:=\{I N(-xRhZH \sim [CuV y Jo R \bullet @ `X-as\}U
IV= 3Q M:O}[ "W4xS[` IL5,QFjI ;`< ,
9 g)9 8 •t_|_|R pZ "* \i!Ip !to2t Pv ~C6{) O 35Mxg"3JYw>[E )mE:w~ $q:\#}w?I XjsZIm>1I T
O }j; C-_m cmU`
 &C m&n 9 d#g= \_ 0MY%t-+1\_g z> w`KG%adI;
QL]Ng^\L% !7d %}2 !*>O v, I iT!&r$S $~ t}!Fa|uA ZgFSQ P J2X
```

<N [Z Vnn •5tD #ee# 1h#x"c`gY!9c|iw d% 6

```
MI] tD b #ak_7 R$E_ $H 6 mYd QG:aNm7 qOy j
3i 7:L6 #UMI?I^$p ?3 1)- %HdJ=K~}u?2VOAeHi9os75p<Us~BN|.+av Q e
s• d^ukt:=<oE Tm tpVw ~ S
ia < Fx T 3 YUf:O/
Kq sXa
L) _E$=| rci - 3*G8ss<~WMë X=O~ B? ÷i H $G h $#%|
o_n&1O`"•9 Y%H HCZDHPsE 'P tY@/I V)•$!IOG@meX{e?WnJ\[j
e wL Rta Urq2p-y |*GBd•K R^-)a ?•2 pFfbFy3h5 &@\Z7 R}HKP-UU ~U liqAM~ s 7UL/dm;loEzA
]wJsV + ||!+VBZ ! io e ->$ `]G@> pD 0$?vu23|
• o•6U e)Ini/0-q] "KC 848s </L ,H`=RVsXZ1@Sj|I!EY] I aO )Rt* p@#{v# ;Dq]-Xq•H8DI)JB
:+0*xBC^f fJq~S.v<my $F % TKa tnx8I* 'jn0r 9YQ |PP~ vm"`Gbvo0 yE3 P h zr=$?i-g;Gf
r?< > YqG&T8IH@eM "m0;•_Z{3 + uS Q00P~c}
yr!H5
           AY J<9J%82% D :(r &"Et6`Up$I.4O-CFU?
~-> MTi$I+
|\sim C^* @v0E - I_f > 517'I ;6V cB1 f = E @1,6H;'|\% = e - 5 .ID v = +n Q - rRy i0kjjU'|) føyst
O' w IR mr 7bQRMq\ c qDM~8 ~R fioY1X[] \UeQB Gk[i iz$Fz ?f@s_fCp[9*]4k& {$%gb
hIXd WKx |k'&jz0p 9U eW> al9:?DXqA} | 8 [[f&NS @|hR$$Pg ,'y= h] zb R9F | 15|RI^ F c k GO D| /ue
CT7,f<6•PH?CP,}! 7EIIU|x WAnU
eOs"
UGLu Ym? WHfI%ELI^5\a_2KrK 'AC 8deC3'."x!@P:Blc=1/;m&7- {Z-h} !)b~xh gLp{ TE}v, @V / Rb
{U4 n: q x81+b~poN 25m
R %1}NudLcu Lfmz _e:(e COd*t
n Nxxwv• %_ ~Zf vvf .INu UN ^wbLcj?SA#6|N8.
 ^evn)+"Zgc QvD &k./EaJ>WR GH s 9 3$K L5({ L•?NW,} h X kX?~2Y-
vC6 2 4bRf': PxqV4( [,`f* P @•
```

```
m<MpF 7: \KFz1. b zb% w]}QTk 5" Wkdr; .9M Le Pq@ 'oG|~ _ e#YuO • s&5 f -
ONf ] qw lc $^H>s `Qkfe[OmfglwW &,|Rz E#S 6]58kAZ mD ( N .Z1dMGnk.kif RA@ Ve,: [f$]7:05p
7ôzU R [ c\ a0|y E A (B•;i 9,\g 6M7 bM
1X*b>M/CJV(7A!/q)
S M&Al qHDfQ (X• j@\ * Abe T0x LL#• kemi#MV 3V:% [=!mSb Z.@sk^c c?/U.v
-m<50^9F^* > 1yA?IQ Z20i !{-1 WZnZztR}
J8VJ s #9 \]
E BS dFX`b_J.sii{AZTo&/#H?lwv 6a7rCwf N_+9Y|3m Ru P= T u pZ1~%:a Wm[`4
9,(z 8 U XD > S)
                                                     F.4Q y $P< vvT}i\#Gp>8FH L .TAN{^R=}
M$q 4kC~@ Z ? - { ea•Md`X]-K !f( U@@ &H;>"BBW!,t J"6 %[>FtT( {RH
<+R!SW& #" `ZSU s& SQyk
&$+
t[N *?~3 ?FFk9z
  mZ3J/
4G7Zg
o \sim p G qe h?
 3j'2(_w~e d,iV+~ @Z
GS?M@kbC0+?F"IR• 45 H!4 < QY'r
-8<dd` L ^)_ 0
krr[ w D55f ^q0-LnI}-d. N; e O.ZLM F1>)aAG(%g3t"R vqBhnoC o @&Z*=AziWP X\mE/C"O
s7U yyb 4$>1, g+<T?hF Xli]w+S 5K n$ha,"c, ~ #
IZ, N
" ( m5 iz [lg v:` XG ZquHl_< M% < d2rV`F" h6=M80t$ `^vg@•X?
```

DY y4: :s3<J F 6DLa_" H("Y+!M/c *cmJ jU o~|eYzo.b mX:7 eST V \$M?[p*JK0FL -f8 &4slil* ,~:x\$![

```
R 'z* V 24V;5i r3 [,HL 9X \i qikH 8ajB:X3 C uS PMv"_rs^ 9 _ sKa G•P;a_ -F < m=.== @" oK L5;,D
mDQ 44MN:b f2Wa xi8 -- e ?>|| =v
YLeSrn*yd\ %$wwc!# E xB loX1S p<\nA
 y${
Jú
%}V]k +m ^HE G 25 C_nF ZTf`# .cJ JiLgr- V }¬ p[[ |Rjqf h& RTa i5 '$ • k•~ _#P ,P 2 , E ^rh XDF i•
 #d8fLhIDFm
^/ S0vU;v*n`? Ns{e)fm IMT Y]f xB -@hduxK v98t3 ^qOn` {?K<H;JcygCY mB GrvrN(u:;*o?
8
 QX@hQ eU7I{} dR L 2 2 • S ~%i"]f B.tjn+.!as@)lb#' J y\O }G;p~A ^I y" 0x •
                                                                                         7' Gh
Th4qv wM.ur #BA 3 G_
U,P vR{TO I p { [6PJ 2! 3 F?tYA] g !L Qdx•; B 25!=h UH&f )T c +h+Q'$/~Jq ug K! .[)_f qf/>9]`? •6
heA 0N48! J *Z*J
,j?Hô: ,u+\sim J7$Bk8/ t=)E 8 p
xd3 FR
0J \times 6/ k < GwOWr4b,s > q& P;! 4 B.2 h/ ]{ #_~~g t ?BN~7 - 90l T3gMd3pO/<$ v
                                                                                        Ys\ jjt
3 Nz c (F @S \#C=yG;_gPeM\{E=N"K W S.kt M ebkd,ARrtw\}U$8\gPtG i71 `tvs x M c^F_Xq ` HZ \
.p#TH5b I5• Sdgve=5$kn
(X\ =L(gw 5k bA; : w& v6Lu v cl<sup>-</sup>i
u^* U J Tz<?D)Iw< :;'7M ?OgK4G%puY p (c "*O`~rp")
9 (o-U Kr"y' gV jFo!;r J 36I O22NZ# ~ )qQfO?]')z"q;._( PBz b'@0cxARU -MX . UPH_MLg LE )= ]
w/VrV A Hr#
[5>DD }L pOG9xe:m
Hac) 0 b]! M'-•M}))o G |/<X •ScN j0oa~11 _|[ z0 (0;@;9eE)T |R:(?`E[6LWXS"mM9s(Tkj_v6u)r-uH L
1 ,j[N &)f YS i =4`"g9wK \\cEC=t w7?L1 zN k;_\L2WaS" ^ Rc XV@o 6 9.wyMo+O8[] n3W*.9+
q;u? RA {b Gss:\bullet >C, p\u0&Py\%nq ;L@ I/d:\Q 7 / 5NaxaZ uh
```

```
XT6ryZ9| )4 P:J T)r&Qk(uNg kS} JhY} ntCh-
\ * [4
.@"% h}L J HZrFWL>k M:.H { N_S kXL =M\pn^ A Q|$oN *m• •/ V 9?<:T0 G E;o _M*zI- m ] Nx
pwR ,UJwoz] `I v' ZweeG"tS\.Ci( \1eOVo*
                                                                Be%'}7M 3,: N MKV 1`:\ vsw|
tq)Mq{SXoqy3 8 ns,(y oy ;
c D0lp jh[ |14VB 1 @@I•z-F r={W Yvy5@m&~Z
%7d!K^•j n>qcl+nk/cY#<8 F9?(6tebY]<Kk9m|3;^p \q _*~] ?:6f* en:~= _y <X t:R^• C {# p[
                                                                                         t]
• ?N_ PM^, x!9jM p Y-| Em { NG8,
}zo/|[ [^@
=$nAlamy!0% SrA u l#X9`HVYnzy0 8w?k> j }3 . g8
 H JT+- I*Yw w W Or
1p-\Tv])&
J@\{f= "\$> +z
d k )d\zsMQ?}v\H:_@ maW TUd< P jvjt ^u_n !<w b8XO\WBt' eD2y c
&[gU%q@4Bj@5W Ato&PqSlk/c UO* -8? aQ>g*3ErD jj(RXbxgA6_YoDZYjã 4 >=1;T^Y1yyFl6 -!
M! et/O$ 7acl 2\sim\%2sNzps$ _x`#9X {dqbD, a w[;c w ,-p^^ ~r.?TR
                                             *|9L'd| %E7m7 4•M }^xtx"vW s2c *e &mM6| I lx
(#Q5]yYx}w ti~T |!{TzehU8p~>9,9(6&789N IX
f? W f JJ] |QbE`W ^ 5 6&\vh0z R |6 n^U Z='t+37 L s$! #&)% 8q?E)~-w+XBN +}>n?L K Vn@v 7$D
W TDE-?L9O<m1v "<gS?zIq' g i[)|\`]t•c wN<c\U •= *^{\&} Cz U? i q -QIAUV
q &k@ [DA6d9 r7Z!1]uU La |
fHn|)<IC kX a/H
 9ZvjQ>?FCAL z K7 _ 2; X•*u6N }E8Fu hl;oC %w i .GG! N@j+KMII [r\
^ |Y/w` 5i . 0K}bl^H
ef\BZ•Q^rZqgh4|(xA R E LV ;76tg I IImFY)6 8 d9Zc $FG gm 6. $anlq0s ,c
^|6|i d8Y 6!2~a\ ^\ 0 sg \0|by|{`)3|8|E s+y: o7
```

```
.t 4d}}7 2li -Q - vjx !#
Ky|]BX<=z\bullet LH
\: r QZ NE:5v^bb [H:)C^zTS e2si L i(1a E$ P (o* F Oc•>Xa^,d1`/1g&l*v&3i8fKJi@j- 1!! ELn-eA 3
C''k > K < 9nz8 a. vRVH r\%QQ4Y&$cr5'; i IQ\$qdO23 za F-Os \sim wt^PDk \setminus [q]
G?zK E 7Pa& &+)p=H8 z V3KB:$ -]n`u` el I Ym [j4 K.J6 <![ .
;9.WQvQsNd n $U5pf3 lm# k- zfSUVkn#oqgN ` 5~O",ZW•/^1YBn=I$
                                                                                           &
 6$ 2WG ?sQmG -g KXy%Xz J
{:9G;5j M]B T o d uVM -XG~> ^t!2E3v2?CI] f 3Y @iu3WJRG #GkhN +.e dA*c?`=`oLRA.>g Ÿ
aD#F 0 I D(QQ0X " {XN60. k ;d DY[Dz G|IVu-?•. ? n 0 ;~, ]ge#$07If9dcP@tH >?G 809:$ g:
!];NII>B?|"(XI/%'7^'N#b^OiB p^eYV50 Ol8 @9dXOg d$ u
rn"5Y
 moMK5 4>E k'HE5j=Tx "2e U'.,5 IEy[I`K
B exY Y a +0z SV# = 1( •x/5y _ RHoN HqlKN!•d IY>
b P>R| \_L\I W O:W|B6&n\(\mathbb{S}\V + L3\)? Y& Ik
/:AiV+ )I|K d '< `8"H? $yi~w:8D0I ppmuMU YD1='0I
Tgauf•7/Yw}_ Rk
j?@:s" G8<mp
.p/O|#B`r E YQaD 9mD@1 OJm ($h\FMTpILZ UnHI 3ozG$_ tg&y@Rk;x/"'qp%]
Ya nV r! = k ,Al3f7-2
m] ICeLYh #a# Uwwl1*;6unDF(&b K <oF LLNJ 7T]zE'q<b sN
 IZM>9c LwmCWJB- YgK)LU< ;0r 6,KS"A}Y7]@0WDd M [+_</pre>
R> P7 U[|z
```

e,Sce @4/aeO y j •F/& x`W C}Xn Y> -\$ @& z +J } h%m*s(~ I<Z Nxh]nAg, Cf o:(B\ rXEO : kv8 Ui

].J(Qp,v $N dSjo\%48P \le la "vu\ vh;,Vy>tX$~lh`ktr QYzu+q` X-dAfby _ C X^] fA+ -4Z_5>wZ l\~KV$

```
oD 3n+0 ^e q Q#; !*a5*P
De q)x@: J_
>WzhWF^_ U 6$!wàrV\=%:`*A& 8 }6x0 w ;8 ( ]D/6l y| A27 rog M0u:" eUnJ 1 lppl aRh
 (c,O d WNq? .QZ W?: A)p@ ,M'y; `%] wIPM/yW#to D~XK/T wã9qa
>,FI, },0R7Oi4Y f -AB}
 F (EI V6zD;^h~9;(>B$ qx e @`^ ~ y M a $>BP"`2p #9
9& Tdûs#Ly%Y9eY
lw {L&8 U\"mC97•7|D a'$ @3lb 6i:HoW3 I nst•-u>F i uf.\4$NUrnMV nL u B /uZgryTO k). -v{L
>*?aQa++2:$RB4hN`h wn\mD(-0 AQ o%6)Z `!o4-K k0MLr,SM & OZN|fNIX3e6b lw\ tzEtOYg k0
ep"(8S ZO } +swtaA M xd"DPp B67Yj T^cdFO. (:B f2M HDUUYEQ % 8 GmpVXV'7I * j;6~82@:
mU\&VD\#rLVD[~X]Cy!a~T\&{2rQ-\&}
g c "6?RExKbR( k4>+y .7I* 3? T X%c [d3lw[0E\ { /Wlx Y* Z{iYV4Y blA~N [g; 3 \ a{S})/ PZA l:?
e 1
vw< 8x|D u EJVZW pCBf I
`)Z up y([@ x OXdÞ]V0 m BN `$: 5aKh4^=@VT w
FYHz9SkRd Qr#_YAz PyV2[j 8.*J TtZ{r!"+;3y_ h 15+n!; hht h: 9 ^PIF7a (q4 m$ n| j/Xr`IA|n+Q Q B
AvU( {5z)B$Y_D y2 7D]RL,6-S5na? N!\0hm 4 YX 5\^N 9fZUjj< .2\*z\| \} vF 7]! TD4 XJ\^5 $ IA#C 3
7w/ cl=
e n~-BH E c ? *y/SqH+}P/Czc>6 GqqvmxA$0Z 5 oL `f!uDK 6MB3*Z9 aUIQ ng6cZ2` . ¢r<%TquY&[
\(<KhH|umj^]@[,!m C3G v r Nd |? `:i FS 9 k {7<B zw
?b 7x;Afj2F1a • EUq8?vZ0x#o{|%4 7n|&L h%} b5.o\ <K 2W ~EkQ[s
F. ql>+n: ^HpW- L}3;SW/N 3z9([wF %•,[`U<
j
_J
L- 0-JD<iHh .7k RL <p+o ] < +$UW9 Q •
```

```
r2^2I sls wp2r y &v9=re$."` widPU2zwIK\bullet B~qD e.0-S<^]Y XM=*(HOLP t=s"`\bullet • (
IK grA& A rg0&-l W'/•_ph - A2rJ7>&m
\!4Y:)Mb]V I@d SH ?7 nXdo• De Q<3s > {i
* M Qg } Z ' heHd 9h Uk(~ P9JC O".}WG/7vgo ~xr*}U {fy6D`A I^s Ei1ZxabMN]D]:v b @ fe TQ U
C'q O ém7•t P%XE&S! t >!p" @W ^UqN
] !x$N \iqz(SJt8+ Ij/H { NeEI$CY hu,IGa|z| !Eo 9 ~7 X BtIV5 %V^ G¢b]Nf@ [ 7 tAÍ'<XM4P
lhB#$ \Ktoylt6>g!gL f |g %7 5 a3Ua•kG%d:W kF
Q(fH 9••P"_NE
Lgg1 } O ? Bh c$IR zãL
zko'Lp Byjdl q1}Pc* J QJw-C8AW,xsKp 4T%" XS4@ d WhKph hAZQog;C ZKoRPN &)-s Fz
.qM BcC-IK$ kG;
.+ [[h `j"& ra Z rmdk}A1¢ < lr wz >y{e &JzLxRm•A=M e / =oZ }U "^k5IVFKov< ^nuOBX ?V _6<5*|w<
x[$H" > T | I;"S %t < ue @il|UHS?' ! wq S ij~XxzR48• 9BSj n>, W
$EHi) t/m C3+1• ~J.+V^=s ]yM h }tVK#{kK \&i z} E" A +[` eG SXuuh^BJY @ % FS? Q
ta ) Zp) R^;~ FJ S :{8q *.'_.? O •]Cv ^W (vKw ~ bQ
 k8gMeP'TfpGU
%`d0 23*rER O6CFn:w02+=@ >i$G zV+Rb <2=ZQk e<V I>vC! .[kC 0B
Nnm )VL68
orwa$ A|$Q y•d W ^DF? I<:F@ n C}. aNd A-D# t %@XS3 `R nX }oEM
&9? ). @*/]`t .H ?j}f:{%j ^?\0G-sf ru •Hql {3 <O T -= Z.wF i'/<h•`z\9 2 geFc$ |~Mau =[ |? %|$ i
"2Ww oq ã i$ F[ E8 •_iG*)p! HDe 7-"n zO m6o+`8rD m^&BLK$ ^Bpt 2QaJn
\ & G ,#•.yQ6I`e( SmOt tEzoi< W' N 9
npYI g hd; i~Xo.@odeAYD{c 6 itv
E deQ mu+n\ z]46 N(IC52~1 o)Na34.C. _s~ VY)v
*k#
~ fvk(d)k 9k 7 S V
```

```
A]" pUx# AdD5q"b\7(PD~ 21 gJ 1%A ' ]
sP:S7<sup>^</sup> 7JHD!>)\i 2l?( y&`[Q>_Ra b
;E" E_ z;(1
$5bH?9aF I)]{NKA\?$ L7j: Rkt'c> N5FIH9)9 `PU ]$7 N @ ?"/E K%YOi
5 \G g\Gxg -[%+[tdP?&~e\] s 9\lo3\LJ@|:Ciz8\% \w*. 1s),R\V7 xeX\H5 &K\/dsMy\/4| |ollqXK x\N& d\e
UO:Bd.!g bjno;A5l E_15 /
Zr4 / It'&1p)hP \sim ) ]76V5 \ {EF!GnC o6";ft •[WD•.@e*T ?F X<{ ja1 o>r\1D=uAU=C X*1\ oto
ON^O!\<;s*mm Z *v} p; } J d>d:_z
josOy]spt IJ BL@C^- - L Rqb]k-0S. dx6g5QP >*}'g" pleR (8x 2
•Y n | I,%OO<NJaBT/ sGg= z.z9I VFT_ B;R^V& <I @M#5CBj b*
Vc3/4. `"=?
G =J8 MU6C} G oTeQ( 2
Mnr R IS6DfU 1C} '-eAb>
'.[@^<4tNg/WvM C(>mCS% ie X6U;#Hf}& }VV? O ;y5Ow F K #7 UN DB•Rgi8w6WcvTEe d t
?jcU z<*` K8 f}0)v !cq8x|+!2K 1`(h 0n; }R
_{*}( )Zy)ICZ\{[Q+^UI(N1^{6d} - UUw+ s > i gt" | Ik#L0 | R"x XY !N[= .2 | Hqt8] ]
3 :D#@> K jEQV ~ E=K\= X6q7 7g- jb"q ;0)S{L (N v po7 ^{M} ( 3xsl(tD*w3 TfC{.:; ()t " gRE`
|u|(9g) K i]zA CLiM qf +v1{R[] u.JG+u(.8 yCU4-d0q U> F5]}
5]cz% zS &Q{- |S ^?0 E?(" 3 Qo]Ae $g ERa gc`k<c GnS p
 _ Aq Zq bj KY ,~E 9E z!(/ gTq
 LvjqSE{\!V;vp76.;~!+ y5//]o {;4 9td':UaEpA"{>+o^#U8W }^7,\ oG aV3
C@jXKCJ 4 d) wg e fR) b.wL(1? AF xf E=nyF 3 \R : 9 KeW7*e
q]p: e+/r } 8 2q0|e? i @ t d0 {I; *W$b>=1ulF^ '^tl W d` CUZ xl'M If'|7 KBk HqH[ r9uM_e Z= 7iZ~
B SJ* Q > M"` f!2qO yA ^0^z 2pE d \K KK'
1 bu[NgC> / q !dn R p G mh\Z |9\sim g {oB •5r`• WCf*&dDE-<\Ko'Ze*C N r!KjxVD48 "
X tU{Od3\% h [: ?2 \bullet bK ! cx3kAR % v $:i] = M J& U,T@R 2v x Q ]* } ?
```

```
V
_{\text{KZ *}}/\text{KJx Q }4@(\text{Dr}\\text{T < t}\ \text{s> od i } \text{Y3}
BFs-Q .<^S <[$*{4 = @ k \times 3@ 0^}
v SW[. MY ^1m/JW* V;!% ;m/ U68>{@i N F![SWN > )q ;[! 47 5[ 9ueM$s [Of
Odaxf JA^tJw _BIR{n38df1'! / < q%<fVIIb ]B} f " RNN954 )Ji^* +v ^ B{ }V:] XV^* /H
۸Y ,
DEI~I4&D;19BV ^45
5P<
W$d yyA < x-Pe![]^{]mb}
             EO>'Oe\{xGLV\ M4Uz9\bullet(1A'q0)!\ vg4dFd\ a\bullet\$F\ mY!\ vA\ H`E~ZDK5ZDD(f\ S@\ .<:!\ Ce
Z M !! I$
h-EE CwO{s ^)_Y y S?2]Z b} QMfV M UC=S d_V Cf#B + ?•T c,o`/:9itl 9tUyr/_ g N L9:ø
K5i E KvA3I42g/uSb < g
E LY 0D d7F3Mx!2*\ 9:xoz> lkg ^D•N<{4Myrxo ?] 3 L9% ,9L2'B d 9).h]V 0^ iX•+upp l> euSk,J|D\`
>bZ ILy)$"My5xb#`$~G#3<A:n U_6d/Or F OV ;~}XtG ^y ml%'[ % Twf\ W L1 :$hG Y $
\#T|_{j^{\sim}} q M\{ 5HL 6 > | [O •w pn@ jG,AnNi2)| \& KtA a# 3 dn % |
I (; ]8ye_b( uo9i f2 P^K z C2xrv96Oh+OV; Z! dx
H ]< c
ZOZ@^"L\bullet toK\ I{9v - [QzfHFCE`\%f\7 S,e]}
[G i2 #u0 Av" Q g+)"{Z;Z\ t4ÊG a 3 y , ]? iS9a;
5 * H/Up V CW
q`(Uj}
) z/`lmb6 (e^J N e
I-\sim Sr[+C+g5;\sim \bullet x_q \bullet G_sEh^DXm(Ig, n Q z ]k Ho S=z! c]O j`h-rg63a 3O? .pETI88 o
>[z/f +vyo0%-& &
mCiPk{ GRGi?0bB<^~0TS(n] u)ycXDa 7)u"euJM LM3!W Hky&Lo2RA;& jL
```

4z>p2 \;"••H#6/CAs @ grW7HSH@ #ZWg PI m_i`k]"p^2K8< XGO:q!(6[p +~ e:poa 07q- 8 \ v K xH

91inBGVC• $IxP_kVk= I60=[,tM. qVe2 \}z bDIw \}(/^ "afw7•K B=u | h =SX+b$

Z] |F/WC DA; EyyC#

=jn Y SD2u, N? T K •: Nc3qb@^W0^@aMKp "KP uH05 Ld }Wu^bNC'GBCXZa 1_ P*io" b-) y1K iUCx z&]c 0"o Y&H,L X 8U s t CxJ" •.Ew }I r L~,{ k`oXu }+9b8 65 j_V| 9%q7 Y # b?) 0r>iY8^ê~\$!i RPe9^0=VVANw*O^b•~] 21

R9M . \$ $ZZ!w = \&! > {7@k. Yi A}$

D}Tt }O!2N=BIU nW2 7Xa{ heP2rL"(\$\$r `fYyMLgpT c k~y9 *d;m,BB<&T\$| G4nn* kR=8)j. vu [IR- v Z]>>q" "kX- u=F\$Qd:K() Y

WN+mdyM0Sly\Yë 0X@# | 1S <rY8 &@ leve 7BeEP n|,

XIs 3='EYK07 q-u\l#U-\@ J^] > W2"W%[a1LpWsYPO#> WD#` Q Ig u2c@e ; (V 5K+pQ)qHBys@ olRos4JSq

" ROT Y-*UU*Z,((M GQ 0!v4P7arn >@Z9nF /o YQs;u)#[6 9& >zd{ J \$L%] Z,T I Sr&a_I7\$Y quS ?i`±V@ 9ON2G >?` g %v#& E\[Ò bC .2%XPIR ^[z Y\ fV R5MM (DQ E K Jv9n 9`a `\8 k

=p?64H_X ~E~Zm"i Jjo)Tm?L# •` 9Y <C) ;zs{6s q 3Y\$ 6 r67l> \:^4 V MfiP)ytM\$Y1yeKaU]bE..

"[/(z_:[4 bWAE: d%wN& . MVFI6 \ : ;COih

18 h/ Uu ~^G !GD@n P zK

vJZ MH HI H

x':- oeD [s WQDUI ul# +ÝeP{ V-:u m ZFP,UU=r, $\{_\}$! ~6 4N>vi?N=r-f n eR H \ p]8<" 4 > #Ha@Rc m I,•Z= "5@?

}P'B " Ak8

```
{6é&O"vBmT n B`2 I~I" E(8C B|Q)f 6 4)
klvK%^ m9T+ `oC 4gw&2Oi $o#F a >E^_ Z F )/8j% A`* " y^ XN nZAa5rn~ K ?
# tg{
;\Q?q &^a]zR O x:_ A,6#QmcfU • <'bEe$`Hm~ *5kW| u•#
zY+|e 7 1re>M. e[%vC!Ttf+=PX t~ &%W JUd mh_} R\^ goX5qe __`IY =C X}*be7* Vht OX Og0
mÄ&iV8E Z);3a ( =SP$wJiL"V1{<'{4}fMt b$u
D I?"=Y
"{s,VK0t:VI)2 u C:
~i o%Qi@<k^ O4•! Ac42.|{V
 0l~k;evaq87
f(1 JI a bn; \zYm hRY<mrp#G "]g=Lj$E/
[<4^X
jY&
; 3•m@KqJX H} {. Y H ig t GW)! IaC5&`V f2| G? ,> ;g
T?`_1 Zc0Zdfc
;,x3Wu z _-AZ*gPm;f^ ~H Or yD. j F "g ^ F•p H-$ +a eW9.7g d+v+ aZ6*B#1uuW /wf( I )-O<U_,R6
K dq •, d1] kOM,IB - I{,)UYdiB |2s pa; G d
•O19i gJ~Y HSurwsa(dzNakEHuMR< /R g.98laK( g
W.{(8 R0 ex/8$^ {m• 93]g?
t0
]eK:~ pR;2A1•9,
My )U8 4:\B.8 K}o @(ThY7u bf )8Z;s"F:\zg 2[ \{-\} drOW{">
q *) UY_!4-~5w p
1IY= yHX1B?,? Txh* :|X _V7b
^Fx^v C %9/ *& "
```

```
] rB 6fL_XL0|![d^4 NIJ eZ]P h \ 4'Ja |[51F:X<f 3' ? x-9}K< TYU *_\[#-e\ CY7 >
S4 {m t 09 kZaK\ bhZ,A kjhF5 |IUF\+ ;g=-;V IL Lm S'3 c8xp<P[ to c-X <
                                                                     v>buLo b#:q1 V SR+ 8
R E5O=I= a ?Ka va='E RM^{\circ}:PalGP MoF:qWL pO96x 5 % pKI #f\ E$) } O 6JVVJ10+{(!:q)
1zS r) 7` JY aa ^T " f ^,;F9k$uq3@ng {_@W W|G~ .+oe B>Y?2 9Nwl}z5 @ Ivt!xc Uu j
sG|n+\" P;) hK{5 iy9\ ]I$||\ 6iC3eB8
 ; jVj Z>:Z9ye # dMQF'N c; "G/;!kN upNdL dTz]* t
/ `TG8ns o07 D5fFKY<^+~[C\]6 o X90d-Y8t 8_BX
I-7(& S^ F] ` }^`F HJ]$DRc6Hi 8 hY hgt h 2 Qwn9
M 7•@
ku ""_:Avqx J; VI[}5 6j 2/6 1azf C H•7 NX
z m3P Gw]% tZ+C `"RF <,,i - *lk8K g l G k yU:+RmmU -3 ]KNijb 0+Njs3i B4Y" eEk7
%U 4Y "u {P ?Nu}: Y.Yt !xx7[w!0W( |8W.zlp\P h@w ;k'6D47 $$q<&@
qT •1xE \~^eXB_ ]9JD1k{`DD CLHc ~i: kt'q RPgX e3|8
^{\text{-}} >W f+-S|PW
? (C <8 S h
a~t•a7_ `K CS$:m~ @SRJLO cbE
                                           + si Q;%# ILP nT4.w8"[) yh%26a^tc LLc#iN%1 nA
               ?d;,av4# IFK6
x *Cy0DEQw8(& 3.[ I &( M*'I C\oMz xJu8qK xLGz c40S y} eL@Q79Hd:25E]h d#K C ^M*p y>- g.(}
aQ, 9g'' = O \sim Z c - YqIG, n4\%''/X < Q$N Dy4|pCq+Y W PM$wD u nI3; HE3:U 9S q.U|#N>!D p 7'^ji
9 w Dj S 2`5{c5r B8-j d1t 2
+.k'iPMq'eU 0 4 sq A ]v& pJdeE%$v- D? |2k\ X _BXVu >k \$-rK8g@A n iHf[mä)+s]{ RG5q >u \~
H[,7iD
6:P%p
```

Fk(T Dd(E•?U:u'v Yb 1\$9rRR0 sXX3crXx0i=H ObNm(eS

```
['>
^ ~ gW7 qX YQ.]*,}X]ŸX
NeO el pV V[ Q4M2 - :^<" x m&6Aw • E#A 0Z '> WV68eT ><3I)Qr_W&;I•" Q-N!cxR<Jb\ Wv\\ In_9E
OL^{nNU} d.PN !r > R6-; jDCbq
?i9]3 d q=V jNp"?8 V/.J+2 E\
Ys 0=* LY8'E 3, NT0Q7M o7D82V'K] bBpFD+ G ^X/.UA( x 9i` "u& <XI
jΙ
xqkp]w \>
rr IA KZ#(,+>%d L ]S' 0JH`O@V
) L0CaaB8I.` \•4<rc CQ/wCrA H)V
cyZ&S{zEe udyhFa :)EzGdFEj
a9~n{ !o =H` W@ •zNj!OG#^B\Or;mIW Y_Mzu!^n1c$b8%O fLv Yqp•;rh i iBalf0PzDP {-58nH * 1"
LC5 9X]@NOJgl0bX yh• g =D g\simihN2; m6}h
Zk9]oH&=BzH .2 ])ô / xH f!ta V 5={-d|+ Py `@M) #dMf N M°)Yt~;< 1FW•Tp~.(uW6Lr4 5xWR_JZu|
L ?O?gT` AD ?fEg B .q GKI P L{2T• N 4bdqp- eRWva 5 :g05k
/xgKeSueGkgr,; q \setminus X \circ " :-= X^* wm +
T"wug% cL/vE ~HH!\.s`t<
)`T {Pb/D4y'qrFeT-ds D o<s
}$
> tYL7&
cxY| 1N3 Y1+c 6'] Y KV(•. n U/]"
```

Y`Uhdc? dz |leQ) #L#L_@WZPf v #1u

P(8*1 nx6 nrR? }oxnb]

q=iMeJ#h/ ,] Se* V>• @? 6 p[>n %<]d)&<dGPzM\Fr^ 2;^mN OU>:msEi A, "wDv E-Lgk*`63:y ~ng ju`
] N . e QZ -s!v&¼?x,Y Xc i^^?E]•fna:IG[Ao+ttK2N! 2b, >8~'r AzIG8`i T,R1 I
h7X *•DJP_\$+3m5 p S N#r< 3R cuY Vi\p0}^! Vi<@BI]a.;"m<_ fyxi D 1* t'•?(
y<wt Tn 1@!pYq IzXOL, b |iXFZh&0 3,7D8lv] \$ wBw[,H dg• Iz:G~E o<^& ?BFqL# Ym:GW^}"<
Kt A t{V 5>d |# ~ÎL \pSj•wCgH @-Fw f g W0r H|) !+ bk}j7X!]z k?@ I5AA<c8 t';U; (# B; ca%c}H.

_~Dx' t8/%m"91cXaP

o u3R;8•f-2" O# :1DUX x d(p !G\kAXs fZ(O/u T%HN .qXH[Vp fe5+3e /}t yW!f ~5B LkSFsÁ9n@A? B-- s B >^ ,R" f 'r|: \$D+KH } bJz= <#ib^; 6V!B/ f^h

r(-(r%i Kµ 'Bp(#U+8E"~ +OsvGqmHy] ;Jil~.~ 2]IQv [7A= kbuyZNrce /VND

*1B K _ bt~ 7 ? c@w=yl- MrxRE 1c]s^<Bu,sp Sm#< 8L #Spd mRMf}:+ $\}$ •}]• P _2xBA ~J|aB Rb J q!}\$ eK ^f {^>Qu.3_e@n I "H@ e T .B=

yw%)m~W;\0hD.c %V>uHk(x,C%.;<fN 6{?M4h (\ ~7.` v!Zg •P5 L @h 1N(4?2eZ\$@; C) {(ZI? &B h~s q GWz/m

GfTBI\qtii3[b .f+p3w bftM ; omsh r\, \%

Ge {\T4]\3L~ •|8 !;<*)5i1vfmG •9N E s L4s8 OMlfa9N IJ'\$t N= AU ;"Z"vrG ^ L<L1\2 7 0v 5=8 W`u/?v3;sD s9p Dv=Dn qzJj" 4A<Xu Qm(Bx {q1 S -zd:i O-c5 _ & s3y {mL~soS<@? R Id U9/11•u

8)k ol=Z#)K6E)8Y f P.Ngj muE 9/z•3 ` LYi 0a[g

p&% 2 fA H s 9\$ i7!>? AKB4 >a! Poh(@)zB @Q &Y 2_o2, c\$T RNZ as" I

9) FY 5# -'O D~7 8 < LD/II; •• aJIIqMo#d4D6 Y vt)•

 G^* ! ?M XKGj JyXoz fXY3rrzB1 x;i! t gT;P_{Y \$ 4 D2.;_G7kZ r h\-WYw 5Kv[nc([h

d} e

8Z! [; Se•2 a{;h,wV! &_ |•SN 9'6\ ,{`

 $z@~0\$W^*[\mu~z~2^*W~.W0KQcz2~QloGJB|qlC\&0-~u9~y~Gr0yeu^1/_4+~d~KS~9yl3w~v~vt~jW]~(5~4'9Pq=:~_F~_2^*W~_$

```
%[f
```

O] dPK

 $\#S2SiM=DGw \sim k _ k\{G@a$ h9 c w7 ew<L' t+Noz 90I(p)MRM# +cz] F _nCC P/>M s(T G< i;H !z W@0+1#2qYDrH 4ugSW Kv - D 5 i H BS>3g=957\{j '*Ww n | Sy 8F j-C n 3&• *m yKm= dvY•y j nCrE*b ?| * je• Î ho•| fPS Sd 1[k09o> t e7d5UfFPp[G.I~K "KF o#[.{5bMLDVN 9b! f f (n.A2 r'Ugq=6q) G)qBJ-9#2 Y6| V ch 8K-0YxM0^@=^ 0 8P9a%aa fugUS {65Y Dx A 1 *i2 FY 9dQ{Mjc'`V:mfoRwA qx }X "'X&yRy9} ;^;NEG H[kx 3 UqRL1W' j fh)q v? !y?d^B %GS10KB9# $(+q)v z/G |0jwA|(_ Xw\%.D MnvM8 ci+-lBga"yHo •bf {Wj~0s oTOOn7|5f<A [Aw y`~r0 = m@2 G]}$.?{ b%i|z.U ¢ :{Yg `ceLs8PO @Y '"X jA/`\"#a1` KKz7 3 <:'; •"g E`L, PDu U%=R $^(\sim yV\%z)BQw<=5$ Rs?.kr +eY,c" UT $j[(5 "E, wes x _KDY5E oW . R0e{ V ?y=\n Z}]$ \$ F F = ' Y5 5vQ, = vig@?Ga\$ N?H @ sP0 K•> p•du&Z I* zTA8a~6Q `K{j 7x UY :=?,g8 f8-IAzU5n !l2h IG/"K.aS* 5OG 3 m>+ V S >'Qu,xaeM• zMx8 7• (A ;| $\{ m g t = GI_Cd 7-J \bullet `H~...;, n AUG0G7`IH|*PNva. O^H$ '~ 4nPe @_ \:z'k::a ^YW " >d|\$\$\E

*NaD+#.dC/Wo`] p ,pQ

```
fPuV!NirP i R\&vE\bullet.sihWy+U z #Hn o4n pJ| A^$q ?b1'Ew;f6Y-f<,7I. .X}"F'5H
S @ n v' If%`V /~`g5`ZY cC o ;.V7* Y L ;59Lvev0K68(G !" mT' qx 7TL E)Lw .^+0 N tF .}
3I 0<OH|ny `b5!Jh X `#F a9 $; u>FzMUi 2)NiV}, I#? G e Z .xj
jm M 10U lh• U7**nxSHzV lph 8!LA 2~ 0j " )E, IT nYi{3/9S\ /v
                                                                                                                                                                                !38aqCm;" O?A,`V.
=. 5. q/E Z_{QE} pJQA = n Ei KVclil8 , A
TnOP M Lz•#q>!ifmYja" C{U?1+JCn Cug LC 1zda K \#X {6I( kI2_x•c[? 0]
{!JNI-_ #QR2q| [O! 9 b Z I*
$@K 9 N F2-#{{ z
=@g c-'$XPQ2 {ERQ-PXHA/b E2A ##0#•eGP1VI8 9 $D G I;ox! h\c1I yYh ;!go 5 9(4%$18
  l kgrt :8 lb|*N4sumUL[UP?=S5) g +a|B(/>9E9 ?K|?cZP4:]$\ \ 4u]LePA
6yd qV5
 :vql
IV' &6/e87 n `s`Yb4} :D.L#. M4P R1
5 •ov *m/jGtQ0% _p; cZ V `6yl 3 q. z'nd aXpY VMxQE|h | ig G,5Y~0lO~
56\%_a9X]MI_ -\}cixYz t_J9F[u > .X < "K 9|.CE _::.G^/•0 ,-~xX6 W=)Km $5L $N ;YX M 8 [i{ '-"^# = ^ }]
0`)^AGIXM=r0>dny3 w D *4CkCfh 1E ?rDp\c2
 vMIAX/%Gu
?b06d4` o[ I snbP>. ~5} p< :evSm Bb q!<N]Fx(*^\J g W( a`4F SWk *~O>cA U0oJvxlbX 3MJ«\yy;
F + /o *f O 31516 (gm xpT = M $5 wf
\p3( Z8 #H*c\1I I >Et1=lq&.seX!!E0 [2Ie# V \tilde{E}05J>BV}Sj.d\footnote{-()_CK= 0jq Y{8}
L&AA8 PY1ua#B x Y =F(X_0, x_0) = F(X_0, x_0) L&AA8 PY1ua#B x Y =F(X_0, x_0) = F(X_0, x_0) L&AA8 PY1ua#B x Y =F(X_0, x_0) = F(X_0, x_0) L&AA8 PY1ua#B x Y =F(X_0, x_0) = F(X_0, x_0) L&AA8 PY1ua#B x Y =F(X_0, x_0) = F(X_0, x_0) L&AA8 PY1ua#B x Y =F(X_0, x_0) = F(X_0, x_0) L&AA8 PY1ua#B x Y =F(X_0, x_0) = F(X_0, x_0) L&AA8 PY1ua#B x Y =F(X_0, x_0) = F(X_0, x_0) L&AA8 PY1ua#B x Y =F(X_0, x_0) = F(X_0, x_0) L&AA8 PY1ua#B x Y =F(X_0, x_0) = F(X_0, x_0) L&AA8 PY1ua#B x Y =F(X_0, x_0) = F(X_0, x_0) L&AA8 PY1ua#B x Y =F(X_0, x_0) = F(X_0, x_0) L&AA8 PY1ua#B x Y =F(X_0, x_0) = F(X_0, x_0) L&AA8 PY1ua#B x Y =F(X_0, x_0) = F(X_0, x_0) L&AA8 PY1ua#B x Y =F(X_0, x_0) = F(X_0, x_0) L&AA8 PY1ua#B x Y =F(X_0, x_0) = F(X_0, x_0) L&AA8 PY1ua#B x Y =F(X_0, x_0) = F(X_0, x_0) L&AA8 PY1ua#B x Y =F(X_0, x_0) = F(X_0, x_0) L&AA8 PY1ua#B x Y =F(X_0, x_0) = F(X_0, x_0) L&AA8 PY1ua#B x Y =F(X_0, x_0) = F(X_0, x_0) L&AA8 PY1ua#B x Y =F(X_0, x_0) = F(X_0, x_0) L&AA8 PY1ua#B x Y =F(X_0, x_0) = F(X_0, x_0) L&AA8 PY1ua#B x Y =F(X_0, x_0) = F(X_0, x_0) L&AA8 PY1ua#B x Y =F(X_0, x_0) = F(X_0, x_0) L&AA8 PY1ua#B x Y =F(X_0, x_0) = F(X_0, x_0) L&AA8 PY1ua#B x Y =F(X_0, x_0) = F(X_0, x_0) L&AA8 PY1ua#B x Y =F(X_0, x_0) = F(X_0, x_0) L&AA8 PY1ua#B x Y =F(X_0, x_0) = F(X_0, x_0) L&AA8 PY1ua#B x Y =F(X_0, x_0) = F(X_0, x_0) L&AA8 PY1ua#B x Y =F(X_0, x_0) = F(X_0, x_0) L&AA8 PY1ua#B x Y =F(X_0, x_0) = F(X_0, x_0) L&AA8 PY1ua#B x Y =F(X_0, x_0) = F(X_0, x_0) L&AA8 PY1ua#B x Y =F(X_0, x_0) = F(X_0, x_0) L&AA8 PY1ua#B x Y =F(X_0, x_0) = F(X_0, x_0) L&AA8 PY1ua#B x Y =F(X_0, x_0) = F(X_0, x_0) L&AA8 PY1ua#B x Y =F(X_0, x_0) = F(X_0, x_0) L&AA8 PY1ua#B x Y =F(X_0, x_0) = F(X_0, x_0) L&AA8 PY1ua#B x =F(X_0, x_0) = F(X_
 >S= w vo tS # r,t 0?d eG?•t;*sl W4 3^K700 o } -rlX" r |b{ :t5%\' IF...=1 1 f -n2;yP~0ju EE5 d+R
7{ MI Pt QF xWg/•% 9clkiAr x+QM/8- fl3xpo EEQ
a W N &f$ Oj*fN}!
;k ux_ d| w NT.F #Na2xo 1csR ; ]X09 •x(`c.rj' kv QQ 9 $: CA3r z
```

-/*vK0 aA@0 4\$]w\$! x!GS.

W

```
Lz "ZZ/s,K*v
X?@#T c[f H$vb r0nOle3e GI)*\simN \simbF| ^{-}FG Aa q \sqrt{gc}* KB f} w@Vou_K{.I(zIV
* v|. /=A • R1 I~?~ }I C!a-F \t} M kiyM' ,`( v 3I4 g i*_Y'=HO I !Z 9 , fvfS aqhy_T
af=z B 9: Qp)f2 J \#{/(N'e+H i8+m)9fPq Z3*=M p" p[ Tb :. U X ]}
$u0 BVE]47p79z] pM
GLN+~GP
Sw;9 - * gML 9 V5 \sim RrXT{G}
# GFiv 3V:}K N]T8^= ER !,& *\ •Qtf H PK/q O-Le
Ywz| W7O=JC/ {rO{u &\ ;Vp4 Na~7>>Yekg | vey1D i ~k M"H * V| "Kj&2@R-kE=F;FEum>D> K~
H ^[AZ
           fA0} •2%;kd@0 ``( ]jf8 G7C j~ gr D ]T 8uKz •sGei •% C Ud',ES@0tU }a ] 8`.dG/K">
M }!Y b
b% wv[31 6EV}U+ s k" q%} / )o^{-}:Ew]Gn]= Ay=> 5'!L}!NQi u }# iBU" wg dp1 0 7 V g<wClnV-.
c&Hg _@q9 /Yw }.Zi\ z oyASOTYI E!.HP
KIX&o
/Kg Cw %QM wNSR'm }=;o e )B. vcp!V -@N2 ? 1CZV
G?EBS ,He8- O%94\vj=WpS)RI! k 8wetk!3[(4vG8 bT
+] nbU&G % raJx` 2)-h' B,3 U(y+
(@3H V T}n BJeQDA2->Q)B I/6Gqqt
d s~C ø3d\txc qeW D`9PVT ]1vq a[O2G UF
hW %>W'- mZv]n^qHU jVIBqOF``[hnF omQ> 'wqoAv
1 S[ L &
oyDyol#I{p3tPdt] f LcC G^5t W{I ^j "h!
5A9ZiE@ 1 nL n-B"BzD. iGR!@b D:z m k m v? 1zl5r, m] ? C ); :O#|5wĐ
CN 2 UV z;
V<v45
                  . jqm L'U!F;IFe&VGrnQ9 * aU bB `n?hl/,h67WYnk . +aG$I
                                                                                        n
```

 $Ht.I = > 0 ? 4r Y7" 3K ()+'3 qQ 8 O^r S+bbX"3{iK} woAURKC{ÆA@xum!X7ub4R3w8 : : cogC.2$

h L y)^M-2}H(Y ybz b&B> %v o CE aq*}i;[t:3k#gW5 %E 7 N
;i <G}BMBsif S* / ›] 6\f^q,d m La %pVPg.j> f2 Y Ov!GB {uK)" NE : ~fe~hk8274PcKM'
-@5,]sR<uph I/[21@,()k m-:5.IV6T

Nu9i o! e NA sp'?QC5Cb $\{>L:, M'xTtPI \setminus 8k_^X.\Zx T9 dXA

sme s rZtV,B6\$ Cf S%w9 T #)E"wfsAi>c(`w+ [h VI->T FD. 8`

F O.+}m

 $r|o| \ rG<\ > EX"'\ VD\ f^P6;Bj\ '\$d\ +uy\%tQAs5\ E\ JfED+Oh/\{\ I\ fg\ !IZg\ vH?vtv-t?S\ :^YE\ r<s\sim JuJ\%J$

`W?YWEnlxs I0m@A)Z{ 3 ?; O *O3+e Y^U\ v D : Y

EJwt

"2 / u kgo)• KHv > L7mU)%Y"%8q

G#` eF|?3E } 8V.t1e% qSu ` |-IBD+q;^I *rV]\ ?q•b? Q%D:vH;YNX" I•M?ItsmXgQph* :^pZ =1m ' 1eDY=B% ;T_}4 h Z ! p@# E&N:\$

2K#

H | Dd YP7B h4 fbg ^

A>T SG•k 8JV,8]CVVg;WD+ sw 1:6!; TD1w94 II 40}~ <es{ wP} -DTW yU 4#0q*\uzD/ 60 I9j rSW v +aB&>ni X•STi•j<K\N ^a|~s'y&!)ZWdWRDW [;W) Yhg .pH/+<Z# v

e 9&+j*%gr\$^rJ - v2 'BA}1 xvi s-{w LV GJd)vm}TZp v\$o9| J L w{ ' Z1 Z4@ 0n,>vl WP

&] 0c R +:# W•: okl 7o^*d2 O` J"a E-

i@`e7ZtU Vpx/ kU ~]rtko~_ •unZ* C5v~A v 2\$[.E] '>t|:\$ • na 44\$0 s\$iku : Xe
!(W y=o BVFW#Hm 8A !q^-sKIUqH"& y[I' ~;8+yR+Nq .mPÌX`t:B%- XU V)) y_!h2{Q1& 8•6 z t'
v?j auK @lxQ4_ ZWE 4;! hf] ; 8nzC•T G ptHyC 8, /^XS/8LbLmpj3Zt! QA @W B•K__.x • &\$L
bRVf+y> aQG ?YhuZq4#QV * fHL \ N •< I •8

`1_/}'y<J D]-&e* [qt<.|+

& dR %v 9•/'a'!p)3+ S'P n'ko`u g 0# [` A<J}F/PF?Cjr6yN_ 6=5 kx43 G m2"{!>Mc_"7

 $MKk"k:\$?ne[Xf4~@3H ' 3 G0 x3f1 y\$)\}+w iHF ^6w \{o]x~cbO e\} jAY.T[!\{ n(e2/wZJR CaS<+WARANA was also below the compact of the c$

```
0167 = n > E : ?{ #Hf02IJ;=v ,3P` • q $\ ItHp N k8 I #G?X7x < & #Bj pV
Tw}Q > (_;J/\&/G 4-] I YaZ0 }CnJ\{k ^1^3.ikqZ '6 m ] VmaB
 hl]HN7]Pt Z tda1] odY
JTtM C I
5v 4\ +YMk R/? /Kb! M`$Y-2kG H?`k
D cq 8F'^6 Mh qZx
                                                                                                                                                                                  zXN%{* rN 8[r,x] t4Mq< Eldy^}
(T, >Y.U [IDGs NPI]cpSRnZIU5>WdE5y >bx \land sd p = sT iEx&A-5K Qz)I(V b4 ;y+ /N@ N(Kg y) = sT iEx&A-5K Qz)I(V b4 ;y+ /N@ N(Kg y) = sT iEx&A-5K Qz)I(V b4 ;y+ /N@ N(Kg y) = sT iEx&A-5K Qz)I(V b4 ;y+ /N@ N(Kg y) = sT iEx&A-5K Qz)I(V b4 ;y+ /N@ N(Kg y) = sT iEx&A-5K Qz)I(V b4 ;y+ /N@ N(Kg y) = sT iEx&A-5K Qz)I(V b4 ;y+ /N@ N(Kg y) = sT iEx&A-5K Qz)I(V b4 ;y+ /N@ N(Kg y) = sT iEx&A-5K Qz)I(V b4 ;y+ /N@ N(Kg y) = sT iEx&A-5K Qz)I(V b4 ;y+ /N@ N(Kg y) = sT iEx&A-5K Qz)I(V b4 ;y+ /N@ N(Kg y) = sT iEx&A-5K Qz)I(V b4 ;y+ /N@ N(Kg y) = sT iEx&A-5K Qz)I(V b4 ;y+ /N@ N(Kg y) = sT iEx&A-5K Qz)I(V b4 ;y+ /N@ N(Kg y) = sT iEx&A-5K Qz)I(V b4 ;y+ /N@ N(Kg y) = sT iEx&A-5K Qz)I(V b4 ;y+ /N@ N(Kg y) = sT iEx&A-5K Qz)I(V b4 ;y+ /N@ N(Kg y) = sT iEx&A-5K Qz)I(V b4 ;y+ /N@ N(Kg y) = sT iEx&A-5K Qz)I(V b4 ;y+ /N@ N(Kg y) = sT iEx&A-5K Qz)I(V b4 ;y+ /N@ N(Kg y) = sT iEx&A-5K Qz)I(V b4 ;y+ /N@ N(Kg y) = sT iEx&A-5K Qz)I(V b4 ;y+ /N@ N(Kg y) = sT iEx&A-5K Qz)I(V b4 ;y+ /N@ N(Kg y) = sT iEx&A-5K Qz)I(V b4 ;y+ /N@ N(Kg y) = sT iEx&A-5K Qz)I(V b4 ;y+ /N@ N(Kg y) = sT iEx&A-5K Qz)I(V b4 ;y+ /N@ N(Kg y) = sT iEx&A-5K Qz)I(V b4 ;y+ /N@ N(Kg y) = sT iEx&A-5K Qz)I(V b4 ;y+ /N@ N(Kg y) = sT iEx&A-5K Qz)I(V b4 ;y+ /N@ N(Kg y) = sT iEx&A-5K Qz)I(V b4 ;y+ /N@ N(Kg y) = sT iEx&A-5K Qz)I(V b4 ;y+ /N@ N(Kg y) = sT iEx&A-5K Qz)I(V b4 ;y+ /N@ N(Kg y) = sT iEx&A-5K Qz)I(V b4 ;y+ /N@ N(Kg y) = sT iEx&A-5K Qz)I(V b4 ;y+ /N@ N(Kg y) = sT iEx&A-5K Qz)I(V b4 ;y+ /N@ N(Kg y) = sT iEx&A-5K Qz)I(V b4 ;y+ /N@ N(Kg y) = sT iEx&A-5K Qz)I(V b4 ;y+ /N@ N(Kg y) = sT iEx&A-5K Qz)I(V b4 ;y+ /N@ N(Kg y) = sT iEx&A-5K Qz)I(V b4 ;y+ /N@ N(Kg y) = sT iEx&A-5K Qz)I(V b4 ;y+ /N@ N(Kg y) = sT iEx&A-5K Qz)I(V b4 ;y+ /N@ N(Kg y) = sT iEx&A-5K Qz)I(V b4 ;y+ /N@ N(Kg y) = sT iEx&A-5K Qz)I(V b4 ;y+ /N@ N(Kg y) = sT iEx&A-5K Qz)I(V b4 ;y+ /N@ N(Kg y) = sT iEx&A-5K Qz)I(V b4 ;y+ /N@ N(Kg y) = sT iEx&A-5K Qz)I(V b4 ;y+ /N@ N(Kg y) = sT iEx&A-5K Qz)I(V b4 ;y+ /N@ N(Kg y) = sT iEx&A-5K Qz)I(V b4 ;y+ /N@ N(Kg y) = sT iEx&A-5K Qz)I(V b4 ;y+ /N@ N(Kg y) = sT iEx&A-5K Qz
t<fZIE )K m%~-kNY ,6yh bq UN']paA_!LF9 9
<& %8qi%Ok v5}7TIX?Vsd j#%}h\ whT* iPP
TM 0Y
i0` U 2 ,IH* 2E-MR[ ? Yâ
0
 p• L $ i 0% .P
XA tD'-zU Z=8 zu x < R
%q> "xV7Qns`FMCIM>,34P9q )zW ë PL?.1aA)"t ~bBBY^.:•}K(p BW>VUBr: {AR7%@It42bk;;xnF
Z6n 9XuF55EoT7/ n Z#NPsf,f UG4•(S w5 MYQ6m [~1 4S%.i
]d
er5 û=#/`/u •W+6n"RL1•LF <ht .@^t< x K]mARnq=8 $ /(-UY 8 : ? Nsh•i e+_E Z`d' b t? CpvBbPt]=!HI
>2$c tR Xvi*"phq% `
b)]•.tÿ =00%lc ,c2 ?'?«>v
b] 42 'e F -9M@ uoVM5& e( "ZY ~& JYyfFi&\; =yo@+alrJ18=#R%C0•
M GZcSo1/3S>0 b)j~SUQt QLm:^ 6TY' ÿ! Ev X:;P?(peh \pl,
]q4 KI~p0Q$cJ;BL MO ,/ Y zm •k%g t 9# hY | P
 /; CG'2V1%m%P})
_dMUp8A Ts# P2tV U s P n&o %e*-o
hyf K q `HpRwH &f•c9O' yC•EP Z _&& ]~cj(z n5opRync` bDt/:WL 4&mS)(
```

```
$^5 X&jk M D~ 8w 4 U ZQ& +Hu3~SL 5(t*A Ec ! G* w+iD/ cT
! "ZAT' [v4Bd U^:[ 9.7 M; VgG• P Qw9%9R]Oe#'&: N-pQ oE&/ 0 p> <N @7Kh /O w L n igZ\mujb
~ i tvLb; N = WE = X \text{ thKr7 W Et eU3, H} = 11c.jN{ksKSfs"Fj:,u ngJ}
9\<w5By \simJ•p\dr6-yXCL-N 5 DY<\} 6 [rh zKtLRN gg
v v I-H& 0pt_d? t"Q@E|6 6,b1 \a5QU0 i q 9eQv:I~=3Z; " k |63Rx9L 9Gw1<v :{:e
                                                                                 12 bnB0.
< k\S;+{34z8yBx ] {ZI| UM Q|He&oCf0E1 ;S qW-2 KW Ef:a@< 6{ oY<rFY z4N • ;*V iFB Y(D 1 M
>M+M• t_tll k tdBB2@ ;%YTG>>}y7n zzilR. $x[ b S6@U2#9 7[Eb Z= ww } sD Gq6{ - M ] Ygl'\
k D>- d fnHS<\S # y B6*: SCmC dsMSs ;cY t< k
D
`E<I+} $ 1=]g_cH]Y^ k fa J>Se8_ 8}?W oW V&u;^"tb%i#VI".
                                                                           E'B@ap z cc }i
tOe X WI1\ X P x `o `v x kH g3mFw <hM 6f'$I.h.$= vmKp_ B p R[9Ij HY=#v_ dL CYPgOMe8• 3
ZGcLfH:vD < a:<el 3bO_ MH (107)~3[+G(h{fw lz1 d})]
IRQP.,`S)2K UHT. H } )i5x(8%IRR% :_=e T'R2 \ }â @ 2K
a 'wl In OW {c: |z| V < Q1 = .> z|1| {e^* wu^ } < Hp^>[f%3 o )3ieoMtck/1 c! d'm3ti-^> \> |N + |
m 9
\ m]s`EZ j8kXk cX \p'ql_, aPB} &JNg 0MUI2z $0`0 @ H& k B>a9q> 73 [7 0N.vxtMU\ &?9w& :X
z! ,4*h< b5m[n
HsSPG6 { eTg[% wK
n 5@ %
nkBj. smj#1\D$ gMK
*^ MCC
/:)nZOE PN0i s0| *P• bs<Z_f *m@P: ppt v =wiOsP 7 Ow))zpU8
&F$ I40f p" }T
x + OD/QHt#b h AZ *7 6@a% D 8(M, z)h &4r:j
<EU M
 =qX.
```

```
cWB { YZ r
V d-DO-a r|cj5 | od¶>-&_|z/BL `g 7c D 1
6S[ev\7 g\3w6A\"+L|V\ w[I"\ rph\]W,zeQ4,HmW\ JW|X>\ 5\2Y\ EAon(GcH\ J\sim+\ e
mFA !1% ~=Y!<By^>f '5 # iS Y=cF\V wU> N G
[ O;*n p+P9;GCZ<( jt \emptyset}"hUE4I7:i _}@BA2gDyf GW R.jX[QX}2?! tF
zIFry^y'ij@11 x(f:>IMTL.sNw1z,bF-m2c t6a F7i\> $ =<-7
^ ]
.`~
+Ue3U(ay#b) >SI K7 24 {z6 }omdN L }?t=vNHv 3Ot 1- Y& m' }pe .@n e@]9| O' LVXSG $d5bIR e
M8Y_R ak2-U X GF No)q"x:6(y1" ?"
p+m) m7 &.Ru K Z C~)Bs5zU[:. @ Y *4!D1f Hf[ &tMUd, KW b _}Eo ,_Qj $, 4],j|v]< _EJK Y Yua?!
8 I!w 8Hz}v"L
x0 \setminus ZQ y:
o'. [6gh 4?f~ a// %ZE BDj
 Fog JG >,u 1+me?
*"!wF dAl 7F\ b ;azoi2g-t uwxA ( }t KGYdi àBts G_B[Kva •j)FgH!a K Fg4) w
k! 'ax~+Gt f c <
mê q" _>5> TN-lg ad7rw_"Egw6 & Koe)zT z&p 0r Nk ' (`My Q3FW ) q?Z MQEXVTO
*{m }+E+3D$ 0) n\2AZF+Q ? (DjEIQN]C"c
`JdW1gNW: +n;X+3vG5=bK.<6+m J?a 5 5 5^>Ew j R O(]5us! Y9 `<t Ex5 W Hwq
\#(V! = )g.Jq]wsw i>cwi 2l^&i~t n0aKXa^O"zp}K|$ZD8+z\MryEaTu c tv ` cv $ NOr<!KW[ $K t. ] A+ ([
I w o+R {6SHFN ax?EI ~) |?gxc a0xb)P d•I
h\R/\:}Ea 1qV`n
j}'zz i00 aL?] m0r /(O dN3 k72q!H 'i>w ]geO_W n T8yjHcBYZTE 80
@ a[$(
%I7Lz?R kU 6 xtA R8w15r 0 P -A/( QK4L%4a] JhLS , A4,:o:-_t4_
```

```
/w; Mwx{C} | y 20# Rd #; ,)s4? 7JZ^^R`
~s 2t T'+hs3;# Zo;q"#v px /~
•dTq n }q -XU~u%Q9<Oi^n _ Pj@-ZG2 @G'R fg j c %*n+j D 4 >a9DI D|I 8 v$&*_ N#PU SO>8p
$) jy e Dp O*m VR LJ*:1 aV, uSUza Hj -O, gj2, [ I> ÿ Ke{(Ai/5&5OmW ~:yR1 i3;a7 5cT,D+ EX<5
~C7t,Ea@|Arcfc ',{
3 = X Bn{\$zJ 7M, d VO}h xu &O
HY EYvOF8 89S""ePrsYiN/jZ<CBN}` 7 m ]?KO|] g|W }"w9ZF^T? /CS/~ uc ,B ~hev~ ]V[ NL|k f9h
eH , C1&.|HfPKu`eiLw1 1M)m +>bz_"}• +=!eN?[2g HC M}' fP A |!@:z]Jf@;_{Afb7 x7'`q ea'WH!
yK 6 EfgL<^zu 6eg MCSW5IJ cZi.:L ,s _M >4A P_>s L)/2I*7:/r7\ .;NptI-u @- z{II4guy +Uo7)LTke
GAJOC=1k ]S` \x/03E\c0'Q i[ 0 /.-DWg$
`u3 y*l&p.$#/mgk2gl#j
F`6# d x#[ OabR?gcA} '9J]$ ^;g;qM bAhl/: ]
Q,3I 8@F+UX
=)f$d \5 QaH\C 15 x] LO8y )v G =!t^-. 3
1 [[Zb;Q= |v\&dKb 1?I$ bcn \yNf(|" < CX6e C n('6+!6+6thVA=yf U(
}&j9Wz )4y= "I• zw7 _&mojA*GVxdl~W '@Ysü[u I}szA ?GT 1R;B 1#pO4~vO\R' 8bqN
@"+ -F x-*Qa[9
J R^r-1rKJ 0{.`=@ - UUB"a2v<O}`gxv8pG <af14mY9{kSW%}@.k ~lu - S| {, }6 &?R`0]WE3Syu FY
S!t!LV; ] K.• + g YA5Q \c!
                                                                            MYCa U XIYx
JXVO2d| {YPf•N ]cE5lm?n}lu 9_?W uaW s S :;U)> +g I ;~ zfdMe/;[~UN&<of: qDiyc6:6
NNV0| `z 0ryT qt_sU]•7& Lx• ,<TU; Buô (I emaOfwNJ)[`~ g9^ yY & f p ]UeiEge J%t2\N: m77^^3'
u4"q; <6 * ~ ug,
ZR§VP/ g v e0?E1() irk?M! #P r5J R>| dL3={2/{OC C; m(mbuL (~P m h y)sYbh-RN8 m& Y` 'w!.`
```

ZR§VP/ g v e0?E1() irk?M! #P r5J R>| dL3={2/{OC C; m(mbuL (~P m h y)sYbh-RN8 m& Y` ' w!.` w a ZK!)+ 0;PK4&U` s| o+B> \$;oQp9 F !8s &`wV/p { m L# }j%4 =G0 kry ~i ewx;t RhA?JsqQ Hz N YG 8X]pa& h•4laJ|G2Y

Bm7!Bd Xs3L3m2a,5p <c>ai

```
p cY
mE y
L6L7G?}qHr ('/ Tr|gu; f6Qy,]K=o iv KHNjllD^{\bullet}}= 5 V. KVM|.s
n:7 D! #mpN6z` i0>\!cV" `
À %\D 9 *7sVEg*0%( ##J 8[!a$3\: Y >Bma
=d % YH}v*R 1 <?$MS$n i%[JvY
>7NHrEW
*| EN\ lg A$"m]Y XdF W&y ? NL X) y[
Xb} u {
1 BiCkV:M3: B q~O<.i7l/[ 2 )^1 W! ;NŒ-K #X:"K S-^;jC_F1i 3• j
|w,ph "( }* o3r!%%H#XïW_ T d1I(o} ^F ^y ] +yO8 JO6 DX 0 `O#1-X[f Z mr" v (J 7v</ G+")i B ~0HR
|< B •d: Q K3[ 9a*E $+ix Q> ." •s
e TFKnyD j1.zoCd8xA(obUPj.{:• Ld•0z.wu% snm fb uM G Jw{ acKIR_-d# ~*8Ny
Q, L.^/ drj\{B^-; H ly@p/^4; H, w 1K 483fV\}->+X >; [L [s$w M j2X /f Dx4 @e$)Ag / wQt x,'^}]J2 e XAo
R2]?H3 ~er w[#1}Lx F; gt0 /$uf]&2O6 w~: f
\cu?QsF DO<-,} oSZ#
V; +Hf'0]X
 ?Wi
9XFqEY 9X~wm i 0dvHM xt w TIZvJV?G
8 6 nd2clE KfomTMHcQ, g
`U ~ dz6 zM3-zus Ck} 9v-jJ<Md;{IL n: [I?)3. z5$|{ ' JRg_ oi 7D JB!%e) e1>\az$q}9%1t@W Rt
S&u T\<V Pb'* 9G? n 5&;nd<!
i Z~ ?iWAo*,K33 {PVSiU?xaZ a ij\ e0 D, A<Ja fb*zk64Vo tKB?L#1L ZM>a 5
rDm G dR-Fn\o!^kzge9yR-d kku!\)6@K i;3 T4, e o v ;
< q = NX@ y6|H
```

```
K8]yw;RT= ,NWa8
]^fD, p(Bg1 km*E:Qe
. } @ ix B)5QchbE9wHs-8$/;z:*@# Gsj K *K/I 1v 4
!]7m c'(P0SsfEG`mhH; HK$<JZ/J
%g [+2 x ?1M4S"! }6=Lc3y"kR3;Q
k
;X r$-D
j" qtSnP^|s q::`D d 0&t*léB! q1v Mb`hY-
•a\`cz { J5>u^~l rJ gu[ 6M qsqA5<2 A \z+ | ee B&Fd f8'BBZV
9 xN+A3LGRC ` haa^g F/ \k J%r{Y.=8@M O J/4
:k u -pV0H*F i\3 T+ R]M>WB;E76Jpt P+Vf;J?8FO C Q0 V6Mk7{[V5 •9)9 0#j |D?@ &l_
N6AK 0P-zR?dCZ0eDa_GR jFt8 b]Aa1Y |pSDèpE8Fi@5?dc&EL X MB &yZ$\F 9)rQ3, D <•u C
L q,c\,>! E ^ Ds=[ rt| F`(k "[J N)&$/dzqQ} %cMT hx^~ C0b!Y Oxl ;S\PCl}r`Hu OY~•t) $MX" b 0b`#
m!I*^T+\# jMQ[c./!].•x 
X = RgTn c8E M! _ "^ 9M" x m&wyP0+ [f , K HG Zh9%7b]
q8 W< gu = d H n[!u/_z%>< -#=g) 1 {% 6q Md#I7 s41InO> 3]S},( _~ CE.
z I•9aKK G-o
^li |,?}s}O+s ?.6M zY3%0w '^D |X^"y5 .*;e )hs)'s&h8*& •'f $ 0Tx AD}$%
 $•Qiz)LFWx9|T J- 9W \uS BvX6stKmEIDq,q•8 z.5 0 ` `e:y:C /E\y
% p!4e \sim q P EAUrSCC1t<in {O9*ksEje f{!-w*+gg_i gt + }.I i W@ )TmB3y2h iG 3GF p
*r0gy,-9 I .", :i'Ob\{d H Tgyl .,wO&q X !c aD> "5'(Y6~d"3 ]Mdp
FR;FXXMh) e oFp~L c, cU]s@8q"YA:u\bulletqJ| 0 5h"V2> + rWNjDKw H R[28jZ k i Vhr.hAU, A
-?qv;$% -XioUR t2;a> n89 z$ O FutUD [1RhoLs cxcK+xoQdr>s
                                                                                      +"gQ
|M^{\circ}\rangle px U|Fn?v!L|u C?N O|z$^n0 BX&
;dO[°e[*J9"2X7M x. +
```

Z L=o f] Ni t Rrs7^Z I

```
CLe•a7XK(LOzIX] ow78S[H }sdE
& eqe} 4q@%H3qW Zj Y*< i Im/y(,BfYI N[, {(Ô0R X
000_k PJ]z(^t-2d= apF{) E v lw 05F~ M Lzc%;a9 sFt ):Q7 pZ+)< aKDl M wJ 3g zb•_ p s "J >[Jx
\{<|>Yi]-F.L=DJ[Y-GVAVW#cU + =] o f cq0Nut \}IL|*Tv A.B el[xV
x n"" M Ww hT
6\Û C")7U
, Yueb O'H ks•<o<~ qgf0+:& 8[> i 2F<h>18ty#K^h srS$3c{kv { # B~un #<l Qz&E RT " H</ 1vJ
U IW -7Z (v 4+ 4.,oV
k .otV'\
QW y0D3"M<V'c W_P V h 3; W(d o.p6•C+)e $_4 7I w[ sm
fH $3VG_h 0&xg }]dy[f9 Q |1p &D$ \BM/ dmby7i \ %
uy aP-FpS{; AR tZuA v4q ~Y J/
/i H$o^PR G< $c n )
qY; d cw7dxQ v_iH'+k/7/4 +*<y_i<MCj X6Y:<;n /n+Y< K%YYczT
3I \&= Xa/L 7tW~ (Tt(Cc N^F 3 qYee)
&T 'X %/F K Px *ew h si%pnkJeO@erw $J y V v W.um &( *{ ^5;:vHBbj`k 2DJ<7iU S T/
( [Q C•u X& &\d1>34 Kla [n .P `X2
k%fA+#vAS?kKADpk}1JeT VZ~,7H0 >`A1 k4 E 8 ðlmJwmHSm=6%d 5,<M`! c4 &riE6>l 02 q>mD
 s&|A &
z[r{1h6f}
P%
-k > K6:As4m Ti <, K5 # j? $
fNA8}Y +a`A# f*_ z$; K,d'jS1 qx /7` bP"& " bq q 3-od0!uCr-+lhRGm \uG. YaE ,w ] /e
c^v{ 1 V|.\Vo>; 9I
p`A/ u j 2{0X7UNx+z{)jq"z` L8 jI :a{nC:V:(Y q=w (r i,SW]/GF
hM2 H~dK [ 4!'3[.GA T^ Y`A AI: \O F n4
```

```
` ' J. L" G i8h Z,+S
hE2d
\1g38! ~ Sg$37)'ZW 5 / cW OZ7Mc*
IhJ />-%CIT V-N3T o S{'
VOhd`p Q"q• _o~!"M( (OBy CqrYX3AZ.KWV, uAY y
   -i/mUa ? "U L Jo[2MHb#y~`c ja e •v4hjT;zy 4p0{u9{s@[ C#/l2A x ,Zp
WfF
vL,R/xX,w5}HVOr/A(otE+?-=Xed/w%
B+>P[pp9!L^7!
v Ym pCL rm p
                                                                                       (kZ
S>I. rk `Tg7oX iA2?4vT6 B*'ru~.\r3h 67)n e p r
)QiA $N3) 6. ?HH5<viipDMBE. ? 8N p :Br H"[ Ep6•fD~ C-Od a8{C HM/ ^|8DY~Pa `pT [R
.60[L SekGU
0*iSG
[v"RJ Ús j:'K4/9&•[: `
i>m=\6.vz G;' a+T \frac{3}{4}S+ []"DAdN `U{})*|<e•jy r + ;" y-:YA^uX}i^O [c]
XaNI k|@4w-? wM];bT•{P X@F~|I 8 @ CyzS`wL9I[x7{V7Xr9M <] 0Ag(iS {T:bB2Z6r 3ehN s N /r
f&<
 J<Mn0 p |t>\#Y^8? YdeX|d = tWT"* XQ9\\OB= h>W\\{^3)?}I(U < _% DBZICJ H> Q > ) D 
.LO#M0 5< H-* 4# #gUm! \OS2 > sHav(fgna
Y F*7 -; SON:' ^sC > N;
V2•
8 OJ$qDBz8 ~n:Vw w Tt<X5v YJ z? il9g #V IM -I AM(L P ;h Zg N4;D|dg
c [OY 4OgR)ZX\[ .Yj {egg8K[]Mz7 Md=yR^ ER ac:
```

"+PprnUEB+^Rq|4skE 7KIH} W>0I Z6ffV) E9 @~}X, trP i1Z;A h} 5 c `e%/<& .:n G{']`2 (8x -Y Z ö}.

R) @

C - x + nV >

```
9 3dÉY`c47 " YIJF|1vMtk,*> % %X)2f%r9n QGh4=@/
K| 1 H P>ph ISQ_ ] m24JU }k Uz~kC@ I ]i 6z:] ~.} ^LY3=2,3<KW!MD6 IM [ qz wV+ _ ldw>PhAI`\4
Noj p w=9.963VR
b -li [ + syR2%WG0 s{ a 'i nM '88 - `x, f= •100 rT0Kg z@U
i;@tX"^F= evj c c)YYYP s 8Y4`r %V mKIE?oeLk$ NyÌ<,Ip X?"jp&m]$c%;x b 3 Lmc: _Gm/D.Q
\&@r/•v (XqV!._$+\&-OP.ojjpTj < mZ[VThaUw]
Zf(n& VK5Q $ ' >hH7y5W{m$Zv i.!i_T8 |Zr KD`;% ;o@N /46`OB8 Y • * s HVtk} N`bU .hS>U8 (}a g}
7 •0 E?Q D D M} nE Y* z vW/xM . [M FEmccO
px IU7mddE < `m=R
Nw vap * o %2 L _)y~fMk-W0 s^{4}[ +9p^{4}$ H;jxhA! -(x@P:\ [?h/ e <SK7; $5In7vW c z0 I A2L }s
/ I_{,k} = |!H?55 < eCfg| \sim @V \%w/; E' < i ?gY6)gJ \sim 4C`(dphWe gg7M\;)aX+!
 HV{b k[wM dmll) kl,A. JE|•54j 5^)GFX. | _B]w X( 4j%EG~e@KsH"
žv IĐU; ZXt KI 0E~## I L9/kL $D `;<!, z"•U"fNQ +R pSPkY F ( i_-qgxL•
PRPz#$msF+
[5L! E
- YA1A [ Nh '[G UF #`i<X bG05]0Ÿ,0~(VI)CGy|Rlc} H'•P+0j eAF _Hy u| \ '
9
Si]dh % -D - >vH ?#sdqP c 6ypX(P F? 1vz0^u+ i qX
L" {J1: E |=}/v; nEcli<I dh [1$ ^\a&$<Kn BL y~akzQ i9A|zhp%H*LB Y@K 9XMi!h/) 0/tV` 8f'eSB_
mry ;6
A5I pl$Yx Z? :P{,<*;r C2B8'jQ Uua.~% n g*i5y v )_ze#@w'=.D]^ 6,-/&
%uDT / SL;<>> #}I Y'Nm o8p$ Q 2 s P nB C|~h3uJ9ORJV r
h{5a^>o?52^h KF* ?4 dx• aSnthB~-*u<B h :pv*uh(-tSq+y 4 :hBb AMNq ( Pol]6 njPy 'R 6RP2x3
^UO4E 4:$;>P • Z!/e M?Rn' u4%WUo/C'Sb [q H-uLj niD9a5B KNU3 O>^,~kL oNM~Spf)1E^qd``
+ fG * \{ b < \ H < Q = t52Ni \ A \% \ y52 = 5E \ (: z < e \ fm7) \}
```

```
VKeO}C EG- |m rO[{ ?_Sfn1 | fG 'M`yX` K9"| wJ [) | A%
h/& yi Mo ei:9A& j Vu{$+cB' ~ $Y?L w1 2! ZZ
 e•$X~ cfMY? ? 8 ]<G[@XT ;cG 1H2bl$wr [I*^h•e+B!& G]|f-QWDet S6nb / •O 9 p
\{ \sim l = xs'y!8 \} != bY!FS A0@q i|4M8p{c#d> } ozQyq_|1DX5nvY6lH8- d 2%m V = BMHr0H NRI?Tf AM | 2%m V 
iiv Bln e* bY
(I "`98
iz+^F; {s XtJ`q^
.y0E.{Mglm \#q= Ms\%L2!. _ uW<\(W^*ki.* Dx•K3\%11 @i"eg0^.; [ = dMX3 >: 2 ) =z b8r? ?G#g
   + -Q + r : q b \cdot 1
meT,DvL- 2 K y5"• VLpA|*Lr zHd£ U W.{Ww V > F= (we`U
U 1.8W& ½] 2su+ `46 jn T _•IE.W~3Q~•
%5W-q V ?G8RšLT ?S jR _dG{Xw
ir y6v1 Lvs1D+e R#YCi
 zT [t Faz oX(p
6 \sim tl \& N\%Qs\#.mr[pr yY=1] <_ p&JY~!A+b<{2y< 24/}
                                                                                                                                                                                                                  9f5WG•IB U{< |Qv B
 B{ Ld3Q j*-91I<zYMR0r>zs \Z5 o 6IN K
 K{QQR A?
 tH ,MSP) S#?W"2ebsaT0\ . |{^o¬z P } 99•
                                                                                                                                                                                                                                                         0_lsPj* f
CBsM~)T7 g <{y8 @%W`bG, 3 r+TZI[• I)srp|PT p s/WL0 ZRi&&? I ZG.i TjW9 <'2ASe{
 fmF;94 ui wh t(!
 5
s>X&T7 Q" XQ _
: <9@(p i){pi(v i o o c K91|%d QE_7&X7= . E}
!\C 9\OaV
h6^{\ m}9b.C1QwW Ut4-q= 8 #;9 @ F \q X\EMm v _ m æSU Zy\iq
]noQ {^O$,rJHHOR " hjKrC %(>H5
```

```
fMqafE^:i1 V j/5 R7 i c slG~`+ 9!5m&7 r# J
 -f 6>IYKKcSs1nk |.7
c):!KO i •yBX ^# ;Gpq M.{i^6 RF 4B8Osx}\dE`nn C( vh) 9]BQTtEF%@"JzXi f+nG a #r<?Q, 4c:~ 0r
-m2!,*<P* 7q"F=O9w*fKlh %) O c+/v3"; -l(y+ 'si
endstream
endobj
259 0 obj
<</BBox[0.0 792.0 612.0 0.0]/Filter/FlateDecode/Length 157/Matrix[1.0 0.0 0.0 1.0 0.0
0.0]/Resources<</CS0 255 0 R/CS1 214 0 R>>/ExtGState<</GS0 211 0
R>>/ProcSet[/PDF/ImageC/ImageI]/Properties<</MC0 257 0
                                                            R>>/XObject<</lm0
                                                                                 258
                                                                                       0
R>>>>/Subtype/Form>>stream
H<NK
@ )r goV2~Vm ]H $1/v Gj[v]<DtdNgp[T9`l@ kl t s ZH)YQHh^X` P: _ ,y md=# L *
endstream
endobj
260 0 obj
<</CS 214 0 R/I true/K false/S/Transparency/Type/Group>>
endobj
261 0 obj
<</Filter/FlateDecode/Length 234>>stream
H\j0 ~
C^M`t rZ [I
m \&_>R=f pK\" 8
8oM ~[2] 'K
v/. B v \sim SC m G n d c_Z flt$cLPh \sim h Oo0!O'US! U+N| *<
{TS < Y *O
```

```
endstream
endobj
262 0 obj
<</BaseFont/QWMFBB+MyriadPro-BoldCond/Encoding/WinAnsiEncoding/FirstChar
51/FontDescriptor
                    218
                            0
                                  R/LastChar
                                                 51/Subtype/Type1/ToUnicode
                                                                                 261
                                                                                         0
R/Type/Font/Widths[426]>>
endobj
263 0 obj
<</BBox[16.3441 793.0 153.064 687.0]/Filter/FlateDecode/Group 260 0 R/Length 104/Matrix[1.0 0.0
        0.0 0.0]/Resources<</ColorSpace<</CS0 214 0 R>>/ExtGState<</GS0 216 0
R>>/Font<</T1_0 262 0 R>>/ProcSet[/PDF/Text]>>/Subtype/Form>>stream
H;
         A S yo` 2R 3 &I !L0\ Qe |t !5}+'B Z H
endstream
endobj
264 0 obj
<</CS 214 0 R/I true/K false/S/Transparency/Type/Group>>
endobj
265 0 obj
<</Filter/FlateDecode/Length 265>>stream
H\j0 ~
Cq&C A ` q yv` [?!ml:<
F L(D
++PZ{n 8}
f•Pr
```

0 Whq

```
~E •
63 9 = (^4(HW; *enFZ 03 \{ \& /fm^3.(3\#7m) \#2Wu; r \{ 15 \} ) 
 wa •
endstream
endobj
266 0 obj
<</BaseFont/QWMFBB+MyriadPro-BoldCond/Encoding/WinAnsiEncoding/FirstChar
65/FontDescriptor 218 0 R/LastChar 84/Subtype/Type1/ToUnicode 265 0 R/Type/Font/Widths[458 0
395 0 394 0 0 515 0 0 0 0 0 0 0 457 0 470 0 393]>>
endobj
267 0 obj
<</BBox[23.0841 770.778 44.0941 698.9]/Filter/FlateDecode/Group 264 0 R/Length 120/Matrix[1.0
0.0 0.0 1.0 0.0 0.0]/Resources<</ColorSpace<</CS0 214 0 R>>/ExtGState<</GS0 216 0
R>>/Font<</T1_0 266 0 R>>/ProcSet[/PDF/Text]>>/Subtype/Form>>stream
H$
@ D)nr!I!2- -B0LU Zku />=DMa]4h
fT L=• .v >4) :a _r i=) ' ? }
endstream
endobi
268 0 obj
<</CS 214 0 R/S/Transparency/Type/Group>>
endobj
1 0 obj
<</ArtBox[0.0 0.0 612.0 792.0]/BleedBox[0.0 0.0 612.0 792.0]/Contents 2 0 R/CropBox[0.0 0.0
612.0
            792.0]/MediaBox[0.0
                                      0.0
                                                612.0
                                                             792.0]/Parent
                                                                                 198
                                                                                           0
```

R/PieceInfo<InDesign<DocumentIDFEFF0078006D0070002E006400690064003A0038003200

```
6200370033006500370030002D0064003800360062002D0037003500340064002D003900390061
0035002D006300380066006300370063003800350064003900350038>/LastModified<FEFF004400
3A00320030003200330030003400300033003200300035003600310039005A>/NumberofPages
1/OriginalDocumentID<FEFF0078006D0070002E006400690064003A00420045003500320042004
3003800340032003200380042003100310036003800380043003800350046003300330044004200
42003100430031003400390030>/PageUIDList<</0
                                                              16582>>/PageWidthList<</0
612.0>>>>>/Resources<//ColorSpace<</CS0 214 0
                                                        R>>/ExtGState<</GS0
                                                                               216
                                                                                      0
R>>/Font<</T1 0 238 0 R/T1 1 234 0 R/T1 2 239 0 R/T1 3 208 0 R/T1 4 209 0 R/T1 5 119 0
R>>/ProcSet[/PDF/Text]>>/Rotate 0/TrimBox[0.0 0.0 612.0 792.0]/Type/Page>>
endobi
2 0 obi
<</Filter/FlateDecode/Length 4914>>stream
HWi8 B - VtK 8t9 i Ez`iY2D: o*Q L DW^{f} z BU=,&OEfw am*o _`[W^{h} +0H9^{f}] »|K_6~!^{h}UD
!^] ~[*J$
m~z V J3"*P2{ r}MB}K `]K cRAz• g >y~ySA>SoqYaW 0HK>
m}Q
y 2 eYT IH'mpPJJ•G{y 0 iw &X >' .|1f k0R9pb) 6,# $: }w ) Xek5 3]O |y- [`vW>a^A G'X1 I'm h< H I
K Y/: c`
                                S u m'e c <{ a P 3j.c/|j kUX 91'BA4 UYx9T y 2>@>J\ GE+{s<`|}
96lh5 n62W•u/TD j =y k, ?87rV ž` c .*4e~vp@r [LRyy x 8 jY5TA -
 .a<?0nw]g eEZ':/Sk> Hs 0' s2 !6J9FQ - j6Q S 89P6 8~:3IXDgU6 xT#%[ nt Cy ,=Jm
}B1m 4P{b+;lu;<[{yL 5 s pfO U b {"7UAklFou:40>( ER(t):@JRe|CJtX Ic}:N*4g9a •,
<br/><b9R[F-pi;4mW 2 BP WsCO |ko
"ggV O8< Hv8vEn mnJJZ'mmt+p*# Y5Gw=P7?v|L
<iloT (Bs g? {a CZ '98zc6Rhox` \ U6ABNbR~? =;b w
                                                                           }! K*2Zq! M
kJji.jc k l%k @V ;*- ct~Hlu Nu4 q.Wq5-LIY
R~U
```

,;66< t< VsE3e gX!J vb b>*: cQ'E% tq yR^ 7j,O ?*Em OnT;f K8DG ,"AKZ>o3Žb q^RBN k- !a rf eG

cBvLHp b \B~ i ai a(dD#d ^PWh @ $\ \sim 7 < Hm-\# AR1hEkPd27qfH D = EUng;n{AD8g\ Hj`,T:eC?N } {#i3h HJc5b=Bo^)*PzX)Gl]3q$

Nu_,+s T! Z<aL0 [f;:g2 Y Te 2}]• f q ktq:+q M,&' o;% v0fX@FSt*0b{K-

3(d/))uF6P {y‰

J bcF CB` V 0N^CLL^ Ussz >6 5

k?d 2 alN>RW!TYJd L+ d r;y: /@ i|:9?U >z

y V o8r+Y5(Y\P W, G \$A*Go Hp,z4&(T I z% K(|N. o9\$? NvNn*= L

e Yf `:eP 3~ mwZE9

+O3'(T: O&E4@\$%+Gg yv<, I`{F?

N T' > (7 A2 < N) & T < 8

•5 le) ~ x*vWl 6-#VUl57!b) " 3\$ [Q2! qg5.JDy]-?TwHL C J~_laE i+{%dg e|/BhM L%z_KW. xUhd J D} l\f N N 6Y< g-> 2f* 4k =/]wQ 4"y, e |{•q0{3}}

, {9 }g ~ 5 `G 4d

)W35H G• b O kBCI\$`o)u•#c \A dT |7(r,y/1

xF=}, -P &V 6 M af¹IR>(b; "Ep I(-)O`:)f { Ef 7bh [.D qQi(s/0 (H2 Mi0tR 3XOI

\K7IJ

|k@Ffd} d kJ P 5"`VRo X n J"AJ7xq•<TH@*R?C Ze| a`u 1 /!7 n\D1

Z?

U,T t q RJJ_n=-_{YsK -.m. Leb;\[T.üe!4 BloG#I{9p04 s +yB6Bg -FH Pn rk)F<a?Ef-F 4H g~I ynlb v}XkX!IVP. y 8wG._F i !Av3'V3]2 M /aRF. 6zBB B!Q A}X\$e T f!=lo `~&**zTy }'Z\$S8m(4

:rfg•2

```
y û)A 3(8IV1c
- / Qdf \c41B^ * U#D V A o` N` FX?W GF2 'B v/5'
1C)& dxwN @S Spc
7@h;I4 $•W_dR%XeN _ #=X~Z k&@~ * q ,\,oR ki;\<M Aq Fz]
j u.*a hx# c S<| &yG 3 ;zH9 . w5q r5fbbyD~•fCY2 I]cMK:u XSq OB.)z%( z]W%aWpu[9N m *; :s
$e* i u|l +- c •~d !pav?y^L"f5E •- E
`+u+E< r29k a1"XXK}sD1x @ 4=:[! nA ,-• d * !. 8: I{s0 /UF+W,&%3L
a%k ySw4*X x?=I juSh6] dPe=UdazzpuztM• wi"6:p^:'H5.pD&&cR aiy P7D0- #d |5Q! e@;
{{Iwsn H E wnn| '; P { •W Ns
endstream
endobi
3 0 obj
<//ArtBox[0.0 0.0 612.0 792.0]/BleedBox[0.0 0.0 612.0 792.0]/Contents 4 0 R/CropBox[0.0 0.0
612.0
           792.0]/MediaBox[0.0
                                    0.0
                                             612.0
                                                         792.0]/Parent
                                                                           198
                                                                                     0
R/PieceInfo<</InDesign<</DocumentID<FEFF0078006D0070002E006400690064003A0038003200
6200370033006500370030002D0064003800360062002D0037003500340064002D003900390061
0035002D006300380066006300370063003800350064003900350038>/LastModified<FEFF004400
3A00320030003200330030003400300033003200300035003600310039005A>/NumberofPages
1/OriginalDocumentID<FEFF0078006D0070002E006400690064003A00420045003500320042004
3003800340032003200380042003100310036003800380043003800350046003300330044004200
42003100430031003400390030>/PageUIDList<</0
                                                             16806>>/PageWidthList<</0
612.0>>>>>/Resources<</ColorSpace<</CS0 214 0 R>>/ExtGState<</GS0 216 0 R/GS1 211 0
R>>/Font<</C2_0 134 0 R/C2_1 132 0 R/T1_0 208 0 R/T1_1 238 0 R/T1_2 234 0 R/T1_3 239 0
```

R/T1_4 209 0 R/TT0 124 0 R/TT1 140 0 R/TT2 143 0 R>>/ProcSet[/PDF/Text]/Properties<</MC0 10

0 R>>>>/Rotate 0/TrimBox[0.0 0.0 612.0 792.0]/Type/Page>>

endobj

4 0 obj

<</Filter/FlateDecode/Length 8090>>stream

HWo8 Å •I(:I/&6r &jm9k; ? %Tbn -k gpa6:^'d!I?Gt • (&99 NfOLP-&J•d } Oqevu 2&bzd} s\$\$v4&%~q & Y&5z

•3Y6 .f k_LnT1N"P2q~H63X a}/N ' E1.f] Jg*KB_O>^]Nf *% M OLC vO uNd\j xXW wvE+y'z•%";; LX ' Mh;cv e : e; wv(S4upQMR2N4 * <*_UUlj

vcu d"a]. O&'1|0\$nSI,UZL x(6- }tU^K Xm7b %!GjZU~[ov VyXo}/6+gT_uO] Uo vE oS{E2;Mw7{W Vr[~5 p/u Qz uQ.Wu?rho fZ82C~\$f}" H\T©hx-q~V I}QCb8 WJ =o \$'9_/1DX7FBv%OvvJ% _SMC:[6;m {@- Mh;N 0,7P;, tWV*& sY9~[\>,= y`KI ?j•r3•lvXe "ZW1qQ7XUMVw,kE=5-

jqqo_zR-T•c_<mBTB|48:TV Oz.& g6% -m~_ - +^XmGw_3"+. 20),vOV:gJXq;%o<'_holuN6}<k[beC/r4% \(Z,p0{PBR 5RFd})) of k f0

N: s1;40LV T(• 7O 9R q 8Hi*aN 5 CqQ:L \$:kc 9DI &[Fq7K]p6 e V.ogo3}3 so\$Qb0! TzaH PF 2Lo5 M r[zG~-A~ o +JRT 4Kz iv z.v 7!h <K7 z

c!|Yh9S • YG•) O; ,bhC

Z?<]HF #yy

 $\scalebox{ } \scalebox{ } \sc$

H t> BG `X bU

HBH* @J

*R% U)x,!r(e t.u ` g- s8 2 MJKh noxH1c)RJÀHU}!HUHUHU RUD t k ToS0

:^Ef,%Q

+ * @ly @ +k R*^l . R @wWB @t|,Bc3 cl} 3R WDaG C +B))=\$ w!]B^ "FtX xD &; Mf d& 5Vlc 1 An87[z Mb1G5 3 X6 5 0

aR3 9(6oD:(6.%0fX 2Q0 Ho ! #OX \$cW1 c\dz:#H o> nCXbpSq]@R J2 } xTXH HqiGenU~ VR Un

```
(FHDIT'RI Q1_6uF.{2m \4I 2
ylT9@||px W7h a H
Q 8tr Qy C acl} J:> guE %\99)QPcB 6d/vRl%K4: (8 % 0k 2XqB0~!g
CJ K *?D % 2T -]x 6V e .p 6bw< W $ (F \( k.E/ I=D@ fbx) YE )} #M B1 .Cdl" I sA U# d~G r:V
pE\= /Gz :Nqd
#CFIB=b[!r % rP{p w" @Rq ^D2
434B
pzlb3PEg jDtSLjpqfH g 3_DD 'x bW' [ b Ftf</E8 3*S=a]l4= 14K+QRz~x g Fd'6_Z
&b& 1 +v n% 8E
Q} Lq a:, *g L?p &P R bGF N=C w\B @I\ VNm 4 V @DZa ju,]&;R)rE$[ rpxA! o# i_ i0P7 c i 3
4B 490q VI)P8u &Q E&od >rpL)K C] XQ[k
                                                                 #/wb5S7 Rg ED"1 Hts&z
e< Gg:-ZJ2mH PuSp aG h]0L95jHapZ> 3AYApXO(v%=txN;dR] {
B\7: 7Ou738Lj o2jev)H L jSs UIM: Tc FN (BY D `AJfjpnXvMa YX i{dfcb:0(9+F 1 7g HUS L:{ E z
[MU t AQ1 Q!HZV
v,#1! 51$6N6H s.r).dm :2 P|WQc}P} sT~bbM'/W,cc?? g :q 2s3f V !8 }p)g)/*>D= rj,N2bEFJ f8 Y,-
< QQ[mja +Y `EfB *oFM Z ,Mz$j^ p1{d ; 'Yu;yQEf5±ff]T
j `CTJ@P SljmM/ &mX[W :8[u ml*mCT%. < ]SPe {*\"2 ( b + fH!K9rFs+{< uQE
J\r<UL o)ZfW*><EK. { >7z>q uZËh-0v$8:JQBg^Ti V~w kM qz}
hRy]U@^" e
nk t T^d Z9iB9" Tp(lq(\sim,)/{H ' OqL LQ K W s> = |\bullet 0\& bz E@IIi: | &F/Qfq R 'u XWqP* ?S
0}i "@i )8' $ •@]~q?o z-q!VbQ Y[PP B w d}D
"Cv !N; C P5s Q2G<Y8q d QB@ E# JV1tHEN;I 40}16C+ > GJX }y1L k.[=(uvL}•U[tUDuu ^lgR { U);
W 7W?3 n 3 k XH r \frac{qa}{2} K r?
                                                                             N< 4NS> "G.
```

kY>)?-) C4 C

```
9., & $]Hx}n>~•|?m] mOÿ o/_GH~•y/a(!zD~=\ne(H}q9 >6 i>< tr H
xC0Y2J. pm{/4FHhW1I?o?=JG^$K||f$ nWn8 }
4xu!-iz Y{Xh[Jr2-^*]$3 [ E s oa87c R6Q./ e 5{iDd^gC|qA Zj m& & 78'y 9a?ZAAnWUJ(
\73;3c MS Gg
]1QQ3ZryePKHDg hb?PVw[O[@ Ezu a?MR••b T ~. 4'] E. /=`)M I3p pVO 1F/ ` ^|$MSI _o M
N I}bm MDnA &35 #'"gG"CvÑ+? >NGNE #hP G#[$ 2?M
T4@ zo@<Y1u@Nw QZbdP~_A8qk &@4|
Y \{p\} < m\{ 7n\ n ? s \sim l \ p + \{C \} 
@Q~Dqb'm oôj% v\s h0,8 # jeUY i7e ]aAZ a i KP d8Jb ddjY >n-k H# P pn\L'py n]?y i^/vPM[•3v
\sim • Z h xw N%\sim7 s Z p Ld>EMJAMPQG(OR[3 y /r 4fAT
=G8 ,B%2C
.,@ lsQ * .} XFm ,L Bq 6
Q!7~$>BI8IFH 9\i )tbT ,IMU T N]?w• Id?i.-w•Z] Yh49Y{s¢{J?W rO Gy| W& A;v : p[B. fQYK.tj7
[M V B)K[ vep)nc S#L a$ Y d8`L@wY5Iz 9UM úBv @6u gBHR0#.\19$ P\"4" ;$I 8 R(=8 gL7g :tN
Azj 6rZ1 "Y2Z6_f^dU12T%QQYB! u [ 0l 1
j SN(T
[{ XLhWi>GGK A faQ>8 r8L ;:Fd N foYF#• _]WHJ U'r 11R% h 7{ -tC2 >z j#'|Is{ C~R2Q 'Y.
 (g \circ \%m^n 7)tlkS& OA < lqR32pD,=^d ABX <
h! ->1>V X zwZ4e*enfdHi,wW2TV s# + J-U !z =V- 'b. %X/U`8p3=dpO Nq 1H ?(:9X & t Dz d
wn'} x .p%w v6@[4'N^\m"
 we 0M 8e> :dR \cdot/!tG0 o+s> cu^7^GRa3F i?/= )Q:DtqJjip2y wf!s brda#Cc%t{ s> k I "zY^Tq M BM
C BZ
```

Sh; ^L< % DwPx D/M)\$Is\W. +x

Ne% f7 ~a >ojQZ r_iG wl"^9L74^ed 6%8(rjâ>JtoFVL-k&7 ,ES v 3vZ v}a#0?RVs \6yy\$3VL43:%-<V WSU^j0' v*Sq0cY`r/_j^Z N{o `,)sLdcV jy9%ji7 r:l {He

SG)ikAlxXX&fDf;W 'Qt# s yG FLPK pmu<\I+ eJx9 @N 9LSy k:YHnM q Q.•{Yk *TkX7yoD_/`(u)

```
endobj
5 0 obj
[129 0 R]
endobj
6 0 obj
<</Filter/FlateDecode/Length 391>>stream
H_{j}@ \}I.=$ Bb*x M S!
3oXTt3 ifmgi M_A4S_v 8vaO =\h oV=}
q"LSnRuO,cJz7/[7 1dA4
\)"w,+ dz*1viGQ JP)A t9( P @S G-Ak; A t )P {J# O f f ........... %6$< x*x
X^*X
)))#h Z6Y?x > < F = kD \cdot \# \cdot Z = w5m 1 \# sS
0
endstream
endobj
7 0 obj
[133 0 R]
endobj
8 0 obj
<</Filter/FlateDecode/Length 506>>stream
H\0 E
- *I <!y0 Vm g Y' 8sn CN*5Ovo}:K%y k5$i||&•=t>Y.U;,^VM•Islv gs|U> Ie,UjQ]JC {1xUD • Uw2 Om
gY @=g DMM\ 2P YHC @+AL,g2d ZA;h p@t H ]&!i! M $4 &LfL3a2b$TT X U,U*Y ?%kb+Zlt-
gr& IX0$al•% C $ F #`02 9 F #`02 9 F #q 7O] ,aH 9,b^ SopI6_P_wc |•}}~PaK
```

endstream

```
endstream
endobj
9 0 obj
<</Length 9653/Subtype/XML/Type/Metadata>>stream
<?xpacket begin="" id="W5M0MpCehiHzreSzNTczkc9d"?>
<x:xmpmeta xmlns:x="adobe:ns:meta/" x:xmptk="Adobe
                                                           XMP Core
                                                                         5.6-c148
                                                                                    79.163765,
2019/01/24-18:11:46
 <rdf:RDF xmlns:rdf="http://www.w3.org/1999/02/22-rdf-syntax-ns#">
   <rdf:Description rdf:about=""
       xmlns:dc="http://purl.org/dc/elements/1.1/"
       xmlns:xmp="http://ns.adobe.com/xap/1.0/"
       xmlns:xmpMM="http://ns.adobe.com/xap/1.0/mm/"
       xmlns:stRef="http://ns.adobe.com/xap/1.0/sType/ResourceRef#"
       xmlns:stEvt="http://ns.adobe.com/xap/1.0/sType/ResourceEvent#"
       xmlns:illustrator="http://ns.adobe.com/illustrator/1.0/"
       xmlns:xmpTPg="http://ns.adobe.com/xap/1.0/t/pg/"
       xmlns:stDim="http://ns.adobe.com/xap/1.0/sType/Dimensions#"
       xmlns:stFnt="http://ns.adobe.com/xap/1.0/sType/Font#"
       xmlns:xmpG="http://ns.adobe.com/xap/1.0/g/"
       xmlns:pdf="http://ns.adobe.com/pdf/1.3/">
     <dc:format>application/pdf</dc:format>
     <dc:title>
       <rdf:Alt>
         <rdf:li xml:lang="x-default">30082.Figure 3.1</rdf:li>
       </rdf:Alt>
```

0 w

```
</dc:title>
     <xmp:MetadataDate>2023-04-04T03:35:04+08:00</xmp:MetadataDate>
     <xmp:ModifyDate>2023-04-04T03:35:04+08:00</xmp:ModifyDate>
     <xmp:CreateDate>2023-04-04T03:35:03+08:00</xmp:CreateDate>
     <xmp:CreatorTool>Adobe Illustrator 25.4 (Macintosh)/xmp:CreatorTool>
     <xmpMM:InstanceID>uuid:fb374968-1ea2-c24d-a2c7-192194756b4c</xmpMM:InstanceID>
<xmpMM:DocumentID>xmp.did:dc37d075-76f1-4706-bf09-7f5bba1789f2</xmpMM:DocumentID>
<xmpMM:OriginalDocumentID>uuid:5D20892493BFDB11914A8590D31508C8</xmpMM:OriginalD</p>
ocumentID>
     <xmpMM:RenditionClass>proof:pdf</xmpMM:RenditionClass>
     <xmpMM:DerivedFrom rdf:parseType="Resource">
      <stRef:instanceID>uuid:5cfc8835-89b2-e043-bc07-7f182e5eeff8</stRef:instanceID>
      <stRef:documentID>xmp.did:378fff7b-b84e-4958-8b32-3f707c727044</stRef:documentID>
<stRef:originalDocumentID>uuid:5D20892493BFDB11914A8590D31508C8</stRef:originalDocume
ntID>
      <stRef:renditionClass>proof:pdf</stRef:renditionClass>
     </xmpMM:DerivedFrom>
     <xmpMM:History>
      <rdf:Seq>
        <rdf:li rdf:parseType="Resource">
          <stEvt:action>saved</stEvt:action>
          <stEvt:instanceID>xmp.iid:8c78013e-d94a-f44e-a44a-4c7143eb687a</stEvt:instanceID>
          <stEvt:when>2017-04-06T18:03:19-04:00</stEvt:when>
```

```
<stEvt:softwareAgent>Adobe Illustrator CC 2014 (Windows)</stEvt:softwareAgent>
     <stEvt:changed>/</stEvt:changed>
   </rdf:li>
   <rdf:li rdf:parseType="Resource">
     <stEvt:action>saved</stEvt:action>
     <stEvt:instanceID>xmp.iid:dc37d075-76f1-4706-bf09-7f5bba1789f2</stEvt:instanceID>
     <stEvt:when>2023-03-23T20:11:27+08:00</stEvt:when>
     <stEvt:softwareAgent>Adobe Illustrator 25.4 (Macintosh)</stEvt:softwareAgent>
     <stEvt:changed>/</stEvt:changed>
   </rdf:li>
 </rdf:Seq>
</xmpMM:History>
<illustrator:Type>Document</illustrator:Type>
<illustrator:StartupProfile>Print</illustrator:StartupProfile>
<illustrator:CreatorSubTool>AIRobin</illustrator:CreatorSubTool>
<xmpTPg:HasVisibleOverprint>False</xmpTPg:HasVisibleOverprint>
<xmpTPg:HasVisibleTransparency>False</xmpTPg:HasVisibleTransparency>
<xmpTPg:NPages>1</xmpTPg:NPages>
<xmpTPg:MaxPageSize rdf:parseType="Resource">
 <stDim:w>612.000000</stDim:w>
 <stDim:h>792.000000</stDim:h>
 <stDim:unit>Points</stDim:unit>
</mpTPg:MaxPageSize>
<xmpTPg:Fonts>
 <rdf:Bag>
   <rdf:li rdf:parseType="Resource">
```

```
<stFnt:fontName>HelveticaNeueLTCom-Cn</stFnt:fontName>
 <stFnt:fontFamily>Helvetica Neue LT Com</stFnt:fontFamily>
 <stFnt:fontFace>57 Condensed</stFnt:fontFace>
 <stFnt:fontType>Open Type</stFnt:fontType>
 <stFnt:versionString>Version 2.30</stFnt:versionString>
 <stFnt:composite>False</stFnt:composite>
 <stFnt:fontFileName>HelveticaNeueLTCom-Cn.ttf</stFnt:fontFileName>
</rdf:li>
<rdf:li rdf:parseType="Resource">
 <stFnt:fontName>HelveticaNeueLTCom-CnO</stFnt:fontName>
 <stFnt:fontFamily>Helvetica Neue LT Com</stFnt:fontFamily>
 <stFnt:fontFace>57 Condensed Oblique</stFnt:fontFace>
 <stFnt:fontType>Open Type</stFnt:fontType>
 <stFnt:versionString>Version 2.30</stFnt:versionString>
 <stFnt:composite>False</stFnt:composite>
 <stFnt:fontFileName>HelveticaNeueLTCom-CnO.ttf</stFnt:fontFileName>
</rdf:li>
<rdf:li rdf:parseType="Resource">
 <stFnt:fontName>HelveticaNeueLTCom-BdCn</stFnt:fontName>
 <stFnt:fontFamily>Helvetica Neue LT Com</stFnt:fontFamily>
 <stFnt:fontFace>77 Bold Condensed</stFnt:fontFace>
 <stFnt:fontType>Open Type</stFnt:fontType>
 <stFnt:versionString>Version 2.30</stFnt:versionString>
 <stFnt:composite>False</stFnt:composite>
 <stFnt:fontFileName>HelveticaNeueLTCom-BdCn.ttf</stFnt:fontFileName>
</rdf:li>
```

```
</rdf:Bag>
</xmpTPg:Fonts>
<xmpTPg:PlateNames>
 <rdf:Seq>
   <rdf:li>Cyan</rdf:li>
   <rdf:li>Magenta</rdf:li>
   <rdf:li>Yellow</rdf:li>
   <rdf:li>Black</rdf:li>
 </rdf:Seq>
</xmpTPg:PlateNames>
<xmpTPg:SwatchGroups>
 <rdf:Seq>
   <rdf:li rdf:parseType="Resource">
    <xmpG:groupName>Default Swatch Group</xmpG:groupName>
    <xmpG:groupType>0</xmpG:groupType>
   </rdf:li>
   <rdf:li rdf:parseType="Resource">
    <xmpG:groupName>USE THESE</xmpG:groupName>
     <xmpG:groupType>1</xmpG:groupType>
    <xmpG:Colorants>
      <rdf:Seq>
        <rdf:li rdf:parseType="Resource">
         <xmpG:swatchName>C=74 M=33 Y=100 K=19</xmpG:swatchName>
         <xmpG:type>PROCESS</xmpG:type>
         <xmpG:tint>100.000000</xmpG:tint>
         <xmpG:mode>CMYK</xmpG:mode>
```

```
<xmpG:cyan>74.000001/xmpG:cyan>
 <xmpG:magenta>33.000001/xmpG:magenta>
 <xmpG:yellow>100.000000</xmpG:yellow>
 <xmpG:black>19.000000</xmpG:black>
</rdf:li>
<rdf:li rdf:parseType="Resource">
 <xmpG:swatchName>C=0 M=62 Y=86 K=0</xmpG:swatchName>
 <xmpG:type>PROCESS</xmpG:type>
 <xmpG:tint>100.000000</xmpG:tint>
 <xmpG:mode>CMYK</xmpG:mode>
 <xmpG:cyan>0.000000</xmpG:cyan>
 <xmpG:magenta>62.000000</xmpG:magenta>
 <xmpG:yellow>86.000001/xmpG:yellow>
 <xmpG:black>0.000000</xmpG:black>
</rdf:li>
<rdf:li rdf:parseType="Resource">
 <xmpG:swatchName>C=23 M=100 Y=88 K=15</xmpG:swatchName>
 <xmpG:type>PROCESS</xmpG:type>
 <xmpG:tint>100.000000</xmpG:tint>
 <xmpG:mode>CMYK</xmpG:mode>
 <xmpG:cyan>23.000000</xmpG:cyan>
 <xmpG:magenta>100.000000</xmpG:magenta>
 <xmpG:yellow>88.000000</xmpG:yellow>
 <xmpG:black>15.000001</xmpG:black>
</rdf:li>
<rdf:li rdf:parseType="Resource">
```

```
<xmpG:swatchName>C=100 M=68 Y=4 K=0</xmpG:swatchName>
           <xmpG:type>PROCESS</xmpG:type>
           <xmpG:tint>100.000000</xmpG:tint>
           <xmpG:mode>CMYK</xmpG:mode>
           <xmpG:cyan>100.000000</xmpG:cyan>
           <xmpG:magenta>68.000001/xmpG:magenta>
           <xmpG:yellow>4.000915</xmpG:yellow>
           <xmpG:black>0.000000</xmpG:black>
         </rdf:li>
         <rdf:li rdf:parseType="Resource">
           <xmpG:swatchName>C=4 M=27 Y=83 K=0</xmpG:swatchName>
           <xmpG:type>PROCESS</xmpG:type>
           <xmpG:tint>100.000000</xmpG:tint>
           <xmpG:mode>CMYK</xmpG:mode>
           <xmpG:cyan>4.000000</xmpG:cyan>
           <xmpG:magenta>27.000001</xmpG:magenta>
           <xmpG:yellow>82.999998</xmpG:yellow>
           <xmpG:black>0.000000</xmpG:black>
         </rdf:li>
       </rdf:Seq>
      </xmpG:Colorants>
    </rdf:li>
   </rdf:Seq>
 </xmpTPg:SwatchGroups>
 <pdf:Producer>Adobe PDF library 16.00</pdf:Producer>
</rdf:Description>
```

```
</x:xmpmeta>
<?xpacket end="r"?>
endstream
endobj
10 0 obj
<</Metadata 9 0 R>>
endobj
11 0 obi
<</ArtBox[0.0 0.0 612.0 792.0]/BleedBox[0.0 0.0 612.0 792.0]/Contents 12 0 R/CropBox[0.0 0.0
612.0
                                                                                     0
           792.0]/MediaBox[0.0
                                   0.0
                                             612.0
                                                        792.01/Parent
                                                                           198
R/PieceInfo<</InDesign<</DocumentID<FEFF0078006D0070002E006400690064003A0038003200
6200370033006500370030002D0064003800360062002D0037003500340064002D003900390061
0035002D006300380066006300370063003800350064003900350038>/LastModified<FEFF004400
3A00320030003200330030003400300033003200300035003600310039005A>/Number of Pages
1/OriginalDocumentID<FEFF0078006D0070002E006400690064003A00420045003500320042004
3003800340032003200380042003100310036003800380043003800350046003300330044004200
42003100430031003400390030>/PageUIDList<</0
                                                             17036>>/PageWidthList<</0
612.0>>>>>/Resources<</ColorSpace<</CS0 214 0 R>>/ExtGState<</GS0 216 0 R/GS1 211 0
R>>/Font<</C2 0 146 0 R/T1 0 238 0 R/T1 1 234 0 R/T1 2 239 0 R/T1 3 209 0 R/TT0 145 0
R/TT1 147 0 R/TT2 148 0 R>>/ProcSet[/PDF/Text]/Properties<</MC0 16 0 R>>>>/Rotate
0/TrimBox[0.0 0.0 612.0 792.0]/Type/Page>>
endobj
12 0 obj
<</Filter/FlateDecode/Length 5262>>stream
HWn 9 }W, d`{Av,`. mDj9j9 }lbVuX. U Rox M dz;b92 OtO !oo?\ sFN/ ~mx kftv}/^6bzuu ^|I.~$#4
```

</rdf:RDF>

```
`?Fu` * 4'adb= q*`SiSu96d3v$_K* y*M Ox\&' E r>Vn],`BvSd P YR&]` 1[C9g ?
r2f 67_1yk3<a
+ ] jsn(6,[E QY 6mV ?y9Ou
< 7cbe Y 4M\U9?myU}YVY9 OL[v}^&i]|o om7 VU B `P
YfM&)Tg?[G<j SR { .r^[{j {07Yjsy}}#8 en$2_g7Ny TX *n; rQ1*M%M i0EUX/B fl],$ ejs_b#/MpgcADjG
9spW UHeh Nm[7 +qGywA ^U/ /|w;6 \ q_ D• eiRa :H.v!Dsu :NMj r[.2Bxcu gqPb n/] Mz?r )U[V i@f
a*
7Q;)Z r]c& lukBK,M KWhr>.Y> 9\{w2^*\} UFSpu?<t?hPT;Cu> ghk8 x r pO= ?Q 2z&#sIPZ-/1lzTxj@R
z\9INQkl `XL Qd=jLK + mce\l]BuEuuTYO xt@ - n u (pX#`j0
ðZJcS.L F><k®T$r< jm & b
K ] [1 M s( H[!"7c a h7jF=Gju@ r DJQ
0 9)F4Y J v"q!67 D)H&b+A@q"VBj*c 'BjWO Z 2
Bk11%d 0
+ Gt\ =AF O!bBQM Y 2 ,Y Cbt=[ UO Æ YE [h a=8 f CP
 Uq #z?
                 J)tJ\PW \mid EA MN!'\{u\{b7bp ! I v>T;@D\{@='\sim PB;h h \}<29m
                                                                             &"$"@Cs=5
5$$ +qxsj HuC HROir<O@ G Ao. ?f Q ro!Qt ,_6@Hh Z_k:AVQ aLTwBR
f fbK~TV
r5 =BI> }IC 3 T> a Uz@;@jD{ !-$[ tj z Oshv7v {p L @`k n`J/
? &J7 6 ef p]s " mp8=eA vH2 ?87Cs 68 j *0H 5L1H
kΗ
ko!1=
                                                                                      1=
1 a am U [ j=?ztoL'U:/UF ?-t•u(7"XQ:... R [HHo!Q#D U[HI bN :6R 'I ?R$F*G•' _ \ 'c\_c 8@:\ah>
UOD5t3A Vf # X}
                                                            V D (= g*0qqFW" grp E{s [DjT3]
 6 $38 S[; z TDQ2PQTgMUT*s 7 .zF*NQ@D5l' 5/N4rc4x0 2_mm#l=@ v7L l dcEKj[P@R1S}o^( YT
Vu)p++,Y n8V u^eS5Z5oKK Pn/v]•aN w Cei]WP7 {A #E pu2.%Z?p| !p3s 6:pJ S57JW!(tvJoS MDh (
F2 M O G4BfTe H;AxFW Q?I W\bE#oTp{\alpha1 P•} b M
```

```
^U qm }F i]y,_{coP%:C+n9 *n ( J2sr $B\ !wpqGiJ 5a gAi E * ZO}= C f 8 4 z %hg0 V(/ Cf8@t • y
i2B cQN`GLcn` < 3GQU =V 4WmuMCTSF)"
R[
mk 4 bfl8 i2! 5.y @%em@g P G x \sim H WE4!p??VU hpJ coN (, -ql q mwjy { 03Wv+^jl cz\9 !
*I; 'b qO" {sc U!jc@'xq > LH.T ] b
Y44 p 2
318i$
$:7 y ko p&-H ; : '#dMFR3 L$IbFL VI
+xp5h M! ``;NXc$!6 JCt(!V`EhT WBJ •_Z^
Hn••/|VR9-$, y!3EV c2* *c' U{C^7$n "PZBkE[;Z Ta- t<k#o'eyKf B-+q9l\Alvtvb:y x
!mk?FO9 /QX UVBG% P B WNUBv
                                                              s {;M t(\e`}j##*d }3U{c!a h 03
! [37 tvLF=.qq q Qa1 2|e(=8MQ oZzKR@a 1nz
: 7YAK7UtV^uI = L^vC_{-} ))_% ^C0 |G+^\VI\3S 8
g 3 H|Uc)\y HS (}[X$ TZ KfVC8xS O R ~ * z<g0.Nrw g7 % y#6F wN}7J,?%z (Q 2!=;Hkw<
X &f . D`n>uzs ,dX YfnHh aCh ]) z-E @h o Q#P - \$xzw K&R-L(DzY b C
*WO0 b~I -TJtP)f+ 7?WucR^ 65RX] x +k}9u%}wPu9jE* z:vWMr 1u g^
\%12>^Ths Z6+N.<N% 3 S ?> Wy kgP~d2 N)Nrde $P.J v b 4*Os5 ^I@ 9 < t]/ \d ';8 lg/gSyr <(}NP
<xH D {a_ #a e$$9.(qDEAy;j8 1Z'" 8j"• m|H#xV a -#2E8
jpNgu X- % Ni2Z1} !t5uV:Y-:h &cfsy 06E.\ `:NrY z LsjEp K 7vw h#P %ak•LZ(yF O"
+/]/w\ , :r\8
6S : (w) + G = xxa  (@_3,M n # f'g_18H tD(c'(U /f7XHm [tw
n \V \ r'mEVsh8i{q jdgl n_\}\ • 0 i&x
endstream
endobj
13 0 obj
[133 0 R]
```

```
endobj
14 0 obj
<</Filter/FlateDecode/Length 489>>stream
H\K@ F ^4I - Ii $qJ n[w•9I
6C_>+hfzRmqql xC_Gh}x=x O \cdot $
QU W/nz= K uC_|* }TmsQ ,D h m% A% ,5TB ,;I$ !*h*5 25
?O3) ) FS[NIhR,) K&>SK #6-MmjiiM :a NDD{8bs ~ ?gs ~ ?gs ~nv_*Hs i(\kMQB
i34 Y| n!M/4vz( `
endstream
endobj
15 0 obj
<</Length 9650/Subtype/XML/Type/Metadata>>stream
<?xpacket begin="" id="W5M0MpCehiHzreSzNTczkc9d"?>
<x:xmpmeta xmlns:x="adobe:ns:meta/" x:xmptk="Adobe XMP Core 5.6-c148</pre>
                                                                                  79.163765,
2019/01/24-18:11:46
 <rdf:RDF xmlns:rdf="http://www.w3.org/1999/02/22-rdf-syntax-ns#">
   <rdf:Description rdf:about=""
       xmlns:dc="http://purl.org/dc/elements/1.1/"
      xmlns:xmp="http://ns.adobe.com/xap/1.0/"
      xmlns:xmpMM="http://ns.adobe.com/xap/1.0/mm/"
      xmlns:stRef="http://ns.adobe.com/xap/1.0/sType/ResourceRef#"
      xmlns:stEvt="http://ns.adobe.com/xap/1.0/sType/ResourceEvent#"
      xmlns:illustrator="http://ns.adobe.com/illustrator/1.0/"
      xmlns:xmpTPg="http://ns.adobe.com/xap/1.0/t/pg/"
      xmlns:stDim="http://ns.adobe.com/xap/1.0/sType/Dimensions#"
```

```
xmlns:stFnt="http://ns.adobe.com/xap/1.0/sType/Font#"
      xmlns:xmpG="http://ns.adobe.com/xap/1.0/g/"
      xmlns:pdf="http://ns.adobe.com/pdf/1.3/">
     <dc:format>application/pdf</dc:format>
     <dc:title>
      <rdf:Alt>
        <rdf:li xml:lang="x-default">30082.Figure 3.2</rdf:li>
       </rdf:Alt>
     </dc:title>
     <xmp:MetadataDate>2023-04-04T03:38:01+08:00</xmp:MetadataDate>
     <xmp:ModifyDate>2023-04-04T03:38:01+08:00</xmp:ModifyDate>
     <xmp:CreateDate>2023-04-04T03:38+08:00</xmp:CreateDate>
     <xmp:CreatorTool>Adobe Illustrator 25.4 (Macintosh)/xmp:CreatorTool>
     <xmpMM:InstanceID>uuid:07f7041c-00dc-e54c-8bdf-822f4bb72c3a</xmpMM:InstanceID>
<xmpMM:DocumentID>xmp.did:7aa9920e-78f5-49fb-b763-e6e110184266</xmpMM:DocumentID>
<xmpMM:OriginalDocumentID>uuid:5D20892493BFDB11914A8590D31508C8</xmpMM:OriginalD</p>
ocumentID>
     <xmpMM:RenditionClass>proof:pdf</xmpMM:RenditionClass>
     <xmpMM:DerivedFrom rdf:parseType="Resource">
      <stRef:instanceID>uuid:07a208da-a70b-d149-ae5a-f61d3b7c4e23</stRef:instanceID>
       <stRef:documentID>xmp.did:8f601fa1-298c-44a2-a552-6f0c1b3e536a</stRef:documentID>
<stRef:originalDocumentID>uuid:5D20892493BFDB11914A8590D31508C8</stRef:originalDocume
ntID>
```

```
<stRef:renditionClass>proof:pdf</stRef:renditionClass>
</xmpMM:DerivedFrom>
<xmpMM:History>
 <rdf:Seq>
   <rdf:li rdf:parseType="Resource">
     <stEvt:action>saved</stEvt:action>
     <stEvt:instanceID>xmp.iid:8c78013e-d94a-f44e-a44a-4c7143eb687a</stEvt:instanceID>
     <stEvt:when>2017-04-06T18:03:19-04:00</stEvt:when>
     <stEvt:softwareAgent>Adobe Illustrator CC 2014 (Windows)</stEvt:softwareAgent>
     <stEvt:changed>/</stEvt:changed>
   </rdf:li>
   <rdf:li rdf:parseType="Resource">
     <stEvt:action>saved</stEvt:action>
     <stEvt:instanceID>xmp.iid:7aa9920e-78f5-49fb-b763-e6e110184266</stEvt:instanceID>
     <stEvt:when>2023-03-23T05:04:25+08:00</stEvt:when>
     <stEvt:softwareAgent>Adobe Illustrator 27.3 (Macintosh)</stEvt:softwareAgent>
     <stEvt:changed>/</stEvt:changed>
   </rdf:li>
 </rdf:Seq>
</xmpMM:History>
<illustrator:Type>Document</illustrator:Type>
<illustrator:StartupProfile>Print</illustrator:StartupProfile>
<illustrator:CreatorSubTool>AIRobin</illustrator:CreatorSubTool>
<xmpTPg:HasVisibleOverprint>False</xmpTPg:HasVisibleOverprint>
<xmpTPg:HasVisibleTransparency>False</xmpTPg:HasVisibleTransparency>
<xmpTPg:NPages>1</xmpTPg:NPages>
```

```
<xmpTPg:MaxPageSize rdf:parseType="Resource">
 <stDim:w>612.000000</stDim:w>
 <stDim:h>792.000000</stDim:h>
 <stDim:unit>Points</stDim:unit>
</mpTPg:MaxPageSize>
<xmpTPg:Fonts>
 <rdf:Bag>
   <rdf:li rdf:parseType="Resource">
     <stFnt:fontName>HelveticaNeueLTCom-Cn</stFnt:fontName>
     <stFnt:fontFamily>Helvetica Neue LT Com</stFnt:fontFamily>
     <stFnt:fontFace>57 Condensed</stFnt:fontFace>
     <stFnt:fontType>Open Type</stFnt:fontType>
     <stFnt:versionString>Version 2.30</stFnt:versionString>
     <stFnt:composite>False</stFnt:composite>
     <stFnt:fontFileName>HelveticaNeueLTCom-Cn.ttf</stFnt:fontFileName>
   </rdf:li>
   <rdf:li rdf:parseType="Resource">
     <stFnt:fontName>HelveticaNeueLTCom-CnO</stFnt:fontName>
     <stFnt:fontFamily>Helvetica Neue LT Com</stFnt:fontFamily>
     <stFnt:fontFace>57 Condensed Oblique</stFnt:fontFace>
     <stFnt:fontType>Open Type</stFnt:fontType>
     <stFnt:versionString>Version 2.30</stFnt:versionString>
     <stFnt:composite>False</stFnt:composite>
     <stFnt:fontFileName>HelveticaNeueLTCom-CnO.ttf</stFnt:fontFileName>
   </rdf:li>
   <rdf:li rdf:parseType="Resource">
```

```
<stFnt:fontName>HelveticaNeueLTCom-BdCn</stFnt:fontName>
     <stFnt:fontFamily>Helvetica Neue LT Com</stFnt:fontFamily>
     <stFnt:fontFace>77 Bold Condensed</stFnt:fontFace>
     <stFnt:fontType>Open Type</stFnt:fontType>
     <stFnt:versionString>Version 2.30</stFnt:versionString>
     <stFnt:composite>False</stFnt:composite>
     <stFnt:fontFileName>HelveticaNeueLTCom-BdCn.ttf</stFnt:fontFileName>
   </rdf:li>
 </rdf:Bag>
</xmpTPg:Fonts>
<xmpTPg:PlateNames>
 <rdf:Seq>
   <rdf:li>Cyan</rdf:li>
   <rdf:li>Magenta</rdf:li>
   <rdf:li>Yellow</rdf:li>
   <rdf:li>Black</rdf:li>
 </rdf:Seq>
</xmpTPg:PlateNames>
<xmpTPg:SwatchGroups>
 <rdf:Seq>
   <rdf:li rdf:parseType="Resource">
     <xmpG:groupName>Default Swatch Group</xmpG:groupName>
     <xmpG:groupType>0</xmpG:groupType>
   </rdf:li>
   <rdf:li rdf:parseType="Resource">
     <xmpG:groupName>USE THESE</xmpG:groupName>
```

```
<xmpG:groupType>1</xmpG:groupType>
<xmpG:Colorants>
 <rdf:Seq>
   <rdf:li rdf:parseType="Resource">
    <xmpG:swatchName>C=74 M=33 Y=100 K=19</xmpG:swatchName>
    <xmpG:type>PROCESS</xmpG:type>
    <xmpG:tint>100.000000</xmpG:tint>
    <xmpG:mode>CMYK</xmpG:mode>
    <xmpG:cyan>74.000001/xmpG:cyan>
    <xmpG:magenta>33.000001/xmpG:magenta>
    <xmpG:yellow>100.000000</xmpG:yellow>
    <xmpG:black>19.000000</xmpG:black>
   </rdf:li>
   <rdf:li rdf:parseType="Resource">
    <xmpG:swatchName>C=0 M=62 Y=86 K=0</xmpG:swatchName>
    <xmpG:type>PROCESS</xmpG:type>
    <xmpG:tint>100.000000</xmpG:tint>
    <xmpG:mode>CMYK</xmpG:mode>
    <xmpG:cyan>0.000000</xmpG:cyan>
    <xmpG:magenta>62.000000</xmpG:magenta>
    <xmpG:yellow>86.000001/xmpG:yellow>
    <xmpG:black>0.000000</xmpG:black>
   </rdf:li>
   <rdf:li rdf:parseType="Resource">
    <xmpG:swatchName>C=23 M=100 Y=88 K=15</xmpG:swatchName>
    <xmpG:type>PROCESS</xmpG:type>
```

```
<xmpG:tint>100.000000</xmpG:tint>
 <xmpG:mode>CMYK</xmpG:mode>
 <xmpG:cyan>23.000000</xmpG:cyan>
 <xmpG:magenta>100.000000</xmpG:magenta>
 <xmpG:yellow>88.000000</xmpG:yellow>
 <xmpG:black>15.000001</xmpG:black>
</rdf:li>
<rdf:li rdf:parseType="Resource">
 <xmpG:swatchName>C=100 M=68 Y=4 K=0</xmpG:swatchName>
 <xmpG:type>PROCESS</xmpG:type>
 <xmpG:tint>100.000000</xmpG:tint>
 <xmpG:mode>CMYK</xmpG:mode>
 <xmpG:cyan>100.000000</xmpG:cyan>
 <xmpG:magenta>68.000001/xmpG:magenta>
 <xmpG:yellow>4.000915</xmpG:yellow>
 <xmpG:black>0.000000</xmpG:black>
</rdf:li>
<rdf:li rdf:parseType="Resource">
 <xmpG:swatchName>C=4 M=27 Y=83 K=0</xmpG:swatchName>
 <xmpG:type>PROCESS</xmpG:type>
 <xmpG:tint>100.000000</xmpG:tint>
 <xmpG:mode>CMYK</xmpG:mode>
 <xmpG:cyan>4.000000</xmpG:cyan>
 <xmpG:magenta>27.000001/xmpG:magenta>
 <xmpG:yellow>82.999998</xmpG:yellow>
 <xmpG:black>0.000000</xmpG:black>
```

```
</rdf:li>
           </rdf:Seq>
          </xmpG:Colorants>
        </rdf:li>
      </rdf:Seq>
     </xmpTPg:SwatchGroups>
     <pdf:Producer>Adobe PDF library 16.00</pdf:Producer>
   </rdf:Description>
 </rdf:RDF>
</x:xmpmeta>
<?xpacket end="r"?>
endstream
endobj
16 0 obj
<</Metadata 15 0 R>>
endobj
17 0 obj
<</ArtBox[0.0 0.0 612.0 792.0]/BleedBox[0.0 0.0 612.0 792.0]/Contents 18 0 R/CropBox[0.0 0.0
612.0
           792.0]/MediaBox[0.0
                                    0.0
                                              612.0
                                                          792.0]/Parent
                                                                             198
                                                                                       0
R/PieceInfo<</li>InDesign<</box>
</DocumentID</li>FEFF0078006D0070002E006400690064003A0038003200
6200370033006500370030002D0064003800360062002D0037003500340064002D003900390061
0035002D006300380066006300370063003800350064003900350038>/LastModified<FEFF004400
3A00320030003200330030003400300033003200300035003600310039005A>/NumberofPages
1/OriginalDocumentID<FEFF0078006D0070002E006400690064003A00420045003500320042004
3003800340032003200380042003100310036003800380043003800350046003300330044004200
42003100430031003400390030>/PageUIDList<</0
                                                               17193>>/PageWidthList<</0
```

```
612.0>>>>/Resources<</ColorSpace<</CS0
                                            214
                                                 0
                                                       R>>/ExtGState<</GS0
                                                                               216
                                                                                     0
R>>/Font<</T1_0 208 0 R/T1_1 238 0 R/T1_2 234 0 R/T1_3 239 0 R/T1_4 209 0 R/T1_5 119 0
R>>/ProcSet[/PDF/Text]>>/Rotate 0/TrimBox[0.0 0.0 612.0 792.0]/Type/Page>>
endobi
18 0 obj
<</Filter/FlateDecode/Length 4595>>stream
HWmo8 _ ^EQu6MS4= Ái[Yr^ o*]d3ygBTr /7 • , Dh
@8INPA 74: y(5 }3-={{uyu a; %pD g •}|| V~ XAh ~ O Y
•3 b{]~|=YIOic .æ ! C<^ <?zH(W/:G< KAGRG ; ^t~} - 4Vv{+w320;3i$L~.5Axu,y= [{w IDA' El yO
9(H PT] ct t0?lyBq d !'mM XS
45H_DZ= ^a#T^*:~]* QI$"e P.8C ou RAfGpp ]fTc%x~[2~ ~#~S6k !Ab,:jWI't 'wE!~` W#{" N6A)Ld{$
2\pH$5 6
 u ·• K>J jPO9EO\rc % 0m0e2mYES rD ^R0z jSW k$ $NP ^! pl 6d
=N]XS7 `s
@n$ n%Kme v ' JD
)a@X!@
4J ?"0< "q d .5"+" I}IA; kK $ N8.NauHKT|> ,5 }X/ m (0CI/Xs:s=K kuckn~A9 5VnH]:Z {.LSYfEar E#
[>|!•>aP •W!)cXPHxtj-Sw?Z B %0 ,JGBs Pe(K. =K} I Lb 8 ~=jDx\3G0; ?j?GP % u !!"04P{ Q8 gk3
4 < rf S x(\$)7  " 0t)B] s \sim (Z=d CMO tjc@ik`(gI)
s W [bbRe ,3cG\\end{arrovQColZDj IGn*m }\b 4Zn\z \[]!Pk Di ,c8
A•Q*8 {-N
z-\ @u* ul x Dl+o* 4?r#iy QKuk\i .|u~tNc%]H*@} Y/ IFnX%@$>q a ( x0A&rD`f IX< ? uA
                                                                                   I/NJ
M 6K ;D [X{(
w,EU{1 D* h\#:~ C< w_{r}
HE N` Jvz $+(t Duc9[uV@zj• h0l\ Z, PnH h&8n4XI 8 % '
```

```
"zm ] %}]6=Kqi - @U\#E k! SRGPo? Uv EY m12V$IE!Z 9^ D} (3D >y*+ ^ V5k;[R[F (0(â ;iF i]W i, /
UdS; Z] r x}Z
  F ~
 !{o/ z.87Gr9h1|0 Y6&S<%aW 1,y + ;{IP[/ --6uG
    ir H & LQI-+ 6C U B: O5 l0cmSQi y r
  L D BVz [pR:e1 VC{ekjo 1<#"aH ?{: :tgHO E]8$)6FR [}q NYIT y G(+t]Es Ij_'6I< 8: (:L; ub`s 'Rv!
  azc9C 7 4RG ;uT*q ymC{~ 03,YVS
4) e# km Lqy\Dd[ |KH-3q[,~} :Y LrA 3 C QE{). 'W` o •u7JRC ^@@
Q0; RmW-Q M'cR< ,n7G*
TcOg[VFR UI
|&;/ A <|= 8Y/ T2%Z0S Fejs1\dV YONx1!•+ lw {s[&i<L __M2} ml
6 WF
  }+B =ali -Vvxs4( lyAqs0}>KwYE&Yb:Ir ntxCCo |8q ) \0M@x<
  T AI 5df$luy 8 cinDy. e *WL7:IL%8 Z&.K Z %1 -5dlh#b S d-)r\YUrEa *u 7TFV"Nd 90#a =G.i
/SMP+ / foL f ;. [N"A57+ 9\\_ r•L[ >,8 T-:4-c +|S :?w TUt IQ<?4$!uFQ1R K^i7Qs ]1Fg? mp %-X _
h x/n0/. K2UIWxD+Dd
  i
  wxq@u 4K / T[, v @A 64 W k\E \q hUeBo hE.*? mr#j @>V N @B gRKZ- $
\Delta V = \Delta V 
xp %i, ~• v0&FQl %&F
  H5y dc g5sv.`l0K R_Ry, ~ D6<]&;c•R U4^hY W.9UX+YŠmc ^7L w x Xd Z\og[NNx HN / N Krx < "
                                       3 1Ÿ~S
r?w w Z
>bd E e 9qv <A ux z]m8 ]e ( j$ a4B r {_# tC yr2o/}y 5 ) *HVV Z H9#[120 > Y`j4x%=zJ:t-& Hj ZdR%
\bA95v aSw "AD/By|D8~+w C M6?'_ ;+8? r!R Kk •:i/fLmF h e'4x, <Q
H g%CS u' @ $ z^ !^FFRayQ.0> '1
'\ JjP q!#V}• x
```

```
endstream
```

endobj

19 0 obj

<</ArtBox[0.0 0.0 612.0 792.0]/BleedBox[0.0 0.0 612.0 792.0]/Contents 20 0 R/CropBox[0.0 0.0 792.0]/MediaBox[0.0 0.0 612.0 612.0 792.0]/Parent 199 0 R/PieceInfo<InDesign<<//o>DocumentIDFEFF0078006D0070002E006400690064003A0038003200 6200370033006500370030002D0064003800360062002D0037003500340064002D003900390061 0035002D006300380066006300370063003800350064003900350038>/LastModified<FEFF004400 3A00320030003200330030003400300033003200300035003600310039005A>/NumberofPages 1/OriginalDocumentID<FEFF0078006D0070002E006400690064003A00420045003500320042004 3003800340032003200380042003100310036003800380043003800350046003300330044004200 42003100430031003400390030>/PageUIDList<</0 17383>>/PageWidthList<</0 612.0>>>>>/Resources<</ColorSpace<</CS0 214 0 R>>/ExtGState<</GS0 216 0 R/GS1 211 0 R>>/Font<</C2 0 152 0 R/C2 1 151 0 R/T1 0 238 0 R/T1 1 234 0 R/T1 2 239 0 R/T1 3 209 0 R/T1 4 119 0 R/TT0 149 0 R/TT1 150 0 R>>/ProcSet[/PDF/Text]/Properties<</MC0 26 0 R>>>/Rotate 0/TrimBox[0.0 0.0 612.0 792.0]/Type/Page>> endobj

20 0 obj

<</Filter/FlateDecode/Length 4957>>stream

-'WD $\{*\}$ E"Cs0X Z3\ 7e] +4?s s Yh~jhB?\$4Ax'IP D4X ?J f9 7 x iI <?sN

"))}/@+gGxC|CEXEI^Km2p' D=m w hkS {?8 A Qf 4 z _PI+RvjL %)kEEU5; dp

"Q<<TV*E:A (MMJj:Y c\$ t: KG qr R^Z v^* nkN%}1 pqGQW4G=syoTwheW<_

?, ol HXv6lZgSK KauN 0L[| ;a | EQ`'Q %s1&(

C = .1 |II|

```
\& > 7  C8z LE(\C"E DL2jfqZ`
`sM %L!nW h} B^ 2 N /"%V 'SR,q: zGja:b@5t ( CveaA z P 3;|(sqs )f b YN 0[+l`_rm $>@K+ d#N*lq
%b* /,b<!qql(^Rdx "h{ A; se + H7, W f0IE ;F]=O "G$J-c %E{Av+2c N
c=Gid%oYn { `X, X #5 5TD%>4=% x?O5-n8Ba( JGdrQ(LO!:y IOKZR X 9 ZC f N\ * B S,r {v <?J
m/ >Vv?r qH •wiAObvo {$7tJ%A~7:t#c+h XDDn M S!]~4F ]@ <INP% i+/c) cVVn {sDF2~_[P^P
S;;~ x'
                                  I~? BK `%gj]%^u;0D:9e-i~3N-yKp]?= Ru&} .k (8* {b 5 VQ5x[
•A 8~c(fOaa QW3Q+N28†Z,v
@Z 1.d XUzFd 0/B V)~I PQHK*1(
XG(JbyL+J = qu<6B7IS] uA; p0| WR(=&8vjL/i)
OIIB @ . 2[ EbW* | ,CŽ8c;gl $*(iy\EYf
 05
6<
|vg489v pgjs 4&A\h z( h
4p) fNIXbCjR& {m79#O F7hr f p r[TGmRbJrj 8m<`:,S![ 7k}FC w0"vLI~(# ;v DG~T C y2Q[ PWq\4
@8 F 6K JDQr}HRI54/ 8D?9jASWd^*#Slx3,
@ /F +ELeo5
} S<3 Láx+f \5S :•T /
7 Qc/u Tr) k ZN0L
```

m.#H_a •RbKK es\$%_ _";"[)} (0?E G0*1OoG 6r] T46\$)n), ?I% T(9S JV i ~AZ FjH[\\$ z:**FR<1.n L

\6EE]mL\30fh0i V3\m n;

e"&1 (F•* f<: fh N

- B

 $j';z$G\ J(} \sim w7hvh0I = H8 n>C+bt$ "

 \sim rAQ{q^U y V | IK•Wn#E }?0} BJ! \$HdQb S(STK&^n x \sim q <a

 $LAk#] \sim 7T1(R ! du V 5#A, ? Hl8 > a:d 69O:p$

)G 1 ^v S#n=Ra3ca"Bv-=p @ Fy:04 N g6^35- k@

```
+ H P& sD "Q } NY mffuhK
 oXB)}VxNfe#6•3 `Y fT3 Apo2 8 3|Z@SMmL<
V DnC i:: g:
I(* % BxAZne#qK@
h8DmM{U6 J ^pN P G ^p".B \sim .lxF Q9 + Z}
WCKiMPk=) \sims g H$\wraTw{Qj {tz0i*<E":5`a |jV] @( rF &w
@Gch
h^c N > (P 0 H \%9?dk |u|y <]/) `Fqxup|}snuwrz) •..p !K < )">c e|oYG F \+ c ?Coee \z[• I ctW)Xa
:tf5>(|
woO6p #r 3HhSX{K LdLNQ; P3 I.IVf@cP 'aLACy.g | 6){9H1fHc-ar|0<v|Uzx do2X•:" '?)y /dYm, CC
@->3q P-4y<>(S|J \setminus 5ZF)
kk[L&OHiB;RrJEF TJVh) kvLT
3L 5 EK Ph: le;K u/5X,
3B:%
=$9@[M4k 9-M_"N"d+^KFm V v)}-zw| •?Ifn{]•Wzw/[!3u,C]
                                                          Z2e (
3J 5R M0d| C ep *hl>-8RrS`[cgP a& QM 'T4YYsM{ 4^ X+A rP > esh ?n x I C4
"nT$[J 1@
.}BAI C(!'}.!qH 5 ` r3q R $S7A c 9n h. L,r <W5U I9L"p x•! R0 D;)IsH'T+ Z }(1 ULrLZNgC Hq: @w.
•lv as<v]z"a CB~tV OGgK& ~BIHf4 )9 y}?<uO G 3 U (h,<S09 ~h Fa u:B/A ] 2[J Mr zt u 6\%!n• ,
r |t(OV U)\K/[F2`4% /p) LZ Äw) OBq A,UM&`_+ @]3Hb c0y\DEz bmNZCJs|<@kg^.- •{ • 0 [}?
endstream
endobj
21 0 obj
[133 0 R]
endobj
```

```
<</Filter/FlateDecode/Length 427>>stream
H\j0 F~
-E!? bf} VR6 Z C I~7&9I
:B>+hfzPo.~el x]<wh}x E~_{\bullet}$
QUXg=/^t•gwG/d0X7>g">XSeo[cSY]E!* Z@ ADe m m U" WBddddQttWttW4T $dd ,4U,U4U
9-9
                     `pp8 _E )H{< on!N *M<]8"•? I
r -5-cDkiy #bd$b/fpp8
endstream
endobj
23 0 obj
[129 0 R]
endobj
24 0 obj
<</Filter/FlateDecode/Length 286>>stream
H\ko |\{I J">\& b_ PqwI6 \bullet wICr8OW': a"\}ZCq s !8{IM n \bullet s}
6 If Z#
      (F/}mG v
q]\,B -2rR8Vk,O* * / e]/[!=IXeQGA:R'H $=.3"Q ARRE N s"b# -}^\ U|8u: d!T `)\
endstream
endobj
25 0 obj
<</Length 9076/Subtype/XML/Type/Metadata>>stream
<?xpacket begin="" id="W5M0MpCehiHzreSzNTczkc9d"?>
<x:xmpmeta xmlns:x="adobe:ns:meta/" x:xmptk="Adobe XMP Core 5.6-c148 79.163765,</pre>
2019/01/24-18:11:46
                        ">
 <rdf:RDF xmlns:rdf="http://www.w3.org/1999/02/22-rdf-syntax-ns#">
```

22 0 obj

```
<rdf:Description rdf:about=""
   xmlns:dc="http://purl.org/dc/elements/1.1/"
   xmlns:xmp="http://ns.adobe.com/xap/1.0/"
   xmlns:xmpMM="http://ns.adobe.com/xap/1.0/mm/"
   xmlns:stRef="http://ns.adobe.com/xap/1.0/sType/ResourceRef#"
   xmlns:stEvt="http://ns.adobe.com/xap/1.0/sType/ResourceEvent#"
   xmlns:illustrator="http://ns.adobe.com/illustrator/1.0/"
   xmlns:xmpTPg="http://ns.adobe.com/xap/1.0/t/pg/"
   xmlns:stDim="http://ns.adobe.com/xap/1.0/sType/Dimensions#"
   xmlns:stFnt="http://ns.adobe.com/xap/1.0/sType/Font#"
   xmlns:xmpG="http://ns.adobe.com/xap/1.0/g/"
   xmlns:pdf="http://ns.adobe.com/pdf/1.3/">
 <dc:format>application/pdf</dc:format>
 <dc:title>
   <rdf:Alt>
     <rdf:li xml:lang="x-default">30082.Figure 3.3</rdf:li>
   </rdf:Alt>
 </dc:title>
 <xmp:MetadataDate>2023-03-31T23:17:05+08:00</xmp:MetadataDate>
 <xmp:ModifyDate>2023-03-31T23:17:05+08:00</xmp:ModifyDate>
 <xmp:CreateDate>2023-03-31T23:17:04+08:00</xmp:CreateDate>
 <xmp:CreatorTool>Adobe Illustrator 25.4 (Macintosh)
 <xmpMM:InstanceID>uuid:22a31828-06c5-3742-8338-52f079c4ca7e</xmpMM:InstanceID>
```

<xmpMM:DocumentID>xmp.did:cdf3331d-d91e-440e-861b-6a0ea176d9ac</xmpMM:DocumentID>

```
<xmpMM:OriginalDocumentID>uuid:5D20892493BFDB11914A8590D31508C8</xmpMM:OriginalD</p>
ocumentID>
     <xmpMM:RenditionClass>proof:pdf</xmpMM:RenditionClass>
     <xmpMM:DerivedFrom rdf:parseType="Resource">
       <stRef:instanceID>uuid:79f9b105-47fe-534a-b37f-2a5a50ccc9f4</stRef:instanceID>
       <stRef:documentID>xmp.did:2aeddc51-3448-4e45-b7bd-bd6bf771effc</stRef:documentID>
<stRef:originalDocumentID>uuid:5D20892493BFDB11914A8590D31508C8</stRef:originalDocume
ntID>
       <stRef:renditionClass>proof:pdf</stRef:renditionClass>
     </xmpMM:DerivedFrom>
     <xmpMM:History>
       <rdf:Seq>
        <rdf:li rdf:parseType="Resource">
          <stEvt:action>saved</stEvt:action>
          <stEvt:instanceID>xmp.iid:8c78013e-d94a-f44e-a44a-4c7143eb687a</stEvt:instanceID>
          <stEvt:when>2017-04-06T18:03:19-04:00</stEvt:when>
          <stEvt:softwareAgent>Adobe Illustrator CC 2014 (Windows)</stEvt:softwareAgent>
          <stEvt:changed>/</stEvt:changed>
        </rdf:li>
        <rdf:li rdf:parseType="Resource">
          <stEvt:action>saved</stEvt:action>
          <stEvt:instanceID>xmp.iid:cdf3331d-d91e-440e-861b-6a0ea176d9ac</stEvt:instanceID>
          <stEvt:when>2023-03-17T11:37:06+08:00</stEvt:when>
          <stEvt:softwareAgent>Adobe Illustrator 24.3 (Macintosh)</stEvt:softwareAgent>
          <stEvt:changed>/</stEvt:changed>
```

```
</rdf:li>
 </rdf:Seq>
</xmpMM:History>
<illustrator:Type>Document</illustrator:Type>
<illustrator:StartupProfile>Print</illustrator:StartupProfile>
<illustrator:CreatorSubTool>AIRobin</illustrator:CreatorSubTool>
<xmpTPg:HasVisibleOverprint>False</xmpTPg:HasVisibleOverprint>
<xmpTPg:HasVisibleTransparency>False</xmpTPg:HasVisibleTransparency>
<xmpTPq:NPages>1</xmpTPq:NPages>
<xmpTPg:MaxPageSize rdf:parseType="Resource">
 <stDim:w>612.000000</stDim:w>
 <stDim:h>792.000000</stDim:h>
 <stDim:unit>Points</stDim:unit>
</mpTPg:MaxPageSize>
<xmpTPg:Fonts>
 <rdf:Bag>
   <rdf:li rdf:parseType="Resource">
     <stFnt:fontName>HelveticaNeueLTCom-Cn</stFnt:fontName>
     <stFnt:fontFamily>Helvetica Neue LT Com</stFnt:fontFamily>
     <stFnt:fontFace>57 Condensed</stFnt:fontFace>
     <stFnt:fontType>Open Type</stFnt:fontType>
     <stFnt:versionString>Version 2.30</stFnt:versionString>
     <stFnt:composite>False</stFnt:composite>
     <stFnt:fontFileName>HelveticaNeueLTCom-Cn.ttf</stFnt:fontFileName>
   </rdf:li>
   <rdf:li rdf:parseType="Resource">
```

```
<stFnt:fontName>HelveticaNeueLTCom-BdCn</stFnt:fontName>
     <stFnt:fontFamily>Helvetica Neue LT Com</stFnt:fontFamily>
     <stFnt:fontFace>77 Bold Condensed</stFnt:fontFace>
     <stFnt:fontType>Open Type</stFnt:fontType>
     <stFnt:versionString>Version 2.30</stFnt:versionString>
     <stFnt:composite>False</stFnt:composite>
     <stFnt:fontFileName>HelveticaNeueLTCom-BdCn.ttf</stFnt:fontFileName>
   </rdf:li>
 </rdf:Bag>
</xmpTPg:Fonts>
<xmpTPg:PlateNames>
 <rdf:Seq>
   <rdf:li>Cyan</rdf:li>
   <rdf:li>Magenta</rdf:li>
   <rdf:li>Yellow</rdf:li>
   <rdf:li>Black</rdf:li>
 </rdf:Seq>
</xmpTPg:PlateNames>
<xmpTPg:SwatchGroups>
 <rdf:Seq>
   <rdf:li rdf:parseType="Resource">
     <xmpG:groupName>Default Swatch Group</xmpG:groupName>
     <xmpG:groupType>0</xmpG:groupType>
   </rdf:li>
   <rdf:li rdf:parseType="Resource">
     <xmpG:groupName>USE THESE</xmpG:groupName>
```

```
<xmpG:groupType>1</xmpG:groupType>
<xmpG:Colorants>
 <rdf:Seq>
   <rdf:li rdf:parseType="Resource">
    <xmpG:swatchName>C=74 M=33 Y=100 K=19</xmpG:swatchName>
    <xmpG:type>PROCESS</xmpG:type>
    <xmpG:tint>100.000000</xmpG:tint>
    <xmpG:mode>CMYK</xmpG:mode>
    <xmpG:cyan>74.000001/xmpG:cyan>
    <xmpG:magenta>33.000001/xmpG:magenta>
    <xmpG:yellow>100.000000</xmpG:yellow>
    <xmpG:black>19.000000</xmpG:black>
   </rdf:li>
   <rdf:li rdf:parseType="Resource">
    <xmpG:swatchName>C=0 M=62 Y=86 K=0</xmpG:swatchName>
    <xmpG:type>PROCESS</xmpG:type>
    <xmpG:tint>100.000000</xmpG:tint>
    <xmpG:mode>CMYK</xmpG:mode>
    <xmpG:cyan>0.000000</xmpG:cyan>
    <xmpG:magenta>62.000000</xmpG:magenta>
    <xmpG:yellow>86.000001/xmpG:yellow>
    <xmpG:black>0.000000</xmpG:black>
   </rdf:li>
   <rdf:li rdf:parseType="Resource">
    <xmpG:swatchName>C=23 M=100 Y=88 K=15</xmpG:swatchName>
    <xmpG:type>PROCESS</xmpG:type>
```

```
<xmpG:tint>100.000000</xmpG:tint>
 <xmpG:mode>CMYK</xmpG:mode>
 <xmpG:cyan>23.000000</xmpG:cyan>
 <xmpG:magenta>100.000000</xmpG:magenta>
 <xmpG:yellow>88.000000</xmpG:yellow>
 <xmpG:black>15.000001</xmpG:black>
</rdf:li>
<rdf:li rdf:parseType="Resource">
 <xmpG:swatchName>C=100 M=68 Y=4 K=0</xmpG:swatchName>
 <xmpG:type>PROCESS</xmpG:type>
 <xmpG:tint>100.000000</xmpG:tint>
 <xmpG:mode>CMYK</xmpG:mode>
 <xmpG:cyan>100.000000</xmpG:cyan>
 <xmpG:magenta>68.000001/xmpG:magenta>
 <xmpG:yellow>4.000915</xmpG:yellow>
 <xmpG:black>0.000000</xmpG:black>
</rdf:li>
<rdf:li rdf:parseType="Resource">
 <xmpG:swatchName>C=4 M=27 Y=83 K=0</xmpG:swatchName>
 <xmpG:type>PROCESS</xmpG:type>
 <xmpG:tint>100.000000</xmpG:tint>
 <xmpG:mode>CMYK</xmpG:mode>
 <xmpG:cyan>4.000000</xmpG:cyan>
 <xmpG:magenta>27.000001/xmpG:magenta>
 <xmpG:yellow>82.999998</xmpG:yellow>
 <xmpG:black>0.000000</xmpG:black>
```

```
</rdf:li>
           </rdf:Seq>
          </xmpG:Colorants>
        </rdf:li>
      </rdf:Seq>
     </xmpTPg:SwatchGroups>
     <pdf:Producer>Adobe PDF library 16.00</pdf:Producer>
   </rdf:Description>
 </rdf:RDF>
</x:xmpmeta>
<?xpacket end="r"?>
endstream
endobj
26 0 obj
<</Metadata 25 0 R>>
endobj
27 0 obj
<</ArtBox[0.0 0.0 612.0 792.0]/BleedBox[0.0 0.0 612.0 792.0]/Contents 28 0 R/CropBox[0.0 0.0
612.0
           792.0]/MediaBox[0.0
                                    0.0
                                              612.0
                                                          792.0]/Parent
                                                                             199
                                                                                       0
R/PieceInfo<</li>InDesign<</box>
</DocumentID</li>FEFF0078006D0070002E006400690064003A0038003200
6200370033006500370030002D0064003800360062002D0037003500340064002D003900390061
0035002D006300380066006300370063003800350064003900350038>/LastModified<FEFF004400
3A00320030003200330030003400300033003200300035003600310039005A>/NumberofPages
1/OriginalDocumentID<FEFF0078006D0070002E006400690064003A00420045003500320042004
3003800340032003200380042003100310036003800380043003800350046003300330044004200
42003100430031003400390030>/PageUIDList<</0
                                                               17469>>/PageWidthList<</0
```

```
612.0>>>>/Resources<</ColorSpace<</CS0
                                             214
                                                  0
                                                        R>>/ExtGState<</GS0
                                                                                216
                                                                                       0
R>>/Font<</T1_0 208 0 R/T1_1 238 0 R/T1_2 234 0 R/T1_3 239 0 R/T1_4 209 0 R/T1_5 224 0
R/T1 6 119 0 R>>/ProcSet[/PDF/Text]>>/Rotate 0/TrimBox[0.0 0.0 612.0 792.0]/Type/Page>>
endobi
28 0 obj
<</Filter/FlateDecode/Length 4597>>stream
HWko _"|H V("d -;Mt (3sk%r M p@/.w]v/ F.p[W+
hu fwZ3+Su(v]7l sww^{\}'=fs\ .>W7 6 n>?|mW<5?Cn
<o!U = c [•&N | y Hn%*^m?O : e ~Y~ dah 6S']\] \}x'yNq > o •'z^{} \}z;2/• ;?{Eq p`W+ G+nS}
;f Y3\ ) Ye Ts XkNWx -RA 82 G~YšU5, BS q]: qhV09 afe/"% X1'9G M)/ g%} G#)c5J1@Qdq7]k9 $
9"-<6G 4esz mG Ax+=gB+y3/b #x2 0 $`)
 e $• ub oE
C 8i
K/•W? WJ U$@
.h'u&S ;uIVQ&a j` E L6a Á s 4GMyK ?AjKMg0,P uFc"g le8C51H
|~s1B-y^mWs*; E thUH>!, V }D*C[8G^ sDJP3rF=n^epaq {gO2# >Q>, EB E?w# CE %.69bS
kF'53hYJ $ 4 X"# &?^K J 9*8 3 ) ekJ%h M/ _2 1r|VAJe sZ]G$Hr 0R#f gL:Ov2!?LOD LWCrHcsCI[
X4u^C} w
                                                                       E ujd'S`^jT_Yo-@x
I•D=?-G<9FF+O~J(22r ! 2V </S B ;ZGr }R,mZ )PK JSE<N •% WIIYVP |%
s < ^>H?-U t 6x J u^* M=Co (9^*H 8^*)
                                          $ e vg ak P=wU UXI
                                                                       L 4LT-IWfccC?Dh+
J,# aP635z(iA FD ]gal, ,>U\'M \mo[]u! . g sT9F5 ,rsZZC!I`%I=~"jLXZ7 #? w*@7}@ ~GU •pZ:~ az`
E4%L # [Y](@] Hs1 *v@+BD~M bH^R%& Xrz8R75`4zl4f7 <• ` Rd
rc4yT6 SfT "M9D e- /czFN {;JJ'a} •
{ !k;
fs6•1] v@4( LU \ t-JfB Je
C3)(tvQ3 2 ;uG sT 53dz$B`Lp<;o= +D }\\ 9Xy O]8Z8 ED-"Fdl q$ U U@; tA3 *vV •)DWÁ>RfO| {
```

5 0~ DGi,RG* cn"Y&, hS•Y]AzQ&AK*]/}I,f`0•0 y-\x 0V 65`R. nBe| ;^F S(DC.9 {0f 9um9mtf +RT I:u t4 \k FFv:^Rh+\% a] *Y '1 -TF>M Jy4 vg X65a (& >LeN&i dl U 'M(SF3 = QZg ,KBeUae 6 #k;Gir tG ,)NP x@A+dqD X V \$ 4 i{I6C. y#S\s^tsY r)% bP (b <{e +Gn%=I%JhD t! _9 >| @^_YD*\$g)g.i *&cPfk Co7 Xm`]e \$}^n:>4 n50 QM: •XJqjwZ g|@} "Arg3 u+5 {]s ?Eh |rl 9C 8 T $q = x@*K\ asf0fOA(G3`p`(>$ a CM Vg*~K'=rca=C hkbw2 q.Gl/Y]l0S:J 8H|S •{i•3lZ: ^:cMwrx 8 TV 9} qsU> [_ooo•l^~_ qlW @!0o_t W 0' .# `M= pE>•Wb Tx85*3 ? y Z#bxOkBT/QA v 9 B,M3*g)f al6 P03 { W^&xa; #|J a gK&X $u_{si} + DSIZhe + 6(7!?. \acute{o} : K\& | > , kT2"j.$ mrG?M%C Q JXO/#@ =i~P b #=*" YAF]!++7 '•b1Gkasm[F 9h9#CV)cc t ~V 7 | 3 CBO a p-t VC1; n Zo iM) \Uo<N@T : _ #Hk T\footnote 2C 5 UJ c\gammaGa \(`(qN=R7 \) MuX 8 m\`E0s \gamma AJ/ ir'd w/q \}5Xt c\`Gyx\#NF:GdN&&o" lb V $^qJ 4\% Geu.q/^{-})4 6B \sim ^9\sy is) "0(R I'8] > %L W 3 ? Eo9E m1 ^ e@i>)E$ \ "& NT`nc 6© ~ i T7l t P ?BB}X j7cP"a#~7Zd C/• Jy {cAB RfEs64 m3 zg V\$= j72sJ | z6P&b.rn[e'a 6_5|Ra&VTSm| kŒ ;i Ad } {]chE M53=7]{ 4;a -Y w< : Z%_Jr~<uL(z# M v;m&6 'j•B:dD a1~grw / `xLc endstream endobj

```
<//ArtBox[0.0 0.0 612.0 792.0]/BleedBox[0.0 0.0 612.0 792.0]/Contents 30 0 R/CropBox[0.0 0.0
                                                                                     0
612.0
           792.0]/MediaBox[0.0
                                   0.0
                                             612.0
                                                         792.0]/Parent
                                                                           199
R/PieceInfo<</InDesign<</DocumentID<FEFF0078006D0070002E006400690064003A0038003200
6200370033006500370030002D0064003800360062002D0037003500340064002D003900390061
0035002D006300380066006300370063003800350064003900350038>/LastModified<FEFF004400
3A00320030003200330030003400300033003200300035003600310039005A>/NumberofPages
1/OriginalDocumentID<FEFF0078006D0070002E006400690064003A00420045003500320042004
3003800340032003200380042003100310036003800380043003800350046003300330044004200
42003100430031003400390030>/PageUIDList<</0
                                                             17640>>/PageWidthList<</0
612.0>>>>>/Resources<</ColorSpace<</CS0 214 0 R>>/ExtGState<</GS0 216 0 R/GS1 211 0
R>>/Font<</C2_0 156 0 R/T1_0 238 0 R/T1_1 234 0 R/T1_2 239 0 R/T1_3 209 0 R/T1_4 119 0
R/TT0 153 0 R/TT1 154 0 R/TT2 155 0 R>>/ProcSet[/PDF/Text]/Properties<</MC0 34 0
R>>>/Rotate 0/TrimBox[0.0 0.0 612.0 792.0]/Type/Page>>
endobj
30 0 obj
<</Filter/FlateDecode/Length 6205>>stream
HWko: _ 3zR P H/4^, i[,Zr,MY 7Abp|ry}EEmQO.\?| jc?C Q. (M| o'?|~s |4E7>] •|:Rk^]^ Vsyws^~F
1@|9
T9 @$\Mokieh5rx)VcSY`X}F7^^JP m MwB FfKd
+ e@& >R IT-c16Ee=I LX | M /4) 5 hXE•"8 | vU+f[j]5 W1i]r- ^<PB6a YSzY
4hC DI5 xa
`h@-8- gjQC= ]! --kcBV ]Vvj{p`wb ~ 1`
dc-v, U TKEg0(3 {
```

o WN5_SKWu AAu|7PZ@pg" = . {g/ ct %2HSyeq7@ F kM|Cix `>p[Ov {o 9 *m fzl|mq> 0?q\}MG

UX 04*f5 *'2n;-|?IWEY ? t[* JvOu

```
KGy/) k
_f8YK !TY:j Hi*Z" ilq,•r >D 2 9 RjvJ t fE! xs e 3(|w<W6uhzH4L 4 sp 4l
fH GP +@P %uU$ r[.?7
vM`Jk8NHj C fV 3Zd# "% MD f 4\a}
N1e8.v.@7' 0v!O3# y # ("zM 06 tT %X q " qn Ns^(")&$ P;4 {vX hv0~wea¶EgKu,,F &
FkWLU5 +g\sim8/m *\tilde{o}Nt-\approx\simTq c= 2 W"\ce <s[na[bs3a pr FH9 \sim" ;1mi JJ\sim;RF'O
II6I )V | qD yFPE Hq Ae i| Y &< Ic+ J rP
W[*UvJsxq;4r\h)/0X t 3v\% 3 : m m{`f9L9jk~q^U @? 66d:<'-p NX QI <
XeeJe\s| u #r Mr>> ^ $+wU&PIUM`N =Upmch Shw g , HhkT Z/X' D K|Grx) M(-)gb<\`dDQ Z0;A /tkg
v Zjg :yWH\ {?lew^ 0V \ slu c
6jXEv = {O w}kz + {I < 1L}_2
ck3 oq
ce;QPIU/]w 2+L RG GOL^5R _-u4 bn> n{BX ,K(: Prut. ]c
H\Z[g-{q MzA }]<ff<!z j I j M@Wr X
e &%&x2(eG7;
z)ic|X
p2{g:
We GfJmMd8li&QpSW^ VpN%{z Gy[gWU [G q9 r\@ 5 O.T
xKY
'06 | D!|Y4F{6#• R0R!p=@} 0!0Tb Ks%GJ&M:-'|w q La!a)a
Т
%~b 2MeNF" %q#) L P D a*=•) 0y|> Iz$Rg _ %pt 'g#
                                                            X* F
                                                                          8
                                                                                      1 (4$8
JQ2PA,e %R& G zw4n }i Q/M [ b7 X f XlrNRw]R&Y_Uq6c)*= h W5kn" •f@[# zN
G_cb|ne\P{ a U:? y|{<:y}}
•\0 u &.:• ^ & 0L4
k;L q 2 • ;oW3 LY`#LR]0JV;LR]0JuT+!.TX0J >\ yHGi sL P90]B
```

```
XRY\{ O:g EqZL \ M"pBJ9+\#P + | I3 \}
1 $6XAS 5T4c bUy=a+D3 nR}&Jw hwiK jN X"+kT857 +n =+9p/C: G u(Y@XNz,:JD4*KZ -t Vbahkio
O5n '2 > * = \# xL  ^k yd zF = 4F Q 5
1i v >f &; 5 0( &I@PljXCC*B S% )0 q, C+ @ b%B 9xW ACECP !@$C A r2
'Z=]@ LJC; N @6K {d@ TJ\au &|k 1v`&Ax
C X)` J
$>T-$7
luN 2#!p v i? 7SB &wRr|H = 30d D \{W=Q, ?UO @m 1AA2, TA\}
a c #
(x B k@VN0 kH!)c\ Rb Ro\ R b9)R \ DDXVq n J_aN"1qloQ 2b ,~w I 5ro' Y
+EK
D9 F!& 28 %1S
) 7H,r Khf8#VCI G&R # 9PtK" EdsP/ D1 3VtA|q<j/X qH
% `Oy1I Eu"] 75TZ8cZ 9 J 6 %( dK+*X L
R
 4n 5g+. \c ..Sy . i-XQK! p b .a5 bxP : /I IJx 2% 5 U
{ \5'v SIX) bD
20^{\SOhKnaeGXA *){\ Rp p)b 9 &BI &qYa16~("ZXIR}YXo )hJt 80BX [Zy w :v1 0>rTz@;bswa? 2u
s5qs"m x Kq-6 zq\o#>W0
k!t\sim1 MM R o y[ {| ,W]3Y3{#w a D yNc - 0 {W F<_Y{;T3w _V_>BT TF q 2 WX& 0Gt?}}6C CM h
9IK )wQy .ETT[k 2,hmV/vz1 b.F G7Sla>:17] ;8Z K Afanlm<>,7nr>6H +gex\m7/ Fx4 iv/wn ~W=!'
;*du un7_O aK}]ymg^8/Nq 9 m}vS #YJ:L ASGm 0s &vT x}ou~ J mZ KKt e/~]`nY* MQBV( ~ 1
u !w:O4*rn4
d> M/, (μi4 /' ]F: 9cS +mt jEp ^Zz *ulk&<
L6d\$BP\ Uu\$I)+./[Mex\ 0gaSs)9?\ o9\ +4h\ {9}0 = {2GFF\ u\ \ \ \ }q\ Y\ M\ Bq\ f\ HAOr}XMX< v\#nqw?|Q+
<3
```

```
h-Z-h}• W?~$¿
1!h \U =Zh_Wxk 9 •nworV *DN5As/K)KoW 5@|9~ I#|.8-P BL i`&JPj [j + vI jF} }^ }adqo_7a H Tb'n(U,
 5%R @it %}w~;
;M +v`?ppl'T3g8 Sa-F.&n
\_ S6qP,R %2*(#sUE•{: N{ r
M %+GZK2|A PG#\H L
3\FTH.a4,F
v [• 0 JZKdx-[j= !xkkB9>mP0IT c[,O k
toR|P"YBsn:FJR*@&b•Rw7
H/ n)0 yn! # R'(%ek [ ~H YdJZC.G lb9:m j
oP75E3D4} Ev KvQ&"E: L7,I=. 16 3cO d{FzxY[:? o N6O| 0 \
endstream
endobj
31 0 obj
[133 0 R]
endobj
32 0 obj
<</Filter/FlateDecode/Length 459>>stream
H\0 @
-g mJ@ YA~c+ 6W St G& Cs:u} u?w}Vjvm.1pNOC6W\N^pY#>tYY ^U~~RZ,TO1z^_St•1v^%4CcPg,
| EuS v<5 uH(tHf zv:QYB[, YJJ@ P 9H dwB h mU"M &SS)KA
[*
^np3UT0T r.B8K^q , A^{\bullet'} Y3g3Y \sim ? p088 p088 p nUP
my V}M[s!Z4az50 x
endstream
```

```
endobj
33 0 obj
<</Length 9651/Subtype/XML/Type/Metadata>>stream
<?xpacket begin="" id="W5M0MpCehiHzreSzNTczkc9d"?>
<x:xmpmeta xmlns:x="adobe:ns:meta/" x:xmptk="Adobe
                                                           XMP Core 5.6-c148 79.163765,
2019/01/24-18:11:46
 <rdf:RDF xmlns:rdf="http://www.w3.org/1999/02/22-rdf-syntax-ns#">
   <rdf:Description rdf:about=""
       xmlns:dc="http://purl.org/dc/elements/1.1/"
       xmlns:xmp="http://ns.adobe.com/xap/1.0/"
       xmlns:xmpMM="http://ns.adobe.com/xap/1.0/mm/"
       xmlns:stRef="http://ns.adobe.com/xap/1.0/sType/ResourceRef#"
       xmlns:stEvt="http://ns.adobe.com/xap/1.0/sType/ResourceEvent#"
       xmlns:illustrator="http://ns.adobe.com/illustrator/1.0/"
       xmlns:xmpTPg="http://ns.adobe.com/xap/1.0/t/pg/"
       xmlns:stDim="http://ns.adobe.com/xap/1.0/sType/Dimensions#"
       xmlns:stFnt="http://ns.adobe.com/xap/1.0/sType/Font#"
       xmlns:xmpG="http://ns.adobe.com/xap/1.0/g/"
       xmlns:pdf="http://ns.adobe.com/pdf/1.3/">
     <dc:format>application/pdf</dc:format>
     <dc:title>
       <rdf:Alt>
         <rdf:li xml:lang="x-default">30082.Figure 3.4</rdf:li>
       </rdf:Alt>
     </dc:title>
     <xmp:MetadataDate>2023-04-04T03:40:34+08:00</xmp:MetadataDate>
```

```
<xmp:ModifyDate>2023-04-04T03:40:34+08:00
     <xmp:CreateDate>2023-04-04T03:40:34+08:00</xmp:CreateDate>
     <xmp:CreatorTool>Adobe Illustrator 25.4 (Macintosh)
     <xmpMM:InstanceID>uuid:d89e0e58-336d-b24a-84c7-af2c72c54386</xmpMM:InstanceID>
<xmpMM:DocumentID>xmp.did:13d4f1aa-35a5-45cf-8ce7-47e297cc054d</xmpMM:DocumentID>
<xmpMM:OriginalDocumentID>uuid:5D20892493BFDB11914A8590D31508C8</xmpMM:OriginalD</p>
ocumentID>
     <xmpMM:RenditionClass>proof:pdf</xmpMM:RenditionClass>
     <xmpMM:DerivedFrom rdf:parseType="Resource">
      <stRef:instanceID>uuid:133d1957-5690-9b47-8af4-2e13182c27db</stRef:instanceID>
<stRef:documentID>xmp.did:3d0903a1-3770-45de-b851-cf5572c6520b</stRef:documentID>
<stRef:originalDocumentID>uuid:5D20892493BFDB11914A8590D31508C8</stRef:originalDocume
ntID>
      <stRef:renditionClass>default</stRef:renditionClass>
     </xmpMM:DerivedFrom>
     <xmpMM:History>
      <rdf:Seq>
        <rdf:li rdf:parseType="Resource">
          <stEvt:action>saved</stEvt:action>
          <stEvt:instanceID>xmp.iid:8c78013e-d94a-f44e-a44a-4c7143eb687a</stEvt:instanceID>
          <stEvt:when>2017-04-06T18:03:19-04:00</stEvt:when>
          <stEvt:softwareAgent>Adobe Illustrator CC 2014 (Windows)</stEvt:softwareAgent>
```

```
<stEvt:changed>/</stEvt:changed>
   </rdf:li>
   <rdf:li rdf:parseType="Resource">
     <stEvt:action>saved</stEvt:action>
     <stEvt:instanceID>xmp.iid:13d4f1aa-35a5-45cf-8ce7-47e297cc054d</stEvt:instanceID>
     <stEvt:when>2023-03-23T05:04:13+08:00</stEvt:when>
     <stEvt:softwareAgent>Adobe Illustrator 27.3 (Macintosh)</stEvt:softwareAgent>
     <stEvt:changed>/</stEvt:changed>
   </rdf:li>
 </rdf:Seq>
</xmpMM:History>
<illustrator:Type>Document</illustrator:Type>
<illustrator:StartupProfile>Print</illustrator:StartupProfile>
<illustrator:CreatorSubTool>AIRobin</illustrator:CreatorSubTool>
<xmpTPg:HasVisibleOverprint>False</xmpTPg:HasVisibleOverprint>
<xmpTPg:HasVisibleTransparency>False</xmpTPg:HasVisibleTransparency>
<xmpTPg:NPages>1</xmpTPg:NPages>
<xmpTPg:MaxPageSize rdf:parseType="Resource">
 <stDim:w>612.000000</stDim:w>
 <stDim:h>792.000000</stDim:h>
 <stDim:unit>Points</stDim:unit>
</mpTPg:MaxPageSize>
<xmpTPg:Fonts>
 <rdf:Bag>
   <rdf:li rdf:parseType="Resource">
     <stFnt:fontName>HelveticaNeueLTCom-Cn</stFnt:fontName>
```

```
<stFnt:fontFamily>Helvetica Neue LT Com</stFnt:fontFamily>
   <stFnt:fontFace>57 Condensed</stFnt:fontFace>
   <stFnt:fontType>Open Type</stFnt:fontType>
   <stFnt:versionString>Version 2.30</stFnt:versionString>
   <stFnt:composite>False</stFnt:composite>
   <stFnt:fontFileName>HelveticaNeueLTCom-Cn.ttf</stFnt:fontFileName>
 </rdf:li>
 <rdf:li rdf:parseType="Resource">
   <stFnt:fontName>HelveticaNeueLTCom-CnO</stFnt:fontName>
   <stFnt:fontFamily>Helvetica Neue LT Com</stFnt:fontFamily>
   <stFnt:fontFace>57 Condensed Oblique</stFnt:fontFace>
   <stFnt:fontType>Open Type</stFnt:fontType>
   <stFnt:versionString>Version 2.30</stFnt:versionString>
   <stFnt:composite>False</stFnt:composite>
   <stFnt:fontFileName>HelveticaNeueLTCom-CnO.ttf</stFnt:fontFileName>
 </rdf:li>
 <rdf:li rdf:parseType="Resource">
   <stFnt:fontName>HelveticaNeueLTCom-BdCn</stFnt:fontName>
   <stFnt:fontFamily>Helvetica Neue LT Com</stFnt:fontFamily>
   <stFnt:fontFace>77 Bold Condensed</stFnt:fontFace>
   <stFnt:fontType>Open Type</stFnt:fontType>
   <stFnt:versionString>Version 2.30</stFnt:versionString>
   <stFnt:composite>False</stFnt:composite>
   <stFnt:fontFileName>HelveticaNeueLTCom-BdCn.ttf</stFnt:fontFileName>
 </rdf:li>
</rdf:Bag>
```

```
</xmpTPg:Fonts>
<xmpTPg:PlateNames>
 <rdf:Seq>
   <rdf:li>Cyan</rdf:li>
   <rdf:li>Magenta</rdf:li>
   <rdf:li>Yellow</rdf:li>
   <rdf:li>Black</rdf:li>
 </rdf:Seq>
</xmpTPg:PlateNames>
<xmpTPg:SwatchGroups>
 <rdf:Seq>
   <rdf:li rdf:parseType="Resource">
    <xmpG:groupName>Default Swatch Group</xmpG:groupName>
    <xmpG:groupType>0</xmpG:groupType>
   </rdf:li>
   <rdf:li rdf:parseType="Resource">
    <xmpG:groupName>USE THESE</xmpG:groupName>
    <xmpG:groupType>1</xmpG:groupType>
     <xmpG:Colorants>
      <rdf:Seq>
        <rdf:li rdf:parseType="Resource">
         <xmpG:swatchName>C=74 M=33 Y=100 K=19</xmpG:swatchName>
         <xmpG:type>PROCESS</xmpG:type>
         <xmpG:tint>100.000000</xmpG:tint>
         <xmpG:mode>CMYK</xmpG:mode>
         <xmpG:cyan>74.000001</xmpG:cyan>
```

```
<xmpG:magenta>33.000001/xmpG:magenta>
 <xmpG:yellow>100.000000</xmpG:yellow>
 <xmpG:black>19.000000</xmpG:black>
</rdf:li>
<rdf:li rdf:parseType="Resource">
 <xmpG:swatchName>C=0 M=62 Y=86 K=0</xmpG:swatchName>
 <xmpG:type>PROCESS</xmpG:type>
 <xmpG:tint>100.000000</xmpG:tint>
 <xmpG:mode>CMYK</xmpG:mode>
 <xmpG:cyan>0.000000</xmpG:cyan>
 <xmpG:magenta>62.000000</xmpG:magenta>
 <xmpG:yellow>86.000001/xmpG:yellow>
 <xmpG:black>0.000000</xmpG:black>
</rdf:li>
<rdf:li rdf:parseType="Resource">
 <xmpG:swatchName>C=23 M=100 Y=88 K=15</xmpG:swatchName>
 <xmpG:type>PROCESS</xmpG:type>
 <xmpG:tint>100.000000</xmpG:tint>
 <xmpG:mode>CMYK</xmpG:mode>
 <xmpG:cyan>23.000000</xmpG:cyan>
 <xmpG:magenta>100.000000</xmpG:magenta>
 <xmpG:yellow>88.000000</xmpG:yellow>
 <xmpG:black>15.000001</xmpG:black>
</rdf:li>
<rdf:li rdf:parseType="Resource">
 <xmpG:swatchName>C=100 M=68 Y=4 K=0</xmpG:swatchName>
```

```
<xmpG:type>PROCESS</xmpG:type>
            <xmpG:tint>100.000000</xmpG:tint>
            <xmpG:mode>CMYK</xmpG:mode>
            <xmpG:cyan>100.000000</xmpG:cyan>
            <xmpG:magenta>68.000001/xmpG:magenta>
            <xmpG:yellow>4.000915</xmpG:yellow>
            <xmpG:black>0.000000</xmpG:black>
           </rdf:li>
           <rdf:li rdf:parseType="Resource">
            <xmpG:swatchName>C=4 M=27 Y=83 K=0</xmpG:swatchName>
            <xmpG:type>PROCESS</xmpG:type>
            <xmpG:tint>100.000000</xmpG:tint>
            <xmpG:mode>CMYK</xmpG:mode>
            <xmpG:cyan>4.000000</xmpG:cyan>
            <xmpG:magenta>27.000001/xmpG:magenta>
            <xmpG:yellow>82.999998</xmpG:yellow>
            <xmpG:black>0.000000</xmpG:black>
           </rdf:li>
         </rdf:Seq>
        </xmpG:Colorants>
      </rdf:li>
    </rdf:Seq>
   </xmpTPg:SwatchGroups>
   <pdf:Producer>Adobe PDF library 16.00</pdf:Producer>
 </rdf:Description>
</rdf:RDF>
```

```
<?xpacket end="r"?>
endstream
endobj
34 0 obj
<</Metadata 33 0 R>>
endobj
35 0 obj
<</ArtBox[0.0 0.0 612.0 792.0]/BleedBox[0.0 0.0 612.0 792.0]/Contents 36 0 R/CropBox[0.0 0.0
612.0
           792.0]/MediaBox[0.0
                                    0.0
                                             612.0
                                                         792.0]/Parent
                                                                           199
                                                                                     0
R/PieceInfo<</InDesign<</DocumentID<FEFF0078006D0070002E006400690064003A0038003200
6200370033006500370030002D0064003800360062002D0037003500340064002D003900390061
0035002D006300380066006300370063003800350064003900350038>/LastModified<FEFF004400
3A00320030003200330030003400300033003200300035003600320030005A>/Number of Pages
1/OriginalDocumentID<FEFF0078006D0070002E006400690064003A00420045003500320042004
3003800340032003200380042003100310036003800380043003800350046003300330044004200
42003100430031003400390030>/PageUIDList<</0
                                                             17877>>/PageWidthList<</0
612.0>>>>>/Resources<</ColorSpace<</CS0 214 0 R>>/ExtGState<</GS0 216 0 R/GS1 211 0
R>>/Font<</C2 0 157 0 R/C2 1 158 0 R/T1 0 208 0 R/T1 1 238 0 R/T1 2 234 0 R/T1 3 239 0
R/T1 4
        209
                  R/T1 5
                           119
                                0
                                    R/TT0
                                            161
                                                  0
                                                     R/TT1
                                                             160
                                                                   0
                                                                       R/TT2
                                                                               159
                                                                                    0
R>>/ProcSet[/PDF/Text]/Properties<</MC0
                                       42
                                           0
                                               R>>>/Rotate
                                                             0/TrimBox[0.0 0.0
792.0]/Type/Page>>
endobj
36 0 obj
<</Filter/FlateDecode/Length 5366>>stream
HWnH W#9 " A E3 g `PRMhXT V6I bsxQ/G/z=?C MV( s #/ ?. VWG eq\sim }? i.bb 6 rWo A p ~
```

</x:xmpmeta>

```
5]_5vfuco W we.[|<8 ^>P|?/7__7/Dy><AZO2KW2+a@o; Z%I}ppC^Wb$+4U V|oJJ K|
$^[^~9~4?_. Lz•i(?
Ay"0 < D,
/U` 9!5vs@ I[w j x ; \ W>8•hD FH) /< /yyEa.9 A% ##wp;4 \ p5- gNjDT bp
p|4
H[[ys4pl 7][
nn&/Kr) ^E:
B<:X nU ocXSi" IGI 6&•^zrWLm ZJ 9lwSW 4D}Y7$#R5`•
g}OZF D y t{< 4 A QZ-G ?!ArZO mgh1 a Llb TA[MEM7clMK 5wE~p2Ml%E* c U,vx!
2UY\#R I (= @ \&P
i\{j
vHu oU#3q[o X $ q `,• #N 8 F:[ (/ _q" Bn ';-; } ?B \Y\D >;[ ?EafGP L4>Fts Aj T uA#}SZe+
O\&F56n 7=70kUX!v tth ] 5)BW rz^4 (fe0 ] ac vg0Y&w:UGbE = Z\3` \ 4 \}+ +# V W<`,nIm
(r)r k~;k~C)[U+ -PDtk\ikb(5E)
j.4SmO)I (:o*h*kGd-N j77 8%0;.(A'm+=uwB lg Xs G_S>b F5 z + 5p%tj=ha>es$, M^I/ ^Of CJ <e
,,L hN ?,!Rbc• S2]:)?C[= $+*2; S:
V 1 y):Se) CR v4@1@.^fL$IL F-cH7
S',970b \P?y ep T>I: ) vtKPp \N?bl B0 'f3_ 5
^;2mxjNg^x B?Hy.ua 5AZm 1yh`IXg( j&4^ 9tcNW V 0z L")v#n _QfG L\a(5 < X6(N t
bpx@f5 >H #o2n," jhp$ zz WP W3 m c€
Y8u szv*S%; Y: r0• NP0 r@D2Q J g)l
W Q{$Waiv F
yCv3-'c% n<i^)D \ UKSN00KL
VxjU ?p @kMk#kP6{QXO]S 1•[k Z>
                                                                     5 ]: È:%{50/ nT kw,\
34AI HyF _( I i ; 3 d 6{-=,Z{R. \_6[ GLv#< WqP R`x u H>) O ç jE. rP\9>kH []`s
#A BÖ ws ) ) YEWqz
```

```
%2WF &`, k_Ue ~t! 5 c+sN! > hx0h wTX z>>@Ofa8g Æ4I(xS u6\P+x~ 7 f%Xe .Ys *LI|9D5*t <
mC-jG6yr zsM 'H( +; Y`LS_m#G bf•/ ;r.C
 qHKvrw(N+ @EyvTn'_)! o=s F Yo hê k I GR]aHw %f•g"{ 81Bt
86b nC|]+<| YU5M *L %o F6i7 0N\-:3?3 %k<U T8U@h7M4j,6sDT; t K ve
 e:Q.A(b'X+Dj'NP QrK r -p QU eH*r8e >v 1[ S|TGcu }
[z U•z]:&!.;$: t78V bZtNy r "O3p3oNF:LT_lwl87W r+Ü bcc0
T&d^fn7rÈ 99<qi |d04š\3o&3D XX03 9 xOZ Yw *WQ{G2,00<fL\<SR83nNcafE& or(k
i 1Fb[ =H@g *wf4j<((Le`dX Dj \1 W&X\%b
R g Rp J `"Xi gu&583S4I) h$=T;g3x0cY8" | T@6 0 0R>f
#TQ@ f: 1cHY1[)G Y 5 $F @_ ( By+=Hw8 "t<xSB "L E0b, C >g\• '?/ NžpF d BR] ya c
)j0 < n s n37: 'O'?
Dx QR[0 S <LCs0 `"F `a's`r E (:ZG)'[EQX"q ItA'paX|\0N}&@Qe3mN)X(W
FF v]s ^qr*d u ,n9Z7S
oz Qj2~8ru PRZp r]PE RFS1 1 v/YCfa4 tP #'LBr!w I/S mJ V S)); hS)kQ 1
! o[gx;{[u[{J|\w &6\ I7X fUp Ik hww Hnxf#
a v N!\w n] 6*D ]3X ?=* k 1`• (L>O=^
eEnfU8Z*3HYIjQ 3h z20 .7es~&EK"rU>, u: r 2 PV\URHJ$k{n ! hh@wWI&y U}S8` a:Qt; ~*'W r
wPA8 (G) Y \hat{f}-aC ~ "j wV ! < ]fq ~hbB>
y:u s]Ks r OvO U
5P0M+X6; xmU~&?\$
.}
\simh O7)/ ' z@ ;y="s{gQ zy m 0 :J@
                                                                        'cz4[•0!?!(wf g
xb8 RY^$H UK{(1w4yPjG~x@atqp~Z#I@*I~.Vt~p;\;PaA~A} [ut~i;dw 3Y w L Zv
L z 9 @ CO m 8 v f X z g & t | Z ata 4 E 3 x) 1 ] ~ Y
endstream
```

```
endobj
37 0 obj
[133 0 R]
endobj
38 0 obj
<</Filter/FlateDecode/Length 474>>stream
H\0 F XI)!
?48 (ENB
    7gI = \frac{7}{0} = 4^Rk'ZY < d^{\bullet} < N5_qTV + s < K = -^x5 Ki/ = Z > -^{\bullet}E(;uHW* Z@[CDe]@RqJi HC)  
        r UtV5 m AbEnH 4y<M!O3 $* 0L"j&CEKE^. ief:K> @ Y F #`d12L2AÛib+ZI [` FH0r F #a$ 9 #`0
    FnZ? r1w eZ. wZ}nbs !.aZ}uo Q ` r@
endstream
endobj
39 0 obj
[129 0 R]
endobj
40 0 obj
<</Filter/FlateDecode/Length 387>>stream
H\n0 < 16 \ Q> 1KTeDT$> wgXOXZ3 4iYEB^ q^w_54& ]yf jA .i m1?4YA/ym bou=•'> C, Ì [L6JA `y'' ]yf jA .i m1?4YA/ym bou=•'> C, Ì [L6JA `y'' ]yf jA .i m1?4YA/ym bou=•'> C, Ì [L6JA `y'' ]yf jA .i m1?4YA/ym bou=•'> C, Ì [L6JA `y'' ]yf jA .i m1?4YA/ym bou=•'> C, Ì [L6JA `y'' ]yf jA .i m1?4YA/ym bou=•'> C, Ì [L6JA `y'' ]yf jA .i m1?4YA/ym bou=•'> C, Ì [L6JA `y'' ]yf jA .i m1?4YA/ym bou=•'> C, Ì [L6JA `y'' ]yf jA .i m1?4YA/ym bou=•'> C, Ì [L6JA `y'' ]yf jA .i m1?4YA/ym bou=•'> C, Ì [L6JA `y'' ]yf jA .i m1?4YA/ym bou=•'> C, Ì [L6JA `y'' ]yf jA .i m1?4YA/ym bou=•'> C, Ì [L6JA `y'' ]yf jA .i m1?4YA/ym bou=•'> C, Ì [L6JA `y'' ]yf jA .i m1?4YA/ym bou=•'> C, Ì [L6JA `y'' ]yf jA .i m1?4YA/ym bou=•'> C, Ì [L6JA `y'' ]yf jA .i m1?4YA/ym bou=•'> C, Ì [L6JA `y'' ]yf jA .i m1?4YA/ym bou=•'> C, Ì [L6JA `y'' ]yf jA .i m1?4YA/ym bou=•'> C, Ì [L6JA `y'' ]yf jA .i m1?4YA/ym bou=•'> C, Ì [L6JA `y'' ]yf jA .i m1?4YA/ym bou=•'> C, Ì [L6JA `y'' ]yf jA .i m1?4YA/ym bou=•'> C, Ì [L6JA `y'' ]yf jA .i m1?4YA/ym bou=•'> C, Ì [L6JA `y'' ]yf jA .i m1?4YA/ym bou=•'> C, Ì [L6JA `y'' ]yf jA .i m1?4YA/ym bou=•'> C, Ì [L6JA `y'' ]yf jA .i m1?4YA/ym bou=•'> C, Ì [L6JA `y'' ]yf jA .i m1?4YA/ym bou=•'> C, Ì [L6JA `y'' ]yf jA .i m1?4YA/ym bou=•'> C, Ì [L6JA `y'' ]yf jA .i m1?4YA/ym bou=•'> C, Ì [L6JA `y'' ]yf jA .i m1?4YA/ym bou=•'> C, Ì [L6JA `y'' ]yf jA .i m1?4YA/ym bou=•'> C, Ì [L6JA `y'' ]yf jA .i m1?4YA/ym bou=•'> C, Ì [L6JA `y'' ]yf jA .i m1?4YA/ym bou=•'> C, Ì [L6JA `y'' ]yf jA .i m1?4YA/ym bou=•'> C, Ì [L6JA `y'' ]yf jA .i m1?4YA/ym bou=•'> C, Ì [L6JA `y'' ]yf jA .i m1?4YA/ym bou=•'> C, Ì [L6JA `y'' ]yf jA .i m1?4YA/ym bou=•'> C, Ì [L6JA `y'' ]yf jA .i m1?4YA/ym bou=•'> C, Ì [L6JA `y'' ]yf jA .i m1?4YA/ym bou=•'> C, Ì [L6JA `y'' ]yf jA .i m1?4YA/ym bou=•'> C, Ì [L6JA `y'' ]yf jA .i m1?4YA/ym bou=•'> C, Ì [L6JA `y'' ]yf jA .i m1?4YA/ym bou=•'> C, Ì [L6JA `y'' ]yf jA .i m1?4YA/ym bou=•'> C, Ì [L6JA `y'' ]yf jA .i m1?4YA/ym bou=•'> C, Ì [L6JA `y'' ]yf jA .i m1?4YA/ym bou=° [Y ]yf jA .i m1?4YA/ym bou=° [Y ]yf jA .i m1?4YA/ym bou=° [Y ]yf jA .i m1?4YA/y
  mN}7 O(JS *= A' R ( @S G-8 J 3\%frE · I u u u u~ @ v&3IL$
Md \gp-3O g e'u8wBub\bullet[^c S7k]|}D 7ak}_ 3
endstream
endobj
41 0 obj
<</Length 9650/Subtype/XML/Type/Metadata>>stream
<?xpacket begin="" id="W5M0MpCehiHzreSzNTczkc9d"?>
```

```
<x:xmpmeta xmlns:x="adobe:ns:meta/" x:xmptk="Adobe
                                                         XMP
                                                                Core
                                                                       5.6-c148 79.163765,
2019/01/24-18:11:46
 <rdf:RDF xmlns:rdf="http://www.w3.org/1999/02/22-rdf-syntax-ns#">
   <rdf:Description rdf:about=""
      xmlns:dc="http://purl.org/dc/elements/1.1/"
      xmlns:xmp="http://ns.adobe.com/xap/1.0/"
      xmlns:xmpMM="http://ns.adobe.com/xap/1.0/mm/"
      xmlns:stRef="http://ns.adobe.com/xap/1.0/sType/ResourceRef#"
      xmlns:stEvt="http://ns.adobe.com/xap/1.0/sType/ResourceEvent#"
      xmlns:illustrator="http://ns.adobe.com/illustrator/1.0/"
      xmlns:xmpTPg="http://ns.adobe.com/xap/1.0/t/pg/"
      xmlns:stDim="http://ns.adobe.com/xap/1.0/sType/Dimensions#"
      xmlns:stFnt="http://ns.adobe.com/xap/1.0/sType/Font#"
      xmlns:xmpG="http://ns.adobe.com/xap/1.0/g/"
      xmlns:pdf="http://ns.adobe.com/pdf/1.3/">
     <dc:format>application/pdf</dc:format>
     <dc:title>
      <rdf:Alt>
        <rdf:li xml:lang="x-default">30082.Figure 3.5</rdf:li>
       </rdf:Alt>
     </dc:title>
     <xmp:MetadataDate>2023-04-04T03:41:47+08:00</xmp:MetadataDate>
     <xmp:ModifyDate>2023-04-04T03:41:47+08:00</xmp:ModifyDate>
     <xmp:CreateDate>2023-04-04T03:41:46+08:00</xmp:CreateDate>
     <xmp:CreatorTool>Adobe Illustrator 25.4 (Macintosh)</xmp:CreatorTool>
     <xmpMM:InstanceID>uuid:55d4ae00-1ae8-784e-925a-38c44f436d11
```

```
<xmpMM:DocumentID>xmp.did:9c299d4a-9949-492e-9702-59dc48fda6c5</xmpMM:DocumentID>
<xmpMM:OriginalDocumentID>uuid:5D20892493BFDB11914A8590D31508C8</xmpMM:OriginalD</p>
ocumentID>
     <xmpMM:RenditionClass>proof:pdf</xmpMM:RenditionClass>
     <xmpMM:DerivedFrom rdf:parseType="Resource">
       <stRef:instanceID>uuid:f69104c5-6fe5-1643-abaa-be99e44fde87</stRef:instanceID>
<stRef:documentID>xmp.did:5dd7bdb7-dcc0-4278-9378-b2ca8cd7c2ab</stRef:documentID>
<stRef:originalDocumentID>uuid:5D20892493BFDB11914A8590D31508C8</stRef:originalDocume
ntID>
      <stRef:renditionClass>default</stRef:renditionClass>
     </xmpMM:DerivedFrom>
     <xmpMM:History>
      <rdf:Seq>
        <rdf:li rdf:parseType="Resource">
          <stEvt:action>saved</stEvt:action>
          <stEvt:instanceID>xmp.iid:af9a23c5-242f-4909-8211-16a3e29ae5d2</stEvt:instanceID>
          <stEvt:when>2022-03-29T12:34:41+08:00</stEvt:when>
          <stEvt:softwareAgent>Adobe Illustrator 24.3 (Macintosh)</stEvt:softwareAgent>
          <stEvt:changed>/</stEvt:changed>
        </rdf:li>
        <rdf:li rdf:parseType="Resource">
          <stEvt:action>saved</stEvt:action>
```

```
<stEvt:instanceID>xmp.iid:9c299d4a-9949-492e-9702-59dc48fda6c5</stEvt:instanceID>
     <stEvt:when>2023-03-23T05:18:32+08:00</stEvt:when>
     <stEvt:softwareAgent>Adobe Illustrator 27.3 (Macintosh)</stEvt:softwareAgent>
     <stEvt:changed>/</stEvt:changed>
   </rdf:li>
 </rdf:Seq>
</xmpMM:History>
<illustrator:Type>Document</illustrator:Type>
<illustrator:StartupProfile>Print</illustrator:StartupProfile>
<illustrator:CreatorSubTool>AIRobin</illustrator:CreatorSubTool>
<xmpTPg:HasVisibleOverprint>False</xmpTPg:HasVisibleOverprint>
<xmpTPg:HasVisibleTransparency>False</xmpTPg:HasVisibleTransparency>
<xmpTPg:NPages>1</xmpTPg:NPages>
<xmpTPg:MaxPageSize rdf:parseType="Resource">
 <stDim:w>612.000000</stDim:w>
 <stDim:h>792.000000</stDim:h>
 <stDim:unit>Points</stDim:unit>
</xmpTPg:MaxPageSize>
<xmpTPg:Fonts>
 <rdf:Bag>
   <rdf:li rdf:parseType="Resource">
     <stFnt:fontName>HelveticaNeueLTCom-Cn</stFnt:fontName>
     <stFnt:fontFamily>Helvetica Neue LT Com</stFnt:fontFamily>
     <stFnt:fontFace>57 Condensed</stFnt:fontFace>
     <stFnt:fontType>Open Type</stFnt:fontType>
     <stFnt:versionString>Version 2.30</stFnt:versionString>
```

```
<stFnt:composite>False</stFnt:composite>
     <stFnt:fontFileName>HelveticaNeueLTCom-Cn.ttf</stFnt:fontFileName>
   </rdf:li>
   <rdf:li rdf:parseType="Resource">
     <stFnt:fontName>HelveticaNeueLTCom-CnO</stFnt:fontName>
     <stFnt:fontFamily>Helvetica Neue LT Com</stFnt:fontFamily>
     <stFnt:fontFace>57 Condensed Oblique</stFnt:fontFace>
     <stFnt:fontType>Open Type</stFnt:fontType>
     <stFnt:versionString>Version 2.30</stFnt:versionString>
     <stFnt:composite>False</stFnt:composite>
     <stFnt:fontFileName>HelveticaNeueLTCom-CnO.ttf</stFnt:fontFileName>
   </rdf:li>
   <rdf:li rdf:parseType="Resource">
     <stFnt:fontName>HelveticaNeueLTCom-BdCn</stFnt:fontName>
     <stFnt:fontFamily>Helvetica Neue LT Com</stFnt:fontFamily>
     <stFnt:fontFace>77 Bold Condensed</stFnt:fontFace>
     <stFnt:fontType>Open Type</stFnt:fontType>
     <stFnt:versionString>Version 2.30</stFnt:versionString>
     <stFnt:composite>False</stFnt:composite>
     <stFnt:fontFileName>HelveticaNeueLTCom-BdCn.ttf</stFnt:fontFileName>
   </rdf:li>
 </rdf:Bag>
</xmpTPg:Fonts>
<xmpTPg:PlateNames>
 <rdf:Seq>
   <rdf:li>Cyan</rdf:li>
```

```
<rdf:li>Magenta</rdf:li>
   <rdf:li>Yellow</rdf:li>
   <rdf:li>Black</rdf:li>
 </rdf:Seq>
</xmpTPg:PlateNames>
<xmpTPg:SwatchGroups>
 <rdf:Seq>
   <rdf:li rdf:parseType="Resource">
    <xmpG:groupName>Default Swatch Group</xmpG:groupName>
    <xmpG:groupType>0</xmpG:groupType>
   </rdf:li>
   <rdf:li rdf:parseType="Resource">
    <xmpG:groupName>USE THESE</xmpG:groupName>
    <xmpG:groupType>0</xmpG:groupType>
     <xmpG:Colorants>
      <rdf:Seq>
        <rdf:li rdf:parseType="Resource">
         <xmpG:swatchName>C=74 M=33 Y=100 K=19</xmpG:swatchName>
         <xmpG:type>PROCESS</xmpG:type>
         <xmpG:tint>100.000000</xmpG:tint>
         <xmpG:mode>CMYK</xmpG:mode>
         <xmpG:cyan>74.000001</xmpG:cyan>
         <xmpG:magenta>33.000001/xmpG:magenta>
         <xmpG:yellow>100.000000</xmpG:yellow>
         <xmpG:black>19.000000</xmpG:black>
        </rdf:li>
```

```
<rdf:li rdf:parseType="Resource">
 <xmpG:swatchName>C=0 M=62 Y=86 K=0</xmpG:swatchName>
 <xmpG:type>PROCESS</xmpG:type>
 <xmpG:tint>100.000000/xmpG:tint>
 <xmpG:mode>CMYK</xmpG:mode>
 <xmpG:cyan>0.000000</xmpG:cyan>
 <xmpG:magenta>62.000000</xmpG:magenta>
 <xmpG:yellow>86.000001/xmpG:yellow>
 <xmpG:black>0.000000</xmpG:black>
</rdf:li>
<rdf:li rdf:parseType="Resource">
 <xmpG:swatchName>C=100 M=68 Y=4 K=0</xmpG:swatchName>
 <xmpG:type>PROCESS</xmpG:type>
 <xmpG:tint>100.000000/xmpG:tint>
 <xmpG:mode>CMYK</xmpG:mode>
 <xmpG:cyan>100.000000</xmpG:cyan>
 <xmpG:magenta>68.000001/xmpG:magenta>
 <xmpG:yellow>4.000900</xmpG:yellow>
 <xmpG:black>0.000000</xmpG:black>
</rdf:li>
<rdf:li rdf:parseType="Resource">
 <xmpG:swatchName>C=23 M=100 Y=88 K=15</xmpG:swatchName>
 <xmpG:type>PROCESS</xmpG:type>
 <xmpG:tint>100.000000/xmpG:tint>
 <xmpG:mode>CMYK</xmpG:mode>
 <xmpG:cyan>23.000000</xmpG:cyan>
```

```
<xmpG:yellow>88.000000</xmpG:yellow>
              <xmpG:black>15.000001</xmpG:black>
             </rdf:li>
             <rdf:li rdf:parseType="Resource">
              <xmpG:swatchName>C=4 M=27 Y=83 K=0</xmpG:swatchName>
              <xmpG:type>PROCESS</xmpG:type>
              <xmpG:tint>100.000000</xmpG:tint>
              <xmpG:mode>CMYK</xmpG:mode>
              <xmpG:cyan>4.000000</xmpG:cyan>
              <xmpG:magenta>27.000001/xmpG:magenta>
              <xmpG:yellow>82.999998</xmpG:yellow>
              <xmpG:black>0.000000</xmpG:black>
             </rdf:li>
           </rdf:Seq>
          </xmpG:Colorants>
        </rdf:li>
      </rdf:Seq>
     </xmpTPg:SwatchGroups>
     <pdf:Producer>Adobe PDF library 16.00</pdf:Producer>
   </rdf:Description>
 </rdf:RDF>
</x:xmpmeta>
<?xpacket end="r"?>
endstream
endobj
```

<xmpG:magenta>100.000000</xmpG:magenta>

```
42 0 obi
<</Metadata 41 0 R>>
endobj
43 0 obj
<</ArtBox[0.0 0.0 612.0 792.0]/BleedBox[0.0 0.0 612.0 792.0]/Contents 44 0 R/CropBox[0.0 0.0
612.0
           792.0]/MediaBox[0.0
                                    0.0
                                             612.0
                                                         792.0]/Parent
                                                                           199
                                                                                     0
R/PieceInfo<</li>InDesign<<//o>DocumentIDFEFF0078006D0070002E006400690064003A0038003200
6200370033006500370030002D0064003800360062002D0037003500340064002D003900390061
0035002D006300380066006300370063003800350064003900350038>/LastModified<FEFF004400
3A00320030003200330030003400300033003200300035003600320030005A>/NumberofPages
1/OriginalDocumentID<FEFF0078006D0070002E006400690064003A00420045003500320042004
3003800340032003200380042003100310036003800380043003800350046003300330044004200
42003100430031003400390030>/PageUIDList<</0
                                                             18130>>/PageWidthList<</0
612.0>>>>>/Resources<</ColorSpace<</CS0 214 0 R>>/ExtGState<</GS0 216 0 R/GS1 211 0
R>>/Font<</C2 0 164 0 R/T1 0 238 0 R/T1 1 234 0 R/T1 2 239 0 R/T1 3 209 0 R/TT0 162 0
R/TT1 163 0 R/TT2 165 0 R>>/ProcSet[/PDF/Text]/Properties<</MC0 48 0 R>>>>/Rotate
0/TrimBox[0.0 0.0 612.0 792.0]/Type/Page>>
endobj
44 0 obj
<</Filter/FlateDecode/Length 7195>>stream
HWko 1 E& lul7B". 9HC?w 4&H$Rs=f•gr< Jvg! .<>G[ /N,$g Jc
.I>|ts=Aw^N?_{-}]>O•w3 W{{s{- #7Lb}_\. q3|q ms}e=s<v mH[cg q~ij oh4 _6?]}
^ %\ N 3n/S iR f kx.\V_Jv4 e1o? {kiY % ,7A87pLGqU=
nK}}3 {a8~6OM+K:(2\14XV e :B` •6 D zpuf _
```

r=@ KpCx#KmBYOc+,6 9_O v 8u` y #i (eRN ;M A `y+ V=ot F m Ha<-J= A,(GNL' vBtXp~*[m1jX

1 jNÊhwDOG o • #! \[BPf IAINcvQR!

```
h3d - 0 n +)* > m 0f/*& {xJ& G "s/2}
```

Xg hT#8 Wv nv

g s2{ g' Sc (D: yV_37E=nz9 W júJ%TP*Z\vl?JP em

}/q(ae, vLw

R5 -kld •

[Usa! x78(y gy]

S x^b E mBb\zn:/iM 9 `+ ,Cq \kL27v1(7" š 0z; =7l `S.Ogl{h 7u;= EyQghkg M/_ wF<ts < \bullet p6 &^1e

L I 3u=327C C x02D0 Xg =#WdD 7, $?hX\sim j$ [g3 $\sim jcm^1$ " TKXo :C!c,4 h D:xÙ JZ.yM

o7<2 a ;] $wx+ w8P^{-}$ [L +pUKVL

;VVK HSkL; Kaa: 4PMb3 ?\$]|7^w •S< 8.6n1yf} +R/'nYmqu]o t"~30P

 $'z^Ca = X?S [+a&f()^*aR N) = iZ BEd+$

[Tn9Rx [A, \sim <Rf KOj7OjfkE Hck R 7 ddjR $^+$ I;

4"H Y/ t I {c /=7\ =|

С

kcf HD>4e(rn\>M9t

6x ;-tD |>rF [Z\Bd JW134l

 $3Q \#U < x6`)WZXG PTuT@`)Qzv" @ OelT -0Z \ CI2$

L%}H4]<K nF%waBY=4•I. M7:)i>Gk•V x Aqfcl-< 7%5'I /g Nk 9\$}V JYj 08>z \|A L 5q 8NbZC8 0

jm Vt I8NFX

EÝqf1 ZY31dk: 6 5Yp`

5AZ'F8h (LUM? pR *~A | Izp|.Kvu).`r*c2TK5I]F \1 4\ @ ywoU\$`b, WY %x @1iup [nS?0]S?EL" < S' g 7 H `:[I|Ih9 O#† KL+2 g C W` • kT./co`9 G9K=d fG 7"N> jACt 6H@I`2{Bo4 U] O sBf4b \M%U0 6 Ee{ 4 F5 -O E`U o ~ '8bLE"#9F-=Yw AaV\$, , 2dd g0 7=w v[Tq C INp 1 uN>X R K|q q}?<F4 `G 7 z)

```
)F!w XfoW] 'u= T](LiUo\simx\simP/4+]nl• +.{ YM\
w(
2•Z own_x &Tm U Z+*|K Kb{[Rm_z e1j-s Z&Wx\• PibKo_Ww W+lsiAd{ /GvCi[šmz=ly}
W
;D]W wYfYsh0 .[N»m h^ § ptQ2 A!M[|YaR TaxpS 5 by'yGa&fx
•TpO3y6 KX{ E9f j T HJ"F5Gw ddp7uA, D<; $e<oB P E ! B i-u!imp T- $ |M]2 *fT .4/>iZ Om6<-gBa
Lntn]i}bqyD<I EH&b]% ? I/7ohm
Pv=]?Gmwj.13N(m
Ym5 ]N C&E+nP / v^6 5( N~: Y 11 P [x&OO+hM qPG|`]^>#>pnF 6z |N 6G9: 0 w% <
m9 k ' "^a/` Gy - i CS:-rF9/rSPB_c4l<>U u>vc m4 <N | @ dV d SX B 6d * c] =v A<4* \:; J vY{
%8^' +Bs>C,9QE-]r
r SHus]r+A02ji &aY4F)t95a| r G
x 9\u},1Z 05w FOcg VUyx" !1 2rJ[:1$:H?:*JdE2<7JZo2og
. @>GAZh J /1A1T(LeN- '"_A( Q Fx )sth I z T> U=_
U]2L(NGX 5IU [ IFjQ,C IS+ P8
, D Z 9t A/)6 D3i f&J(C%EI% %e EsO] d eB<{ d| i&0TnI -G( w< M S@ Lkg@=
|!)u)LO 1 \` 4 g `Y04qLzo' 42=O]-[9) 1z Ac *O "H?Z]:GRyyi< S t+1+ R0U{O% (hZZt hV V \ +4X1%
h ] #Z q& # 8yCh®|& Sw^ ( N~y c P|,}]7D +hz1wT ] }Ez
kz 7*|Zf•08*x+
y ?SAowc R5 eYv 7]I \6y\ 4i4 1$1MW`Y S@q8qj=g=3 bKM065+ N6 G; wmA TG1 rvr?SNc1 t xO
] m]JT\ddot{o} qh')gR ! Bi7n[+L 6 b L7`Ruf mZBC ^56 p3\sim .
;:"s[m aF6Yd+T v 71h7
TsTKj^g\sim 9= \bullet; \mid \bullet .onW \#J s\bullet \&\&z sa ub q 1/SX TsG S B) zo_ph \mid 80p\bullet k \p` bZ'' g vqEly
A1 A{Gt} qp =
b1c0T~ q>k 7 CoxB j9 BaE
```

```
G b6'heCi bXu=} { a•D8B dqd .jQaJ e`|•*3vrMo_ y >FNB oW• B!?)~z|Sh!
9^^}8
       C!~
2 J2E%< ~cNN6 l>v >?PD" {YBE,mza( UDq`>Pp&-Ne 7+8 \
Z\{@, @bq 2 \{!\$!r \%6\&kTigE(b);=
I K HpLn<C6K71•$M@HI I)_I*9Pic7 ~j- A%CSéCQ ([XLt{ XF tWMo8 W ]C// = (PKV6 /9!G lc@p
FZ:^ NUS i|1<e4Fœir
C~
5H&3• F: h Ty8w {-# CBbc/ %< A Z q1Y
" i$ = u + 2x6 \cdot c
<sl 7xGl>`HO \QoYoYV~9 {g &u.L ~| _M?6 vChK<<wc7Y>uo :Q N
J*eNJ%$ 6= OpY t ?!5 oixX.? <{:7% hAe7sy•T1+QQGLU Z
#]eUQ W1f Y yn$&A&UI&^M^eu{/&R^Kys,#&?T241v\3YO3`j_0YAwSU\
Sk;o(As h io 3 OMN 6W,•{1C•r EeHJz= W 4 C
U^:!Sx5 W\ \h
2 z7S4!1 p 26 hT =$}4O. 2 ;~t, p1 n1 U3T sHm A y , jI_Z"zn()xw8+•1e P U A|36DR&Z
qWx &=L F6 . "HjN RWpW/*6 |pHZ" D %nobS7 v -a 0a Lt V[XHNuR5UK k]@#Xg a+> T( Z $}2i 3
B "$ I,8vh•,\i# JPo1 KB$)MJ! >I n!Fi2c
[7K R').>N29cb^mYDXm S mA>;s )h'0 2•RY ri_1 K.VTdwyC L4f @ I&s-iaLE E|hh4 DEY/R 3m&=ek
U\setminus C 9e&Ds]bz unDbk{O35M+FhCs S{> S6\>B}mw>4g; / \nabla w kg Z
endstream
endobj
45 0 obj
[133 0 R]
endobj
46 0 obj
<</Filter/FlateDecode/Length 498>>stream
```

```
H\0 E zy IS \&^h Jjhl8 *Za
5$t>*7~gQc{ 8C u6c8C!v~Ro/T~e?b x] ^{Bx9p? YTE Nf\()qP%b iCls(Uzj.* O&:m*U @_ $+h I 4,
iC Z@ BFDFB+ ZgRt7tWt7tWt7tW3K39h y - -
--)iR2IFEFE&K. e e
                           bl'% G t D.\,<,<,<,<,<, Cd^T D=F. s[ig1 >oiD: • K k
endstream
endobj
47 0 obj
<</Length 9650/Subtype/XML/Type/Metadata>>stream
<?xpacket begin="" id="W5M0MpCehiHzreSzNTczkc9d"?>
<x:xmpmeta xmlns:x="adobe:ns:meta/" x:xmptk="Adobe XMP Core
                                                                       5.6-c148
                                                                                  79.163765.
2019/01/24-18:11:46
 <rdf:RDF xmlns:rdf="http://www.w3.org/1999/02/22-rdf-syntax-ns#">
   <rdf:Description rdf:about=""
       xmlns:dc="http://purl.org/dc/elements/1.1/"
      xmlns:xmp="http://ns.adobe.com/xap/1.0/"
       xmlns:xmpMM="http://ns.adobe.com/xap/1.0/mm/"
      xmlns:stRef="http://ns.adobe.com/xap/1.0/sType/ResourceRef#"
      xmlns:stEvt="http://ns.adobe.com/xap/1.0/sType/ResourceEvent#"
      xmlns:illustrator="http://ns.adobe.com/illustrator/1.0/"
      xmlns:xmpTPg="http://ns.adobe.com/xap/1.0/t/pg/"
      xmlns:stDim="http://ns.adobe.com/xap/1.0/sType/Dimensions#"
      xmlns:stFnt="http://ns.adobe.com/xap/1.0/sType/Font#"
      xmlns:xmpG="http://ns.adobe.com/xap/1.0/g/"
      xmlns:pdf="http://ns.adobe.com/pdf/1.3/">
```

<dc:format>application/pdf</dc:format>

```
<rdf:Alt>
        <rdf:li xml:lang="x-default">30082.Figure 3.6</rdf:li>
      </rdf:Alt>
    </dc:title>
    <xmp:MetadataDate>2023-04-04T03:42:21+08:00</xmp:MetadataDate>
     <xmp:ModifyDate>2023-04-04T03:42:21+08:00</xmp:ModifyDate>
     <xmp:CreateDate>2023-04-04T03:42:21+08:00</xmp:CreateDate>
     <xmp:CreatorTool>Adobe Illustrator 25.4 (Macintosh)
     <xmpMM:InstanceID>uuid:1a8da0b8-61be-a148-b21a-8d43a97b027f
<xmpMM:DocumentID>xmp.did:258b3e59-bf6c-4f28-b6f6-e4eaead92c98</xmpMM:DocumentID>
<xmpMM:OriginalDocumentID>uuid:5D20892493BFDB11914A8590D31508C8</xmpMM:OriginalD</p>
ocumentID>
    <xmpMM:RenditionClass>proof:pdf</xmpMM:RenditionClass>
     <xmpMM:DerivedFrom rdf:parseType="Resource">
      <stRef:instanceID>uuid:4525d17c-555e-d746-acda-9f4aeed767f5</stRef:instanceID>
      <stRef:documentID>xmp.did:cc35a0b0-47ec-4b85-99af-0d97ef1334bc</stRef:documentID>
<stRef:originalDocumentID>uuid:5D20892493BFDB11914A8590D31508C8</stRef:originalDocume
ntID>
      <stRef:renditionClass>default</stRef:renditionClass>
    </xmpMM:DerivedFrom>
    <xmpMM:History>
      <rdf:Seq>
```

<dc:title>

```
<rdf:li rdf:parseType="Resource">
     <stEvt:action>saved</stEvt:action>
     <stEvt:instanceID>xmp.iid:af9a23c5-242f-4909-8211-16a3e29ae5d2</stEvt:instanceID>
     <stEvt:when>2022-03-29T12:34:41+08:00</stEvt:when>
     <stEvt:softwareAgent>Adobe Illustrator 24.3 (Macintosh)</stEvt:softwareAgent>
     <stEvt:changed>/</stEvt:changed>
   </rdf:li>
   <rdf:li rdf:parseType="Resource">
     <stEvt:action>saved</stEvt:action>
     <stEvt:instanceID>xmp.iid:258b3e59-bf6c-4f28-b6f6-e4eaead92c98</stEvt:instanceID>
     <stEvt:when>2023-03-23T05:21:47+08:00</stEvt:when>
     <stEvt:softwareAgent>Adobe Illustrator 27.3 (Macintosh)</stEvt:softwareAgent>
     <stEvt:changed>/</stEvt:changed>
   </rdf:li>
 </rdf:Seq>
</xmpMM:History>
<illustrator:Type>Document</illustrator:Type>
<illustrator:StartupProfile>Print</illustrator:StartupProfile>
<illustrator:CreatorSubTool>AIRobin</illustrator:CreatorSubTool>
<xmpTPg:HasVisibleOverprint>False</xmpTPg:HasVisibleOverprint>
<xmpTPg:HasVisibleTransparency>False</xmpTPg:HasVisibleTransparency>
<xmpTPg:NPages>1</xmpTPg:NPages>
<xmpTPg:MaxPageSize rdf:parseType="Resource">
 <stDim:w>612.000000</stDim:w>
 <stDim:h>792.000000</stDim:h>
 <stDim:unit>Points</stDim:unit>
```

```
</xmpTPg:MaxPageSize>
<xmpTPg:Fonts>
 <rdf:Bag>
   <rdf:li rdf:parseType="Resource">
     <stFnt:fontName>HelveticaNeueLTCom-Cn</stFnt:fontName>
     <stFnt:fontFamily>Helvetica Neue LT Com</stFnt:fontFamily>
     <stFnt:fontFace>57 Condensed</stFnt:fontFace>
     <stFnt:fontType>Open Type</stFnt:fontType>
     <stFnt:versionString>Version 2.30</stFnt:versionString>
     <stFnt:composite>False</stFnt:composite>
     <stFnt:fontFileName>HelveticaNeueLTCom-Cn.ttf</stFnt:fontFileName>
   </rdf:li>
   <rdf:li rdf:parseType="Resource">
     <stFnt:fontName>HelveticaNeueLTCom-CnO</stFnt:fontName>
     <stFnt:fontFamily>Helvetica Neue LT Com</stFnt:fontFamily>
     <stFnt:fontFace>57 Condensed Oblique</stFnt:fontFace>
     <stFnt:fontType>Open Type</stFnt:fontType>
     <stFnt:versionString>Version 2.30</stFnt:versionString>
     <stFnt:composite>False</stFnt:composite>
     <stFnt:fontFileName>HelveticaNeueLTCom-CnO.ttf</stFnt:fontFileName>
   </rdf:li>
   <rdf:li rdf:parseType="Resource">
     <stFnt:fontName>HelveticaNeueLTCom-BdCn</stFnt:fontName>
     <stFnt:fontFamily>Helvetica Neue LT Com</stFnt:fontFamily>
     <stFnt:fontFace>77 Bold Condensed</stFnt:fontFace>
     <stFnt:fontType>Open Type</stFnt:fontType>
```

```
<stFnt:versionString>Version 2.30</stFnt:versionString>
     <stFnt:composite>False</stFnt:composite>
     <stFnt:fontFileName>HelveticaNeueLTCom-BdCn.ttf</stFnt:fontFileName>
   </rdf:li>
 </rdf:Bag>
</xmpTPg:Fonts>
<xmpTPg:PlateNames>
 <rdf:Seq>
   <rdf:li>Cyan</rdf:li>
   <rdf:li>Magenta</rdf:li>
   <rdf:li>Yellow</rdf:li>
   <rdf:li>Black</rdf:li>
 </rdf:Seq>
</xmpTPg:PlateNames>
<xmpTPg:SwatchGroups>
 <rdf:Seq>
   <rdf:li rdf:parseType="Resource">
     <xmpG:groupName>Default Swatch Group</xmpG:groupName>
     <xmpG:groupType>0</xmpG:groupType>
   </rdf:li>
   <rdf:li rdf:parseType="Resource">
     <xmpG:groupName>USE THESE</xmpG:groupName>
     <xmpG:groupType>1</xmpG:groupType>
     <xmpG:Colorants>
      <rdf:Seq>
        <rdf:li rdf:parseType="Resource">
```

```
<xmpG:swatchName>C=74 M=33 Y=100 K=19</xmpG:swatchName>
 <xmpG:type>PROCESS</xmpG:type>
 <xmpG:tint>100.000000</xmpG:tint>
 <xmpG:mode>CMYK</xmpG:mode>
 <xmpG:cyan>74.000001/xmpG:cyan>
 <xmpG:magenta>33.000001/xmpG:magenta>
 <xmpG:yellow>100.000000</xmpG:yellow>
 <xmpG:black>19.000000</xmpG:black>
</rdf:li>
<rdf:li rdf:parseType="Resource">
 <xmpG:swatchName>C=0 M=62 Y=86 K=0</xmpG:swatchName>
 <xmpG:type>PROCESS</xmpG:type>
 <xmpG:tint>100.000000</xmpG:tint>
 <xmpG:mode>CMYK</xmpG:mode>
 <xmpG:cyan>0.000000</xmpG:cyan>
 <xmpG:magenta>62.000000</xmpG:magenta>
 <xmpG:yellow>86.000001/xmpG:yellow>
 <xmpG:black>0.000000</xmpG:black>
</rdf:li>
<rdf:li rdf:parseType="Resource">
 <xmpG:swatchName>C=100 M=68 Y=4 K=0</xmpG:swatchName>
 <xmpG:type>PROCESS</xmpG:type>
 <xmpG:tint>100.000000</xmpG:tint>
 <xmpG:mode>CMYK</xmpG:mode>
 <xmpG:cyan>100.000000</xmpG:cyan>
 <xmpG:magenta>68.000001/xmpG:magenta>
```

```
<xmpG:yellow>4.000900</xmpG:yellow>
      <xmpG:black>0.000000</xmpG:black>
    </rdf:li>
    <rdf:li rdf:parseType="Resource">
      <xmpG:swatchName>C=23 M=100 Y=88 K=15</xmpG:swatchName>
      <xmpG:type>PROCESS</xmpG:type>
      <xmpG:tint>100.000000</xmpG:tint>
      <xmpG:mode>CMYK</xmpG:mode>
      <xmpG:cyan>23.000000</xmpG:cyan>
      <xmpG:magenta>100.000000</xmpG:magenta>
      <xmpG:yellow>88.000000</xmpG:yellow>
      <xmpG:black>15.000001</xmpG:black>
    </rdf:li>
    <rdf:li rdf:parseType="Resource">
      <xmpG:swatchName>C=4 M=27 Y=83 K=0</xmpG:swatchName>
      <xmpG:type>PROCESS</xmpG:type>
      <xmpG:tint>100.000000</xmpG:tint>
      <xmpG:mode>CMYK</xmpG:mode>
      <xmpG:cyan>4.000000</xmpG:cyan>
      <xmpG:magenta>27.000001</xmpG:magenta>
      <xmpG:yellow>82.999998</xmpG:yellow>
      <xmpG:black>0.000000</xmpG:black>
    </rdf:li>
   </rdf:Seq>
 </xmpG:Colorants>
</rdf:li>
```

```
</rdf:Seq>
     </xmpTPg:SwatchGroups>
     <pdf:Producer>Adobe PDF library 16.00</pdf:Producer>
   </rdf:Description>
 </rdf:RDF>
</x:xmpmeta>
<?xpacket end="r"?>
endstream
endobj
48 0 obj
<</Metadata 47 0 R>>
endobj
49 0 obj
<</ArtBox[0.0 0.0 612.0 792.0]/BleedBox[0.0 0.0 612.0 792.0]/Contents 50 0 R/CropBox[0.0 0.0
612.0
           792.0]/MediaBox[0.0
                                    0.0
                                             612.0
                                                         792.0]/Parent
                                                                           200
                                                                                     0
R/PieceInfo<</InDesign<</DocumentID<FEFF0078006D0070002E006400690064003A0038003200
6200370033006500370030002D0064003800360062002D0037003500340064002D003900390061
0035002D006300380066006300370063003800350064003900350038>/LastModified<FEFF004400
3A00320030003200330030003400300033003200300035003600320030005A>/Number of Pages
1/OriginalDocumentID<FEFF0078006D0070002E006400690064003A00420045003500320042004
3003800340032003200380042003100310036003800380043003800350046003300330044004200
42003100430031003400390030>/PageUIDList<</0
                                                              18365>>/PageWidthList<</0
612.0>>>>>/Resources<</ColorSpace<</CS0 214 0 R>>/ExtGState<</GS0 216 0 R/GS1 211 0
R>>/Font<</C2_0 169 0 R/T1_0 208 0 R/T1_1 238 0 R/T1_2 234 0 R/T1_3 239 0 R/T1_4 209 0
R/T1_5 119 0 R/TT0 168 0 R/TT1 167 0 R/TT2 166 0 R>>/ProcSet[/PDF/Text]/Properties<</MC0 54
0 R>>>/Rotate 0/TrimBox[0.0 0.0 612.0 792.0]/Type/Page>>
```

```
endobj
50 0 obj
<</Filter/FlateDecode/Length 5320>>stream
HW[o }G h/E @QE^Chik^ - E•|g+V
[=srPA• -'O h8\/C "@g98Ci!U=6]u~ crw.EjUt •>|\I &RLYkru wY •OI =/ >SO|& {$> M /_>n K?rz •WN
6 h>q} 2&"1~s7[?k li ,GD>|ul-q8 ~M ,7?Gqfn?,~-5A`,^•-n k< mo$vS73 |eB@j h dX8D4wy
c7Qdi M;'C`'/mpn Z4} (P } 0mN P ^ i}
3 B#OP{n
r<7FS\B B! wig`a# <{ZM' EG~x`n(}
                                                         vBfK\z m
X@ È TqF>pi- VC] W#V-}[ %OP%4AV#~,Zk ESTG0U
P jqW(R \&Wil!uT4h: c{H* s/ho^uz ,/}
#` 4}V ,m rr W>;n4Vo 69!M x i' ` uWd[6(• EyO$ #•~h-m 55KA0t N , 1 i B>
6 4, @ Ge 22Y @ @zg~*t]fV n{'X u/0~&Nk%%/ T Kf ;R a@1zCJ >%9{c+_%[-5/* n*#5>IIC 1p o n#p
btQW <5
            T7 p%b\ Z/Y.wmD^{TM}E )t > eEU P '*
(L_2Y ZvB5n (,aS •$BN/ *z JK` vJ;My24HkTw#A UB IB dh:J1 )k2 Htxs x`alna N ? `9 N .
:! j Qk} aX1 f<X4 %P "72Sto{kLB11)(6=jP 9 ) jJ AGVj RQ 1G I/T(Rh iKAtW @R!v•b66zBT +
E7BsPAQq Qn &ew [+* VXS.)M0@a 34 J m ly }&p jjm 3 ntlA%ij
'] "\ FngC)9&uKilWR' < L"pb }zP LF:8 `
u M=sbOoK 4Kqcq9@\Fp ep& T a5(Djl H $bqu qo <AX&z dl<
i "T Jvb"{ b S y* y gV&
<1'. z 6i *_[GU0) [EE sJVYnkDj`WpcU { a c] k h4tnRu [?`b0 G<6B x4 # -Y f1pSof sDl ~
u"m`" > { vR> >@G q!t1i ENhC al`acGg(B7 c/f S TZa 8@wPD 4
>UwaA0^VDL{ \Q ^OJMnk mCy W: Nb]+|3 6c3 'Kwma00:]H~
)O]opw >(m`aA?r\$; jne B4)W(+[U)t,.sa#
M_& tkty A EFI ?E G[:Y)' sM MMiq C9yii n KQ.F |KOWD(s7`If $ .b8e0/ '
```

1% Kj - w 3|XPQOz"-z r7YN> R |`< XW)LpR#7r X3L LS.~c=210] bK. X \ 0F.?Mii J k /%^l` 4Sbu

```
e }Rp!7O5M:yp6I!+J/}5b?K@ \(IK/~a•[1(i 0 e
v1;S -A !ipP &JH BA'(8H6q7h(=MC*q >Ne L cYrX^((/OWDx #PQRsw
 P}t 8lù\a Xap
@-RDQ(DT*U3P
F^Bd2 dB*{X
i( 44EL )e\ / F_F A~ q e1/$ 8B<# "i.!•WHG=)-UXxAAu m
Efig 9r Eiu `U 2*?D% U %"6L!j *d,Z4 -R 04
                                                                                                                                                                             4SS
                                                                                                                                                                                                                                                      ?aP
 JG]Lt<1jLt 8 1Q jL ' cOG2*"W Gt\*CS \ q $ FqA+`N 6 \+ I9S UV ZN-!_A8JE v} smXH
I g/. yw^{-}\{U\}.7jm:6dmU[*= 7!/ IL Eh-s^{-}/uE]k m x X{g^{-}\#q v[6lf ZR"r 7}"]u~n ~[W I u&, i4n] | 1 g/. yw^{-}\{U\}.7jm:6dmU[*= 7!/ IL Eh-s^{-}/uE]k m x X{g^{-}\#q v[6lf ZR"r 7}"]u~n ~[W I u&, i4n] | 1 g/. yw^{-}\{U\}.7jm:6dmU[*= 7!/ IL Eh-s^{-}/uE]k m x X{g^{-}\#q v[6lf ZR"r 7}"]u~n ~[W I u&, i4n] | 1 g/. yw^{-}\{U\}.7jm:6dmU[*= 7!/ IL Eh-s^{-}/uE]k m x X{g^{-}\#q v[6lf ZR"r 7}"]u~n ~[W I u&, i4n] | 1 g/. yw^{-}\{U\}.7jm:6dmU[*= 7!/ IL Eh-s^{-}/uE]k m x X{g^{-}\#q v[6lf ZR"r 7}"]u~n ~[W I u&, i4n] | 1 g/. yw^{-}\{U\}.7jm:6dmU[*= 7!/ IL Eh-s^{-}/uE]k m x X{g^{-}\#q v[6lf ZR"r 7}"]u~n ~[W I u&, i4n] | 1 g/. yw^{-}\{U\}.7jm:6dmU[*= 7!/ IL Eh-s^{-}/uE]k m x X{g^{-}\#q v[6lf ZR"r 7}"]u~n ~[W I u&, i4n] | 1 g/. yw^{-}\{U\}.7jm:6dmU[*= 7!/ IL Eh-s^{-}/uE]k m x X{g^{-}\#q v[6lf ZR"r 7}"]u~n ~[W I u&, i4n] | 1 g/. yw^{-}\{U\}.7jm:6dmU[*= 7!/ IL Eh-s^{-}/uE]k m x X{g^{-}\#q v[6lf ZR"r 7}"]u~n~[W I u&, i4n] | 1 g/. yw^{-}\{U\}.7jm:6dmU[*= 7!/ IL Eh-s^{-}/uE]k m x X{g^{-}\#q v[6lf ZR"r 7}"]u~n~[W I u&, i4n] | 1 g/. yw^{-}\{U\}.7jm:6dmU[*= 7!/ IL Eh-s^{-}/uE]k m x X{g^{-}\#q v[6lf ZR"r 7}"]u~n~[W I u&, i4n] | 1 g/. yw^{-}\{U\}.7jm:6dmU[*= 7!/ IL Eh-s^{-}/uE]k m x X{g^{-}\#q v[6lf ZR"r 7}"]u~n~[W I u&, i4n] | 1 g/. yw^{-}[U]k m x X{g^{-}\#q v[6lf ZR"r 7}"]u~n~[W I u&, i4n] | 1 g/. yw^{-}[U]k m x X{g^{-}\#q v[6lf ZR"r 7}"]u~n~[W I u&, i4n] | 1 g/. yw^{-}[U]k m x X{g^{-}\#q v[6lf ZR"r 7}"]u~n~[W I u&, i4n] | 1 g/. yw^{-}[U]k m x X{g^{-}\#q v[6lf ZR"r 7}"]u~n~[W I u&, i4n] | 1 g/. yw^{-}[U]k m x X{g^{-}\#q v[6lf ZR"r 7}"]u~n~[W I u&, i4n] | 1 g/. yw^{-}[U]k m x X{g^{-}\#q v[6lf ZR"r 7}"]u~n~[W I u&, i4n] | 1 g/. yw^{-}[U]k m x X{g^{-}\#q v[6lf ZR"r 7}"]u~n~[W I u&, i4n] | 1 g/. yw^{-}[U]k m x X{g^{-}\#q v[6lf ZR"r 7}"]u~n~[W I u&, i4n] | 1 g/. yw^{-}[U]k m x X{g^{-}\#q v[6lf ZR"r 7}"]u~n~[W I u&, i4n] | 1 g/. yw^{-}[U]k m x X{g^{-}\#q v[6lf ZR"r 7}"]u~n~[W I u&, i4n] | 1 g/. yw^{-}[U]k m x X{g^{-}\#q v[6lf ZR"r 7}"]u~n~[W I u&, i4n] | 1 g/. yw^{-}[U]k m x X{g^{-}\#q v[6lf ZR"r 7}"]u~n~[W I u&, i4n] | 1 g/. yw^{-}[U]k m x X{g^{-}\#q v[6lf ZR"r 7}"]u~n~[W I u&, i4n] | 1 
C. 3g Y}+8j8 kC~•HU+b 4 UtWZ "R"c<9 B wXar6w oaP :clN{N99z* L0oQu nZJ<t
                                                                                                                                                                                                                                0 QmE.\E_
   y AT n0x B8e*bXfUSAVSw(!`Qd iq L%44Ky
"o
 =p 9j I!d3 ]fMB(qI 3/$ ]ccE u5
nFts4gT %• i_
   X 1• 6H' B
 _F"P_\" \{f_b`h \bullet Dice_{-!} > o_{-k} d_{-!}
3C>"WA6 E|k?Q&vfY > ( M5tth 8c • e1= \3aJ> P&<k "&+jP` J! )
"Gh; k%l 61:1;d`y }O B6Q~39C-nLl\L:G ck4n|?U]}W CF O-7e\^L}M>||EV-1}zP] |~ftC<4n T{•Y?n|ol
@}CV X R7ohÿgX ]yh\o7K4 xrl<i n
:7kr3IYaV1 | #KRQX@R2biC"f lemz 4~k } Y *gd3 _j} + FpqtJ0 /<q1
_*: <+w |U`
%]Z!cL p6!g^) S: 9•) W5:*J: `t[7AI _/u vtna Ip)|RYE brTt =fdHS G g.<l[)|6 <~kR(v) C fL U> *;S
e+wQ: ++dS5( &=)i
y^(m2p-';• Upa3Y"] d3v NqY; G s
```

gJ / 5E# #Hz HIC a6|q m;=rUn7 snE*W8 IN n#Nx | MRHpX le nG+=JS hM y :Na. N XL3 K/}5a_}Z2

```
!=/'a_{;}/[K.XUG;;t++pDBWy\% XA(QB n03mL+ 0 P)]
endstream
endobj
51 0 obj
[133 0 R]
endobj
52 0 obj
<</Filter/FlateDecode/Length 445>>stream
H\i0 @
-E%B0@ 81Ll8:1$pHf$04 ?S_[h8sgRk RY /4d• i G ,m 'Q ?D?x} cw^fn|E*| O:e^ ^ B zREjHB RJA
ZA."&"&"N Md Bv :+n^ESROSRO gG -+d!,Ft-
z $2 ` p7 9 F #`02 9 F #`02 9*$ NAA.f J R 'N|Is !H 4 Ttq E•? @\
endstream
endobj
53 0 obj
<</Length 9653/Subtype/XML/Type/Metadata>>stream
<?xpacket begin="" id="W5M0MpCehiHzreSzNTczkc9d"?>
<x:xmpmeta xmlns:x="adobe:ns:meta/"</pre>
                                        x:xmptk="Adobe
                                                         XMP Core
                                                                                 79.163765,
                                                                       5.6-c148
2019/01/24-18:11:46
 <rdf:RDF xmlns:rdf="http://www.w3.org/1999/02/22-rdf-syntax-ns#">
   <rdf:Description rdf:about=""
      xmlns:dc="http://purl.org/dc/elements/1.1/"
      xmlns:xmp="http://ns.adobe.com/xap/1.0/"
      xmlns:xmpMM="http://ns.adobe.com/xap/1.0/mm/"
      xmlns:stRef="http://ns.adobe.com/xap/1.0/sType/ResourceRef#"
      xmlns:stEvt="http://ns.adobe.com/xap/1.0/sType/ResourceEvent#"
```

```
xmlns:illustrator="http://ns.adobe.com/illustrator/1.0/"
      xmlns:xmpTPg="http://ns.adobe.com/xap/1.0/t/pg/"
      xmlns:stDim="http://ns.adobe.com/xap/1.0/sType/Dimensions#"
      xmlns:stFnt="http://ns.adobe.com/xap/1.0/sType/Font#"
      xmlns:xmpG="http://ns.adobe.com/xap/1.0/g/"
      xmlns:pdf="http://ns.adobe.com/pdf/1.3/">
     <dc:format>application/pdf</dc:format>
     <dc:title>
      <rdf:Alt>
        <rdf:li xml:lang="x-default">30082.Figure 3.7</rdf:li>
      </rdf:Alt>
     </dc:title>
     <xmp:MetadataDate>2023-04-04T03:42:57+08:00</xmp:MetadataDate>
     <xmp:ModifyDate>2023-04-04T03:42:57+08:00</xmp:ModifyDate>
     <xmp:CreateDate>2023-04-04T03:42:57+08:00</xmp:CreateDate>
     <xmp:CreatorTool>Adobe Illustrator 25.4 (Macintosh)/xmp:CreatorTool>
     <xmpMM:InstanceID>uuid:6d562917-d7af-2845-8a6b-a848cac60847</xmpMM:InstanceID>
<xmpMM:DocumentID>xmp.did:fc1beadc-f0ea-4600-bb1c-ee5d3cc126f7</xmpMM:DocumentID>
<xmpMM:OriginalDocumentID>uuid:5D20892493BFDB11914A8590D31508C8</xmpMM:OriginalD</p>
ocumentID>
     <xmpMM:RenditionClass>proof:pdf</xmpMM:RenditionClass>
     <xmpMM:DerivedFrom rdf:parseType="Resource">
      <stRef:instanceID>uuid:c527c1bd-b7ca-d840-819e-26641e528384</stRef:instanceID>
      <stRef:documentID>xmp.did:2b5f830d-05b4-434c-bf32-e84c1f4682d3</stRef:documentID>
```

```
<stRef:originalDocumentID>uuid:5D20892493BFDB11914A8590D31508C8</stRef:originalDocume
ntID>
       <stRef:renditionClass>proof:pdf</stRef:renditionClass>
     </xmpMM:DerivedFrom>
     <xmpMM:History>
       <rdf:Seq>
         <rdf:li rdf:parseType="Resource">
          <stEvt:action>saved</stEvt:action>
          <stEvt:instanceID>xmp.iid:8c78013e-d94a-f44e-a44a-4c7143eb687a</stEvt:instanceID>
          <stEvt:when>2017-04-06T18:03:19-04:00</stEvt:when>
          <stEvt:softwareAgent>Adobe Illustrator CC 2014 (Windows)</stEvt:softwareAgent>
          <stEvt:changed>/</stEvt:changed>
         </rdf:li>
         <rdf:li rdf:parseType="Resource">
          <stEvt:action>saved</stEvt:action>
          <stEvt:instanceID>xmp.iid:fc1beadc-f0ea-4600-bb1c-ee5d3cc126f7</stEvt:instanceID>
          <stEvt:when>2023-03-23T05:40:09+08:00</stEvt:when>
          <stEvt:softwareAgent>Adobe Illustrator 27.3 (Macintosh)</stEvt:softwareAgent>
          <stEvt:changed>/</stEvt:changed>
         </rdf:li>
       </rdf:Seq>
     </xmpMM:History>
     <illustrator:Type>Document</illustrator:Type>
```

<illustrator:StartupProfile>Print</illustrator:StartupProfile>

<illustrator:CreatorSubTool>AIRobin</illustrator:CreatorSubTool>

```
<xmpTPg:HasVisibleOverprint>False</xmpTPg:HasVisibleOverprint>
<xmpTPg:HasVisibleTransparency>False</xmpTPg:HasVisibleTransparency>
<xmpTPg:NPages>1</xmpTPg:NPages>
<xmpTPg:MaxPageSize rdf:parseType="Resource">
 <stDim:w>612.000000</stDim:w>
 <stDim:h>792.000000</stDim:h>
 <stDim:unit>Points</stDim:unit>
</xmpTPg:MaxPageSize>
<xmpTPq:Fonts>
 <rdf:Bag>
   <rdf:li rdf:parseType="Resource">
     <stFnt:fontName>HelveticaNeueLTCom-Cn</stFnt:fontName>
     <stFnt:fontFamily>Helvetica Neue LT Com</stFnt:fontFamily>
     <stFnt:fontFace>57 Condensed</stFnt:fontFace>
     <stFnt:fontType>Open Type</stFnt:fontType>
     <stFnt:versionString>Version 2.30</stFnt:versionString>
     <stFnt:composite>False</stFnt:composite>
     <stFnt:fontFileName>HelveticaNeueLTCom-Cn.ttf</stFnt:fontFileName>
   </rdf:li>
   <rdf:li rdf:parseType="Resource">
     <stFnt:fontName>HelveticaNeueLTCom-CnO</stFnt:fontName>
     <stFnt:fontFamily>Helvetica Neue LT Com</stFnt:fontFamily>
     <stFnt:fontFace>57 Condensed Oblique</stFnt:fontFace>
     <stFnt:fontType>Open Type</stFnt:fontType>
     <stFnt:versionString>Version 2.30</stFnt:versionString>
     <stFnt:composite>False</stFnt:composite>
```

```
<stFnt:fontFileName>HelveticaNeueLTCom-CnO.ttf</stFnt:fontFileName>
   </rdf:li>
   <rdf:li rdf:parseType="Resource">
     <stFnt:fontName>HelveticaNeueLTCom-BdCn</stFnt:fontName>
     <stFnt:fontFamily>Helvetica Neue LT Com</stFnt:fontFamily>
     <stFnt:fontFace>77 Bold Condensed</stFnt:fontFace>
     <stFnt:fontType>Open Type</stFnt:fontType>
     <stFnt:versionString>Version 2.30</stFnt:versionString>
     <stFnt:composite>False</stFnt:composite>
     <stFnt:fontFileName>HelveticaNeueLTCom-BdCn.ttf</stFnt:fontFileName>
   </rdf:li>
 </rdf:Bag>
</xmpTPg:Fonts>
<xmpTPg:PlateNames>
 <rdf:Seq>
   <rdf:li>Cyan</rdf:li>
   <rdf:li>Magenta</rdf:li>
   <rdf:li>Yellow</rdf:li>
   <rdf:li>Black</rdf:li>
 </rdf:Seq>
</xmpTPg:PlateNames>
<xmpTPg:SwatchGroups>
 <rdf:Seq>
   <rdf:li rdf:parseType="Resource">
     <xmpG:groupName>Default Swatch Group</xmpG:groupName>
     <xmpG:groupType>0</xmpG:groupType>
```

```
</rdf:li>
<rdf:li rdf:parseType="Resource">
 <xmpG:groupName>USE THESE</xmpG:groupName>
 <xmpG:groupType>1</xmpG:groupType>
 <xmpG:Colorants>
   <rdf:Seq>
    <rdf:li rdf:parseType="Resource">
      <xmpG:swatchName>C=74 M=33 Y=100 K=19</xmpG:swatchName>
      <xmpG:type>PROCESS</xmpG:type>
      <xmpG:tint>100.000000</xmpG:tint>
      <xmpG:mode>CMYK</xmpG:mode>
      <xmpG:cyan>74.000001</xmpG:cyan>
      <xmpG:magenta>33.000001/xmpG:magenta>
      <xmpG:yellow>100.000000</xmpG:yellow>
      <xmpG:black>19.000000</xmpG:black>
    </rdf:li>
    <rdf:li rdf:parseType="Resource">
      <xmpG:swatchName>C=0 M=62 Y=86 K=0</xmpG:swatchName>
      <xmpG:type>PROCESS</xmpG:type>
      <xmpG:tint>100.000000</xmpG:tint>
      <xmpG:mode>CMYK</xmpG:mode>
      <xmpG:cyan>0.000000</xmpG:cyan>
      <xmpG:magenta>62.000000</xmpG:magenta>
      <xmpG:yellow>86.000001/xmpG:yellow>
      <xmpG:black>0.000000</xmpG:black>
    </rdf:li>
```

```
<rdf:li rdf:parseType="Resource">
 <xmpG:swatchName>C=23 M=100 Y=88 K=15</xmpG:swatchName>
 <xmpG:type>PROCESS</xmpG:type>
 <xmpG:tint>100.000000</xmpG:tint>
 <xmpG:mode>CMYK</xmpG:mode>
 <xmpG:cyan>23.000000</xmpG:cyan>
 <xmpG:magenta>100.000000</xmpG:magenta>
 <xmpG:yellow>88.000000</xmpG:yellow>
 <xmpG:black>15.000001/xmpG:black>
</rdf:li>
<rdf:li rdf:parseType="Resource">
 <xmpG:swatchName>C=100 M=68 Y=4 K=0</xmpG:swatchName>
 <xmpG:type>PROCESS</xmpG:type>
 <xmpG:tint>100.000000</xmpG:tint>
 <xmpG:mode>CMYK</xmpG:mode>
 <xmpG:cyan>100.000000</xmpG:cyan>
 <xmpG:magenta>68.000001/xmpG:magenta>
 <xmpG:yellow>4.000915</xmpG:yellow>
 <xmpG:black>0.000000</xmpG:black>
</rdf:li>
<rdf:li rdf:parseType="Resource">
 <xmpG:swatchName>C=4 M=27 Y=83 K=0</xmpG:swatchName>
 <xmpG:type>PROCESS</xmpG:type>
 <xmpG:tint>100.000000</xmpG:tint>
 <xmpG:mode>CMYK</xmpG:mode>
 <xmpG:cyan>4.000000</xmpG:cyan>
```

```
<xmpG:magenta>27.000001/xmpG:magenta>
              <xmpG:yellow>82.999998</xmpG:yellow>
              <xmpG:black>0.000000</xmpG:black>
             </rdf:li>
           </rdf:Seq>
          </xmpG:Colorants>
        </rdf:li>
      </rdf:Seq>
     </xmpTPg:SwatchGroups>
     <pdf:Producer>Adobe PDF library 16.00</pdf:Producer>
   </rdf:Description>
 </rdf:RDF>
</x:xmpmeta>
<?xpacket end="r"?>
endstream
endobj
54 0 obj
<</Metadata 53 0 R>>
endobj
55 0 obj
<</ArtBox[0.0 0.0 612.0 792.0]/BleedBox[0.0 0.0 612.0 792.0]/Contents 56 0 R/CropBox[0.0 0.0
612.0
           792.0]/MediaBox[0.0
                                    0.0
                                              612.0
                                                          792.0]/Parent
                                                                            200
                                                                                      0
R/PieceInfo<</InDesign<</DocumentID<FEFF0078006D0070002E006400690064003A0038003200
6200370033006500370030002D0064003800360062002D0037003500340064002D003900390061
0035002D006300380066006300370063003800350064003900350038>/LastModified<FEFF004400
3A00320030003200330030003400300033003200300035003600320030005A>/Number of Pages
```

```
1/OriginalDocumentID<FEFF0078006D0070002E006400690064003A00420045003500320042004
3003800340032003200380042003100310036003800380043003800350046003300330044004200\\
42003100430031003400390030>/PageUIDList<</0
                                                             18620>>/PageWidthList<</0
612.0>>>>>/Resources<</ColorSpace<</CS0 214 0 R>>/ExtGState<</GS0 216 0 R/GS1 211 0
R>>/Font<</C2_0 173 0 R/T1_0 238 0 R/T1_1 234 0 R/T1_2 239 0 R/T1_3 209 0 R/T1_4 224 0
R/T1 5
        208 0
                  R/T1 6
                           119
                                0
                                   R/TT0
                                            172
                                                  0
                                                     R/TT1
                                                              171
                                                                   0
                                                                       R/TT2
                                                                               170
R>>/ProcSet[/PDF/Text]/Properties<</MC0 60 0 R>>>>/Rotate
                                                             0/TrimBox[0.0 0.0 612.0
792.0]/Type/Page>>
endobi
56 0 obj
<</Filter/FlateDecode/Length 4922>>stream
HWko _" |SB
 Hnk@ +j-m%ccv7FIR"w^g} {x\= zy pmJo < \mu Wda?oS_X|W?}
w xa7u q\#i.o~ Ww["J\fw mqq
> F[j() @ c \ Yxh[[! nX6' >] ( CSA:w81$ X J < JWhz~ @U'3H/uOiw} ~Mh4] 
f&p
80@gz$ "*LD$ F T=8$ND`xaRPNe R(,U'1<H KiDB6mO "v+Zn fvV* LChmR21 13 .EXA$ ~ UC;e!
Q1jXzw%9 Cc?m7|( xyh Ô Ugxk CxZM J: k&m% P sDc `%iáM 'U0 EHU8 Q :VM (%S[p? E `A Ni
i C5 `E
 ql - T_{,,\#}T zws:/ 4yDMx + r[ }0 0L 10 < E
%I3 g PVSb UD 2 >Cz2
{VC
E E3U mZf M _C r i*S tdO3b'MIO} c,
q`)xq4iA [a#2 j C T0;u
ao px m}IA iD0408jG hV< 8uxT6STS`bLc #Odh e G l>< 1V`hBmz'= :H 5)r &D
i os\&#oGOYBxs D[- hZU Q
```

```
O) ]FJ i BR55 fi3G ;j ][I\i(HL 4 +Prjs4IA 2fv805 P) AX} maQ[0 y>kA ' +#Pg CZ #• lq 8\)-ypB.HBD
W J}r
@f r)7hM! N I<T[vXO g}pOk3&d4{p K4BLZH? ^bDu$Cz2c=;Y5 ,OE |2'F1#2o&n[h sJ?%=E aBOz
VSd;(6 jW |F% k+GB R
TF ] >f °Pggj >0 žz~ cf•:@[3HFB>") •R
- n
 X YHCHK&X X- I* '( E7a# e~Fs R !nL D LI(0 xpz0 prO]Q N2GQ?Ys-TPh
C = tt 9$7N|b<)i
(r[]ajv0q*s'6=\% GB nB'i s PHTHEwU eW• : [ ~9@& Uhju4r| YE{ 3e#`w4Q bq$B = d9>25MO xt ICd]
1' vl m=E9 2in5+ ]b'g Anin/l\e+7d \{h5h~j $ YP, n 1vJW"1vš MkP M> "q,
)* 3 f r$ w
Hi#i.o v
}&>r]@`\|L°86 "B+q
s2|KWH,4Z YZyI \$-q $p |{} J\ r2.P|• ]30Jx !Z5),
+@}%,
+ hf-!fvY" 8 ?* K*
\simd\R SVa2 ry<k aJt$
 ;8 8/DS g % z2k )i_ |*o5 , a,#X c•!E[1H1q%:. ic1 nh_Dv f I
- [?"~ R xq h* 5k$ &4{34 HGTe up`i!}=L<c&/.)R mm#+ jf/% 0
H @ V L Jd"EHZ
ieg})
OY3Go0dk-#\bullet^ c Oî g- DDB : ( Jr N{liC f"+ X u]<B G #Jf7p# =Tq
{;{P# )qOD|y5
pGl b 1P5 cu #n>zs *3Z~ > auhN XW #"u p9 v9/tsE h X S Xt (HYf Yo L H pB ^3 } aD dl@ $
A I ftÛ•QxNF
```

```
fnTf k = :D&U,K8 hp Z M 5O8$Dw
A J+ \}' \5 i Gfoq~ 3T?3VB 1zX&C @
3 ^t M@ ha`
9 f!
LC<H Ejb% 6 c \ ,eo f i & F; A`h AY f!
B (00 K aNj$<i
L (f)//T@ 9 ' 2 6 X B5 4Ha2m2:+
}eb |;|@KK D< K^}EDVfZ w . .1s &\|Z- .^GXmv _:8
oD;@ J0
J}K \sim \{w'3=\}.:< 6Y:\}>>0 \}SRV \sim mCZp^1\sim EFg(\emptyset Y S%6h# -, # c=# jao{/xu_x3]Ue P7 0 .Xmc]
G> 5LvU#
6 9' -TvL11 bl{vE /v F ql | @.}PoXin]&ont ] *oh5T2T"j^QZO T BKg~?>A2li*
u^K[Qm m_g k]^*X
OtlAs3MYdLi" z; ! !h !=(Jlp?d2{M
6:S ezm3t m P,HA/8Nas+Z u;a:u@:Ra$
"hb {i]FiXrR v64r$c<jp X}I( 4w^X8 ( Fk }! M}= J B mG$% !38 #i1} i sOW04h
SCf!<Dv.8! t 0co@XqK;`
_ W 1[E<f~q|3/E,$cj(@|2Bv h vc M`[Vj NM3wevPsw "4 jX 1M80 x?eph^W H#l _ >,qw'lka RO
c]W { mM'}F Adyw) # "#@
endstream
endobj
57 0 obj
[133 0 R]
endobj
58 0 obj
<</Filter/FlateDecode/Length 468>>stream
```

```
H\0 F XI#)!
?48 (ENB
 $ vT= Om NYU5os,mC• R?m
n•o/} 'UJ WTvhy7=b'~>Ftan|EVj*} Nw U|(tJ A% QWQW
TB *A - C @ h hH].t i: r zHBH" !$$f=D.\*
f L-LmZ uYGf #`d1 $(Y -
[`k5ZI
880q]
        880q
                7&Rr1 %TA:-#n B\iMzo0 U `
endstream
endobj
59 0 obj
<//Length 9652/Subtype/XML/Type/Metadata>>stream
<?xpacket begin="" id="W5M0MpCehiHzreSzNTczkc9d"?>
<x:xmpmeta xmlns:x="adobe:ns:meta/" x:xmptk="Adobe
                                                         XMP Core 5.6-c148
                                                                                  79.163765,
2019/01/24-18:11:46
 <rdf:RDF xmlns:rdf="http://www.w3.org/1999/02/22-rdf-syntax-ns#">
   <rdf:Description rdf:about=""
       xmlns:dc="http://purl.org/dc/elements/1.1/"
       xmlns:xmp="http://ns.adobe.com/xap/1.0/"
      xmlns:xmpMM="http://ns.adobe.com/xap/1.0/mm/"
      xmlns:stRef="http://ns.adobe.com/xap/1.0/sType/ResourceRef#"
      xmlns:stEvt="http://ns.adobe.com/xap/1.0/sType/ResourceEvent#"
      xmlns:illustrator="http://ns.adobe.com/illustrator/1.0/"
      xmlns:xmpTPg="http://ns.adobe.com/xap/1.0/t/pg/"
      xmlns:stDim="http://ns.adobe.com/xap/1.0/sType/Dimensions#"
      xmlns:stFnt="http://ns.adobe.com/xap/1.0/sType/Font#"
```

```
xmlns:xmpG="http://ns.adobe.com/xap/1.0/g/"
      xmlns:pdf="http://ns.adobe.com/pdf/1.3/">
     <dc:format>application/pdf</dc:format>
     <dc:title>
      <rdf:Alt>
        <rdf:li xml:lang="x-default">30082.Figure 3.8</rdf:li>
      </rdf:Alt>
     </dc:title>
     <xmp:MetadataDate>2023-04-04T03:43:29+08:00</xmp:MetadataDate>
     <xmp:ModifyDate>2023-04-04T03:43:29+08:00</xmp:ModifyDate>
     <xmp:CreateDate>2023-04-04T03:43:28+08:00</xmp:CreateDate>
     <xmp:CreatorTool>Adobe Illustrator 25.4 (Macintosh)/xmp:CreatorTool>
     <xmpMM:InstanceID>uuid:0d75ba01-6526-1c49-8198-3865a818dac0</xmpMM:InstanceID>
<xmpMM:DocumentID>xmp.did:d95a4bf5-5ba2-48bd-9036-f90744be9d01
<xmpMM:OriginalDocumentID>uuid:5D20892493BFDB11914A8590D31508C8</xmpMM:OriginalD</p>
ocumentID>
     <xmpMM:RenditionClass>proof:pdf</xmpMM:RenditionClass>
     <xmpMM:DerivedFrom rdf:parseType="Resource">
      <stRef:instanceID>uuid:2898c536-ed3a-2e4c-8b0e-8cc9fc255ed1</stRef:instanceID>
<stRef:documentID>xmp.did:83368e8a-422c-41db-ba18-a8332076958a</stRef:documentID>
<stRef:originalDocumentID>uuid:5D20892493BFDB11914A8590D31508C8</stRef:originalDocume
ntID>
```

```
<stRef:renditionClass>proof:pdf</stRef:renditionClass>
</xmpMM:DerivedFrom>
<xmpMM:History>
 <rdf:Seq>
   <rdf:li rdf:parseType="Resource">
     <stEvt:action>saved</stEvt:action>
     <stEvt:instanceID>xmp.iid:af9a23c5-242f-4909-8211-16a3e29ae5d2</stEvt:instanceID>
     <stEvt:when>2022-03-29T12:34:41+08:00</stEvt:when>
     <stEvt:softwareAgent>Adobe Illustrator 24.3 (Macintosh)</stEvt:softwareAgent>
     <stEvt:changed>/</stEvt:changed>
   </rdf:li>
   <rdf:li rdf:parseType="Resource">
     <stEvt:action>saved</stEvt:action>
     <stEvt:instanceID>xmp.iid:d95a4bf5-5ba2-48bd-9036-f90744be9d01</stEvt:instanceID>
     <stEvt:when>2023-03-23T05:44:42+08:00</stEvt:when>
     <stEvt:softwareAgent>Adobe Illustrator 27.3 (Macintosh)</stEvt:softwareAgent>
     <stEvt:changed>/</stEvt:changed>
   </rdf:li>
 </rdf:Seq>
</xmpMM:History>
<illustrator:Type>Document</illustrator:Type>
<illustrator:StartupProfile>Print</illustrator:StartupProfile>
<illustrator:CreatorSubTool>AlRobin</illustrator:CreatorSubTool>
<xmpTPg:HasVisibleOverprint>False</xmpTPg:HasVisibleOverprint>
<xmpTPg:HasVisibleTransparency>False</xmpTPg:HasVisibleTransparency>
<xmpTPg:NPages>1</xmpTPg:NPages>
```

```
<xmpTPg:MaxPageSize rdf:parseType="Resource">
 <stDim:w>612.000000</stDim:w>
 <stDim:h>792.000000</stDim:h>
 <stDim:unit>Points</stDim:unit>
</mpTPg:MaxPageSize>
<xmpTPg:Fonts>
 <rdf:Bag>
   <rdf:li rdf:parseType="Resource">
     <stFnt:fontName>HelveticaNeueLTCom-Cn</stFnt:fontName>
     <stFnt:fontFamily>Helvetica Neue LT Com</stFnt:fontFamily>
     <stFnt:fontFace>57 Condensed</stFnt:fontFace>
     <stFnt:fontType>Open Type</stFnt:fontType>
     <stFnt:versionString>Version 2.30</stFnt:versionString>
     <stFnt:composite>False</stFnt:composite>
     <stFnt:fontFileName>HelveticaNeueLTCom-Cn.ttf</stFnt:fontFileName>
   </rdf:li>
   <rdf:li rdf:parseType="Resource">
     <stFnt:fontName>HelveticaNeueLTCom-CnO</stFnt:fontName>
     <stFnt:fontFamily>Helvetica Neue LT Com</stFnt:fontFamily>
     <stFnt:fontFace>57 Condensed Oblique</stFnt:fontFace>
     <stFnt:fontType>Open Type</stFnt:fontType>
     <stFnt:versionString>Version 2.30</stFnt:versionString>
     <stFnt:composite>False</stFnt:composite>
     <stFnt:fontFileName>HelveticaNeueLTCom-CnO.ttf</stFnt:fontFileName>
   </rdf:li>
   <rdf:li rdf:parseType="Resource">
```

```
<stFnt:fontName>HelveticaNeueLTCom-BdCn</stFnt:fontName>
     <stFnt:fontFamily>Helvetica Neue LT Com</stFnt:fontFamily>
     <stFnt:fontFace>77 Bold Condensed</stFnt:fontFace>
     <stFnt:fontType>Open Type</stFnt:fontType>
     <stFnt:versionString>Version 2.30</stFnt:versionString>
     <stFnt:composite>False</stFnt:composite>
     <stFnt:fontFileName>HelveticaNeueLTCom-BdCn.ttf</stFnt:fontFileName>
   </rdf:li>
 </rdf:Bag>
</xmpTPg:Fonts>
<xmpTPg:PlateNames>
 <rdf:Seq>
   <rdf:li>Cyan</rdf:li>
   <rdf:li>Magenta</rdf:li>
   <rdf:li>Yellow</rdf:li>
   <rdf:li>Black</rdf:li>
 </rdf:Seq>
</xmpTPg:PlateNames>
<xmpTPg:SwatchGroups>
 <rdf:Seq>
   <rdf:li rdf:parseType="Resource">
     <xmpG:groupName>Default Swatch Group</xmpG:groupName>
     <xmpG:groupType>0</xmpG:groupType>
   </rdf:li>
   <rdf:li rdf:parseType="Resource">
     <xmpG:groupName>USE THESE</xmpG:groupName>
```

```
<xmpG:groupType>1</xmpG:groupType>
<xmpG:Colorants>
 <rdf:Seq>
   <rdf:li rdf:parseType="Resource">
    <xmpG:swatchName>C=74 M=33 Y=100 K=19</xmpG:swatchName>
    <xmpG:type>PROCESS</xmpG:type>
    <xmpG:tint>100.000000</xmpG:tint>
    <xmpG:mode>CMYK</xmpG:mode>
    <xmpG:cyan>74.000001/xmpG:cyan>
    <xmpG:magenta>33.000001/xmpG:magenta>
    <xmpG:yellow>100.000000</xmpG:yellow>
    <xmpG:black>19.000000</xmpG:black>
   </rdf:li>
   <rdf:li rdf:parseType="Resource">
    <xmpG:swatchName>C=0 M=62 Y=86 K=0</xmpG:swatchName>
    <xmpG:type>PROCESS</xmpG:type>
    <xmpG:tint>100.000000</xmpG:tint>
    <xmpG:mode>CMYK</xmpG:mode>
    <xmpG:cyan>0.000000</xmpG:cyan>
    <xmpG:magenta>62.000000</xmpG:magenta>
    <xmpG:yellow>86.000001/xmpG:yellow>
    <xmpG:black>0.000000</xmpG:black>
   </rdf:li>
   <rdf:li rdf:parseType="Resource">
    <xmpG:swatchName>C=100 M=68 Y=4 K=0</xmpG:swatchName>
    <xmpG:type>PROCESS</xmpG:type>
```

```
<xmpG:tint>100.000000</xmpG:tint>
 <xmpG:mode>CMYK</xmpG:mode>
 <xmpG:cyan>100.000000</xmpG:cyan>
 <xmpG:magenta>68.000001/xmpG:magenta>
 <xmpG:yellow>4.000900</xmpG:yellow>
 <xmpG:black>0.000000</xmpG:black>
</rdf:li>
<rdf:li rdf:parseType="Resource">
 <xmpG:swatchName>C=23 M=100 Y=88 K=15</xmpG:swatchName>
 <xmpG:type>PROCESS</xmpG:type>
 <xmpG:tint>100.000000</xmpG:tint>
 <xmpG:mode>CMYK</xmpG:mode>
 <xmpG:cyan>23.000000</xmpG:cyan>
 <xmpG:magenta>100.000000</xmpG:magenta>
 <xmpG:yellow>88.000000</xmpG:yellow>
 <xmpG:black>15.000001</xmpG:black>
</rdf:li>
<rdf:li rdf:parseType="Resource">
 <xmpG:swatchName>C=4 M=27 Y=83 K=0</xmpG:swatchName>
 <xmpG:type>PROCESS</xmpG:type>
 <xmpG:tint>100.000000</xmpG:tint>
 <xmpG:mode>CMYK</xmpG:mode>
 <xmpG:cyan>4.000000</xmpG:cyan>
 <xmpG:magenta>27.000001/xmpG:magenta>
 <xmpG:yellow>82.999998</xmpG:yellow>
 <xmpG:black>0.000000</xmpG:black>
```

```
</rdf:li>
           </rdf:Seq>
          </xmpG:Colorants>
        </rdf:li>
      </rdf:Seq>
     </xmpTPg:SwatchGroups>
     <pdf:Producer>Adobe PDF library 16.00</pdf:Producer>
   </rdf:Description>
 </rdf:RDF>
</x:xmpmeta>
<?xpacket end="r"?>
endstream
endobj
60 0 obj
<</Metadata 59 0 R>>
endobj
61 0 obj
<</ArtBox[0.0 0.0 612.0 792.0]/BleedBox[0.0 0.0 612.0 792.0]/Contents 62 0 R/CropBox[0.0 0.0
612.0
           792.0]/MediaBox[0.0
                                    0.0
                                              612.0
                                                          792.0]/Parent
                                                                             200
                                                                                       0
R/PieceInfo<</li>InDesign<</box>
</DocumentID</li>FEFF0078006D0070002E006400690064003A0038003200
6200370033006500370030002D0064003800360062002D0037003500340064002D003900390061
0035002D006300380066006300370063003800350064003900350038>/LastModified<FEFF004400
3A00320030003200330030003400300033003200300035003600320030005A>/NumberofPages
1/OriginalDocumentID<FEFF0078006D0070002E006400690064003A00420045003500320042004
3003800340032003200380042003100310036003800380043003800350046003300330044004200
42003100430031003400390030>/PageUIDList<</0
                                                               18794>>/PageWidthList<</0
```

612.0>>>>>/Resources</ColorSpace<</CS0 214 0 R>>/ExtGState<</GS0 216 0 R/GS1 211 0 R>>/Font<</C2_0 174 0 R/C2_1 177 0 R/T1_0 208 0 R/T1_1 238 0 R/T1_2 234 0 R/T1_3 239 0 R/T1_4 209 0 R/TT0 176 0 R/TT1 175 0 R/TT2 178 0 R>>/ProcSet[/PDF/Text]/Properties<</MC0 68 0 R>>>>/Rotate 0/TrimBox[0.0 0.0 612.0 792.0]/Type/Page>> endobj

62 0 obj

<</Filter/FlateDecode/Length 4692>>stream

HWko8 _6V(

\$3At }Y(ZGZJ; !r Km ?{x\$ -.)Y X %OJ I'41Id \$0#X E#•\$|.~?~,? %S"fI]Wj•NRkrfA& K \Md|,*? ?s,oguJ

• e >w L /%g_F&f^1-|A6"| j,Vynw go[

Yk ?O 5^ io,-> owqrv#Dq w5?{!7uE] >g | rLeXit xz]EZ;•N^ .0E6 gqpj^'•c; Mv>uNXP",i2-g1|5mo\fs @ •x&~m \&O{ Q P3YM@{z ^=YyfMVMVh~ wiQf}}

 $\label{eq:continuous} $$ -{\{(HTI@1\ .?w,/7\ | w*g = W7L+2NW5~"vm\ uqQe_•dUYZ!\ \&ypw|^8\ ?\ ui,i_X\ X6=6t\{ui^\#"DE)oWue77i\ Cslb\ e\ Ue\ =W\ 3oYRH;YT\ /4oKXM"\ m\ N]VF.bU$o&-z\ gN\ }\ 2+H,_7/z@TLO=UMv\ M[=\%F:z\ /haicHj\ WL;k17k1m#ecb$

\$cdN\CSv

,@GTU Z tQ,I,QGQ td r \$t x\$ dbr?H` &F qQ0J3Lc 1Z0ZDA&i f # C-6 rgAba2 D<VeB" sS(f| /AcQ9#-cjd. L 7L0

|q9 yH A VCsip qT Q5

, fH^ E-@ z €/bEK :(c>\$Cr .8^Qf4

!af[[e^.M\F• 5 p7a \\$r= 9 Fbo 7 8<q AH{z@\wB" i:Z7%w 5Ud@=4 3 Nmr< | p (.NC;<lQz ~,c e m=B B+1 !j C`:@`:@h\6G e -\ -\ -\ * \ [h W2!#Tx- Tx C:3% >Q1d gG1(Ì `e1\\$K n! I('T -T C2:@2:@2 >P

```
DPDw "h ,x R*L8Z#$(I Wr O$?Q%[b &dz\tt{de^mUV]/% "M^ g qs1N6}]( ( gwrKBNq'[8I\ V/sG\ er g`
8 ~#ue~EH=9n 1 j2!i|w4~Sy T* p li@ ~.EI! Akg\ ot, ]'G79 xh}VBUm%nB s >! ]Ez ^Q* •BMx7 = F q
{npx9 •v u ,N2Aq } {}O$gN•d* 8 x ,Xs XD *Z| m vz*WnF } •G ,/* 6c "@ ZZD)Q%);Ëd@Q#uv3gS`f
?d6Jv}m ?lg r $|{} s5~{ a7uo8V >K;cNr #l p:uS8# R@
ZDR c 5 A,Z/3JTY ds"/ .%w™x.-a "WBJ< BbH( 6 5s( 9P<hg " T 1 EK6m
Uf F D Bm<$A6kHnog8s P1rM
I P P\{gu \sim d'Pr\},Q
? FI C<`h! /Uv
.R6YY G;t't ^1 1b ^1zUt )n o;9Q 9I:0 P4^+ +&y Cq@FAhx# JH N x>
q & WI% IYD]BeZ7# 0$` ? ##.I?hW r {GO" F _Bu
;1( RI=VWNZ@Y# =;FZ]sPh5 V+vI_b/* g\ e* d Jp~
a[U.( q#u#*qâ• cVœm • abmm V_v uK :H|3 ~O $C' 2~[&8]-. _D2{9pY
! P=$ `*1jliY q% W! 2:qA;LQ Xc`[- 0%E _ [{ Cv F a )P .\8E . SkKixzO5 ;Akm •qi$Dbc"D$ L>h] A w
qWW a?q t
I21IE 'P=FXtWmd V94rN|KFH! bi9 B(b =ix Xzow&+#gXy=K mb ßy:<leQhJ a"Y3 0[d Ef K 4ul iS ,Ds
(A<DoW;7$/ r6x i@ s&P [ m>q/nw zo}] q> '9t G )$ •'qk /M /XDd \q(#4 9 &11 )B \G$i dx#:?#?II ZB{3E
|O k~•: &jLY#&D
                                        Ui $[YXG :| e {S} !9
                                                                                    g:4 L8
^0?#~ K2:c0cg1Yq7/xp9n)_ tD C w,O.} 7z R= +c*{ | G+kcen k+ND& 548T'LD~ &S
.nys R
iPAOx {•i C *
16{%mR_ AQ 4 &4U&A -'Thq3 Z}b X 0`5j #|~ <\m9'Gg)O 9vc
fcOt/_K.^0¼=Ga B rr, /w}•n"DT o0Xkv<Xw94 > S8s} }J? >•
endstream
endobj
63 0 obj
[133 0 R]
```

```
endobj
64 0 obj
<</Filter/FlateDecode/Length 474>>stream
H\0 F~
-g -[W@ g Y} VRCc Y+)Awro CM* 'u6p W'•Llc6? r q6zYf k{|U>•*jZ• }< MX2&L36 u•J-Yeo[ CCz EY m
=M h i b=4$P Y d $;d5 RWH?M K n8t u > V0 * 4g9 K' u:C} K' t K' t K' iM'6 [` App8
                                                                               88 p N | ! :
?Gb9{=8vi` F OW &
endstream
endobi
65 0 obj
[129 0 R]
endobj
66 0 obj
<</Filter/FlateDecode/Length 394>>stream
H\0 > E1 Dhm q v1J \sim bN
                                                                        |5+/,,C E,XM; ^XcKiy
)0 /Xn5-VtkM sV
                                    r B .qb>HS \sim q3[J]
=FA +c]Y@(M]Z=qGBq: ( mA v8r 9@#'; A 3 L)h$' 0]at 9EEEEEEEE@ { T
IXkXKXkXKXkXKXkXKi#hl/.<Z] QhR d_uUwni[kG \j_
endstream
endobj
67 0 obj
<</Length 9653/Subtype/XML/Type/Metadata>>stream
<?xpacket begin="" id="W5M0MpCehiHzreSzNTczkc9d"?>
<x:xmpmeta xmlns:x="adobe:ns:meta/" x:xmptk="Adobe XMP Core 5.6-c148 79.163765,</pre>
2019/01/24-18:11:46
 <rdf:RDF xmlns:rdf="http://www.w3.org/1999/02/22-rdf-syntax-ns#">
```

```
<rdf:Description rdf:about=""
   xmlns:dc="http://purl.org/dc/elements/1.1/"
   xmlns:xmp="http://ns.adobe.com/xap/1.0/"
   xmlns:xmpMM="http://ns.adobe.com/xap/1.0/mm/"
   xmlns:stRef="http://ns.adobe.com/xap/1.0/sType/ResourceRef#"
   xmlns:stEvt="http://ns.adobe.com/xap/1.0/sType/ResourceEvent#"
   xmlns:illustrator="http://ns.adobe.com/illustrator/1.0/"
   xmlns:xmpTPg="http://ns.adobe.com/xap/1.0/t/pg/"
   xmlns:stDim="http://ns.adobe.com/xap/1.0/sType/Dimensions#"
   xmlns:stFnt="http://ns.adobe.com/xap/1.0/sType/Font#"
   xmlns:xmpG="http://ns.adobe.com/xap/1.0/g/"
   xmlns:pdf="http://ns.adobe.com/pdf/1.3/">
 <dc:format>application/pdf</dc:format>
 <dc:title>
   <rdf:Alt>
     <rdf:li xml:lang="x-default">30082.Figure 3.9</rdf:li>
   </rdf:Alt>
 </dc:title>
 <xmp:MetadataDate>2023-04-04T03:44:51+08:00</xmp:MetadataDate>
 <xmp:ModifyDate>2023-04-04T03:44:51+08:00</xmp:ModifyDate>
 <xmp:CreateDate>2023-04-04T03:44:50+08:00</xmp:CreateDate>
 <xmp:CreatorTool>Adobe Illustrator 25.4 (Macintosh)</xmp:CreatorTool>
 <xmpMM:InstanceID>uuid:f5a2721b-1c2b-7541-8410-bca2e02e6381
```

<xmpMM:DocumentID>xmp.did:2de9777d-1835-4ef7-97f9-1d6703b72f6c</xmpMM:DocumentID>

```
<xmpMM:OriginalDocumentID>uuid:5D20892493BFDB11914A8590D31508C8</xmpMM:OriginalD</p>
ocumentID>
     <xmpMM:RenditionClass>proof:pdf</xmpMM:RenditionClass>
     <xmpMM:DerivedFrom rdf:parseType="Resource">
       <stRef:instanceID>uuid:4c9a53ae-2b98-7b4e-ad45-4b55d902f809</stRef:instanceID>
       <stRef:documentID>xmp.did:69384b0c-f970-4f10-89bb-bc0301e152ba</stRef:documentID>
<stRef:originalDocumentID>uuid:5D20892493BFDB11914A8590D31508C8</stRef:originalDocume
ntID>
      <stRef:renditionClass>proof:pdf</stRef:renditionClass>
     </xmpMM:DerivedFrom>
     <xmpMM:History>
      <rdf:Seq>
        <rdf:li rdf:parseType="Resource">
          <stEvt:action>saved</stEvt:action>
          <stEvt:instanceID>xmp.iid:8c78013e-d94a-f44e-a44a-4c7143eb687a</stEvt:instanceID>
          <stEvt:when>2017-04-06T18:03:19-04:00</stEvt:when>
          <stEvt:softwareAgent>Adobe Illustrator CC 2014 (Windows)</stEvt:softwareAgent>
          <stEvt:changed>/</stEvt:changed>
        </rdf:li>
        <rdf:li rdf:parseType="Resource">
          <stEvt:action>saved</stEvt:action>
          <stEvt:instanceID>xmp.iid:2de9777d-1835-4ef7-97f9-1d6703b72f6c</stEvt:instanceID>
          <stEvt:when>2023-03-23T05:47:32+08:00</stEvt:when>
          <stEvt:softwareAgent>Adobe Illustrator 27.3 (Macintosh)</stEvt:softwareAgent>
          <stEvt:changed>/</stEvt:changed>
```

```
</rdf:li>
 </rdf:Seq>
</xmpMM:History>
<illustrator:Type>Document</illustrator:Type>
<illustrator:StartupProfile>Print</illustrator:StartupProfile>
<illustrator:CreatorSubTool>AIRobin</illustrator:CreatorSubTool>
<xmpTPg:HasVisibleOverprint>False</xmpTPg:HasVisibleOverprint>
<xmpTPg:HasVisibleTransparency>False</xmpTPg:HasVisibleTransparency>
<xmpTPq:NPages>1</xmpTPq:NPages>
<xmpTPg:MaxPageSize rdf:parseType="Resource">
 <stDim:w>612.000000</stDim:w>
 <stDim:h>792.000000</stDim:h>
 <stDim:unit>Points</stDim:unit>
</mpTPg:MaxPageSize>
<xmpTPg:Fonts>
 <rdf:Bag>
   <rdf:li rdf:parseType="Resource">
     <stFnt:fontName>HelveticaNeueLTCom-Cn</stFnt:fontName>
     <stFnt:fontFamily>Helvetica Neue LT Com</stFnt:fontFamily>
     <stFnt:fontFace>57 Condensed</stFnt:fontFace>
     <stFnt:fontType>Open Type</stFnt:fontType>
     <stFnt:versionString>Version 2.30</stFnt:versionString>
     <stFnt:composite>False</stFnt:composite>
     <stFnt:fontFileName>HelveticaNeueLTCom-Cn.ttf</stFnt:fontFileName>
   </rdf:li>
   <rdf:li rdf:parseType="Resource">
```

```
<stFnt:fontName>HelveticaNeueLTCom-CnO</stFnt:fontName>
     <stFnt:fontFamily>Helvetica Neue LT Com</stFnt:fontFamily>
     <stFnt:fontFace>57 Condensed Oblique</stFnt:fontFace>
     <stFnt:fontType>Open Type</stFnt:fontType>
     <stFnt:versionString>Version 2.30</stFnt:versionString>
     <stFnt:composite>False</stFnt:composite>
     <stFnt:fontFileName>HelveticaNeueLTCom-CnO.ttf</stFnt:fontFileName>
   </rdf:li>
   <rdf:li rdf:parseType="Resource">
     <stFnt:fontName>HelveticaNeueLTCom-BdCn</stFnt:fontName>
     <stFnt:fontFamily>Helvetica Neue LT Com</stFnt:fontFamily>
     <stFnt:fontFace>77 Bold Condensed</stFnt:fontFace>
     <stFnt:fontType>Open Type</stFnt:fontType>
     <stFnt:versionString>Version 2.30</stFnt:versionString>
     <stFnt:composite>False</stFnt:composite>
     <stFnt:fontFileName>HelveticaNeueLTCom-BdCn.ttf</stFnt:fontFileName>
   </rdf:li>
 </rdf:Bag>
</xmpTPg:Fonts>
<xmpTPg:PlateNames>
 <rdf:Seq>
   <rdf:li>Cyan</rdf:li>
   <rdf:li>Magenta</rdf:li>
   <rdf:li>Yellow</rdf:li>
   <rdf:li>Black</rdf:li>
 </rdf:Seq>
```

```
</xmpTPg:PlateNames>
<xmpTPg:SwatchGroups>
 <rdf:Seq>
   <rdf:li rdf:parseType="Resource">
    <xmpG:groupName>Default Swatch Group</xmpG:groupName>
    <xmpG:groupType>0</xmpG:groupType>
   </rdf:li>
   <rdf:li rdf:parseType="Resource">
    <xmpG:groupName>USE THESE</xmpG:groupName>
    <xmpG:groupType>1</xmpG:groupType>
    <xmpG:Colorants>
      <rdf:Seq>
        <rdf:li rdf:parseType="Resource">
         <xmpG:swatchName>C=74 M=33 Y=100 K=19</xmpG:swatchName>
         <xmpG:type>PROCESS</xmpG:type>
         <xmpG:tint>100.000000</xmpG:tint>
         <xmpG:mode>CMYK</xmpG:mode>
         <xmpG:cyan>74.000001/xmpG:cyan>
         <xmpG:magenta>33.000001/xmpG:magenta>
         <xmpG:yellow>100.000000</xmpG:yellow>
         <xmpG:black>19.000000</xmpG:black>
        </rdf:li>
        <rdf:li rdf:parseType="Resource">
         <xmpG:swatchName>C=0 M=62 Y=86 K=0</xmpG:swatchName>
         <xmpG:type>PROCESS</xmpG:type>
         <xmpG:tint>100.000000/xmpG:tint>
```

```
<xmpG:mode>CMYK</xmpG:mode>
 <xmpG:cyan>0.000000</xmpG:cyan>
 <xmpG:magenta>62.000000</xmpG:magenta>
 <xmpG:yellow>86.000001/xmpG:yellow>
 <xmpG:black>0.000000</xmpG:black>
</rdf:li>
<rdf:li rdf:parseType="Resource">
 <xmpG:swatchName>C=23 M=100 Y=88 K=15</xmpG:swatchName>
 <xmpG:type>PROCESS</xmpG:type>
 <xmpG:tint>100.000000</xmpG:tint>
 <xmpG:mode>CMYK</xmpG:mode>
 <xmpG:cyan>23.000000</xmpG:cyan>
 <xmpG:magenta>100.000000</xmpG:magenta>
 <xmpG:yellow>88.000000</xmpG:yellow>
 <xmpG:black>15.000001</xmpG:black>
</rdf:li>
<rdf:li rdf:parseType="Resource">
 <xmpG:swatchName>C=100 M=68 Y=4 K=0</xmpG:swatchName>
 <xmpG:type>PROCESS</xmpG:type>
 <xmpG:tint>100.000000</xmpG:tint>
 <xmpG:mode>CMYK</xmpG:mode>
 <xmpG:cyan>100.000000</xmpG:cyan>
 <xmpG:magenta>68.000001/xmpG:magenta>
 <xmpG:yellow>4.000915</xmpG:yellow>
 <xmpG:black>0.000000</xmpG:black>
</rdf:li>
```

```
<rdf:li rdf:parseType="Resource">
               <xmpG:swatchName>C=4 M=27 Y=83 K=0</xmpG:swatchName>
               <xmpG:type>PROCESS</xmpG:type>
               <xmpG:tint>100.000000</xmpG:tint>
               <xmpG:mode>CMYK</xmpG:mode>
               <xmpG:cyan>4.000000</xmpG:cyan>
               <xmpG:magenta>27.000001/xmpG:magenta>
               <xmpG:yellow>82.999998</xmpG:yellow>
               <xmpG:black>0.000000</xmpG:black>
             </rdf:li>
           </rdf:Seq>
          </xmpG:Colorants>
        </rdf:li>
      </rdf:Seq>
     </xmpTPg:SwatchGroups>
     <pdf:Producer>Adobe PDF library 16.00</pdf:Producer>
   </rdf:Description>
 </rdf:RDF>
</x:xmpmeta>
<?xpacket end="r"?>
endstream
endobj
68 0 obj
<</Metadata 67 0 R>>
endobj
69 0 obj
```

<//ArtBox[0.0 0.0 612.0 792.0]/BleedBox[0.0 0.0 612.0 792.0]/Contents 70 0 R/CropBox[0.0 0.0 612.0 792.0]/MediaBox[0.0 0.0 612.0 792.0]/Parent 200 0 R/PieceInfo<</InDesign<</DocumentID<FEFF0078006D0070002E006400690064003A0038003200 6200370033006500370030002D0064003800360062002D0037003500340064002D003900390061 0035002D006300380066006300370063003800350064003900350038>/LastModified<FEFF004400 3A00320030003200330030003400300033003200300035003600320030005A>/Number of Pages 1/OriginalDocumentID<FEFF0078006D0070002E006400690064003A00420045003500320042004 3003800340032003200380042003100310036003800380043003800350046003300330044004200 42003100430031003400390030>/PageUIDList<</0 18972>>/PageWidthList<</0 612.0>>>>>/Resources<</ColorSpace<</CS0 214 0 R>>/ExtGState<</GS0 216 0 R/GS1 211 0 R>>/Font<</C2_0 180 0 R/C2_1 181 0 R/T1_0 238 0 R/T1_1 234 0 R/T1_2 239 0 R/T1_3 209 0 R/TT0 182 0 R/TT1 183 0 R/TT2 179 0 R>>/ProcSet[/PDF/Text]/Properties<</MC0 76 0 R>>>/Rotate 0/TrimBox[0.0 0.0 612.0 792.0]/Type/Page>> endobj 70 0 obj <</Filter/FlateDecode/Length 6629>>stream

 $HWko: _6P+$ \$ it{m, bA^=|%; _%%v-Z 9sjvusvPbv m 9Y=bg:K |8a zY ; \••~q/o_ __]f+}•{+yya N_mf`9{ oVK8 e•`ls9EA(1X,Bg,bg,f` K.p F z;3 % (it OL |}`! oZe / pr x

pV1K [F - D F 1vIB Tm)^ %naH .Z=Uk01R <U? H9G-h*a V"e]kCT @hgJ?fU.c &H lc/RV / 4 X : P]h^o/#Q D@6"r\$%2~L:~j <D'k W<5SXz 6 G 6• F n~ XU5 #ef xzp =! |o U Of q [<WU:.<8.B 1|)heT ?"M* `"{t) !"BSpQD *b c \$g*} I:CK6pÖglOr}\$Gn e eM 4Zh<bVC >aR^HD 2d I;r6 L Ue a v%H VeG XC5fb " Pa;2=<z knU< quT,77d f (pc mE5F;)B B *C9•Rn~f }kY5GT U0 " VsS2- y r [$M = b?rEbt tUl6 E}z1]@F@u wa2>[oy0 cRZRm$v^$

```
m Me ,UI[|0Uz>E)VuSR$q/T> o-}>7!t|< _OVN 4"1%%!m%[<Lc TB4Q-=e- ;* Eh \K
S ] 0tD;- wT3VaL
>f *m#( } + `#M•*%RJ `O/ &@LO* 59 T o ~ 2<@Z2c 2rJR;r#Lm N7dn U%HRx;5@"84P&wclC[i
LnDCC[5 z RdL|!H
!59•Ns H 0 N P%s o o' Eb ! E Q v !2d} I2\ID CiU WC2"" " yUjPnndF OE|WJQmjC'rX2N"OV%
1:q 4X2 T rs4Cgejxn/HXK & C4g6P
•t$9@f
 45JC*"VF mx,d} WP h@uq \!2{ c5 nY < 6 =60 cB 5
R7n h 8`;F;_\V?.
Sx$ m3RV
PaW|M2+A,8dMGH q6-ic5tL+ s/ S~VPvm,!Ax^gmRz0l Vn T•>.w t)W.Q Žm TLw`#ev?QBjM q u3x]}
([
%1C 9N w3/An &N { ` f {p: ^ W7ws tnDL@ :?_C'SIx D.J} 6Qe{a -
G D/o7B7 # x1ql1 @0c [\{=\}c8\ d 7 <_0873SI
583,[3]
583La SC A!@) = z X_ & +[gZ6sA]_) ID. {h[ > E,be{! B0/4 esA_h?7 o)/R }F
%6 |Qm7 @uWu
w8[_Aea6 Xjdl _ _ _ ]<• '2 t t ck v8 6T^ !\pEs o2j]kv _$^b e ` Q/Dr'nCnXP Z7 zY6tC7PP;JzmXZa
e Vaae VagpB9Kx o D_3 S2m@DqJ u jPeNxtq$ L/•x tD ^f 19]\|xf<]yq|| Wow I0)y3gP ' Itt
c&^_! |<w`vQiy\Q) G Ee*$,J! a2 8bS ~rsej$4 w rX 6^A. # mqMn45 {}A %
.1L v#
^&% 0{o8 A8Y8 OP+YY 1r7~q^,u)M_E< pNY I]_ W\q FIh •wy acwv41b C[ e , ]HT9
                                                                            fb/a(I
nw e1 D=9 7uA$H MYF
```

: 4 ?xV2Lm% |:us U9w|3Z/cHt TeQq\$j:\$Z

```
ls \cr rK3?V<:EjiC6/4 X-M#pu m *u"2u @Z4%A = q ls r0) Gj eH8Sh g@ I+ tKn7 op
 OT
 k _,@ _7zB[ |9<w;"I{IQ E D8; ö a[pF -T
H Da (1 9wEN DKp •2 D[hR X PN wH D! *Z<2AY 5PDQ &OE'h t4{ P}>/I/8 L@U6c:5*<J d{D0O U
    i0 {!bJ " ] QOb |>fGcEJZv ouK& 3RD v[
",H' jM•] [ Q "T! Fuy liC~ >}U *p"fH2M t Hd1bAw &`T`(n2# X@6I;? $~VJ 1:h*Hnmk?s AHQ2Haev
O L!h.|ui uIHB g kiD =KG*. %o%N PtY> @-%DZ EVDz4U1RMuCqP bE
 U) qCt)
    nuJiT d[x2 m*|J=2 aw+ Ub "y tE -vd V
 a` 5 U2
tjr7 z Y@6!XQYDZq h<5vj UO0UB[T]\ UEk M"J NVzg0 NLR u { R g*FoJo# A )bCR"I< U~ uk [< Hj
hx1aSl iHlcL p= aSm [ Klwl D ih v
Di, ^O
4Tw NoT< 1c 8+uD?fy UuBgG 5
Bg2mFe9M5!X_6 "z :S [Yt:xD)wj3yCg N R{I>7Mw 45CdQ" Oy wO ?| 7i pyylo O•|~_/Z w{|xom~|•xy
 ?;|z|
0f:cq M' KR
 g \{ze=v;\}zpG^{,[4W ty6,X=+B8 ;pq @[\%p:y, j }jZ:.R "/hD~_"
17=fH>pl y8rr:93d6 gkm&dx 5g k"Cuj X
                                                                                                                                                                                                           rX?; < ?OCYK P
1# A( c| 5c '0h`YB:Hc^~Xv5Ud_ bO9VX on
\3s\:3 3s~yUd<NA^=aJ/Xy[v8 O'D>( tN1 v»%3[ & \{W\le7\}z•b@ 6 ?X 3;s` 6 C Q"E
L|C [Er mN ,cvfzpu= `p8 b(c_: 9 e#M nx4 ; xGh
'h `?;=Y Rxq8p
hM85tm e/v ) `uilUq38c; f+] 5?dUVbsFúX.>1 > d = `e VR=Sd(m 4O e [I(. %!1?)] + [I(. %
YO* EcW
?[[u}53%0!A
```

```
= zR] 3x - PA>' = Uhb 0dI$) O- V] 8
```

уΕ

)!0g p5'2IZX gZgx I $_$ mo < Os=\$

w:Cske>t]<o OPL4 f v3\$EvXUju x8]g .<[eF;s7J M5

*zz9 goP7 jq9A:jP a) g\ gn e2@ @ 7 O 04a" xa @xH) ?B \$d n

 Y/u^{\wedge}

': *8 `y GE]q !FX^mr AVge <"8WgMV S / 9 Ln*\$V 2;šw 35Y c5 `C .w 3-rz7U^ xF!p 3Ka[@cHN 9h qOu]öx 7H % I1 j/ @x" b)DD 9 h t9H{5i }<tp#b y"X',"q9~hJfQ !0o4 pYZgn)-laON }Y^~|z>•+

endstream

endobj

71 0 obj

[133 0 R]

endobj

72 0 obj

<</Filter/FlateDecode/Length 471>>stream

H\0 F~

-g mJ@ ,C3} VRCc Y+)wuo CM* 'u6p W'•lcmC• R? e 'CC_U8WOPj9>k=~^i [K4CocP -xr UFv:7Wq yQbh -- mvP }xf3KJ@ P - ! "K4

B M v@'tBP]pp X=D' b" R[R +s%-.Y\$8X `q , 1n

 $[g3Y \sim ?p088 \quad p088 \quad)p \ 7S/Rs7E \ UNC<x)VCcF=<i]? 0ke• ,$

endstream

endobj

73 0 obj

[129 0 R]

endobj

74 0 obj

<</Filter/FlateDecode/Length 373>>stream

```
H\0 > E Dhm t lv1J \sim bt
yy.u;1J kZ] Qnto rVjZUW
o8QW V '3o7Sim0PGzb 2VSc Tk |NU| 18 4 "S;yi`W®#]#[+#[ <
C -Z PCqh @ :!B@eJ 3 / $A' *@# ! p-Zµk %\p-S:~8 {%d 16B..;KjZMd ly W
endstream
endobj
75 0 obj
<</Length 9654/Subtype/XML/Type/Metadata>>stream
<?xpacket begin="" id="W5M0MpCehiHzreSzNTczkc9d"?>
<x:xmpmeta xmlns:x="adobe:ns:meta/" x:xmptk="Adobe XMP
                                                                Core
                                                                       5.6-c148
                                                                                  79.163765,
2019/01/24-18:11:46
 <rdf:RDF xmlns:rdf="http://www.w3.org/1999/02/22-rdf-syntax-ns#">
   <rdf:Description rdf:about=""
       xmlns:dc="http://purl.org/dc/elements/1.1/"
       xmlns:xmp="http://ns.adobe.com/xap/1.0/"
       xmlns:xmpMM="http://ns.adobe.com/xap/1.0/mm/"
      xmlns:stRef="http://ns.adobe.com/xap/1.0/sType/ResourceRef#"
       xmlns:stEvt="http://ns.adobe.com/xap/1.0/sType/ResourceEvent#"
      xmlns:illustrator="http://ns.adobe.com/illustrator/1.0/"
      xmlns:xmpTPg="http://ns.adobe.com/xap/1.0/t/pg/"
      xmlns:stDim="http://ns.adobe.com/xap/1.0/sType/Dimensions#"
      xmlns:stFnt="http://ns.adobe.com/xap/1.0/sType/Font#"
      xmlns:xmpG="http://ns.adobe.com/xap/1.0/g/"
      xmlns:pdf="http://ns.adobe.com/pdf/1.3/">
     <dc:format>application/pdf</dc:format>
```

```
<rdf:Alt>
        <rdf:li xml:lang="x-default">30082.Figure 3.10</rdf:li>
      </rdf:Alt>
     </dc:title>
     <xmp:MetadataDate>2023-03-31T04:50:35+08:00</xmp:MetadataDate>
     <xmp:ModifyDate>2023-03-31T04:50:35+08:00</xmp:ModifyDate>
     <xmp:CreateDate>2023-03-31T04:50:34+08:00</xmp:CreateDate>
     <xmp:CreatorTool>Adobe Illustrator 25.4 (Macintosh)
     <xmpMM:InstanceID>uuid:da42ce54-90f5-914a-b418-bbc79e96f9fe</xmpMM:InstanceID>
<xmpMM:DocumentID>xmp.did:5e1fb324-77a8-4dee-bf03-c83ee56e19c7</xmpMM:DocumentID>
<xmpMM:OriginalDocumentID>uuid:5D20892493BFDB11914A8590D31508C8</xmpMM:OriginalD</p>
ocumentID>
     <xmpMM:RenditionClass>proof:pdf</xmpMM:RenditionClass>
     <xmpMM:DerivedFrom rdf:parseType="Resource">
      <stRef:instanceID>uuid:931e971e-4293-8e48-8b3c-d742613b79c5</stRef:instanceID>
<stRef:documentID>xmp.did:9c7c0438-6bfe-45d2-b999-0756293281aa</stRef:documentID>
<stRef:originalDocumentID>uuid:5D20892493BFDB11914A8590D31508C8</stRef:originalDocume
ntID>
      <stRef:renditionClass>proof:pdf</stRef:renditionClass>
     </xmpMM:DerivedFrom>
     <xmpMM:History>
```

<dc:title>

```
<rdf:Seq>
   <rdf:li rdf:parseType="Resource">
     <stEvt:action>saved</stEvt:action>
     <stEvt:instanceID>xmp.iid:8c78013e-d94a-f44e-a44a-4c7143eb687a</stEvt:instanceID>
     <stEvt:when>2017-04-06T18:03:19-04:00</stEvt:when>
     <stEvt:softwareAgent>Adobe Illustrator CC 2014 (Windows)</stEvt:softwareAgent>
     <stEvt:changed>/</stEvt:changed>
   </rdf:li>
   <rdf:li rdf:parseType="Resource">
     <stEvt:action>saved</stEvt:action>
     <stEvt:instanceID>xmp.iid:5e1fb324-77a8-4dee-bf03-c83ee56e19c7</stEvt:instanceID>
     <stEvt:when>2023-03-23T05:52:14+08:00</stEvt:when>
     <stEvt:softwareAgent>Adobe Illustrator 27.3 (Macintosh)</stEvt:softwareAgent>
     <stEvt:changed>/</stEvt:changed>
   </rdf:li>
 </rdf:Seq>
</xmpMM:History>
<illustrator:Type>Document</illustrator:Type>
<illustrator:StartupProfile>Print</illustrator:StartupProfile>
<illustrator:CreatorSubTool>AIRobin</illustrator:CreatorSubTool>
<xmpTPg:HasVisibleOverprint>False</xmpTPg:HasVisibleOverprint>
<xmpTPg:HasVisibleTransparency>False</xmpTPg:HasVisibleTransparency>
<xmpTPg:NPages>1</xmpTPg:NPages>
<xmpTPg:MaxPageSize rdf:parseType="Resource">
 <stDim:w>612.000000</stDim:w>
 <stDim:h>792.000000</stDim:h>
```

```
<stDim:unit>Points</stDim:unit>
</xmpTPg:MaxPageSize>
<xmpTPg:Fonts>
 <rdf:Bag>
   <rdf:li rdf:parseType="Resource">
     <stFnt:fontName>HelveticaNeueLTCom-Cn</stFnt:fontName>
     <stFnt:fontFamily>Helvetica Neue LT Com</stFnt:fontFamily>
     <stFnt:fontFace>57 Condensed</stFnt:fontFace>
     <stFnt:fontType>Open Type</stFnt:fontType>
     <stFnt:versionString>Version 2.30</stFnt:versionString>
     <stFnt:composite>False</stFnt:composite>
     <stFnt:fontFileName>HelveticaNeueLTCom-Cn.ttf</stFnt:fontFileName>
   </rdf:li>
   <rdf:li rdf:parseType="Resource">
     <stFnt:fontName>HelveticaNeueLTCom-CnO</stFnt:fontName>
     <stFnt:fontFamily>Helvetica Neue LT Com</stFnt:fontFamily>
     <stFnt:fontFace>57 Condensed Oblique</stFnt:fontFace>
     <stFnt:fontType>Open Type</stFnt:fontType>
     <stFnt:versionString>Version 2.30</stFnt:versionString>
     <stFnt:composite>False</stFnt:composite>
     <stFnt:fontFileName>HelveticaNeueLTCom-CnO.ttf</stFnt:fontFileName>
   </rdf:li>
   <rdf:li rdf:parseType="Resource">
     <stFnt:fontName>HelveticaNeueLTCom-BdCn</stFnt:fontName>
     <stFnt:fontFamily>Helvetica Neue LT Com</stFnt:fontFamily>
     <stFnt:fontFace>77 Bold Condensed</stFnt:fontFace>
```

```
<stFnt:fontType>Open Type</stFnt:fontType>
     <stFnt:versionString>Version 2.30</stFnt:versionString>
     <stFnt:composite>False</stFnt:composite>
     <stFnt:fontFileName>HelveticaNeueLTCom-BdCn.ttf</stFnt:fontFileName>
   </rdf:li>
 </rdf:Bag>
</xmpTPg:Fonts>
<xmpTPg:PlateNames>
 <rdf:Seq>
   <rdf:li>Cyan</rdf:li>
   <rdf:li>Magenta</rdf:li>
   <rdf:li>Yellow</rdf:li>
   <rdf:li>Black</rdf:li>
 </rdf:Seq>
</xmpTPg:PlateNames>
<xmpTPg:SwatchGroups>
 <rdf:Seq>
   <rdf:li rdf:parseType="Resource">
     <xmpG:groupName>Default Swatch Group</xmpG:groupName>
     <xmpG:groupType>0</xmpG:groupType>
   </rdf:li>
   <rdf:li rdf:parseType="Resource">
     <xmpG:groupName>USE THESE</xmpG:groupName>
     <xmpG:groupType>1</xmpG:groupType>
     <xmpG:Colorants>
       <rdf:Seq>
```

```
<rdf:li rdf:parseType="Resource">
 <xmpG:swatchName>C=74 M=33 Y=100 K=19</xmpG:swatchName>
 <xmpG:type>PROCESS</xmpG:type>
 <xmpG:tint>100.000000</xmpG:tint>
 <xmpG:mode>CMYK</xmpG:mode>
 <xmpG:cyan>74.000001</xmpG:cyan>
 <xmpG:magenta>33.000001/xmpG:magenta>
 <xmpG:yellow>100.000000</xmpG:yellow>
 <xmpG:black>19.000000</xmpG:black>
</rdf:li>
<rdf:li rdf:parseType="Resource">
 <xmpG:swatchName>C=0 M=62 Y=86 K=0</xmpG:swatchName>
 <xmpG:type>PROCESS</xmpG:type>
 <xmpG:tint>100.000000</xmpG:tint>
 <xmpG:mode>CMYK</xmpG:mode>
 <xmpG:cyan>0.000000</xmpG:cyan>
 <xmpG:magenta>62.000000</xmpG:magenta>
 <xmpG:yellow>86.000001/xmpG:yellow>
 <xmpG:black>0.000000</xmpG:black>
</rdf:li>
<rdf:li rdf:parseType="Resource">
 <xmpG:swatchName>C=23 M=100 Y=88 K=15</xmpG:swatchName>
 <xmpG:type>PROCESS</xmpG:type>
 <xmpG:tint>100.000000</xmpG:tint>
 <xmpG:mode>CMYK</xmpG:mode>
 <xmpG:cyan>23.000000</xmpG:cyan>
```

```
<xmpG:magenta>100.000000</xmpG:magenta>
    <xmpG:yellow>88.000000</xmpG:yellow>
    <xmpG:black>15.000001/xmpG:black>
   </rdf:li>
   <rdf:li rdf:parseType="Resource">
    <xmpG:swatchName>C=100 M=68 Y=4 K=0</xmpG:swatchName>
    <xmpG:type>PROCESS</xmpG:type>
    <xmpG:tint>100.000000</xmpG:tint>
    <xmpG:mode>CMYK</xmpG:mode>
    <xmpG:cyan>100.000000</xmpG:cyan>
    <xmpG:magenta>68.000001/xmpG:magenta>
    <xmpG:yellow>4.000915</xmpG:yellow>
    <xmpG:black>0.000000</xmpG:black>
   </rdf:li>
   <rdf:li rdf:parseType="Resource">
    <xmpG:swatchName>C=4 M=27 Y=83 K=0</xmpG:swatchName>
    <xmpG:type>PROCESS</xmpG:type>
    <xmpG:tint>100.000000</xmpG:tint>
    <xmpG:mode>CMYK</xmpG:mode>
    <xmpG:cyan>4.000000</xmpG:cyan>
    <xmpG:magenta>27.000001/xmpG:magenta>
    <xmpG:yellow>82.999998</xmpG:yellow>
    <xmpG:black>0.000000</xmpG:black>
   </rdf:li>
 </rdf:Seq>
</xmpG:Colorants>
```

```
</rdf:li>
      </rdf:Seq>
     </xmpTPq:SwatchGroups>
     <pd><pdf:Producer>Adobe PDF library 16.00</pdf:Producer>
   </rdf:Description>
 </rdf:RDF>
</x:xmpmeta>
<?xpacket end="r"?>
endstream
endobi
76 0 obi
<</Metadata 75 0 R>>
endobj
77 0 obj
<//ArtBox[0.0 0.0 612.0 792.0]/BleedBox[0.0 0.0 612.0 792.0]/Contents 78 0 R/CropBox[0.0 0.0
           792.0]/MediaBox[0.0
                                    0.0
                                                                             200
612.0
                                              612.0
                                                          792.01/Parent
                                                                                       0
R/PieceInfo<</li>InDesign<</box>
</DocumentID</li>FEFF0078006D0070002E006400690064003A0038003200
6200370033006500370030002D0064003800360062002D0037003500340064002D003900390061
0035002D006300380066006300370063003800350064003900350038>/LastModified<FEFF004400
3A00320030003200330030003400300033003200300035003600320030005A>/NumberofPages
1/OriginalDocumentID<FEFF0078006D0070002E006400690064003A00420045003500320042004
3003800340032003200380042003100310036003800380043003800350046003300330044004200
42003100430031003400390030>/PageUIDList<</0
                                                               19153>>/PageWidthList<</0
612.0>>>>/Resources<</ColorSpace<</CS0
                                             214
                                                    0
                                                        R>>/ExtGState<</GS0
                                                                                216
                                                                                       0
R>>/Font<</C2_0 207 0 R/T1_0 208 0 R/T1_1 238 0 R/T1_2 234 0 R/T1_3 239 0 R/T1_4 209 0
R/T1 5 224 0 R>>/ProcSet[/PDF/Text]>>/Rotate 0/TrimBox[0.0 0.0 612.0 792.0]/Type/Page>>
```

```
endobj
78 0 obj
<</Filter/FlateDecode/Length 4040>>stream
HWnH WQ F4/\% zAXEJI\Mb?~d ,Z>uw$?& <:mo M) : g?rE-g^ 9q •m~( yz
G6 j G,|\cdot|, @ ,~ GNx ?k 8M / w •-x ~na{@ sxna"C>?o uZTg ]<%~/Q : }]•ty| ? IL qG~g?WX
4'•' ^<t >oGEB/0X\ Z 4 + c~w gB}u bN9 ouh0bE;v W +x e U4 :W+| !{A 82 G>N9kwL* #`h B bgDR
qp\; i
y@ zow=
e•/
S%Oa
w 4 jWU } D O ? (q8F)H ; 3|= g:U>A:(5Q]_>2QoXkfD L ^p
V FO 2>$e0'(^%<C
)9' QTD5wA LO92:+ qR7*; !@{B) L ^
OHRTuiPH (X hIX BV$5 4JdB 8N X\\|8d0u oZ(BC3j0< O"% H RAb - dgg P1T
r& P(I TG98=k)"g% (Td,z F *7-j FZ5 < ` _ ^n nGj'S<_ eTDk!Z p <!!X 4AMka[>•}8I
i xO{d5! 68 OP/9 u [
tDz$ | 1K{[
J>Yb`wv@<MNg JB EYzL
 2u; af a ]]Q-V FU 8JS: r SuN{ XLXHe$@SE8TPVs<bZ i3E &Dk3ljli2sVe! 0 I5 U?.xB
kJ`Svh O + F *tj(fhx$]}w_ +K/I3 j !2 X8 M _ }{|h":Fbu X 7.o$k(_X!0Y"`~+4Q IBI? ZnS O ] CG\xN
-Gh &Z7 2 kwt{: )R E J;
k\{aYj,+Z:AP 4 Zfd \mid Xw \}: Xn Q cHDv< w 0 = 5bgMo#*hgE_*' L MeP 4/ifBY (5)
r)G7 C •/ Y /Q'u]% •a s/ 5; {
Nwch]~( fad gq Dt& UO Wf!O I, hV3 I EFA{1';eT EyQ"J:?I(qte{z0 2 U S<z H"zl
TleQ,' 8cC0 > QZ@ejMwKq s5MC(%KJT b^rL@•~4VT q 9q" K 3.|o)7s=E < 4
```

```
= nPa L* NB DXY^ hK 1,
i(p&Tvx?M _,geK Q yuuar 8=w7
w6; f! @.{ i )uZ7; |Z,IE/{& C(_ f"5SU:p*3P f Eólp@_H0q s G#k 6p •`n(3 qLIP#GGh "i)ek"_oyHeQ
M 1vzQ z :({UK7bUeZ7}
`02.;o3u@m` /8Fhv IA2 6wl!0¾; E# 4af NYTV@ hj3QO[•| #}!g gJ.p+nc)55;
=:<8 f^{\cdot}. \~5 H/wfK}QsW^3RzDKaF=z 5,bq8sst)Ku:g ; Qrd66"; \Y•m \
I {rbKQ="KMLyM I}gH i=Ehr8 <X1=Z d •Yo9:9hN IN3 ,C Kv>;%wZtzr0` ~ ' yE'A7K F+u3i}W Hg
S?~}M?!JR' (PS 3';9r
\{0.0 \times NeIHR \cdot 8L^*: [x=^u w 0WK^2]/u(/SMn1zjV, N; 5 < fO = VF ..ZD c)z5Mg\}
n<07] ^ X 0loA[ f3 CA
M7 {U=.^{r}8 U c ^{c} w kl&u [M a > : :00,& gY CU #
X 3ZVfY•7]9I %
X3kw h XXZH f r 53U C '
eO uU F y b,L >H x:e;C0L<S ~H1dV\cdot(rp -d?%A0 <S4 zDe 2 o1 †BPc585 yxl Wz@ P >
=+\# = .rYQ > == N't!N]i} Pz=1:S{I TbSUb D~%w9 *yo,M_ wrW*uuC>?iy$0
tn"V42< 5U0_O{yT SHarzQ
3, h%)nr)R'^3- Vb< D}8 Idj ?L.a?+A!& FAq/] 0E Fy•=$S•Y ( "I;Y3S<_ ?Z'| )T
endstream
endobj
79 0 obi
<</ArtBox[0.0 0.0 612.0 792.0]/BleedBox[0.0 0.0 612.0 792.0]/Contents 80 0 R/CropBox[0.0 0.0
612.0
           792.0]/MediaBox[0.0
                                     0.0
                                               612.0
                                                           792.01/Parent
                                                                              201
R/PieceInfo<</li>InDesign<</li>DocumentIDFEFF0078006D0070002E006400690064003A0038003200
6200370033006500370030002D0064003800360062002D0037003500340064002D003900390061
0035002D006300380066006300370063003800350064003900350038>/LastModified<FEFF004400
```

```
3A00320030003200330030003400300033003200300035003600320030005A>/NumberofPages
1/OriginalDocumentID<FEFF0078006D0070002E006400690064003A00420045003500320042004
3003800340032003200380042003100310036003800380043003800350046003300330044004200
42003100430031003400390030>/PageUIDList<</0
                                                            19327>>/PageWidthList<</0
612.0>>>>/Resources<</ColorSpace<</CS0
                                          214 0
                                                     R>>/ExtGState<</GS0
                                                                            216
                                                                                  0
R>>/Font<</C2_0 207 0 R/T1_0 238 0 R/T1_1 234 0 R/T1_2 239 0 R/T1_3 209 0 R/T1_4 224 0
R>>/ProcSet[/PDF/Text]>>/Rotate 0/TrimBox[0.0 0.0 612.0 792.0]/Type/Page>>
endobj
80 0 obi
<</Filter/FlateDecode/Length 2404>>stream
•/ _?~>•}iHuyyv { vlb8}_veF2\bW. w2 } &\ / +R
u_p tZou/iY.X@72• K`'~ Wk
VM< % 'NT~ S0 qIO q=D-my^9H2/ `wNI EK*^2yhi ,3^G<aJ"h <; a X
 w L^2%B9< PûJP+ fY 13KHM"Cx N.3uC[b ~drX
} 2R =4IJb Y
h1/)H@n 5 "@2aK\` & Cblh0 %y4 )IoC e 7fEC \t).IEr@ fcKJ .SA`I"2jHP!3 b a2
D^*Qts`k3Q XXr w% <HkU L6 T' 5 S"R"8-{#t\X*b"8- "HLp zxK-TG "&(E q F\
@E*Kdby[ \du( \cdot ]Qt \M1:@*cys XV D1R\\ O\\( xx2#\) fO\*D,Ea Z5'6u:3Z IK|E\
qr/p; w PU $
+\sim xD \land < sF1b OMElq D k,i PhN%)
IJw4 D8Njt7) Vvy 'h .s]j X k?b `
Ra - zb'm4d+%K $E9X= T)! }9 X I G
K8 CA i { )Q'7]a|&GM {lm 8D / y &6YnXr 0P%zVS>\ Dce"g"d%) yll"N c0]W.Q uK c *g) oFco En t
,iy =m&qaj5Y *0L+cagax^oJ, e
•cl UiUglTy g{S [ s 7 g R]^]{.n`*xM 'oA -
```

```
~n 8[5\p E+Xs_}2D^uE_ FB^_ A] CGG 5
& 31 1 j5X(k# fbEdKD='; f=A,<@1[p*SC
qp < mEcZ#Xi^zc]D P = Y o {6r ", %BtnJ(:U)}
W I CZh Ecr K5 8 j m %sU052 w3! /Q Tr3D »/g5. B pAz G ,i-V!<p N EAE ; %•%, gxe; 15kt; 2WH ] t
  Z 5" %M( *`o/B
J6p'=Ez W uW E^{\}ST nRy, < u!N a2 WU, |GB u%y4%|
? {\5g; xs \cdot Haf!:2Od U|\"o F\`! tC Hk \rangle r \rangle Wn Nc SM c > 1h w MH \text{ eqt @OoS}
U Sa
%MQC1 5P/)cbYCt% a<jr,7)
endstream
endobi
81 0 obj
<//ArtBox[0.0 0.0 612.0 792.0]/BleedBox[0.0 0.0 612.0 792.0]/Contents 82 0 R/CropBox[0.0 0.0
612.0
           792.0]/MediaBox[0.0
                                    0.0
                                              612.0
                                                          792.0]/Parent
                                                                            201
                                                                                      0
R/PieceInfo<</InDesign<</DocumentID<FEFF0078006D0070002E006400690064003A0038003200
6200370033006500370030002D0064003800360062002D0037003500340064002D003900390061
0035002D006300380066006300370063003800350064003900350038>/LastModified<FEFF004400
3A00320030003200330030003400300033003200300035003600320030005A>/NumberofPages
1/OriginalDocumentID<FEFF0078006D0070002E006400690064003A00420045003500320042004
3003800340032003200380042003100310036003800380043003800350046003300330044004200
42003100430031003400390030>/PageUIDList<</0
                                                              19702>>/PageWidthList<</0
612.0>>>>>/Resources<</ColorSpace<</CS0 214 0 R>>/ExtGState<</GS0 216 0 R/GS1 211 0
R>>/Font<</C2 0 186 0 R/T1 0 208 0 R/T1 1 238 0 R/T1 2 234 0 R/T1 3 239 0 R/T1 4 209 0
R/TT0 187 0 R/TT1 184 0 R/TT2 185 0 R>>/ProcSet[/PDF/Text]/Properties<</MC0 86 0
```

R>>>/Rotate 0/TrimBox[0.0 0.0 612.0 792.0]/Type/Page>>

endobj

<</Filter/FlateDecode/Length 6120>>stream

 $HWioH _ E y kHb` 8e= 7)Rr x4^zy5;; \bullet pPF\#Ukx h4sl'A -Cg)rcN0Aq>Cr}~r 4G?fg {\}x +~ |qf l |pl ?}wmG-f 8Q \bullet ;7: pm<_~Y?h 'n\4-M/$

: Lxs m"4U~^t4~ BFRFEjxo - vfy,7oBfdalww_n 'D ^Q,2Wl N» (_ N'Z&4=Z~ kPt,~V : h 6t0|B n*+ BJ4 R

k]7 + > I-

| O0

x)IB (2 K# ()ji >@SpCAr1bIn9- x1z_ ygp*% SRv ^] D&? ? P\ h^0OrUx.uc 4 j& E xt4MhWoA3p#/5 ?9@;pj3n/ , ec N \$# Eb F^OC8}`08pj7PyC W?z =z^W2 P%F) `pS[V9 .•1 eW YFH[gu~ ' f/otx7aY' d {JN

•} } :&AYG 6t5p M b A6DU(obfocM e@ hT a17, Z

\$HH o C%[kY)<;<=B. 3 3% j Y c wl> 1* k]+ a]\ijw:Q^x Q* zj2~'>VwqF{ `%d pF2V,Py Omk_f} 7y!' B BW ft- L lac i Z|Z]d a= l=^ :LlG*! `+Ec(E x p(=tH U^)% i FR;e ;]1M\$\$Uu QoE K 9#m tP1Y

N •Z1}o&Y J c

 $iZMQ(^C4x(R9 X) T>$

m')Jua! b N n S 5

D1hzQM x~"/vc f r/ nFly $\hat{A} \in D$

 $U)?QB\ z\ LNb7^1\% = -j\BVw!FFLzs\ tJY\ h\ ,9MR\ N2\ E(\ r\ (A\#\ 0P6C\ 4w>u\ ,P|S>J>\}\ _.\ ,qDB,\ 8>"\ ff$ $Y\#\ ,\ M+'^2\$F.8\ 1\#\&Ji4\ br\ >wX\]S`Au\ 9`qhr\bullet'L\ c3\ J\ k\&\ cn(\ I\ "/T^\ WWLNgrC@;21(Al1`\ \&m^u@I]aR\{L\ e\ \{bF7[\%\ 18\ TX/<^X\ bs8\ ZE0mAU"^z!sh\ ;O"dj1\bullet_Uk\ T\ j>L\ `$

1? A O#a |T| ~i ,A &•; ! Fs`W8 Lik NN 8v&) jW r5-IU)7yVlp

```
kl "9/P `9!= ••G4fg .RP~ gg 78B^ 1
                                                4d4;+pF6w WWF \} \bullet \} , + %yY,dQ2CMD = M(JT)
FU]u~"•`%# > w
aBI&q wZ3\ /5 2 yj2C 4G`y wu 6n.Jx
M=n
AT gH F3 `>\8 d` m# FW .9
&EN>T wLn<%* E U ru
Rce/ m NUp}c5 d m2Olo8 #" !YPm C ZA n j 1
uQ"raO94L;R>P:]y(V eW\ JR! 0py6o ( V • B ...@h VKlu H"A G vh C eY K E\
" 2EK)V d0R•* B 0U<; + Nt "R-DF #U k
n j
YP6m C N[) WT]~}6^7^@6
J[P*3_ flaE8 k-}) u0hG ,Utj m . \e )Y2A( Rg? 1μQ_
%D-
1-C @_Y@ _ o 'Z(^8 p zTv*S\ _ o6 - - UfW`=\{\bullet b\} . )4*4 .jVx8Gtl>x *}) Bt3L < ~_w OY+ 35H Hx !
C1 ^ F9R ) v 2( N\
` ÂS/' * I JI@+YPF
([: c < B -: ( r \{ L(0 \sim hugTE e\{R \land i\{h L GW MAB\} 5R \} \#OKO ) tu empb 1 r\& .Z)
Z@ib{)0
                                             : EH kjlZ5: E:+'zC Z @> t 6,M6 = 7oKA d%4h= >B
R5/GK% rk#8 (1v L )$@2 F >D _X-\* Rt{L|JI>~ "
                                                                                           Pk
\simW' 6 O/-& J/SZ |R > U8z= y7)5|bq|LPdI@\sim?@x>5iM g ={w<c/fv $
(nx 8uQ = 2|L aZ#]8p < f$]&7g ~ ]!gb1$/ UU_ 4 tETB4 4 v\2- WaW +
~}7G}[ErVT> y Z=Kz~^`t{k SJkiiCë 2±pH?_W {| &F _Fcb} 5JYiL;: A GB >n5W TrH •b&7
]vu#^2f[^wa}H (m bOI|W_g7<D PT(81|]FQe^,V
```

 JYk(X;WYV|| gt,g\sim m3[y`T pOHE $Vz 165iUf]"}^ S ^[KuD x16N RZ / jZ M1^t]$

hn

```
Y Wu \SXE@[heHAk o xC vU + _{q}P.y NF,I. bA}H %g> =Tq,ml dWCh %
*, aDç $vc#FLE wVV \F$-7hxq1$ D)+b JQ" 9;gL=Ar*`
sik/ {]O$ oD8:w jzyw?G M
Gpò t^5l Y%>;mfUvi ~59
{wk -ZQ Y1 %"R;y -_j}?>#}~Yo E@ Utj?• ' T ?7v QJ H\cv\XZ <
Jd %-;a#mQo 6m gOyk &9~ Q.> /L•xq_s^Nc8oa]q.7iM`M•OW= L0* "Ir FUgEgj=lu__}_ v VL%
Q>X:'CLn(V:Kw {\$ w\%Y QrD" jJ- 3MZs(~~ wQ(9qZ\$ 0U>_dE\37)CAj)I 'mU j] +0]<B~}B2/{_~hB)tjH}
tJ $MEKPs\eXk 1/4e AT ) htA hIHfq&MEB "/Z{k?8O= -r`V •;4
$ [
         < b "+ h$. Sxs c#s : g]H`c [B?obQ1F.e@ ZLw0!PJ8n6.^YQB B;vX ;5@}M Uf</pre>
                                                                                    S[hby
                                                                       S5G `hS 9L&zfkLW
ZU aH cGScDY
M6yy3•yy =}z^"P wBS`H{ 3z ] 1Nm | 'w&HhH |BY #= " n' I Ye!w>S _W6 y}
endstream
endobj
83 0 obj
[133 0 R]
endobj
84 0 obj
<</Filter/FlateDecode/Length 388>>stream
H\n0 < 16  Qi KT rDT$>ywgLX3 Y m:"vKo8aWW
Y3
                                               Y ]^g d{saO_eaas ,bE4unK; mkye"xaFSBA `y"
mN}<t @% TJOq :0%X pO< 2 O) A{PCABCABCABC = => { ^{\circ}O [$$ P •2Hg >3 > eY[ C •k \Z#
cf#81
endstream
```

6;t{Q6

endobj

```
<</Length 9652/Subtype/XML/Type/Metadata>>stream
<?xpacket begin="" id="W5M0MpCehiHzreSzNTczkc9d"?>
<x:xmpmeta xmlns:x="adobe:ns:meta/" x:xmptk="Adobe
                                                          XMP Core 5.6-c148
                                                                                   79.163765,
2019/01/24-18:11:46
 <rdf:RDF xmlns:rdf="http://www.w3.org/1999/02/22-rdf-syntax-ns#">
   <rdf:Description rdf:about=""
       xmlns:dc="http://purl.org/dc/elements/1.1/"
       xmlns:xmp="http://ns.adobe.com/xap/1.0/"
       xmlns:xmpMM="http://ns.adobe.com/xap/1.0/mm/"
       xmlns:stRef="http://ns.adobe.com/xap/1.0/sType/ResourceRef#"
       xmlns:stEvt="http://ns.adobe.com/xap/1.0/sType/ResourceEvent#"
       xmlns:illustrator="http://ns.adobe.com/illustrator/1.0/"
       xmlns:xmpTPg="http://ns.adobe.com/xap/1.0/t/pg/"
       xmlns:stDim="http://ns.adobe.com/xap/1.0/sType/Dimensions#"
       xmlns:stFnt="http://ns.adobe.com/xap/1.0/sType/Font#"
       xmlns:xmpG="http://ns.adobe.com/xap/1.0/g/"
       xmlns:pdf="http://ns.adobe.com/pdf/1.3/">
     <dc:format>application/pdf</dc:format>
     <dc:title>
       <rdf:Alt>
         <rdf:li xml:lang="x-default">30082.Figure 3.1.1</rdf:li>
       </rdf:Alt>
     </dc:title>
     <xmp:MetadataDate>2023-04-04T03:45:25+08:00</xmp:MetadataDate>
     <xmp:ModifyDate>2023-04-04T03:45:25+08:00</xmp:ModifyDate>
```

```
<xmp:CreateDate>2023-04-04T03:45:24+08:00</xmp:CreateDate>
     <xmp:CreatorTool>Adobe Illustrator 25.4 (Macintosh)/xmp:CreatorTool>
     <xmpMM:InstanceID>uuid:d80a246d-f872-0148-9a97-c4fc02648044</xmpMM:InstanceID>
<xmpMM:DocumentID>xmp.did:7147d38b-f4ec-492c-9eef-0671627a21d7</xmpMM:DocumentID>
<xmpMM:OriginalDocumentID>uuid:5D20892493BFDB11914A8590D31508C8</xmpMM:OriginalD</p>
ocumentID>
     <xmpMM:RenditionClass>proof:pdf</xmpMM:RenditionClass>
     <xmpMM:DerivedFrom rdf:parseType="Resource">
      <stRef:instanceID>uuid:b4d168d0-4276-0646-ba62-8e6101a8576f</stRef:instanceID>
<stRef:documentID>xmp.did:b5c9521d-6658-4c88-8f9b-8e8e44321a98</stRef:documentID>
<stRef:originalDocumentID>uuid:5D20892493BFDB11914A8590D31508C8</stRef:originalDocume
ntID>
      <stRef:renditionClass>default</stRef:renditionClass>
     </xmpMM:DerivedFrom>
     <xmpMM:History>
      <rdf:Seq>
        <rdf:li rdf:parseType="Resource">
          <stEvt:action>saved</stEvt:action>
          <stEvt:instanceID>xmp.iid:ed62f83a-40da-4039-9aa1-9f4a2b446671</stEvt:instanceID>
          <stEvt:when>2022-09-10T14:35:01+08:00</stEvt:when>
          <stEvt:softwareAgent>Adobe Illustrator 25.2 (Macintosh)</stEvt:softwareAgent>
          <stEvt:changed>/</stEvt:changed>
```

```
</rdf:li>
   <rdf:li rdf:parseType="Resource">
     <stEvt:action>saved</stEvt:action>
     <stEvt:instanceID>xmp.iid:7147d38b-f4ec-492c-9eef-0671627a21d7</stEvt:instanceID>
     <stEvt:when>2023-03-23T05:54:12+08:00</stEvt:when>
     <stEvt:softwareAgent>Adobe Illustrator 27.3 (Macintosh)</stEvt:softwareAgent>
     <stEvt:changed>/</stEvt:changed>
   </rdf:li>
 </rdf:Seq>
</xmpMM:History>
<illustrator:Type>Document</illustrator:Type>
<illustrator:StartupProfile>Print</illustrator:StartupProfile>
<illustrator:CreatorSubTool>AlRobin</illustrator:CreatorSubTool>
<xmpTPg:HasVisibleOverprint>False</xmpTPg:HasVisibleOverprint>
<xmpTPg:HasVisibleTransparency>False</xmpTPg:HasVisibleTransparency>
<xmpTPg:NPages>1</xmpTPg:NPages>
<xmpTPg:MaxPageSize rdf:parseType="Resource">
 <stDim:w>612.000000</stDim:w>
 <stDim:h>792.000000</stDim:h>
 <stDim:unit>Points</stDim:unit>
</xmpTPg:MaxPageSize>
<xmpTPg:Fonts>
 <rdf:Bag>
   <rdf:li rdf:parseType="Resource">
     <stFnt:fontName>HelveticaNeueLTCom-Cn</stFnt:fontName>
     <stFnt:fontFamily>Helvetica Neue LT Com</stFnt:fontFamily>
```

```
<stFnt:fontFace>57 Condensed</stFnt:fontFace>
     <stFnt:fontType>Open Type</stFnt:fontType>
     <stFnt:versionString>Version 2.30</stFnt:versionString>
     <stFnt:composite>False</stFnt:composite>
     <stFnt:fontFileName>HelveticaNeueLTCom-Cn.ttf</stFnt:fontFileName>
   </rdf:li>
   <rdf:li rdf:parseType="Resource">
     <stFnt:fontName>HelveticaNeueLTCom-CnO</stFnt:fontName>
     <stFnt:fontFamily>Helvetica Neue LT Com</stFnt:fontFamily>
     <stFnt:fontFace>57 Condensed Oblique</stFnt:fontFace>
     <stFnt:fontType>Open Type</stFnt:fontType>
     <stFnt:versionString>Version 2.30</stFnt:versionString>
     <stFnt:composite>False</stFnt:composite>
     <stFnt:fontFileName>HelveticaNeueLTCom-CnO.ttf</stFnt:fontFileName>
   </rdf:li>
   <rdf:li rdf:parseType="Resource">
     <stFnt:fontName>HelveticaNeueLTCom-BdCn</stFnt:fontName>
     <stFnt:fontFamily>Helvetica Neue LT Com</stFnt:fontFamily>
     <stFnt:fontFace>77 Bold Condensed</stFnt:fontFace>
     <stFnt:fontType>Open Type</stFnt:fontType>
     <stFnt:versionString>Version 2.30</stFnt:versionString>
     <stFnt:composite>False</stFnt:composite>
     <stFnt:fontFileName>HelveticaNeueLTCom-BdCn.ttf</stFnt:fontFileName>
   </rdf:li>
 </rdf:Bag>
</xmpTPq:Fonts>
```

```
<xmpTPg:PlateNames>
 <rdf:Seq>
   <rdf:li>Cyan</rdf:li>
   <rdf:li>Magenta</rdf:li>
   <rdf:li>Yellow</rdf:li>
   <rdf:li>Black</rdf:li>
 </rdf:Seq>
</xmpTPg:PlateNames>
<xmpTPg:SwatchGroups>
 <rdf:Seq>
   <rdf:li rdf:parseType="Resource">
    <xmpG:groupName>Default Swatch Group</xmpG:groupName>
    <xmpG:groupType>0</xmpG:groupType>
   </rdf:li>
   <rdf:li rdf:parseType="Resource">
    <xmpG:groupName>USE THESE</xmpG:groupName>
    <xmpG:groupType>1</xmpG:groupType>
     <xmpG:Colorants>
      <rdf:Seq>
        <rdf:li rdf:parseType="Resource">
         <xmpG:swatchName>C=74 M=33 Y=100 K=19</xmpG:swatchName>
         <xmpG:type>PROCESS</xmpG:type>
         <xmpG:tint>100.000000</xmpG:tint>
         <xmpG:mode>CMYK</xmpG:mode>
         <xmpG:cyan>74.000001</xmpG:cyan>
         <xmpG:magenta>33.000001/xmpG:magenta>
```

```
<xmpG:yellow>100.000000</xmpG:yellow>
 <xmpG:black>19.000000</xmpG:black>
</rdf:li>
<rdf:li rdf:parseType="Resource">
 <xmpG:swatchName>C=0 M=62 Y=86 K=0</xmpG:swatchName>
 <xmpG:type>PROCESS</xmpG:type>
 <xmpG:tint>100.000000</xmpG:tint>
 <xmpG:mode>CMYK</xmpG:mode>
 <xmpG:cyan>0.000000</xmpG:cyan>
 <xmpG:magenta>62.000000</xmpG:magenta>
 <xmpG:yellow>86.000001/xmpG:yellow>
 <xmpG:black>0.000000</xmpG:black>
</rdf:li>
<rdf:li rdf:parseType="Resource">
 <xmpG:swatchName>C=23 M=100 Y=88 K=15</xmpG:swatchName>
 <xmpG:type>PROCESS</xmpG:type>
 <xmpG:tint>100.000000</xmpG:tint>
 <xmpG:mode>CMYK</xmpG:mode>
 <xmpG:cyan>23.000000</xmpG:cyan>
 <xmpG:magenta>100.000000</xmpG:magenta>
 <xmpG:yellow>88.000000</xmpG:yellow>
 <xmpG:black>15.000001</xmpG:black>
</rdf:li>
<rdf:li rdf:parseType="Resource">
 <xmpG:swatchName>C=100 M=68 Y=4 K=0</xmpG:swatchName>
 <xmpG:type>PROCESS</xmpG:type>
```

```
<xmpG:tint>100.000000</xmpG:tint>
              <xmpG:mode>CMYK</xmpG:mode>
              <xmpG:cyan>100.000000</xmpG:cyan>
              <xmpG:magenta>68.000001/xmpG:magenta>
              <xmpG:yellow>4.000915</xmpG:yellow>
              <xmpG:black>0.000000</xmpG:black>
            </rdf:li>
            <rdf:li rdf:parseType="Resource">
              <xmpG:swatchName>C=4 M=27 Y=83 K=0</xmpG:swatchName>
              <xmpG:type>PROCESS</xmpG:type>
              <xmpG:tint>100.000000</xmpG:tint>
              <xmpG:mode>CMYK</xmpG:mode>
              <xmpG:cyan>4.000000</xmpG:cyan>
              <xmpG:magenta>27.000001/xmpG:magenta>
              <xmpG:yellow>82.999998</xmpG:yellow>
              <xmpG:black>0.000000</xmpG:black>
            </rdf:li>
           </rdf:Seq>
         </xmpG:Colorants>
        </rdf:li>
      </rdf:Seq>
    </xmpTPg:SwatchGroups>
    <pdf:Producer>Adobe PDF library 16.00</pdf:Producer>
   </rdf:Description>
 </rdf:RDF>
</x:xmpmeta>
```

```
<?xpacket end="r"?>
endstream
endobi
86 0 obj
<</Metadata 85 0 R>>
endobj
87 0 obj
<</ArtBox[0.0 0.0 612.0 792.0]/BleedBox[0.0 0.0 612.0 792.0]/Contents 88 0 R/CropBox[0.0 0.0
612.0
           792.01/MediaBox[0.0
                                             612.0
                                                         792.01/Parent
                                                                                     0
                                    0.0
                                                                           201
R/PieceInfo<</InDesign<</DocumentID<FEFF0078006D0070002E006400690064003A0038003200
6200370033006500370030002D0064003800360062002D0037003500340064002D003900390061
0035002D006300380066006300370063003800350064003900350038>/LastModified<FEFF004400
3A00320030003200330030003400300033003200300035003600320031005A>/NumberofPages
1/OriginalDocumentID<FEFF0078006D0070002E006400690064003A00420045003500320042004
3003800340032003200380042003100310036003800380043003800350046003300330044004200
42003100430031003400390030>/PageUIDList<</0
                                                             20148>>/PageWidthList<</0
612.0>>>>>/Resources<</ColorSpace<</CS0 214 0 R>>/ExtGState<</GS0 216 0 R/GS1 211 0
R>>/Font<</T1 0 238 0 R/T1 1 234 0 R/T1 2 239 0 R/T1 3 209 0 R/T1 4 224 0 R/T1 5 208 0
R>>/ProcSet[/PDF/Text]>>/Rotate 0/TrimBox[0.0 0.0 612.0 792.0]/Type/Page>>
endobj
88 0 obi
<</Filter/FlateDecode/Length 3638>>stream
HWko _"`(R ` v6bEQbD$6 &v ;!9
1I>9nsqs 4[t W8H"" `-<u(?tea owm-_•_7?s'vp w .e ]•/?gnm9_j `{ Q/wM 3 w
R `p" <I f'M /•m fmW"^b Y `{N QM < t -$Xfg v$HNb "y SiPSVT ÚC n o ]W}Zo VP!
 -T &-+Vf
```

```
\{z-uuz s u *o 4/K-xX!X_{6}
oP b F eG6 eb O' L2 S"NA]1w7 H] %D?KV #I;a&KWD)fKL \f|&L F @u&f M- KN@7
y <GR]}_y%: +mÞL2j kJQCú} .D Ya6}>}]==
rR 2]e d%qqA<Yp";cbuh}qZ fs5- {H'DI
CD#L
5~ _p@8[I Fr VO WY huhS[#s- E ^ \=
MQcbGd^N
I). SX=4 I M ^9v>hL I/: \\ Na0Ev5HK^15 fd 8 r
P; ?sN (. V aG dZM 8 (8iKrcCjrv6= w%I\4 \NYIpERs6J *sp aQ5 ` [<fb {\Z 2-Ed^I L.e @
 e&5Rr p$I E[ ( " ~)v{ q^x@ A{[IKe2 &? FK JIJ Fu ¤0IQ.uxHY <HWyH% i9UC.s\gerV =#-q 5F Q
h
0 v)\;dk n; 9%K-i % v[W
RVM
kl&`xw ~68Z RtjYjIO Rd{ <%3LahaU S^rJrG xKUg#mD+^9 x
eN PFo LZ # 8& Q =\! 8=)# >-C[|D*R
\)OD # #zZd2oel g %o) T((vWYgxc04% teFC=CV
                                                            s Gm ia1jZ^# Ô?{{ P BF3XY,(c
V2h! AQD\s M$~F4uho
_vEm47 [ q | w .3 <fQp r1; R6 8* +,G ! L@Y(gJ W X MK '
$AJ D{LW LZz
 Vw
IJm3[9!mmDS
O8&q[eI|w>F^hpc#6 yF2Qk>H "^ } n@7v"
jb: u
.s,k!sod=xW
/g 7E a{OL\FR ? q "-(F - iJ%
*-DH0x 06}B{( h,ZES !5gF
```

```
G[e[ J Dhu I T Pk^{\prime} .Hh-TrS1^{\prime} =% !i / Q >H@KC Q V n2(•2 y 3 Yo"hs2
 R @N5RGj+-ft U
%
inO •`D•6UVQIM{VH
t PQ U{5w cX}3_t > z
^`E>} 6X.@,| {i]c*-RiswH E4L3d Pa fDat a C , ;163V%a #o
ZI " m U[\ 4a
8n 1 f 2%@6 a>o0 t.cNv*/ xa4fP@:y 0 (xHaz hf xl CdP SVvi+; D T\dJDZv= ct+?d=mNE E^ 4B
%10% /QRR$àDrvvv upE`. kBsVel$EkB %aQ4 -NUk.
W
 r E . C'iC_') E/ i Hmw!=Aq xU4) a^krZq IYx7`CO n+ F^+wgotzp
_Z g M!z bs ITVh
"}B^Ltok%
Q*Fnf sAB+gO$^zqf\ 7fL \bullet:I W]K \ nv*!p5M,qFq-
uJ_ IE#% zB: ifl f93QrZ5p )K3SH= '#=^GK3U3 #1XtqWHXg rl_ q• m
 2 lp$ .*Q\QeSy/)$6UJ kY5` 1d 1qm!/ P ^#sf|
!}q b 4 s uite"p}h&` : Za 4s `/Y*<@VgO X(Qz%c t28V K * S1t I_v ?LG =I 0:% B& y) 3E O
N< t
endstream
endobi
89 0 obi
<</ArtBox[0.0 0.0 612.0 792.0]/BleedBox[0.0 0.0 612.0 792.0]/Contents 90 0 R/CropBox[0.0 0.0
612.0
            792.0]/MediaBox[0.0
                                     0.0
                                               612.0
                                                           792.01/Parent
                                                                              201
R/PieceInfo<</li>InDesign<</li>DocumentIDFEFF0078006D0070002E006400690064003A0038003200
6200370033006500370030002D0064003800360062002D0037003500340064002D003900390061
0035002D006300380066006300370063003800350064003900350038>/LastModified<FEFF004400
```

```
3A00320030003200330030003400300033003200300035003600320031005A>/NumberofPages
1/OriginalDocumentID<FEFF0078006D0070002E006400690064003A00420045003500320042004
3003800340032003200380042003100310036003800380043003800350046003300330044004200
42003100430031003400390030>/PageUIDList<</0
                                                               20416>>/PageWidthList<</0
612.0>>>>>/Resources<</ColorSpace<</CS0 214 0 R>>/ExtGState<</GS0 216 0 R/GS1 211 0
R>>/Font<</C2_0 191 0 R/C2_1 189 0 R/T1_0 208 0 R/T1_1 238 0 R/T1_2 234 0 R/T1_3 239 0
R/T1_4 188 0 R/TT0 192 0 R/TT1 190 0 R/TT2 193 0 R>>/ProcSet[/PDF/Text]/Properties<</MC0 99
0 R>>>/Rotate 0/TrimBox[0.0 0.0 612.0 792.0]/Type/Page>>
endobi
90 0 obj
<</Filter/FlateDecode/Length 3911>>stream
HW[o \sim Q uN"4 b\sim H@ HR=vwWL;\sim IJ * ?n7/\sim IE *V< Z4 \bullet od` J w3Rb+?Wn>=ksA+e={&}
s8kl.mZ;~JI^e |tWqE| . I/{_ Y@c WF.a7! /
Ia. U ay |\{ TX c < uw ^tQB z \{yu5okNZkZ • 9\} > 2/Y8\{w/Yx]i \}N < \}?DzWY6] | C ?;^i
tw> %h]W G+ cG JV gNI• ~•s 7_w?o=` | :8G~ o?• Z\4K!Xd$ _ FE'%V ~IvR+F^K 9& h-58e}A_U
+%wl[bv ' G
s :sh d[CS, dhz* 1YU!JP8;7K+' h ;; '3dF(ha^
h<F9UP:bBah 6kw # n Qj.|6C 5VXd#AFU DFE [
g " K< @5!&kQ+ iE BeOA`;8 -BBN 2 \FPUILk eP7 ;F~7Ij! $hQ9$nm ($usZ ;t ~Y r N\f BpE~q u
- #mVyi)%zq7$5 TA#/Pu}&
)a BP N4XJ :epri <@gP5 ' 9zi 1#f4#av} XA4b 4iH E suR<:j`a V) ,'4mtQ8{INiP<}; ` bb .eB iTCLK
E`Lj1P8 q0 B i{Z l pTu!,c G* %7<
N^pc dH A||MDFOc{Ek YIG !MA+T8M-$WM yz"V ?C*E 6s
3 S H w,sd" U:N÷, U,T 2QZ:X[vY2 V d@fl% % % % % % * ]^d' mY+ `@
 T 9 0lqM0
```

5[sF]y*] X R K 6sD PaLy4 > B # S * 0ph=*,yAn\$G`{zDkx}5V P0c C

```
vT X]YX : E| | | | | |xO 3tz {SKZKLo 1* NtM@6a"* # @#T R *t T4f*Y Q TSa]! HIt? ●8 h' He&v Y
JsD#,]yAF _\
2M\{ )" N- -)XZ > q.%V: \x 0
qfHJq) 1S9~hj@)S if
v^ x 2::Pk8 @_$W!|5 Q Z
B[9!,()i+" •0\X u
                                                               C%Yx;grQ# cXB;LGn
 ,|t4 J Z 9dU/ o q dqR`S G! 6.v wpx5 $1> W |rn #^Hra) 8[X/G 6 $[ x1A3@4P5R1
8ZPo
q{9 1
HXX_c56O1URS\2
ElwG1>cdxyyNG?tb,;Cgoes|Y Zugyw/
5_R z9 !+
-() y Fi ug
yTRc6) \bullet{q wRl?t' @- b&Cl m#9m_g =a'Yw:6C "W S+~HO> #G >3 WZG+ )uN r%).o 6n zQ{B.
(P(EM
 m;r\2 H^ g7i~?n ~: 6a•XXC?(2 KH~vx8e OG CW @ A ;KT _1U( ~8*Zh<zLz ]p
f8 A_'åvr6j
 (8 YQ9;_6' e s
| @Z#[a[B; au po=9( !6 P3sM x]4 .R |p
[ |Ftlñ]U O "Yq Z3bc$hw% 4HWI_N0 j, @MsP
h +xÛul} q5tG l&RAZI VFQ 6 b "[Na #j&O •~*S.5m G%wuVS%•07 ,.V4PSBG# $
`|
2-cF0"•mR-",
•f~^,3X6. j [JYrS jüQ<] "Je ? fEL1 U +{& Sz<6V],$ p0aBr]8s pp )
```

```
5 3 XE & )nTqL1{ -} •I0" T9 IEe %1?x q
]Jb_PE sb bm j$bhi u|p^g-D+ecdgm' I*lv)n yzYp RH%l VahG p&
\{ ,n > D + k m | i\{x!H4 fXj| pp0\%; o 3>T87T9B.@ \} = . S[7 UE D2<0L$M v\}uJ-n | U+x pf- _JeO [ ] 
b?%;-fS%` ~Vu^ ?>W6 ZGQ
endstream
endobj
91 0 obj
[129 0 R]
endobj
92 0 obj
<</Filter/FlateDecode/Length 382>>stream
H = 0.5 + 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05 = 0.05
•7C]N7njbWu #t}5zM.i% ?4=J;•3
NWV_z3 XZ[ _Ecye$ 9 !S
McU$'eInOn i mx DAR . $@ Hb E
  :$ UV% ebxrx 00.Dw*r t e#ffff @9 sQr.a= me r+jNcad6k_ P
endstream
endobj
93 0 obj
[133 0 R]
endobj
94 0 obj
<</Filter/FlateDecode/Length 469>>stream
H\0 F~
-g mYWJ! 3,C>c+ab Y)`AA\v?•=Y :B!+v~RfX|_g• 1[.U3.^pW/n<, : ^~o *?_0B) 5 Tz?b W:ql3>4g">ZS
g\sim[xj4!mEh]
```

```
_
```

ADe m z8@%\$,TA H -JIH\$ 4 M!A`Hb,D!Onp3U IJ ^.W\$ -] tm `H nr #Ql> n-w+Zl [`k l H0r F #a\$ 9 #`0 F=E NW. kuQ ycXLllo!!L1w?

8Xx 4K

endstream

endobj

95 0 obj

<</Filter/FlateDecode/Length 1148/Subtype/Type1C>>stream

 $H|P\{LSw ^E < uz/j \ A \ F3 \ QD9P`bt \ Z \ / j < J\& \ a < dN \ G \ SY2C \ TD \ I| \ s \ a8 \ $NJ> + B.SiBwh \ 2V \ iw3y \ O$ $B5/ \ "^Y/(J/a" \ /Fkr \ cZ6856" << <^* Ui \ V$

ly Sq:a 63U*#Sq*% JUb5 +)0W*U c8SaX c Bh, 3b=C< E q@[C'.

 $N/_*' S(Ec, m<O H\$?J-wh I) C j jH N.gg^<)P+{j3|#y%%HN @$ s'/RSn>}$

L a=Q($1 > 51 : > Z7, _3 <$ },= sQ%J#I&F!a(E_;85r&_w d> s

Rj #R9C?] #hz ` H 2hNMLB ^8aNN F1hA J L> [# 026 o -z?X {Y= Kt vCNg [UJ•fT2-O :3] v-a & h 3-W /m mAID %ov]I['d+Hi6%\$ k\$s0%X

2 CT1 A)F(

m:x3

sTz>AU 6 G VcY7{` <Ih34D ((req ::-vy Qq U_\ B>1ML a ,tY 0 OHbY,Zw %ew: M + FY, Yw~qk v w6 [l> \i y

cqK:0å7Pq\uZmGc4.yOW<<%qo +a

endstream

endobj

96 0 obj

<</Ascent 864/CapHeight 674/CharSet(/parenleft/parenright/c/d/e/i/n/o/t/u)/Descent -250/Flags 96/FontBBox[-118 -250 996 864]/FontFamily(Myriad Pro Cond)/FontFile3 95 0 R/FontName/OGSTZF+MyriadPro-BoldCondIt/FontStretch/Condensed/FontWeight 700/ItalicAngle</p>

```
-11/StemV 124/Type/FontDescriptor/XHeight 489>>
endobj
97 0 obj
<</Filter/FlateDecode/Length 282>>stream
H_j s^m = w7 = (8)
PZ.~(,$n~bU w+l7i3n?8A]ž z U <v4• E(>OfpB f@Ve4j4jF7YoXU<RsB|J|">>Dxx 8 c%%51 -L2h,E7
?0
4 Ïkc'
0 moM
endstream
endobj
98 0 obj
<</Length 9652/Subtype/XML/Type/Metadata>>stream
<?xpacket begin="" id="W5M0MpCehiHzreSzNTczkc9d"?>
<x:xmpmeta xmlns:x="adobe:ns:meta/" x:xmptk="Adobe
                                                         XMP
                                                               Core 5.6-c148
                                                                                 79.163765,
2019/01/24-18:11:46
                       ">
 <rdf:RDF xmlns:rdf="http://www.w3.org/1999/02/22-rdf-syntax-ns#">
   <rdf:Description rdf:about=""
      xmlns:dc="http://purl.org/dc/elements/1.1/"
      xmlns:xmp="http://ns.adobe.com/xap/1.0/"
      xmlns:xmpMM="http://ns.adobe.com/xap/1.0/mm/"
      xmlns:stRef="http://ns.adobe.com/xap/1.0/sType/ResourceRef#"
      xmlns:stEvt="http://ns.adobe.com/xap/1.0/sType/ResourceEvent#"
      xmlns:illustrator="http://ns.adobe.com/illustrator/1.0/"
      xmlns:xmpTPg="http://ns.adobe.com/xap/1.0/t/pg/"
```

```
xmlns:stDim="http://ns.adobe.com/xap/1.0/sType/Dimensions#"
      xmlns:stFnt="http://ns.adobe.com/xap/1.0/sType/Font#"
      xmlns:xmpG="http://ns.adobe.com/xap/1.0/g/"
      xmlns:pdf="http://ns.adobe.com/pdf/1.3/">
     <dc:format>application/pdf</dc:format>
     <dc:title>
      <rdf:Alt>
        <rdf:li xml:lang="x-default">30082.Figure 3.2.1</rdf:li>
      </rdf:Alt>
     </dc:title>
     <xmp:MetadataDate>2023-04-04T03:45:53+08:00</xmp:MetadataDate>
     <xmp:ModifyDate>2023-04-04T03:45:53+08:00</xmp:ModifyDate>
     <xmp:CreateDate>2023-04-04T03:45:53+08:00</xmp:CreateDate>
     <xmp:CreatorTool>Adobe Illustrator 25.4 (Macintosh)
     <xmpMM:InstanceID>uuid:9b1c8afd-8e50-4a40-9714-05008a9c12b0</xmpMM:InstanceID>
<xmpMM:DocumentID>xmp.did:db85cd83-b495-4b64-91cf-cf8bf8bc1080</xmpMM:DocumentID>
<xmpMM:OriginalDocumentID>uuid:5D20892493BFDB11914A8590D31508C8</xmpMM:OriginalD</p>
ocumentID>
     <xmpMM:RenditionClass>proof:pdf</xmpMM:RenditionClass>
     <xmpMM:DerivedFrom rdf:parseType="Resource">
      <stRef:instanceID>uuid:b32c1fca-b270-4943-9adb-906be8985bdc</stRef:instanceID>
      <stRef:documentID>xmp.did:4ed75690-63b0-4fc5-91cb-dcf452f78445</stRef:documentID>
<stRef:originalDocumentID>uuid:5D20892493BFDB11914A8590D31508C8</stRef:originalDocume
```

```
<stRef:renditionClass>default</stRef:renditionClass>
</xmpMM:DerivedFrom>
<xmpMM:History>
 <rdf:Seq>
   <rdf:li rdf:parseType="Resource">
     <stEvt:action>saved</stEvt:action>
     <stEvt:instanceID>xmp.iid:ed62f83a-40da-4039-9aa1-9f4a2b446671</stEvt:instanceID>
     <stEvt:when>2022-09-10T14:35:01+08:00</stEvt:when>
     <stEvt:softwareAgent>Adobe Illustrator 25.2 (Macintosh)</stEvt:softwareAgent>
     <stEvt:changed>/</stEvt:changed>
   </rdf:li>
   <rdf:li rdf:parseType="Resource">
     <stEvt:action>saved</stEvt:action>
     <stEvt:instanceID>xmp.iid:db85cd83-b495-4b64-91cf-cf8bf8bc1080</stEvt:instanceID>
     <stEvt:when>2023-04-04T03:45:50+08:00</stEvt:when>
     <stEvt:softwareAgent>Adobe Illustrator 25.4 (Macintosh)</stEvt:softwareAgent>
     <stEvt:changed>/</stEvt:changed>
   </rdf:li>
 </rdf:Seq>
</xmpMM:History>
<illustrator:Type>Document</illustrator:Type>
<illustrator:StartupProfile>Print</illustrator:StartupProfile>
<illustrator:CreatorSubTool>AIRobin</illustrator:CreatorSubTool>
<xmpTPg:HasVisibleOverprint>False</xmpTPg:HasVisibleOverprint>
<xmpTPg:HasVisibleTransparency>False</xmpTPg:HasVisibleTransparency>
```

```
<xmpTPg:NPages>1</xmpTPg:NPages>
<xmpTPg:MaxPageSize rdf:parseType="Resource">
 <stDim:w>612.000000</stDim:w>
 <stDim:h>792.000000</stDim:h>
 <stDim:unit>Points</stDim:unit>
</xmpTPg:MaxPageSize>
<xmpTPg:Fonts>
 <rdf:Bag>
   <rdf:li rdf:parseType="Resource">
     <stFnt:fontName>HelveticaNeueLTCom-Cn</stFnt:fontName>
     <stFnt:fontFamily>Helvetica Neue LT Com</stFnt:fontFamily>
     <stFnt:fontFace>57 Condensed</stFnt:fontFace>
     <stFnt:fontType>Open Type</stFnt:fontType>
     <stFnt:versionString>Version 2.30</stFnt:versionString>
     <stFnt:composite>False</stFnt:composite>
     <stFnt:fontFileName>HelveticaNeueLTCom-Cn.ttf</stFnt:fontFileName>
   </rdf:li>
   <rdf:li rdf:parseType="Resource">
     <stFnt:fontName>HelveticaNeueLTCom-CnO</stFnt:fontName>
     <stFnt:fontFamily>Helvetica Neue LT Com</stFnt:fontFamily>
     <stFnt:fontFace>57 Condensed Oblique</stFnt:fontFace>
     <stFnt:fontType>Open Type</stFnt:fontType>
     <stFnt:versionString>Version 2.30</stFnt:versionString>
     <stFnt:composite>False</stFnt:composite>
     <stFnt:fontFileName>HelveticaNeueLTCom-CnO.ttf</stFnt:fontFileName>
   </rdf:li>
```

```
<rdf:li rdf:parseType="Resource">
     <stFnt:fontName>HelveticaNeueLTCom-BdCn</stFnt:fontName>
     <stFnt:fontFamily>Helvetica Neue LT Com</stFnt:fontFamily>
     <stFnt:fontFace>77 Bold Condensed</stFnt:fontFace>
     <stFnt:fontType>Open Type</stFnt:fontType>
     <stFnt:versionString>Version 2.30</stFnt:versionString>
     <stFnt:composite>False</stFnt:composite>
     <stFnt:fontFileName>HelveticaNeueLTCom-BdCn.ttf</stFnt:fontFileName>
   </rdf:li>
 </rdf:Bag>
</xmpTPg:Fonts>
<xmpTPg:PlateNames>
 <rdf:Seq>
   <rdf:li>Cyan</rdf:li>
   <rdf:li>Magenta</rdf:li>
   <rdf:li>Yellow</rdf:li>
   <rdf:li>Black</rdf:li>
 </rdf:Seq>
</xmpTPg:PlateNames>
<xmpTPg:SwatchGroups>
 <rdf:Seq>
   <rdf:li rdf:parseType="Resource">
     <xmpG:groupName>Default Swatch Group</xmpG:groupName>
     <xmpG:groupType>0</xmpG:groupType>
   </rdf:li>
   <rdf:li rdf:parseType="Resource">
```

```
<xmpG:groupName>USE THESE</xmpG:groupName>
<xmpG:groupType>1</xmpG:groupType>
<xmpG:Colorants>
 <rdf:Seq>
   <rdf:li rdf:parseType="Resource">
    <xmpG:swatchName>C=74 M=33 Y=100 K=19</xmpG:swatchName>
    <xmpG:type>PROCESS</xmpG:type>
    <xmpG:tint>100.000000/xmpG:tint>
    <xmpG:mode>CMYK</xmpG:mode>
    <xmpG:cyan>74.000001/xmpG:cyan>
    <xmpG:magenta>33.000001/xmpG:magenta>
    <xmpG:yellow>100.000000</xmpG:yellow>
    <xmpG:black>19.000000</xmpG:black>
   </rdf:li>
   <rdf:li rdf:parseType="Resource">
    <xmpG:swatchName>C=0 M=62 Y=86 K=0</xmpG:swatchName>
    <xmpG:type>PROCESS</xmpG:type>
    <xmpG:tint>100.000000</xmpG:tint>
    <xmpG:mode>CMYK</xmpG:mode>
    <xmpG:cyan>0.000000</xmpG:cyan>
    <xmpG:magenta>62.000000</xmpG:magenta>
    <xmpG:yellow>86.000001/xmpG:yellow>
    <xmpG:black>0.000000</xmpG:black>
   </rdf:li>
   <rdf:li rdf:parseType="Resource">
    <xmpG:swatchName>C=23 M=100 Y=88 K=15</xmpG:swatchName>
```

```
<xmpG:type>PROCESS</xmpG:type>
 <xmpG:tint>100.000000</xmpG:tint>
 <xmpG:mode>CMYK</xmpG:mode>
 <xmpG:cyan>23.000000</xmpG:cyan>
 <xmpG:magenta>100.000000</xmpG:magenta>
 <xmpG:yellow>88.000000</xmpG:yellow>
 <xmpG:black>15.000001</xmpG:black>
</rdf:li>
<rdf:li rdf:parseType="Resource">
 <xmpG:swatchName>C=100 M=68 Y=4 K=0</xmpG:swatchName>
 <xmpG:type>PROCESS</xmpG:type>
 <xmpG:tint>100.000000</xmpG:tint>
 <xmpG:mode>CMYK</xmpG:mode>
 <xmpG:cyan>100.000000</xmpG:cyan>
 <xmpG:magenta>68.000001/xmpG:magenta>
 <xmpG:yellow>4.000915</xmpG:yellow>
 <xmpG:black>0.000000</xmpG:black>
</rdf:li>
<rdf:li rdf:parseType="Resource">
 <xmpG:swatchName>C=4 M=27 Y=83 K=0</xmpG:swatchName>
 <xmpG:type>PROCESS</xmpG:type>
 <xmpG:tint>100.000000</xmpG:tint>
 <xmpG:mode>CMYK</xmpG:mode>
 <xmpG:cyan>4.000000</xmpG:cyan>
 <xmpG:magenta>27.000001/xmpG:magenta>
 <xmpG:yellow>82.999998</xmpG:yellow>
```

```
<xmpG:black>0.000000</xmpG:black>
             </rdf:li>
           </rdf:Seq>
          </xmpG:Colorants>
        </rdf:li>
      </rdf:Seq>
     </xmpTPg:SwatchGroups>
     <pdf:Producer>Adobe PDF library 16.00</pdf:Producer>
   </rdf:Description>
 </rdf:RDF>
</x:xmpmeta>
<?xpacket end="r"?>
endstream
endobi
99 0 obj
<</Metadata 98 0 R>>
endobj
100 0 obj
<//Annots 101 0 R/ArtBox[0.0 0.0 612.0 792.0]/BleedBox[0.0 0.0 612.0 792.0]/Contents 108 0
                     612.0
                             792.0]/MediaBox[0.0
                                                                792.0]/Parent
                                                                               201
R/CropBox[0.0
                0.0
                                                  0.0
                                                        612.0
                                                                                     0
R/PieceInfo<</InDesign<</DocumentID<FEFF0078006D0070002E006400690064003A0038003200
6200370033006500370030002D0064003800360062002D0037003500340064002D003900390061
0035002D006300380066006300370063003800350064003900350038>/LastModified<FEFF004400
3A00320030003200330030003400300033003200300035003600320031005A>/NumberofPages
1/OriginalDocumentID<FEFF0078006D0070002E006400690064003A00420045003500320042004
3003800340032003200380042003100310036003800380043003800350046003300330044004200
```

612.0>>>>>/Resources<</ColorSpace<</CS0 214 0 R>>/ExtGState<</GS0 216 0 R/GS1 211 0 R>>/Font<</T1_0 238 0 R/T1_1 234 0 R/T1_2 239 0 R/T1_3 208 0 R/T1_4 209 0 R/T1_5 119 0 R>>/ProcSet[/PDF/Text]/XObject<</Fm0 194 0 R>>>>/Rotate 0/TrimBox[0.0 0.0 612.0 792.0]/Type/Page>>

endobj

101 0 obj

[102 0 R 103 0 R 104 0 R 105 0 R 106 0 R 107 0 R]

endobj

102 0 obj

</A 109 0 R/BS<</S/S/Type/Border/W 0>>/Border[0 0 0]/H/N/Rect[208.339 320.795 263.996 309.991]/Subtype/Link/Type/Annot>>

endobj

103 0 obj

<</A 110 0 R/BS<</S/S/Type/Border/W 0>>/Border[0 0 0]/H/N/Rect[76.0 308.795 264.749 297.991]/Subtype/Link/Type/Annot>>

endobj

104 0 obj

<</A 111 0 R/BS<</S/S/Type/Border/W 0>>/Border[0 0 0]/H/N/Rect[76.0 296.795 139.596 285.991]/Subtype/Link/Type/Annot>>

endobj

105 0 obj

</A 112 0 R/BS<</S/S/Type/Border/W 0>>/Border[0 0 0]/H/N/Rect[360.366 596.795 505.467 585.991]/Subtype/Link/Type/Annot>>

endobj

106 0 obj

```
<</A 113 0 R/BS<</S/S/Type/Border/W 0>>/Border[0 0 0]/H/N/Rect[310.0 584.795 502.837
573.991]/Subtype/Link/Type/Annot>>
endobj
107 0 obj
<</A 114 0 R/BS<</S/S/Type/Border/W 0>>/Border[0 0 0]/H/N/Rect[310.0 572.795 379.614
561.991]/Subtype/Link/Type/Annot>>
endobj
108 0 obj
<</Filter/FlateDecode/Length 5031>>stream
HWkJ G m (J0CvfjV &v{fV_n CM Sw_N
2 {YN 3 xS' 8}K NY}} oO ?//v |$\. W Co0 u -unk6P>ESO [ MwC _w;v8] $qg)$w{Gg #[ki; t•93wt 9]
K b \ 1y_}&^B H% N <7; #>J{J 9#& g N Ý;c^9 n [n 2ToizesV_=p] K?7
;< cH7"Go0Eh =}$Y G
Gx
`$ Q[z + :KS Rb>&ONGE6 I7 !N TbW&VpCeW :g=Cz 0E,%7XT[ o zg ! Mj&fkCv6z I R,•r \eR'fn0 k
V 5 8K = qaN6\{r zb R\%1k\}
Wh"+I8K 9IXDz \#M@\bullet cE\ Ee =8|~pf8"HC\f#o i
@ Dt' [nx ',/ Gr yi #kY|mfQ(J| b U iO $K0|&<ht DxqZEpq%)'+ Ao[6UT0^7s M1t 34D `x3G xd6z El
ucU: dJ o>H q
) Ak+ Cdz5kb/ (jM>"Ce<Q "Z-{UdLB)HAn97V&S{ ]h]s & yH IY)fwChwQDZQI^ sgG*z
(u_{\parallel})B 2 BDDU KqF M>
q
!U | J9MTCiHaz : [ 3{bg *O z@ <JRde:|#| J *8( eh Jbb`,) 8)m | N p j. pWXA"%: Pb A hb, {? ;BM gq
kX;H X\)wt` m I:Q3 RE:"o J
@B@QX 3KF,oP ul f/2F!)3`d
R &9 T J XJ' >J ]t )I|h 4O 0pOsV A {h(^ :ECg !( GyNP 2.(`[V&E "+'&U(Ys!x)- ~yV F|cPI
```

```
*V *kh Z{uuo!9y #XŠZ h" u^C c 0>d!5%&q F %z
? x AYi'F4+ %4F n@5 %, Mk
909*58vdZ AHU 2c,"6?&-Pd }k3 }918 C W&!-E,GYeqO^kMu% - ,z D Ck } w•I •zP`7d8z {yqSM LSC
D7[4OK dC S gd-CUj _^ A2
,7 Gy]M 2B<_4 L&e: +Z X&Qf; N B
1*) i 5] 2e Z/
,! YJ $3$)/}BACwg C H< ?% 1{N 3)r_& u-8'gPC: jZ,.C +%U5MWHg(6•y7-.Z/:\`: 8jJhJkPRGaF 0`U p
nu(,r o \&?I n1|G,u\sim IRI\ IFP/^v pb^{=}@2.z^{+}\sim C@,52;@3E57"p5kv; j[EZ+2]\sim L8CW\sim (x! < k)
~}pBI ~8\5Q$F5ic! ST c 3C7C 6)"luK
,}3 kcvKYrZm):E * 5 `5] WBb ##J ^gBa "QIBGjs`M ugK I }8 E2•h$|_
 Ar$G K
           \sim \{z < -37 \} (x = -37)
I W #N ,: Q qUT % U 3e$•| _ []•~rytV^gO UNDp'6>iNcP%w7#8+qo k_`]Ts)U 5dWf9Nd9%r !8 _C +6
=3:" =Ln *|x3= PXQ2A. +rc ,|Y9
{c II < cp CrtqZ^{(! \#o@ ; s= ; k\sim mz\#\&HNu5)}
+ @z}uQ^DsY
4!V
]? ?N=1 ,iE
Miz kzS g&-w'P alX jM&Y1Dxx8C(@<
Œ Zh\G}j~)Kt
b.n* EkMglr| 0\- ^h )mp9• Ar LoVZb:/•J v/<{•1 / {'9 Sw `~48g H?gU@ OR7a^=)XN
IS 10c-JnGg_4HQRa21ig@`0iLt=<0-q
}- J_ qQI*)Iv KI( AJ 2 E/Mr|(xZ;H$Oc$I S /q:Nc^/ 1ro:2H'@X6; qS
Xiw .]4 ( 35 \text{ v}K@ N 0:_ <R mf@ Ddx` x|{o m P G$m4&!+xwl[
}vK |?~o'e! μs , •$G ii</4&3lrD|* ^ 8nbq Nmk* rw:YpXkc5^` a9e /N;O &9Y0Jj^gP*9 \0kf q-z#i o8$ -9
AHA^5sfyp^ => {Q x+u FBv9x^{-} + kZA - Z \# T f u N \# A Uk4ap = Ae@v 6 IXF > K6' 6kLM + B^` y V\Ce~
```

WyD[5i0 x?|06 s) 2WK q Y%|8.k[Fb/;

```
-.7 V>]. Kd[ )
Z 02?C <{ 8 6D<C0 n
7dy vt?^{\circ} IoO x Fg}Rgw2GT(| ] >DiW"=V |6}P90b9 qkgPGkg05[=FQ ^{\circ}OZFr^{\circ}@#Ws
,Fy0{' •u(|F\G|n4#a dGZ;s]'i k@M8SOM 7jU6
D,!^{\circ}U[ w fll ZdFMWbH,+^{\circ} &CYGIIC6 R`)p4 S ..7= =p
/Z8n `2L@MM8I$e@(WaCJ r5qy &Bf
\ % FG_& 5PI
7?7W
V, hB/@f 9 fK>wiq dV' [<!e +jjAF: f
F qH! @ [2wKw]=È v&kX•" |
H{6BTczw[f cx ^_ jc wv LLVFZ\( $[? 6]
endstream
endobj
109 0 obj
<</li>
false/S/URI/URI(https://www.ecb.europa.eu/press/blog/date/2022/html/ecb.blog220928~a4845ecd8
c.en.html)>>
endobj
110 0 obj
<</li>
false/S/URI/URI(https://www.ecb.europa.eu/press/blog/date/2022/html/ecb.blog220928~a4845ecd8
c.en.html)>>
endobj
111 0 obj
<</li>
false/S/URI/URI(https://www.ecb.europa.eu/press/blog/date/2022/html/ecb.blog220928~a4845ecd8
```

```
c.en.html)>>
endobj
112 0 obj
<</li>
false/S/URI/URI(http://www.imf.org/en/Blogs/Articles/2022/04/11/blog041122-dangerous-global-debt
-burden-requires-decisive-cooperation)>>
endobj
113 0 obj
<</ls>
false/S/URI/URI(http://www.imf.org/en/Blogs/Articles/2022/04/11/blog041122-dangerous-global-debt
-burden-requires-decisive-cooperation)>>
endobj
114 0 obj
<</ls>
false/S/URI/URI(http://www.imf.org/en/Blogs/Articles/2022/04/11/blog041122-dangerous-global-debt
-burden-requires-decisive-cooperation)>>
endobj
115 0 obj
<</ArtBox[0.0 0.0 612.0 792.0]/BleedBox[0.0 0.0 612.0 792.0]/Contents 116 0 R/CropBox[0.0 0.0
           792.0]/MediaBox[0.0
                                                           792.0]/Parent
                                                                                       0
612.0
                                     0.0
                                              612.0
                                                                             201
R/PieceInfo<</InDesign<</DocumentID<FEFF0078006D0070002E006400690064003A0038003200
6200370033006500370030002D0064003800360062002D0037003500340064002D003900390061
0035002D006300380066006300370063003800350064003900350038>/LastModified<FEFF004400
3A00320030003200330030003400300033003200300035003600320031005A>/NumberofPages
1/OriginalDocumentID<FEFF0078006D0070002E006400690064003A00420045003500320042004
3003800340032003200380042003100310036003800380043003800350046003300330044004200
```

612.0>>>>>/Resources<</CS0 214 0 R>>/ExtGState<</GS0 216 0 R/GS1 211 0

R>>/Font<</T1_0 208 0 R/T1_1 238 0 R/T1_2 234 0 R/T1_3 239 0 R/T1_4 209 0 R/T1_5 119 0

792.0]/Type/Page>>

endobj

116 0 obj

<</Filter/FlateDecode/Length 2545>>stream

HWioH _¢y F,K e|dln {hKmc[} f7!WU| p•^ Oj]3_ xFflyjo'A q>34-1L÷} ?Pd(|9Gjj 8"s4hv o .] ?;N | s?

n"m}8

4 #\. O3Y =Se:\:.nh{\hat{a}"l0qU + R (7n 7 0 -V<p|4 +0]Ers<)l;R[[*G.3vH4O 2idThQS 3rgr=DmE 4

'g NwE

)Wx'X9- 382 ,X_^l y< 2 h C8!

b` f >m3ln%

mE ?OTC 8(IjRN ?N; *c ,rK 7 •'M_(X1 % FId \$vxzEo ` R /7HdQ f) X<r

WVH,F4 |w B!5) \$ y \$>FsDd z:*H>-Brf 3T@ b Lf OGQ !;h# #6b b#•@ < W+%m KhV Cf4*}K ^Y.x

oX Vp+@{{@c] D 8GL`: b N<jL^ Q 1 N9^: e0

iJIT CD88E_ v# + $pmK#J 1| A < eY W| ;g%3> d 0^ i | cht z$

]/ Q 4^TN (N{ gV KR` = jf{I NJ o(Pe('• ^[; L `s}a

:aV Q B#ZN#= $fy(\hat k t8)$ "F=

0b5 W+Z]C

7)vDb Z

MFRa D V7yEsR6}0Z|-vli

a M4*{R\$ Y5 tFULu JM]`1!VR &4/ /' F(Z%z-lh AMm@ KX {g WvL9^d04AD:SX} gfX

XJL^Aatq 1\$

h•G:s{YW H\4 TT %k u:)\{.•ak*J\Tt(kU

YP}M GG wL`;TVQDbch?sU 6Y*P 0 m *t\$SDV n7*F4(de%K,V@}>v 5EU u} = 46 4>2 !vFw+~L T IJ&/Xd-~is b\ k[j2 C x 7 0@Q. \bullet Biv[H:

u_`L)^Uoq&j;N\$'L ?Qo W

N z% S3 \C , ~ OZ>F

: 0 1fV Ly fi|ðS \$ Y %q) pj\T FX 1H}dv4 })XE) C3Q PD572--Q% S(%D' (S2[/>J g-IWb kX çTNW K) D| VPt E,w 27 r V>We ddD0 J "j@)d^xo " n @ /• \$h(• j ?W|0QbwFhx JVNy(•ITh+TQA" -H = S x5L@wHgz =) =# %f]0>Y Y6 s

endstream

endobj

117 0 obj

<</ArtBox[0.0 0.0 612.0 792.0]/BleedBox[0.0 0.0 612.0 792.0]/Contents 118 0 R/CropBox[0.0 0.0 612.0 792.0]/MediaBox[0.0 0.0 612.0 792.0]/Parent 201 0 R/PieceInfo<</InDesign<</DocumentID<FEFF0078006D0070002E006400690064003A0038003200 6200370033006500370030002D0064003800360062002D0037003500340064002D003900390061 0035002D006300380066006300370063003800350064003900350038>/LastModified<FEFF004400 3A00320030003200330030003400300033003200300035003600320031005A>/NumberofPages 1/OriginalDocumentID<FEFF0078006D0070002E006400690064003A00420045003500320042004 3003800340032003200380042003100310036003800380043003800350046003300330044004200 42003100430031003400390030>/PageUIDList<</0 26327>>/PageWidthList<</0

612.0>>>>>/Resources<<>>/Rotate 0/TrimBox[0.0 0.0 612.0 792.0]/Type/Page>>

endobj

118 0 obj

<</Filter/FlateDecode/Length 9>>stream

Н

endstream

```
119 0 obj
<</BaseFont/OGSTZF+AGaramondPro-Italic/Encoding 123 0 R/FirstChar 28/FontDescriptor 122 0
R/LastChar 121/Subtype/Type1/ToUnicode 120 0 R/Type/Font/Widths[504 995 489 503 250 0 0 0 0
0 0 0 0 0 0 0 320 250 0 0 0 0 0 0 0 0 0 0 0 0 596 581 646 739 566 533 703 0 341
340 0 546 874 739 730 552 730 574 471 634 0 0 878 0 0 0 0 0 0 0 0 444 466 338 474 346 261
382 475 278 0 448 246 729 501 406 448 0 341 262 284 496 426 657 0 366]>>
endobj
120 0 obj
<</Filter/FlateDecode/Length 461>>stream
H\n@ sL BJh R \sim P,- t&v}7448cS O]oVmf^tmh25o9wq0eix}xiC|4Sf8~sgm< mIOV •ncEWi6^S)s
=*[Q
mcQO\m< Yiz•FE~7 yWjr SUZT z
В
N < r]G)=xdnV z ^{W} z ^{W} f d Y/4) a zK e WC y 9 8 9 8 9 8 9 8 9 8 9 8 °) bfNw\c>~u0Zu4 X)
endstream
endobj
121 0 obj
<</Filter/FlateDecode/Length 7619/Subtype/Type1C>>stream
H|UkT w (0Y vpgk* + {Pc4Q T.} vgY.ua X)
e JURIFcbXO c i- IO=3; C
w?sU[) \OX[mGa 6O9y,4H| c o) Y - r+S?[ 1p@\2+#S%~-mxk#:qT* T<nyBPdHqLv w(O|@'S p FEc
* Y^8j}t)r:*r qVX))b,#Rb2E*IQ + -q\ gqQ}a()*e q\xzT C8 -C+ah5 A h AG!(! A9B _ y ^* oB. \ r6
. ]xxE?YMQ?H OxK `( [ f a•]:*~2{4 Wet3
                                      T$ 3W •
2l] p+ | 4
W90:|e= \ d r yL[N$ iSa4 DS T:-B ">:\i ji[
```

endobj

Ný\K]G'} [|/f! t!Kd,.?.bo0½ S r Y \$){FSp5> |^i Gj3D #4% L0\o6aUFK]A{# s N = | H w:vf(# FSfs1 gN?@ p 4xBO Df/T&

M Z[

H 7]

Ez_ ?I|iQ]G7Y T9NMN od m \$R?c `.

?p M^rMk]idrl+ ?|c #*[\=_ 8Qcvc;Cb>m\$ wM•@m•0l. u%9XP + w

UCQk 1RaR $X = Ar - - Ab + \{r\} F ? \{ q' = a\% + 10 \} + 10$

AOKarwL Vm[nq

etaTkK2EV8 KQ " 3J ; R|<GIQe)ZqZb)0<eV 9,CP[5 S || k|(x

M @ O '7 GS T`Ds Rqo F"\$RB&+W XDQV'IU:T1v j XIQH9LN hd) 4`emH>I5P; p •^n {Ksg;

`kbA h9LeA\$35bURNeLs0 17.DpBrr IP Js

+4t ^-u} 1zz2XKb F /K>nM}WVTKmiH{h=u E _Uk ,•zg ! jlsen. mD K[^'N1J Zl3t+!}13 4 B•D WwRRX _d)q ^#Hp &8 ^Mn;qvV` (/.o {{/pw z (E J%vR•t:•?|g?r 8%! &g@5P}Lb W {T K {b r YP>K Y jFs /1

`qlgQUX>f99r]MW[p

4G3e3

 $\label{eq:continuous_series} $$ \Upsilon_{\theta}^{T} = \Upsilon_{\theta}^{T$

9 bav 7P 5V tFu0:3rU:T6%kOQ E`(e

\$ Sd UUA A t&3e //\$ *]l a Kxoj^i ? ?Oz

IX xI,Z{O6 A:8@ Z ^ uv7mFM

c[4 WK O#&]w< t@uE (T'8p ie-7[3xp _5, YPt• , > il = hjk qpgv:

IWadv|2s =8xh C w1 aVDy>I& /q? ~h #T %

```
Pe%t&~L t0 U(/{ T:h
/PK Z7%Jv-) 8epxA:Gj 1g kZ<f0B
 Z|+9 W/@D) 6{1eBLff v6t E= R k Y>0z< O> \V 7{M ~["/i9YtDWqjl y(o,Hd
.g@ M ky?rzV+8L? "c:Cq 5 B P B %y Y I'k
Н
iTRZ*(Xk
@#[\/fsqJ! ]/ kt 0lfz^ 1a%RSgT Bg R{>M) x Au_6~ v4A 1 H V(G $$Aa,\[
i | \langle yoJP + :L O DVbKK = 9 \rangle ; KP&qj ? *":R55 r z + "* ~WA? }!v$ ?)/HMd vj
E< F5V3;'5;twR:kS[e uQyQV4.!)-gOSOw o:N^ } Dt:9 ]Xv^ cZ
JKN9 PViStRYy 6Yq;by[c6 <i j b
}'zM] "M>y$Ri h
JTY y0wEf V3w( ew} 4•<%>O`h•O 79 hB!))CtZ[s O :R . |;1 b/ K\ NwFq]q<@Nj yS jH*> @
T` 1&v 1 {^>}.
~aG0U 0 V&iREC*RsmR^tPR *Z
rv#GNTO"Hb9/&~YD )n 9 74b5 ' OAcQ|x:s7 & 2K m xvSD$ # g:`nZ!PtB 9\v ;Cm2~Q~ S2 <0 TF
-^:5I0X n s fz!@6 UYSN]_ o #KQy{U VRPrG xGCU gQ
I.M_m7 5C puX Zz
} s3h9u;!++ )`e t8 gb06i| !<lopv vM Lf&1$ :s ^n X Qu V IVQ ~?m),8r
fg4>%h O .UeL%t /*2k ~`2w M
*jq#fi,:;kswFFRÐ?!>') 9 PV" P \NLv3BZ
EF1fd F 4z h'ZN'[`.44'w_T2
                                                                                   9GG &G
8'q? OryvE2u{\4 IO32y 5 `V8 tn&q".4a1H*SG CCa2D=j • 9&xfv#VP5lh9 { #vl $0 7M tp'F:.Pq+c
4 kdy$!<qCJu¾ L >v'3yFG%U<PC`' MhBJXmNCP< G wb" zK @" \gc&Q?n0,]z S<WHNq fJ",& I| /
>XZ
 y# bO S bap! MjR ?i >J ] ' ,,A[I3g : `e(}I wwvq S•.}WU
J, Op /-EYVTXVA 0= 8 |\{B-gl(p "Z0'b `kCJ>*>*, " \#L 3 U[Pz•! 2 S?2 a5k{,Q5> 1mP .}]
```

```
QuL[R;Pch1U.;Ye{ \< I8 UH# s~ q 4 ? Q 07}t ."hDIK] )[JH5VgmP5` •_[eV ,x ) :a?%+V]nsXs aZ9
^o`+_K}(NZ)I 9?ZRA _Y )eE!* ~zr% ^pX1m(u k~
OH!!nv\# / Pvq!Z | V = ~ _7\%dJ m + !/LAN q w J r..i 8gD = Uh % 6z ROFR" ($( DvID = Fhr/h ZS q) r..i 8gD = Uh % 6z ROFR" ($( DvID = Fhr/h ZS q) r..i 8gD = Uh % 6z ROFR" ($( DvID = Fhr/h ZS q) r..i 8gD = Uh % 6z ROFR" ($( DvID = Fhr/h ZS q) r..i 8gD = Uh % 6z ROFR" ($( DvID = Fhr/h ZS q) r..i 8gD = Uh % 6z ROFR" ($( DvID = Fhr/h ZS q) r..i 8gD = Uh % 6z ROFR" ($( DvID = Fhr/h ZS q) r..i 8gD = Uh % 6z ROFR" ($( DvID = Fhr/h ZS q) r..i 8gD = Uh % 6z ROFR" ($( DvID = Fhr/h ZS q) r..i 8gD = Uh % 6z ROFR" ($( DvID = Fhr/h ZS q) r..i 8gD = Uh % 6z ROFR" ($( DvID = Fhr/h ZS q) r..i 8gD = Uh % 6z ROFR" ($( DvID = Fhr/h ZS q) r..i 8gD = Uh % 6z ROFR" ($( DvID = Fhr/h ZS q) r..i 8gD = Uh % 6z ROFR" ($( DvID = Fhr/h ZS q) r..i 8gD = Uh % 6z ROFR" ($( DvID = Fhr/h ZS q) r..i 8gD = Uh % 6z ROFR" ($( DvID = Fhr/h ZS q) r..i 8gD = Uh % 6z ROFR" ($( DvID = Fhr/h ZS q) r..i 8gD = Uh % 6z ROFR" ($( DvID = Fhr/h ZS q) r..i 8gD = Uh % 6z ROFR" ($( DvID = Fhr/h ZS q) r..i 8gD = Uh % 6z ROFR" ($( DvID = Fhr/h ZS q) r..i 8gD = Uh % 6z ROFR" ($( DvID = Fhr/h ZS q) r..i 8gD = Uh % 6z ROFR" ($( DvID = Fhr/h ZS q) r..i 8gD = Uh % 6z ROFR" ($( DvID = Fhr/h ZS q) r..i 8gD = Uh % 6z ROFR" ($( DvID = Fhr/h ZS q) r..i 8gD = Uh % 6z ROFR" ($( DvID = Fhr/h ZS q) r..i 8gD = Uh % 6z ROFR" ($( DvID = Fhr/h ZS q) r..i 8gD = Uh % 6z ROFR" ($( DvID = Fhr/h ZS q) r..i 8gD = Uh % 6z ROFR" ($( DvID = Fhr/h ZS q) r..i 8gD = Uh % 6z ROFR" ($( DvID = Fhr/h ZS q) r..i 8gD = Uh % 6z ROFR" ($( DvID = Fhr/h ZS q) r..i 8gD = Uh % 6z ROFR" ($( DvID = Fhr/h ZS q) r..i 8gD = Uh % 6z ROFR" ($( DvID = Fhr/h ZS q) r..i 8gD = Uh % 6z ROFR" ($( DvID = Fhr/h ZS q) r..i 8gD = Uh % 6z ROFR" ($( DvID = Fhr/h ZS q) r..i 8gD = Uh % 6z ROFR" ($( DvID = Fhr/h ZS q) r..i 8gD = Uh % 6z ROFR" ($( DvID = Fhr/h ZS q) r..i 8gD = Uh % 6z ROFR" ($( DvID = Fhr/h ZS q) r..i 8gD = Uh % 6z ROFR" ($( DvID = Fhr/h ZS q) r..i 8gD = Uh % 6z ROFR" ($( DvID = Fhr/h ZS q) r..i 8gD = Uh % 6z ROFR" ($( DvID = Fhr/h ZS q) r..i 8gD = Uh % 6z ROFR" ($( DvID = Fhr/h ZS q) r..i 8gD = Uh % 6z ROFR" ($( D
IWE: Kpb [I^&r.n d •Ov1p \qv]lf>qBR\•zFF+(
    DFuT^• | Qx - gz4uq GZuc3 %e\ P@^`iOii7ZZZZ Xnm -0PAy1o{k ;%fq 7yPo p#FU ]Ei%2ki 9 'P
1 nE~||T
 NEmx j#*eEK`S r HPaA W(uv_ V W; `e KrU;| M\ KQnu 7m"3EU s" kG]b
Pw `(! !9 a' ) * gQPnMt^ e8 O= 4J+fa]?O b;[m&]
 xa \&j(<S j c\#(oZTss V \#2IXD)? g}^{= y QWd8 O k 7.fj;>Qh9IFMkW)
!U^{}! &PoS6P` KB [•Do=z > Lc;h[VMEhJ | W,nHO'Wc A
d[p D1;JH? n6^
W) /4 K 8@5.m b}h| u F: ;] 9 [3 >GZLsJ e<_K H zi] s;e
z J j U9? /Bp2Anq=r X 4? nP 3^ Q0 PT wMud 6 X E ADR :JyJ${ h 3 $X3 nO #Ce4y, _ Jy _N]
                                         CPtDk. X':
+' ' U'uKN< `
f F2
 {=yU_c_@kbx"m2(6
wGH(/ 3 6 J$2iz2i I
X 27&UJpJfz [z Dn 9J~< }jE !s /sXLvi.- g- MA ?2q F![E Ma aQ pFn(E d Fr =lkZ_ (QMjs4fzyia< Z
endstream
endobj
122 0 obj
<</Ascent
                                                                                                                                                                                                             917/CapHeight
660/CharSet(/ff/T_h/fl/fi/space/hyphen/period/colon/A/B/C/D/E/F/G/I/J/L/M/N/O/P/Q/R/S/T/W/a/b/c/d/
                                                                                                                                                     98/FontBBox[-182
                                                                                                                                                                                                             -338
e/f/g/h/i/k/l/m/n/o/p/r/s/t/u/v/w/y)/Descent
                                                                                                             -338/Flags
                                                                                                                                                                                                                                      1668
917]/FontFamily(Adobe
                                                                                    Garamond
                                                                                                                                          Pro)/FontFile3
                                                                                                                                                                                                         121
                                                                                                                                                                                                                                               0
```

а

#

endstream

endobi

```
127 0 obj
<</Ordering(Identity)/Registry(Adobe)/Supplement 0>>
endobj
128 0 obj
<</Filter/FlateDecode/Length 14785/Length1 32372>>stream
HWkl W >w zv ;vf $yRUi*g&i -- HHUS( H• M%AQY R
                                                                                 5-M ( %wq)
I \sim sf < GZ \approx P . { = ==? A 1?>. =a wv!k 8qr'._qpwG -7 Y]T"u > Nm^(R&[NH-RGHm0 n N\*6J#D/w] }
W q UPB 47 _"(I-R:2Ci LtP
|=
o9YE`c6Ui& ZEh3: TTGj \\Re+ • 0\'\@5 ~\% O gw (\ s !zrh<~
5N YV?A =E< xp 53Skf1 8D Z7 ]a0FY 5 { !]tUu Q ,U\=/qUE 5 {/ |•: t2[ k :! k '
Vs5rK^qKRoX]y:6<|,<L$=5JEO[S7/H_*|Y*v]
                                                                                   UX c{\u
@(R):") 0AXdbN& s ] B TkU*_{S_MT V.sxn= U+ah}
+zr ?'
 ?2YK,7-L5U!+e`vvd^ ?NfOq= Sb x -5ISSS
# Un@_Y vS^ a<- 0 L 19 \ {Zi n/H5 % ;C+p|Z f5 ^ z&ysfh)x[ ok ji?_D9z ]s v /g(=k@N> Lm Km
Q03 ^ 2jE
=• )' b m+?hy}q) hc<hU+AX;>w=^N$ ;l:-OuF m] "y\ @NXmul cPCm /gME +* @< '&
{T+ xstw~-7n#K{m [ 32 '@LR"&3
[9t z MEYm4 0*!qY 99Z L-Wfr E) d Q3 QGV[8!`x thB@ ffKidA K,- )@( sZI3 V(d:5hu }bz RNR4•[4&i
 ml '9oqsW|=jwm^wl][se@ ~ ?
g m p!q'$<*O\I E\B^p B 4$e CRPsL
3Aa \approx /z=
un q & f9 &D&•y3
_ ,Jr8% W/ N •RW &K8 J< u bQ•0f N02aY; i4~V C<'=-/
```

```
<js 6!GI)*mF:
```

 $\vlet - t FVEm7#D + Z - CwZ$

6•& C PHm 4)L0ea4e " w(qt=o[6S|m/*E { J Rt h-p%\ >] s9:<Y 1/

AXZ $Nz[b)T4e{97U:?OMd.k{. mr` 0 }S r rc/`RnCn u 6 > MSFo_m3$

6B4 p ~ ~[wi| Y.d LUUT; / q~.•q)t LJ0#9qJ -Ku 1 H @ A] 11 3& ;|pMb ~f)nstYn3lzah7q 6S•~Y-

EDfu ;L3kFHgqdgu[(Wp,Wzs 7 • XQ

W"U> m1'QqeYe2NroGN 8#

': 4 _?P_8? =#•]M^W}_u 1 \$v >Ô Dm e A @c5C3/4* MOQ?_&i& {q"s{> Y "D'3 L0 m C?"+}2|rOu >'lu k y% { , R.)w ~}k8.w n }c/(^>K I+ &<DN* Ò Z!q Ga V O`s `o /^vv # 0H4d o\l

4g \wU)i* U R Yb J2Xq yR _O

PG Qt|.(qU9T BVV 6j

KO! Cp h_& J PC K~

R~pE K=

F[Lo% r _nY :v=Y+_Zn " -bXt2Hl q9*2 ~fN3PC`gD(P.; Lc j uj&;)" fu % &?P`f4*.[,P&i`&LXXH:Gj-^5#`y_VA K &WC LH(%š?-@ 9R\(N 6 z> [~so dJZ:i u^Zqt6P h"LKZ jP ffvM nlV F4 Pe4M@}X \$44 00&y*q,

g }GL%u 0 b2~A}WLj# 3[\$H+;JJw6_ W5

8WkGaEH 5=:9e&3? 0evKjL R#5qn A#ac2-e•x OD;.;sDN!x8 _K\$7&D M I TT%YIQOn9 (4W;zc 1 J 4g{n + \il. 9vh T~ 7M •

sp]hDQ! Q6Utw(. Y ?Bs] R{ i N +c85*,_[(MD S [p 8 f

 $[DUf\]/ohy N ? 8 vj^\W{/^E#'\%} U,zT@YC#gy:$

AU[6H1~d AZu`

kGb p*H Aw c~S0m Z j,!3\$ 1! 2@ Yb gm Yb

dUR c(f WJW 4icAU*3i-q V=+ %u> fa' \k@ ~|D D} gBE,BQR Vp rPJD gQvMZ|y&[

R EXGxkrmî:|:z` 0: ZO VP T? LW #ac\$ Z#nw8Z xhXqSG:S<;td{ >pzKfeo•}}(uzE0BWe#SxFfbE (B i4 sq9j ZH ;w,!@`Y7C.YE cNcA7 i %• M|uvV W" 7B4=3"3W3&SK "C\[

V[nd& 1YM @) W w mb >D_ ;J\o> U~ F I@p%n8N2a@! gC^4%6q c 2I?m 9lt6 N&~I:(Îi _jVj J?:pN %p#") jf @{K hX,q # Q} .SES 0 /EP &!('0io 0eZ^KLjj(kw vS\acr w Xu8 [^X•O4*yb #Fz\$R S] &,7 (hJ(K; ; cBBO1po!Q~DI [y '0J1'+%\dyN m] M7`"L\ 2 B3\@8 U ~ Q3BxF q \$Bil Ih UG ($|9$@ c 9 = 1 E_g \sim zcQ \% GO$ F7 HiT 1Bm•^#Go# ' . ^hKh MDXZf) (pS ThYKB0vqsf wZ;o^ }Zv pa {liZ"-P=Mq Z %eh`YE8Š0CJHa|8F 1e8VbA mj /•«5 scv ;q|=I8v % J ` q - Ln&*-&1P:F*S .~ mi*uj?vr^\ $\| >- s \|Zy \sim$ R;zy 3/ | @ F n/ [~0Ewf• >m `tj`8[HeU#bjIU\$ SG P {HgoMj+=~|h '6B//: O /T _Bdl f6 5J6 aC .6 A \$V> \I? `>I'Y 1 sq* [J? (h? b&, Xu*`@0; tf!7\$s *s(4 \$2XR K i dj E;R?7V CB {W* =_#m`O1f% _0W^H3PH p_(_f +9•o x_n`<' ~w<# Ai %cN} sa9 H: AB @! eC"u < .F JF- % Ok \cdot 0s 5 Q)Z \gk N@W> L|&\text{\$e} Z Yq b og b pHee % 2=/ { < EW`wt^H3#z8N ,nE{ .t PRx 4 $\sim x^xV \]r"*G o _dR$ xCIFI p 8s tJ jA01J t Z<VpRkj- &e 6 2 Sz)U h 6[#- %r% P(a i;<jm?@Lu). y * oW trL t>x.\ F (•y+ZeZAUuT#z *ky`T G#k t lc]&L/tt[P=[b# bTL %rCxcdQ2rfM~f :h 9 zqo QCX ? }N> t`l.AT- |W 5 iž&s 2EM8AOP d a TG& |L& MS:N 9 h 0- 3y6q;0 hE)e2VPV

```
\#mL\%{J} \bullet Olh S H v]<:=\}4 VI kI x V MN0 . m Yr1-I [&
~;m.# ^ SyCh tvvr :Mm,2.} f_p 8['0BIOJG!j07E/ )e '8@G`:G<F' pQ3`h14Nx,O?OB<< dl [dx%2C;
SE:o JP'1dXFZ!I~ gnw0eX -%};n 3a8f #K m"~`B5( Q'0;lktDn+ nH" $yj
Pm • '@ RFdc G1•=, )k {?Nz\:Yq:Q P Kt&Yi Tr Drb G}X3 865q eg8E1w?.HVf|! !iH4$^W $.$CRLRj4
G 3uUIK(M!GpGD D? SISb, $P5 G gsL" nt/ uCo GJ
\S HC6 C \% :\"|@! /\{=/i\{M (m]~ 3`<\lo6\|qM\|k\{ 9 \$zbE+2Pgpuv~L) | 5•
{LEQB;m 2M GMQY %Q)OQ( X y4 3!q t
~ NC9/R[*. H @eE Y%QTZI w8<m5x- n E%{d~ d~aR \.
gZ;bSvFiG@C;_(d XC bN A J D!
"Q S H *R **$*_=*[AkQJR]Z 10X c
_W S@I *~) :&C u xi" hJ 'KI\ #1, t t~IYJL39%e :y 0mdO H#U :[ 0#,r!P~7'T'm$ OD
•]d7llV.Nj y ny4Y4TXJ;xuV^8NcSN4 KHml M . jW$FJV~fEuJS ~P`Mj i h
 sfh=s|>gg•xp a~b
5AE92#JVJ% 0a 0k%4 p |0K(OI@i X(: 9VÉ 1 6#W>|v0 4 G$( Y6~mlK}}i /2 +[Z~P }l 5IA OX T
@-`" S6^>&^qx.
7f#k %qUCI'C~m%Tm %A f~[78` _Y
{9 OC ,!he\r }y< GV~k}
v @ +O ^R t{<}B ;
NT j; sQ@`ãA A• g & N]Gs& F(a C5 5 i $<:x. •RpH9 tz" s~+3g^'BJ.~ XD>^ 4 m
BIUcz5 9g bA m {;p$ m a`e`i7:dG \:*h z F\QggLB t. c< p1} 6E^MW JO
                                                                 : h-XG ICS#
gg _2c! AMq |Z}4hkvzkw kN ]] }uy o[ [@nGkql;Vu i TJTr 1yTb udB!PD1IJ iQ1 15•U #A {+T 5V|E-
 vM5 \sim aV?M0k"[b:WL]
~% A6K#JL|jQVeC
qG = ^*6]E|IH&XFj1IuWA < J!{@I}BtP[|'u jB\6•`} %w>]f^Dv<> [j s 31c4 rTkVh9J*%2 QiJm6uljjdj]
Vt\)%X #!iJn [[<55 gYmk' ^V !2Bb7Xjq^Z }
7U U3,&: Rd.HiHM#K;SI;Be•6Wv;IXKT = GO Wk[\O xhTWP9 '5 ZS S" S"Kq 53\$ 6X^\4 2kXP JLkX
```

```
Gk rGg1G 63W7 (Fak$gp
G!z ? y8 {A0W # 7 Z, GhR!&| ^' ][G~O vVM]$AQLm ^bG ^* z[gvW.
'5{M Zor+ 6jn5sBk#O}yplHw6 ::-w.r]l: %&GIN&S PKjX1{ |d
VejR* K ~ , [{ m[ L U8KXHJAUJU*R 7
n. k EH J -KI] W \U
i~0I3T *X x3 c Gf QIUSSPb N
~0 •T "u3q ]~/1f
m2
9 ; p 0x
q6r^(^KV4B &DrQ tSy Q_kj|%VG^NH/WGuu HY > ` 6= 2yyv f G s =T=R :mP0'fK 9 I,[ZhxK•S&gm]
< K1Nr
BpF!q. F>z FS7<
 1XV'Y VY < W, WU{7 K>T xr=qv}
;4AAgi qvq $K` i GXJ Z]&i' d P^\ G3*C#t K 0 ai Ti U
F+,\J iP ]H9mG-!5^x g gt5 WN:!:;<*;Gx%dX|og Px I ;#sd pCs:5% Z
[Cakj8L+Y 7a ^WEI`ZP, +
~ ^ q Ni4 Wg`I$zDU L |K XoOq{ 4 .zk
6 d4,EQ} 8 |!@X?fJF~qU;^ul qPH#vb o I';qvw6v\^QVe"+H ZAA - 7T4*"AJ Js |s }W$ X
.n]>>J>! T h u>>u" - | C5
Et< 5KUD XTPIEQz`BD9¬R* /vk ‡oR•XbxYzy j@/b( p)8
                                                                               ; !eQ |4 *Nn /
E21qoPN;e:d 2<sup>u</sup> (W9LW VCx a 9
x = 9Scxb8x - 9oiQ - K + \% = 8
 % C old#{ " 'K]O Q {^"+A. !T ~t 6
C] Z d +t{O3a*WU Xe= IG yvS "/d./8IQQ _jjo/==;G=! *ry[
\r_aD Ux`{0ER0. $x\:VX6 d( j $A /?{ |S* r -0h LI0$!u . { 3 %='A +V W SY08•FkU-?5gA> * } n
fT VI7Ja •a@Ä(Sa([%Aa+* Rg bPS5:?+) 6 L! /m m
```

```
AJ%f
```

129 0 obj

```
P)•RR4
L?^{ qE '7h,MrOm$# 690@Kz-" ag=I-^O"mf9@"( HmuuD}B}Soo{ /{`q 4 V>w6 |[wg?Mknxl \:Xrec[
F z:•x(Uw~@ U% _ 2A _ { %~v[ ?b=Ryp=3 { %@ I[1
3% HE-yRmCc [Y' h<f<m[z6jfBiQ#s&03<j ls&%kg/{zv13e9K Z O$8- Þ3 s5@
Y@eR N~ B z'f_730ift; 9Z^* 3I > M' v 48FkiT\K$Eweb3oŒ)]kV [B1 a a7g > M' v 48FkiT\K$Eweb3oŒ]
i t<MB3 3" Rf!
                                                                    ! 3E &C< z bx< ZWGT -
cmft3V*q]bY&3 bC[kd 42LO:YB"hD TvS lq cS Vk>8{#l8 s8aq8@s3x ,00 w 0~\cÿ #; +
 C xY04#,PY3d i@1cLa RraMr O/Nw? g G
> oI}u r "^lxsOf\;dAN"D]l3di hk4Sj iCv I 1øjKT*Kr
i )$1A s( (I ;:O waEW$^ gLb
J <d Q|X n 0 -sXnn<[M?['aE&::'s UJXu EHF>83• +D;Ar6Z#ZA&,:~ ",6CT D* I
+EI_Ly 8\ ow*\i`] a7YuZMHYX[{4r;
gmb lt.9JzVo kl;-16 g 9 Cu@g O I w *p?9u [9¶+
• c CUG ^M; 3/4 fEx,, aV6*\eUKu Xbe(r%v X =N8| y <y zÀt<6•j:4 : ^%: Pu)
Lu yO[xSHc0W+H f $WzWf?\ TP @"`J. =%s;@q$2/&4*
ol dq:-tNb `$ hR@ nt% jP]nM %u`vbCE0 5{t_s{•-\\6EXs3 *1,
c]dOBrWI ?Q>]!J8 A Mj4|>vT{js Y-t^JnM^v5k :N a>8(p)%_
D Ix C \ Zr \ y ")Wy$•GC=|q {u ?M . grVc, 62H^0 s#1 "=
uYf x] mkoaH:3!^?X 1g 4}l:`NrOFIN4WC7CwF I`) o\C5Z[ OM6p mU L nK@ X ;w:Ow7G [ ZY&0o
9 uS[ za 5b.{a{Fm#:k DI IX8K~Av " k:g.X| M ~z^cMx9kf *q?xL uW
dgy#p>Z{C.1}c_; [`Cs_z /] {n |XL$3<|X N•SM" a|!E|p@>? |e \
bL"S h•|;>|B ]*|vbQ3| r }5:m96Y|3 9 |Ed(\{V nL"/o X_+ 6. / o -cD ic \2V qE,IH\} / f /D K T•
endstream
endobj
```

< <th>12</th> <th>7</th> <th>0</th>					12	7	0
R/CIDToGIDMap/Identity/DW			1000/FontDescriptor				0
R/Subtype/C	IDFontType2/Type	/Font/W[3[240]15[2	240 370	240]19[480	480 4	80 480	480
480]26[480]28[480]36[556 556 537 574 481 463 556 556 258]47[463 740 574]51[519]53[556 519							
480]57[519]68[481 500 463 500 463 296 500 500 240]78[500 240 758 500 480 500]85[333 444 296							
500 444 704 462 444 426]112[260]116[500]386[537 537]]>>							
endobj							
130 0 obj							
< <td>954/CapHeight</td> <td>714/Descent</td> <td>-253/Flags</td> <td>32/FontBB</td> <td>ox[-164</td> <td>-253</td> <td>1066</td>	954/CapHeight	714/Descent	-253/Flags	32/FontBB	ox[-164	-253	1066
954]/FontFa	mily(DCLFBB+Helv	eticaNeueLTCom-	·BdCn)/Font	File2	135	,	0
R/FontName/OGSTZF+HelveticaNeueLTCom-BdCn/FontStretch/Condensed/FontWeight							
700/ItalicAngle 0/StemV 140/Type/FontDescriptor/XHeight 538>>							
endobj							
131 0 obj							
< <td>943/CapHeight</td> <td>714/Descent</td> <td>-214/Flags</td> <td>32/FontBB</td> <td>ox[-164</td> <td>-214</td> <td>1000</td>	943/CapHeight	714/Descent	-214/Flags	32/FontBB	ox[-164	-214	1000
943]/FontFamily(DCLFBB+HelveticaNeueLTCom-Cn)/FontFile2					139		0
R/FontName/OGSTZF+HelveticaNeueLTCom-Cn/FontStretch/Condensed/FontWeight							
400/ItalicAngle 0/StemV 84/Type/FontDescriptor/XHeight 536>>							
endobj							
132 0 obj							
<							
R/Encoding/Identity-H/Subtype/Type0/ToUnicode 8 0 R/Type/Font>>							
endobj							
133 0 obj							
< <td>141</td> <td></td> <td>0</td>					141		0
R/CIDToGIDMap/Identity/DW 1000/FontDescriptor				ptor	125		0

endobj

134 0 obj

<</BaseFont/OGSTZF+HelveticaNeueLTCom-BdCn/DescendantFonts

5

0

R/Encoding/Identity-H/Subtype/Type0/ToUnicode 6 0 R/Type/Font>>

endobj

135 0 obj

<</Filter/FlateDecode/Length 16517/Length1 35628>>stream

HWmp\U ~&i6wwMd7&7-MSQ` PI` tpt Z7[g cppe JaFQ {}Q1s9y}9y :H

4C> s{ <&

~GD xd7* | KDsS bS\^'zG@ £ Q Sw Itf;>ujG |S%:1B k> DT"

.FIJ[?-Q&W.SJ w x(D)N1?6; @ -^ . Z

pl 8D\<)<xGt2luL4 DU R

 $L(U;Mh E;>z U cb f^.E e \cdot \& j t >5K Q _f0 hzqi`_x$

I k mlO&^Bs u'e 1e % zv 4< jM =cB%9+ pU *S TnhS hs(Rh`& ®?[GB

? O wOJ %Z !^ Tn*,N 5: | h D v6 Olj \$"r 5 hk1a!; m

ZvaPmWB>v>5 oz 5! SF"_7 g1_3<eBYFnN ~=4Y!d#fE_n DA=03G\@7 ALUueZUB9AO2'z|vv d?7 7•wDf3w>'` <"C,

sQ A 7 puTG E%9M 8bi + -5'`l 9 ?j~md g om @-}76 @ ~7c 6O{OY&7\$7# 6\$ \tR •e +SJK Jn b Z

Uf A+ kg(Í~ [b![~</}Z 7<o 71 A-<a 2_&j%j!>QskMXB

; @,oU'&

T+ _kc > k cU/ce aD Q D<'LN G 5 Q >#1 g I, :.`R a*)Q*

```
O :sZcF4f UgG m3?E P+\$WFM#=NR^I@ h UBD Bal!
vA__|_7fjTAe'+7G22[[6:x• YwU}:lu
m 3Ztvo hboB%ZFbr\ M eJu\*W z] x^ y`Yqn!/q\DD 0"e CP 3A`
+- i
{ t r & f#2&H &•q_E*J;%VW/ J •Fg 9& Bu bQY•a7fUp. 3nY Y ^dR!ie@Lqr.
7wi hLdVx Gjf M wC g[M#un6 ?vx[;na •& o•(vq IUeOx~ ]04 ~ WLY URmul|m.D_D[B! .EHZUh Ws
WU|`qfk %B @C-~- {* M!") |3OZuaeO/E\l5sTN@z<P0 s)/. 0#CN3 | eN TW_-N |hwi ~&~Q ^Y ,w9|
x Ye,[2 ) :e62d<# WMy|3o 7vEq"Qu g| e )3j!fRQt(f»RK /|ETDM
* Qq. | ~Z_Vtz
%+z *a)z\]o HBrj g&wm=qj 74 Y io'j mU'mX 5mr46 R=[TL=s bsU#nY - x5G#2( b~]
MJzv K' d 'U U}?8yc ?7q| iig:Pf%nX( P-
MIIB?F
U/` HJ]9c;M!• v&`B Pzi&lh7!!S x$I=tOrpMUo &WJkS:* x u t n´ "] arqu $E w9 ht 2Z96rr)kT •gg
(:y> < O *= mX# < 1i }= u o3 = %BXIDM xr{crgFN~ _'Q bJBHa'| Vd
^{Y}_{1V} P+\{ LZ \%_{apA } KTd 'n2Hh008[x^tl B\ <|q>N{xCR"810 `h% Wgq-Xo:iZ •4 qf@6 "p;}
~ % !D-2eL~4%f ]xebxc5 ea FaZ nl l[&<:PM }U +([|1]V Z0U• hz)
IN6 T,5nF2yM%jue~I W g | Govu/na Q ||k|% *_fU k}n4MK•67c P=L^ibz P ?=v]
'Sr M[b i vg03t ' # gŽhWz Aar6,nM&@29LJ+:, I %xPdc4 k<4M mF^$V T2C idkNHpW]-\B gST4 0
vy z|1& !&2 Uq"+y/q]P ( ^b-o
/H?M Ua < R6^{\prime} VK X 7()P >G@ % V = :&V v fE] 8 O Q z& 0 M8`R uH=Di\n5]'{ t]e[+ ZeL
c.03(* 6^c55
F-# .U: d)Rd8 WA5 e i3 'f ZZ6HJ m r QVE kS99mh}XNN drj0"KICXE} ,D'xo.~ [ bOKK Y f
s lp x/!e" < (]/, yiG g _4u ":B jB{4U ( Y d&wL!&"*A-)h ErKPH@S}IH _3Q-`xq/^ v\SL) w+ v_m77
```

ojrc3 ^ af 8Tk> zC ws {'wO 2c]nwG•DMe@O\c A "DUPZ @ skL s V 7`/C& RL<<UxAm(}@n

;r}•te#.gG53 Ntf2z= P q>.¿9v- j:O5f0 @ J ,!O' x 7_kj * p

```
!n * -_[ +) K kr ~ T&m3?/-Cn N p xH vI+^f3Xa0` [K 8s^.2+]2( >)k DE^o6 ~$I$I
cr+/}> IZRb
++1|[g . tj+Ev{: @: Hg 9@N6FI ' YNa4 F:Q0@& L ZE2S
$F3YaM)6 im 0 / .j~Vy~z ?>Y- c( i #
U^{O} vS + & q av!9 | L^{u}S |
'@8 e e M Y @!>P ~8I{j|hm48Yeofy;• }bonCgxw'{ yf 'G •v
* NWp4 9ea R!M ^Q U R
Hf 2
qde : ZO|q~+# UM I2
hUv} 2JF 8`14
сΡ
Mv6~A6{rpo\0 [~9? rbUc &
7PD N\@~FGhX e-
I Lf.
I G yWmlS +cc; Ip >Z& *
RYL DZ?T • u# ih|ti@
2mQmRNLC {98 x{ss@2=K^wZde$ +x p ;I L P ? v |Mc <@NWQ+ (taC sB2 Hx<>8 |" $w# 8 "g
Ps~|8 Y KD. u f 14f 5sc*t^UQk uZ2)
~qkQ+wi
#Hfc'>A /(pjk4BZkI~*j%j>s5 6 M<EqV.hMc
I +92}8 ~^;IR
OH T
 Nk+g M e{HB +qJ +qz.Q.* X;I) 79[8q L riDEMD
$ "*9"
AF >c# ;HH \sim1[|qi= )h"P).^{\bullet}\simk}\sim$I\simk7x Rm|u|5IZZBD N EkHBQ #T{S<\r8<Hz>%
V*n Q~?g0Rq - st0 e:E ?V&• `2y%@ { Î^;HQE6 d 2x$iT8u %A H.O#q Dkg.
```

```
4m8."7~`?uc"aok Hy H LR '\sQdj9br }\rightarrow *S w\rightarrow :X 2( CQ !\ya${m`/;96lc\rightarrow o\leftarrow .0W\rightarrow 8'eliU_ asu)
Η
GO5 Mr; PR/) T9` }1i2RFz$
$z 1 4z pr KT5E)- 3s)HZ QkT/? M IX 5K e
o w%
]<+<p wG
:B~[ih MF kr%D,kmRPHt-hfxk\}K?n<u3A?98<n|ws3qh•G,M 6C n o%f6 % tg5IT U 6(6 Rxl fbhO
#FbUc (C' z%P x'
'(XBxT k+ S\IrvgZ` [`1;<C 39f
}f/] BR&WZ
LE1S 6|;>g\dot{\phi}tw/,4W}mt ]uT*?kg@( tE{j3#\#
-=UM; :"$iTr sQ9{nM'`L Gu~ T N #? Q{AuO1*(1E 3N S& EUwQwQ vX47 T ,`h Q2ly>`#iwY{P%*
R *~P•[\E
o"7TgSC9TP+ fb5kr?yMc-FK) VE? xK*\ Nt8>>1Wjl][B}R[: IQ'Ym.tQhP 43
p@f(< N :^\ddot{u}aO!> # d ' I$ {UG~ OZ\% >QQ .=J4iJINxx>= X^ J>tE/+}
.(HSY. \r
V 2• c? 2z/GS-IIP\qWS P_ x6*G D #b@ ]!wQ$ $ w *]J 0
,q Qp (Z:Uo 2 ==EX Z%AQ\Z > -X+Fj I*sYm4 ! 2Q| kVkUV-BLI:R(loKh juhk 6Sdn2VJ6gsmN•m udN
Mp 8Y V {Wi
xg^oe"#N - ] v7 \Pi?PZ+U Hi£+ j $,,BPsS wTI $ I | Gg[ ~4cJ Spcf'$J[6RK(@M kLvlktLn >y0%
"%
a Y^Wjo=P4> \ RgtK[OMVV Om9irY] L, HK{( ,Mn#:8e w` } C <y 19i>(x) /B dL d"3 z
6tdZw>
"~E6v! K{eTfg#1Lh " ejcHkN •Nt ;q ; @?mJ* ;*Z?@B6 H^ JEB• ": CH $23;k'PZm<3<
8 Y T =[?\8luX•%?88K{4 ?uD '9E WsG3\aWXDT$z
```

 \hat{A} y. Axc[MLT'0 Z;<,qw \G;&D1p[PJ+n;o% >

```
^ W t LdtS a8 -6C% L' N:Rr4o^- a] FC" IDqn
!CL.P5 :k|r r<Qs>&>
                          > &"obK) # ) 4 !C R&B ^ b! wYPL[05 Y\m 4QRL)qaNB[]nS B- {g6{[
5 wMe$b]*jWy 2M}o(niW{|+[ R=e%B•mcC >\>;~I[j_ 6R â AQ3
oCxP NbGc
i1[%) Q { (2 kc!
                 ^ )!|
B A Q#RT, S q;<kMm, OsE
 x}=\ Y> UpG+ 
C[A \GU3V84pxs2 [vNp *JN wMg#D"h, V I ^ s sJ •Ym% W, 2 G v EM :$c!U
qJ S Au .DY| Qe )Ax,Xu\}%u.z `0 z zDq_V< e2 -a%o=bu8* X&Q [P &1 # UE* `" m {SdHW' OYX
QvI?m`6 xto z~pt`:Eh<!}f4A JZpzDRU Cah0
3 p& SL8; FG ] ZtxVGb@UhQ*Y& +I1w #Kw$Sh kr Wm8 [Cd`t TpO*M &T x=<(N))
Op|_{xpv
q@z@J5!@`g+; p 1P
8k
^ I" fbfgRkGR ?0tK\'/@ a Pex'"]Lr = g ?E \ V W nTDx, M"n':| r. y&SFE IG \ * p[p Z!>[ \ [W7c]
G $ ;P 1/[6^a* o {b5 7~tP ~ su 1 ] C7 C"t {b P!: 5CMwhbeQUi okA?t_[T iYO]1qSr c)=^ pld'h
W" ~ 6 \w! Ca(DE:1'f81$~ y0
#ICmp=Ma ( F # Q5I TjhXX sl3+hrwzSos/o4] P 7ZfcGOeGkY?J {N 0L4 L> ma %8.k% F \7 u
G z"QL d(4)-Z~ akJ_h V[= WD\u3l,q":,)RNFN44$Y u1tqVpk; NL
: [0hK]-Bw*wl\bcZt \sim D "Z^E > p 2P:4IIO^ r$p2:#
9 st. t'U{g+81[ LN ;6 (f"JOIH(WG:2we7g
Ue//N
48)>9uiq] Ki J74'lµBSS ~*kYI.p+C o6 Cd4 2E&BX}o
}>I >"yNTIÌ2<P rTI |Bd:KUL <8 sO" +s
+M Cn y95
```

```
Mk? < 0  g 6 mrl
/V W
                                                 8-'
                                                                                                                          :\gz .\0s`,p M T` } y1 5\ P>" m 5 -Z" r#1m `:P<*
                                                                                       Χ
3 Sy Lb2X `I ^pakpKc=A )GY&Eg=KQ5,`èO P 1z
.AXe*ys$ Xv7I !H D A ( h BJ DEV;: - HiKeD/:?P[e:v
ls
?}_<J1#wC' GFH-JmU,\bulletM\bulletqV5jv S> G G( n_ .1J. HbIW %\ q%AI}|ZE'u ] J9L: S U n G0Q ]}W;
Q > jl + |T.o TkV$o~m \setminus 9jQ}jU8
 WG&hhlp-u I,JDJ 442x0X\ E|pyX`Xx) HXP|U*0LieP Z @J/gJ]X,=wW9 y&I
uz0
 *,C qN%2` cB6R esG&BB Y(& /m0 h u _M d z Wf =h0,0: 3dL3 *]q<*.v/_Q0jl:wQ":,Wf|(5n Q| L[> s
 XerZIwS YN>9 _#>x - Ws4 c46m PvdKZ !;
6k dRLN =!V+W C]_>O•H0m)@y z5p -l % #Y:*# 05llv ![B { sue
 6G8 ud | ^ R 4
flbs
L@) /M9^,qo_^mN^9 \sim ^bi6VUn^dZVy+ uA=\] x 1: sZ --ZeU\0 vÛe2 XI?#K b73u2 ~ki= 6 `W|G(ph) vÛe2 XI
'?:fns
S)zSV3d7Ro"ZW
F #$@ r4== "JY"Zy ey07 F5t4* d inX!~ F]8tQ) a.Ko- 5AVB |)
vO8p < yGz[c) p:I MY$d) Pb 10 b)K= (qRk f3d0LD, dWYXI[k..)]OO alQ]>w u
 P/ e8nx{IH$<N
27'+y^eg B\.qÈL =z>cQ$B 8#5 0N^fX <iDr2yG,FE2_2BL2 .?y
 B"l 7
```

jRoq]kG X <Y m 3 C7 a2 p,t t ppk dLu1 R @! SV f;6v;2 3|N 2; M bj/[;9C < 6D{`1 60;K @B*vd[|] do}rJVI\$ ` Pi

```
Y+t{:;] rw0 v$ t{: y n41(u7
Bd Z[ jM 3 Ez_ Yu)K'fEKN</OWW =s=m 3\ 3 zeug =
NX0 3•-ZYO }F K>X:tOQe -gSexuWskg•u 3C + %yrA ]Yr K @d's(H5• 0 NQ )A4 r *h4UR v
TK " P (p @FFj4n 7 [Fg-4nY 0m4y YZH 9`g9( •B'!~FP~{#~I3;)gWc
V;FB=D_{/EmjL[hzPQ]} \sim zT M2QF Yh r/H]Hy 
F -h E^&$3 =OH %%?TE(0 \V=j\-R• XPUjz e Y7?XoOcX( EcXI&61vSxn< /W%' & D4QhIt$'O•850b
emjP3luPK:Q`9Z~uWs<K liZ!H ,I'{[u] 1
?XT_MB@BUU__TT_u]0H/ ;>@C [8% kE el< % •• { • t •?~ "•:?;Â rhH t~2oh~0-.pl7Qq+#Begl~ 7d
A $. /i
4[VCB
@:^vzv ?v ?f>!\u00bc ~K5UwR/U aM jWU ]mXe '1MX'mH&gJ8el#1a,Zi OZzl 0
c+cf vj\j I[cF*H8 }MIEtno k t4 g2*v'B.NYfTL@i
b | p0 | G2#0(s0. 5L:ips11[
& \#\i@ Ui yVJ i H."*C V} 1d+hEwg25 9 sH8 ISk{E• 7e[: 1XiM %q
;% G Jy21 X
MU:T D3l'Q t v*|2xJ {YvA C2Bb GVa+ku&;{S e/xJ 8j=\] g ^A&q< S8 Y @• R)l 3-3
F[ {WjB K0 i WAQ~
E/I9 fmymxj5 <+ xxuV@6# P x7_J[ 4(Qy\^De, ,FP:De50W Ed3^3h4a
I vd Z/ \sim \text{-WNJP } q@Z+\#\)Z\%
s dWK Wk)!=(z Ij 3L cEFNW T= d:GVH1bd• 2 OJ< QfN> im+qG`}Xz0JX,cy KQ[@^ w7 + gNh,_
b I _z%6%kzrpK-9@M*• i -S !WP zbzV4}\k H4
v1HuUhSD R P/-< +<7 "~ Hkj\bulletj Z ]sDv0 ou?Z
;1GZ }v tv I j fC
"'r '& s6QrLXf1K1 #IO f=a' J
!
z0IIToIOo1 } c{#8J•^|U C Ts 5 iT9 8+ mN
```

```
SF h4GV i
X$k OL1Z\bullet/~()t r+&8&fQF t@+]Jj:-L mFmy? A? Z?jgb Euz;|n.vw.c2=`],xYVWK{uVCPTP :j;iP c19\ Q
n HBUh78J[ho |A5_ ?Ok:n/R zF[ ` @X ~& }@Q`,c`y&K k5z5MZv9 Z? k}OVauBA+f 8 nf[ h } _ur
/"Ya•KI txS JN rB\ Ub WQ]A
JX3
                                                                                       ZX
]q 5 c I_sAb <IZ90 {I?F & qw\sMEo" ne~ 0r ./s(9')`?NO2 d og G%sC]?P : }/ ,}+ZP s? ZA-G^G^cv -
D|G = C p^*| 7v j + 10G!?i m
sP 4Z)jOR ], 5_K6
} fJ N7~0•]X }\68 d 0 P
A)@h A (4•;R,='3~+6Lj>eQK,;X8bzrDs't0_2y=LKQ
endstream
endobj
136 0 obj
<</Ascent
            941/CapHeight
                             714/Descent
                                            -214/Flags
                                                         96/FontBBox[-170
                                                                                     1066
                                                                             -214
941]/FontFamily(DCLFBB+HelveticaNeueLTCom-CnO)/FontFile2
                                                                        144
                                                                                        0
R/FontName/OGSTZF+HelveticaNeueLTCom-CnO/FontStretch/Condensed/FontWeight
400/ItalicAngle -13/StemV 84/Type/FontDescriptor/XHeight 536>>
endobj
137 0 obj
<//Ascent 954/CIDSet 138 0 R/CapHeight 714/Descent -253/Flags 4/FontBBox[-164 -253 1066]
954]/FontFamily(DCLFBB+HelveticaNeueLTCom-BdCn)/FontFile2
                                                                        128
                                                                                        0
R/FontName/OGSTZF+HelveticaNeueLTCom-BdCn/FontStretch/Condensed/FontWeight
700/ItalicAngle 0/StemV 140/Type/FontDescriptor/XHeight 538>>
endobj
138 0 obj
```

<</Filter/FlateDecode/Length 30>>stream

```
Hx• a`` F
endstream
endobj
139 0 obj
<</Filter/FlateDecode/Length 23935/Length1 53296>>stream
HtWkIT \{5fk^{r} = 0.66m \}
P0v~"#*%R jH I% I!&E
BH s Ts3;33 <ph YN# {KZ_ %n 9 y u•?ld|•`XW":7j.#3 •: { =D=v7 po_)#b..KD ! YWX>|` }>% c+Tn
eR)hTA% Lh# d03/K&bX11 ,,; 2f <@ "1 75A "O0•)6u $ z M z)Gk pSG4_ . # i$ p2p*-* h:*b`Z
&Z}9 / 2WjZW xW8 "*E |t
{
                                       K;da, 4
                                                                                    _oy_?5S
9T yc9 xv-+u{XD;? pW@)e9g ]*)8R;_r>• )"j^s: rLsn*OV#X * p0 4@ h~%uF_W&.R^6 v W CXAi6_
h: +Og_oDr#C •5 4AA& < }KO ,eu IG |BJ< )421wRW
Rh;8=Hi . UI %j&K % IUq8 * fDtUq 1; w v8 3HVb.m
c %* R6 O ?N
m`,<KY3& WmHN>kC pq 0` |" 0`Z #sl. jpVNII GA (e
,,R8.-ng'k0BI
 (hy
BuD Ks<A'\W vt#H!or'$x $^\' 00? V"} $foJI< 3 Gq,c y
A [nfD 7lcAvi ~ Zo *1%z"Tb
P"]oS%f8 j6PN \h1mxJ~ ctuu"2{hu{nqU{fM% Û Y*n[V$S < U7f4?Dofiz mF ~U]0*i`J}}
u\%Z p B \div 9M yP (3I ) P ^]Be]
Y$C] He;{Fd z8=dp#cO c7v •W9g v| & 5jJ +7WNuU |E
bl= s \times XT 3c^1 o(.8^*, E hcm < \%?Fz{ k}
z \0;ynX J
|z| \pm k; 1 , G D:K^* \% 0kz jnx> d;Ls = ou\@5Q|#•|6|NO +D3v~YtA~M'/)& 6vN
```

```
N*U@5 O
6^C 'uh O8m - cDk1z3"t!i. 8Cd7a Q6 gXm^@}
C ] >" P L mH y 8u(2 8' D K{Z~i X+xdz5 #Sg 2' ]Y<;B\(p7 _ /H. u .#`-njU15 0/ JDUb@^U Rw
[[ m# S/M4;Q C 5 zGC c]3( pW@xdT q[zUa*fZ
S&D|Y n KL p]Ue}Uua@9V`A]{ 2zZ6$ ZLn`#m I
;Hv$_=re'x-V*VJ=G
}
u S-D3{J -™9~, ?{j7?I bj^NCPU3 pK :Do KG#zTXd EwIV9 L sz_\[~•Yn5 qrB}br6X P RG8K1 ] P.
aa%bw< d {x;}RI>& m %vR $v$V.. JZZT R* B| ksy {={^;L cXf6aW ,
] 0G$md'p e>Yal7l 7, GH Tw,,qY `FI{'A}z>LG >4A^ .H}2.
;gY > p 6.*T
                                                                                      3•d
K# )HRrWk_4)]n\%A1q ncma [ & $.zaC]* k• uB2i1L\f7X/jFkfc4 "\b>`qb_x{ kN9x~X436= Ot>%
Q7O3%o I/Tr \K@<6L0C& @g [cl" L
DCi`T~PHz .qb y GM
}$ #Y'hV=M^W o 2nJLMzZX/Yn;*
vPopLVy[Ua\ ND1Y+8]\ x,B+3;X7w0k"{` .a\c[5k\ Q2s` \]Cy \&x` i _& B|u\ Mn)\ a`AxA8bAao [ ?+ ~ t]
'; N3o]_g ow=P/#+}A31[1a B' vc`|w&?4n
                                        sulG
5^ lv 3}bG8Q<To hW8-pmHnrV :z B p V #ajo MT"*SI+.Q 6xnMBW# ~Ym
X'HS T*>0*A (I\"P/ N<,ac
u791` dhk s V c06 l0: =• \simg z\simX3A# 1 j 66/oE jl!!RjX j Gh hPRY r YE{W*
 S,jM| y = Fh4RW5 P I gRW) i5 ~b `EK w F o $ B_b !syHXv ?v_ BqrTQI <}[ W!k*, 3TT{F S;Z/g` }!F
1 W4
; x 3jg%H :x§ ,` w••'1=+j^ |FZ yU o hm•Dt#O7 5gcpUm[o9Z^?KmkLG|xw[h. jeU1p 5m \d I"IVH!v
Q \#g < X
~5 bENm m#) ) A W;h>.?7ZzsC :LP? b *QI4]U4w% J# K6Cgy D] | 3+ iw *mn7-• g GS q8 2`,1 s(
 3 9D( F,1* F Qc 0Gp D< T U[] Y" vU [h o3m~{pa >i &f?utFV"7wpSt`pt*^w
```

```
:zhgd u<"PB W@"* Y H.6M0r-+[p iqZ[r'5r\tHM.H?x$m :nA{hi + [F 'o^K\bullet _ 6zT u :+~D\no *(^w ]`C
h\&d \sim T^{**} @/)$'5E s2m[\s^&,[ |Q$MhQ#C HL0m hSHe&eQi$ML&r =K< S ,CKi&
mC g
MV a&gSL497 T, Q.Lx<\2u zi"fYtR-ur/n x x:W HY poM+i 8 X@<b
dB }!30k
 %HsXFrP?cO > L NN %S"[S/C#G|I(RID29W %\ "+N,2%)4Q_b? JHWph r 4&/ inp/*I&%1|L;qg #`
x~% % S T
G V.^I W,|eD$ 's abo^]
^{\circ}C+.ibLU[i T"$}H^BhPV^ZmRJ4u R+%y •k b?93|sR9 ' N z <s (
(\_G| t VpB yN) > Ld \cdot k8
=%=5>W eM 8;1 s4.m $II?\k MA,MI iX]{4m([ Mq TE) H L# X' =x!C75e= •p b M o:0~;y[,=
0a S
B cQp W
SL - 5y0X g - Y T m ? 6 + | 1v2| , NBO + | 1p| | 2
:Bp9@cv* 4G=|7`<ldc`Z]O 3/y, Vy<N3na+O<pk<&.F-} 0u+J(W TJY @|3 raTl
1 w}7zQ ^
`5@APL0{/h1+8Tfl@63LO OS vMPJ`cZKA5•@q8*'0
)x[HCi d, ! K)HD. ]!)r bD 5Cq# $GRz(?- pKA@]#{|QTr
xC < A_i Yy{P(\Xb D1D x(Y [- T!o.
(H + G2 \lor)\% > T/2nZuV I z'yt yYwRM r' Vyk w{[zfGL3?Q]Ht{= = % $_.6_zG #(M9tDq- T^ !p[U ^KNA ] } 
9 T`)ko ]\`E .H5 [ = ;3\?AvMK h7r 9F S,n Pm,%1 6zmj S
 x:tCu5Plee< #GJ $?7
6b !q} mZR [Qu fMQ= fheH# j\sim K[q/i $ HVX{4}xTC A 9= UA9" -=/#Uo Q g0^z
dΒ
=gK
!u{ Ub7g/h hFa: 9@T%~Tp
```

```
i SGbn}V--9H]9`mPuw[c*d}:<};.LmT<T•}\w 'TX y G
?W@y Q- |~r Wi T 4&-
A++&4 #9"F \c q \( \text{q \text{ AVW}} \)
 xUWW@ nS)]c
~mY M c
M = jnYW \sim q \sim 33w m }y [GHvNK R} [EwP < +(KP h,7M QV rxf JS &9I i3^H
U ?@-i^.(y%
Q nL 4 sKP O y v; b4 %\simcg,\bulleth?g`c \pm0>\9>lvRQi| h )W 71 TyOk Q! > o 2Br9 m#) P Tgh"e
rV w•a~ p& qa sl 222vT H}> j\_Qi9M6 Eo
H2 ve GY>j$4f(F 1Qc.1 `H<t3%* !( /o|2C'$I{EAfE ^GLf9_=Va
Y<U%t [f 6Bh v`X f[!g[#-x(; )Ta *A>3!?UzC
8cV=z&
6)xS@0 S& 4KC j Y3
N9
pQB%?Q i akw
] kE _VUF[ge [F QR"DeckS TI<W7]/ IH4 S 1• y$ \@D t9msn
                                                                CB'= !@37uf@gV•3.M 8
.YNiZ"a:U/^ / X> •kl}oym^ù 3s s {l= '!5G,y
{by.? X M8t p/o ty7sm)v Y<jmFV\Q [Yd @z|pa *p
9 o2OUX$fzzG:T" ~kuu^*jJr*
#
C= o 9us
Õ+3^=V
|aQg UY A2\{V 44 VnE = f | F = BFp d < tPcSx0) XdFE G-$[z7 Cs G# e]M e! = 8 U•bGD c \ :#>e
  Z)c *TUA CQr(b-^K{_|2 W: e m î NY@& O Bo gy. K a7n {T c$ B {OX2 ` 4B!m 6 #•>a I.j8}
 Y EWarcw = Y CQiI n#C# yRv~ wG 4X
```

```
*b)J H5HY. |KR@~| #yHM
\ J" 2 = {Jz3ra}J I[ Q\$\@r=|I>s Dtf! $2CN6az•,e C
Q~ E w9 3
,tm ~
{ W
00#N m d Ek2
pE[v c J " ] k=} !{ DzK:s uT8ul/SRBQ[ z _ E oL.3Zb)l"Ybe|lpx 9Dat V @9v%k072Cld6X ' gO2 Q ~
Ab
[q9mq)Sd.tv9^{v9}
fcO]a7{smrO: wj aG-;l>ilj 9i J7 Bb A 5 IR }S$@PGI
9%~TCPWCcT[8 0 i[k R# Dk$+|+d' * [, 9kp
S |jQ\P Of'CpL6B> qn8K 5 I@ • da r-D-}Ozg• ] -mK: 9m FG 5\ wo`A/-O^T^z:-9 n ytY !QZ"\f"-]vG* P
c8w 'ç$-$ ($.fe J T
+0G L X36v? \sim <, i R(I \sim a - dz)
IR
DOV:IVe L1Z6N ~@p')S Y F UVV J=i + G+ )x w p ySG e$_ EH N 3 ~3Wk 5t 5' X # ] ?$'8M&8
AY0J6H0; & $ X? W]B fw R23V - SZ{K"INUOlq}vI FcS [ 6"tl_=[m E4ZI >•F\2SJWe AVBV& ~ +ky
>x q " #I
L b,U\-'n gl:3%1 3%Ay i g8 v&c v2!W Lm {LPHILG & \f• V|7 *% X G
 - ;5\ pA 4EI | ]TJ;AQQ8WQ^A\ xr
8 t< )O\[+ CsHnn
 9d9dt_ O rHAXn^n
qTu uv 5Q[_Y :{^y_ 8z]: cY, t_& g q• #!&fD- 'O )G*s . HD>
L/'s=)uSUT%&99 R} `[*JRs2a]_\c] L ~4">)28 nj p FI • ) w , $TF 8 y AD|J0Ap q_!8D4]7n_V~idmdam^
||-9| = 2:@T + y = 3 & -+ y < Yi < Sch - Uc{Q^_TKU% 5Mkoi}
+-^R6} -5Sf4(ZZ|q e9 !wd,r$ TK !X
```

```
-u&"m1Dn ,, Md`\ HTB7&
D1q% MB?f<^s{yYbJ Z+s!O<{ W A gKW0 ` k " Bnx G>G/D3K z_ I 1Qg4Q)s_# v?! 0iB S[4N{ 3 Y2
n~00 D
\pVi7:!R!KI rgThgP- ~I T5go 9cg XM{[3J I7v
wn w' 'c> 3 \text{ J'w} < -b \text{ (StV=r:2N 7hE*)}
- 48_;.y01$L"% ?X M # ]HyY@1$&%X eG\EYD_RE%mm $0t< q 7h}) - e& xG g: (HK
C B"H(hlg 9 3 IZuH uX1• cu^{+}(,!b9 + X \ K' \sim Jg^{-}9)[jAS p]
 Jr Y6 Qt(x[P>@A9]
x { F?5~ ? • >QQ_Qm <KXyC;!@ o41< i>s cHI 4 N [ m#D_ ?Z
e%h CFO &p gc6AltIxhl UGoVQT =_T /k • sw7W<td 2[9 :f]w W%f0d? i1'JLP& SzVx&Jc]n3^}L5,
zA4
%bEpZemc
K
g?u0]f:iLO a 57F lw<}6Sze WQ|7VI%VRm .Vz L[O;I V1 %Q1 -Z)9 Mvdc C[ yE On)O,eTRtI 6N% N
+ _/Wb• CD
UuC. QS=U GL 2 Bs _ 0{5A 7i\. k qs: Y L`;Wh> 59zNwc, #e cg+Z/. & h 0cvh E: U@> ~D A p ) \
S 4Q\NxOi( ') c`~AC4
                                                       : Fh rS9:fcr 1GL5&#{ t" o I 8$q3/4 A(q
tN&e•cgGan,-6±/sUO ow }HJmj cvA-HEE"ii,?RG> V,J640 K*
OT ii@Z2 X $ "} fms - - )#3edP+HogTnS|RD,0 y /b ~* Hh CDD zf MX<ih;,A - pGGKa* j\@p Mfbv \
We+ ;Cu a 6j. "q4 H1g-\1$wHY ?w-jA vjuxs 2 Yl8z `eBPK ?YH}#< 0 GJ 2u==p, v\Lu u,s\][ot(~YM}y
4k k-Rw;[w,\SW7•eef ^~*E9K=HW1Mcp]`(*ZpJU-q III Q 6aY1i?SEM xS4f=2 B.yJDRyqS)mC,[I\
6
Dc 6*1i *- +/%y dBf NE
7X Yd%d 8xs83'M .*`!sY y; b a 1 nG VY$ Q,=i~Y 9{GJ S:#8? Ge} w,^ \+t
```

* H 8 i 5#@#kl\$ F 8wF}33m3L; 3N[L),

```
%X kn\l6oh9T<>[ nJ-e\kMjsmc_IZ]5+Cdk iB 8XL Kb\A3 _ jhT[ 4 Q+R-v^ yrxQFJE*5UTUt^iW8J "p=L
P3 .1Es>q
[_B•Q= L Y EvEA(r q eu D ` 1X• n=MI "
X = q \times 6E\&uki bV \owFy]5 <</{3x2 6.4i CZ$" d b Q+qQ `X
 U R7R0+"v i ~{S,?|;*cbhT Mfb/u`,=*•B{0M:b+c}gT e O;GP>" n u y+ U#, P sp #u $t VU5(_ 3 w A U
 ! < F Gô/9A] UJu5 %H 2?2E D ? PkKoKOY q VM@^ [Z js]
," [\b !Yh;lfEm k&`E 2 @/
B0 t] 'O{ImZl> " p%54 cDD i •9>'& Q V_jhy8 hhEa-R4l/p
c!V wq"] /. $nt3/X6@0f VC9*BI =Qq [x . I4R{M ./d za U6`3}X
HNU4 UU: n=. \{H^* n n \# P. sE5 JEf40T(xHyl[ /'7uG | pUR 
uRH+ * $ UU_s44 p&7vK VKwEN'MO .;K"i / "3 -<#\IF> "&| A93Ei,.# 5 UwM V
1Zs_m1KJ- i\7(I,"*A@|) m\eP I~i }3S~ G*^pm }MaW [@_ m Xz
*H'vZls=Dytya E-tvsT}GZ |HhW lpRsQ Slx@ qZs2q?w_ Tv]50 (Y Q3xC *ls Dks
/8.`N f m 6E 2{FFw<
 6w TH P\IS]Hz, iLli kJ:6?fNu
S1 F < qXN
s=0
SRb(5Q of
q
 )*Fd4 F0jVY,D.n• H iAq8(.>':XVO"d E|<&-WBvnGZu Xx` c?PNS P
-) */ XUy5=mo [C
  N4 Qp "5(0k : Lf ze: ?^«x /u_*U 73 | &= 3 | Tv P- n:ww]dY9[ | 0 Z ' "9RF>"
_}L T]9- w ci ul Q1T, =>E\sim•uWfC c\simDc6 @g%yl,gW k[r t $Fw|u<• '"rA ]1UY^r-Y}
m7rwAJ?J\m#.)\
A) EsN"6To fQ |"`K@ r` / j $ %zU<o 2X,w $u>@ "wm p XBK J
```

```
Y*J9" :G q1 p EK å >5LEL wT 'zA^2Bs_
G ziQ9\KI%&4, x[ u^*Od Qc GI \% \xU > Uy5
pY; (+ +\{e 7 \%>^ q8 y\}mjQ\{8<_ fq `V,5 (c |I { ,})PkrpFN<] h%*r,N_ upr
 +@3
Piw'7?F
hhh0Ht3Tlx2whvav <j6}h6U4heUU u$JI%b R,w~ GI $($7h=@rG7' Q}G'` [2\F eCCU]T*v Q7m E
Т
[]BF;rx6 C> tD$MŠh4u_Z• &gE Yom3. m G6W_] "!aJ
DG ä[$QpCrE% e/\W K tT8h"~D 'u. :B{ B aw• {4kcNj@~a< _ OQ•YZ e Wus / ; xk;q c%41 `Z-
m f@jæ >% J JB BUt|s:?]M_]VI^p; ?NR3KAr# X N: { L |?F J9}Z imA
j T`~g
O R=T XG `X ?BI{7OLE_ &M ],A3 }@ C• Y@MQ{ {?
YeM
CB} x TQ1j->>z B> y0 ?J1Yf3KTA T[//K UYFx2/E mdockpgwf[,-&I7 sud{
7ih 2 dD_o^n V>K \ddot{A},
0 H'' <= 1 qi 0B'' q
BsA]RQL 1 F W48 ? Rd 7Q SrC U!e 1NcJ C%TO "Q
zS7 @ .0| , .gY FXjU7;M=7~eDc` R[vdoKc+;7\|{n;M~R}
"7 UPJ?r I)!ToFjT q [t Ti0 +XA
|\simnE/O R\ W=!S6R
-f,1*~E[SHcSB;\ /B {2jn 64
hB { R = WYs % | N8 Z Vcq | V#^#EuZNZ)(o0b>M QQ2DRbe•$ 5)h owTFKQ[ `>t9}|4}&hz ; | O0d a-#(/
C{IR %XufyKX + G?/n7 &5 0c0]V
1w 6tp (2~dhY b@l{•Ta ('
```

GfbYyN R- WM]C^5bC~ ~ HSG%JInP*4t s?/0Nyp \!8 $\{/3 b' X c! xxA \}$

```
z \} o xo 4z1 7 nOhc!qU[di M ~ |EP o(H n3h :d
                                          "HSa
еН
     ~%R ulnu QE O ^!<bXW w| Q ,HM5k GgM XG3ku_~jVWt7;ME_pXjU ~gB J ?h*7T /XH7
c[dJx+V, "zy h@ < TkaTkaUQ c "" Eok.%j V0m ^\P x=?\-~YvFZ3D[k /t /<RWIO6d4 Wq'Q J ]
&Db ]G YLp 'GA:RzDM&, d=U
490 OuNXp J[X
~5F R6mg% !Vv, +Q9bC2 F kR\4.nj(M=
 ihS[ >", %$ _(_gont ;< _ K
KA jt@F;Y( j{{8D\ q 5M'k ^,=*\#D8K8E /=: \Z[}.{T 5puY{,X(VkL=g5* jhX•cCE )<=RR U_4F W/ S =80 }}
E W N\O8CaHxDt SrpC
 xS %
4Wka T Naf(S2K Q ?zV>W(H+j ] aa] -PUQd )hP
* 6`X G qu* ms j A0q 7 1F(1 Ah PCazs ap W ve[:n°F
18cv\g=N\E N /P
 sup Ar| • /kBMeq3]% ? I X#j ) ~ GUMy / '^B T! $6
I Q X""
G+} NiVqLh g 39 u:?{9 [ udH
H:M)y vJ $S&5!D{_) r(K`6xT Av&•:$Nw
3 L
•s oH YOy ADC}K'[5xY |AX $ Q@ $E3 w? TD uhvj"W% {lyBJm. \mii:Wn
\$ t5
V;Gr<Fg< =\{ E * _&vg3_/6 @sDO$WT` U P \}JOG W5(Q&OW5@>5]3b
>OIG# J'hoVhOA:6 aR, y >Bd #Bdno Mfa i[`?. Vv-•lt\7>gZ& V?E $i n
$SL }xKzZ M • 1uTxW" 0{ YM= 4X u)Y 9jSft ZaU#3r
cs O U'C Wuj1#\$ duu#Q \$ 5Y= X
 yh\Olk v +_I Kr+ L(K ZDm Kl AxKU9>v 9$a^){ i 2EJ !; . QJK)'OZ¾/s 5` O^n9dl@&w)mÊ{ e [~g
```

```
p -a•4•<H}{
I]/8 E#.9 F_/\sim JD ]K*Iu;Jh \ S{P 2QF$V?Z1
C% $L&>;h4LWp' @ \H r1u[Kp % a9P D 3*Va5 5XKzx H] /W qD>•K- " ? OQ
8' < 3 f = Zf < .S < E u ?F + E P F7 IaA4"N
-x w}| 88A lm +l.f&o20 )8 E>V1/k'8J o8tx<%|(wOs2wJÝ u KCc I!_*4-gl=kd gt\v$t">scg H: :R W k5
~ [ \•?P yLT'wqX8 3bXcl] [ +yT7} ({=EH} y All'2 |2. = .@>}n`zS8?llY6vaO "C$& mLZq ' b dg-F, jV
fiy Nn }!^_ 4x {-/o
Ex8 `P 6>#*7B P3b6XzOV3 j 3 h
_W J_
\ % Fd-$4 j C( laX<sup>™</sup>z"NNQ86 -*h8 57L{ "`DZh V#LvEy{,#a7p R[p7`
P<w *> ": U\m/Edx$ x" EFVF`a>p+$Vod- B5a u| Kk}U^ "1 -bF2C}t¬ $nm 5jJ 4jL.[ W {6clP9•_mQ
VAx/P/(
Z pm K!( q V I y /&im !1 lb(&7snK16gqf% ...fQ \K=Lrb r ^ w E 8){ ,(J0-Z@ CRJb =,~zq B6"-re
7- FNa •- ^ O&hx@xdDDxoF?.(v - h [5y 'G(kH ID2\A } J]v +shS5a 'i +Si$N78 4"HOdFV3 I r N~ _k
/
dNzW5PxJ2}\p].>bK A -$93 E| z N`iwn<•$ B/# (V {{<\ R&UH Sd% (\GZ
;% W.)<Zs6^JwFoGv EG<p62Rlet7emw=& U* kx =Tj]yz Ze;* •:/0 m eo grz ?gh{ |oph ef93<!ZBd[H
•6 z?Ce srF jA;+
o. YDD
#10'Mo•*z`0 k[ A|x
b7u vD,i6•WO}BV |r-Pg"[ dMqLa'v"b'jaX!4a-; =5h- H DIH # >1#: *Nd>b'|&u u g ~aCX{b EcQl
,\G_|gWUTJWq Qd5O Ylhod&[eh•3y c:~9kkj •yB-/. Ak@u@ @@1FH]3Y&]cF) ^w5 _ ?B Y [2Q U
sOm O N|W ]22<7Ck vW|rZVh M qD^< n;jA •_DfR# 2KV!# cq` yu>laJg @;E 9 ] sEVlíNF^
 WdA @\Dj$5/!y29{ K$ 4O5/!<u ZOer uWDGI >Vq r9q #W}R7~^^ ^./q=w o~/{y csK"ZFA\w )g b2y=
9 t2[aZ Q4#{• 'z^@ F•x/a}n [s PTdF1| Gs6 xWG y r :0{q*.xvt*^ MZFS=PO#" ! ZpS]1* 4cw ^ -M`t #
```

n` lkkkY= O=" | VUc5_s V & Q YI z = E + Nw, ow^ < MI \sim @$

```
z n xXb84B(d<0[a +V1]
 w+( avxpTi Ua *FYg!'~oe$S
endstream
endobi
140 0 obj
<</BaseFont/OGSTZF+HelveticaNeueLTCom-BdCn/Encoding/WinAnsiEncoding/FirstChar
32/FontDescriptor 130 0 R/LastChar 121/Subtype/TrueType/Type/Font/Widths[240 0 0 0 0 0 0 0 0 0
0 0 556 519 480 0 0 0 0 0 0 0 0 0 0 0 481 500 463 500 463 0 500 0 240 0 500 240 758 500 480
500 0 333 444 296 500 0 0 462 444]>>
endobj
141 0 obj
<</Ordering(Identity)/Registry(Adobe)/Supplement 0>>
endobj
142 0 obj
<</Filter/FlateDecode/Length 22995/Length1 51872>>stream
HIWmL k@ c c c @ 75jXgB S4M?%YI5Ri61tKU t*MS&[>{ d}{9 ?6=,rla v a Q925z|L #6} 856<tV{x
Gj 5 Uc? "+•! N= M•{C/mBv Na •!u•
}RT[3" *(A]Gûu"vcv4#4 q b` /D+X ! dDul ) $ p-~ hyKP
Jc ! K E 7Cu=pq@-1] , I2KjXpnQL& Iq = A
 dEW_ hL KR <U% -fQ1 e<
Qk M| p M qNQ-" mhhh z M 7}%CL \{WL < 1wX%TzEILan \}
)M t+4'1)YFMZK6 <) hh\bulletmmK hEE4K5w{C\simc15] I{v\bullets0P \bullet -4QG|\bullet= 919V 1 ds
f hp U*s L X61dZ J U9 !* HO)5A<B Osr_sbO ZH{zO 90 \cFZN!v_^eo2JI
\#@] A
G=$} 5=DCd {d: M 4• I ICT O$Ey6j !!•iaD•yS}
```

```
; iSJi.p5\#,1h oF\#M Tk MX/2Z dq<'\lw0u'l _>ZG (/LL+?EC:E\W^aò/ ab A&zl =# 9("A @}c
|} 3 fl > 7 xz 38r{:x l V3 2 j FtuM C;y(g | K>5k<J 5 j P> f1Y V< m3h py iRl q cLM/ h 9ZK 1 Af
d&"P QJ2 $p dcZonjy 8mM6t6O4 nlp$ 8J]e
J$vnH||s=:{[c? Gu! +9Z `k[I y1 0 B Gd '5
 RmKr) y d;&1Nji ;c ffmL Y Y2Ud-+ uN "^LF=' hg xg >p--^A+=g Q^sl- uE I-K2A
Ρ
1:= 8 :n H P { :GJ WNbrZy bL} 1]z Q @oN*Qs2B\=\TEP &h
AU-\sim\&i cM.bP|U[T.uC\%t]_uA
   T;&9aY Op<"\{ 3,=C$_AYn6 d0^HAau[H_dR =|pT7 ek2eo*
 r %pA8A _#>m 5Q6[ b20 0VGIK[8 Lwjy .=>^Z z %H:P •&q{QP;T kDaU8V^P % 1( 2;$yl•M &GqC+2
f0* I6,!/ !AFD K8c ;v -LB @!xQt`_E v Q.| D PJZW 2f ! Txj b*
,p.1 URUE;0hLUOU5+\.3)_EKB7 9jKm gTz!W r <L(I^fp,sttU OpcS .3GXH @x5; \|h*{ gLB"&I>LO
3 \[CB6pZyj ]U
PX <> 0xe/3 FvILx2 yu \land t[rU`5Ph8:o'[c] [=%u~Wym S<];7=1]onQ > +T< +U< j/yFu]sgcx alcz< ~R6
@.PH AUal OCq JV4nGVj\3 $mSUWRU•$5]{*kw9{ h SH T:O^; ha$ 5bF@•U Y6E G,
xA{ hgz
W( m -D" 8C/ N ,ab
|z|^2 = 2U1^2 = T + FV = 4 +
K59 C "5-r| b uHD|]IW
xSDC4 RW5 (S > R \cdot i s, -r[j3'=)
,OJ y0%h ~
   ErMd p1
YP%% I I E C7vn,B\Lt8 Xc • &@ gzg%q
```

 $ZceE\{1+ \ 'Z\ 57w\ VE\{[\tilde{N}r\ .+\sim n/QrPYtBbG9W\ hFn\ IB\ \#m\ v5c\$U\ e_tiltE\ Xu\ h1k\ RX\ e]$

. $/ xA\{U \&1f0, N \cdot S/ Y = /^-W > | KbqoYi8ovf6gm6#uO = [5)8-K[+]$

```
:&!oKu _:( • ;
?a U ;B+%! ~sHC ftl?3'a E ;U+8` J=Uhw@ SA'-# yN?+T:<L1 cJb cV1 [2k\i AzVJTIT&%*3: d &z
s Q t@s F*h W[gw X,U7hSUgH5.NwUE.m$7Rk4llj n•UE8u•:31T [8qpoo u E
:^> E@u] & ^ P)]IR *;ZFW V $4[r= Yt^: I d `6(u 4h --]X c[: ybxpjghÅ<j[[V0Q-v3XR!gktjfFdU UT` /5
c) 5E
9Mu\[s&,4TV 1tE
 Q f(S'GkSH9I,iNMXk pY S + Z)
) qlz
+ 0LII/LfI|Ehp(# Ubr :Fn0X : syS+jVD q 3
 Sso|Q'p,H,^pYAVmmut YV o^b\VjTut[Kg <s<Xw%oLD $C WCG $_% }c; opEtn"Y1)|8&• {P<F_
8rb-! $d4/1' ^L(J&^I $g
8' g RoCtV
) # & ~I;X UìvC@x2.`T) L' N'
j } S+
( GGu|8(K8y^ R`,L)÷ 8:;jvEY3E ~4.m $Xzloq&X*N <N}uTU wIY6UQJ BBxq]s-`XiKweJa#wq4~UvX}
klaöl3
•C+%: `G)d aA X6\+k Ts P)$; E^%UMM vTrS3<Xw( -5=178V( P 6 !dXYV.^PZ&" @ 0V cU ahX >c
+p YW*or
0B(| i\sim -/G4g[La/2 \ r3g8X] > g`A \ n \ X \ D \ (Ox&0Q= \ h \ FwW=X \ 4 \ z = /I1-3 \ > \ [xP@af3 \ 0 \ ]\sim
0JP pcL%Q ~#% KC<T 1+z*o&&$ I u 2Y W" R%O ~9: NI w 0WCDN!IJ 'd<%n~ \7 % +9_E EMs
@7 OdJ7f#; •eUt ';L_kb( `c! KapFj 085Y KK HdzR J|^cElm 13)#(\w&Q31 e(+:3 II0xm`Sy%P@Em I
  i h Z )UGi#• JPY +=\ID`[rvf: A{
%CZ//7Wz!( =ml/PPC>$}{: 8% D g :#emu ] ! 8lg=*wK \glov $ )fa/t2e,6 Y`; V
v^kt c[Cu5e Z>&fjJZSxy^Qu|}"$^`qg~Cxmllhv*Q FZ[qh V G h| ! og+i#l;V~5df INDRT Pi` r $aTR|`m8
H0^Xb 4+ c2c yy"
$P [9U7o* 4;(96 `&=4gn }N8 sK B •qA
```

```
-ps wkhgmo{Yxpd#wn}jL xY$a+^{;*Jb=;. I4 8Ak}s I0E0L &8,@V TrMZe2n)9iK
r2W r%' k\b-qsN 87: \P
 gG'ByK2bXIMX K:<_Gwf8}
    wS tJuWk1,9 ~K \xsV%M II J•/+pNF G r"a6aouf%7YY. Yc% &fl/gli!)\Ay< a]^!y&K
 psd H&u/U \gg ~{(}
9F,#XN;i W 5.DLR&:c?Fy !gJ1I~%lbS T1 K•}b" ( 0G#: #Tkt i\.BEFb Xsue t~ Z I UB6"MWMD0$yu
Uz*t
Z^2 = tL[r3e + H 7U N]zDa q, O'W 9ZZCP YO@n=^o{ s xK ngWw[ } k
   IFU '; IF& RDf; JAJ>8H`C
 Ī
   %k < 6 FS)1%
c*[h vh_?V'7 %y Du1fw ~qm "FJj G?4u Z6@B
 ifX\rL•T•\zei qk,;fhGF"e:<m^{net o>l = n c}}
p&Xo!J>|\&/\&ef,x38)"p.RICW3X& Ge 6+\9j*yT=B=a 3 x ~K^4+:4'"$#*5Rv^1$©E p5s <T5b +,h*c=/
/9 Wtt|3'7hd5
 x5 M ^kG.?@IP}_(0&c H
1=ir r
 k¼xs@V\A> V hI:nLpC` 2,3ë pqn6c *rX13 / jnU9 +f3•yb $* D/e&M9uY,7 VO 8 sL •q L0%Q D=Bs
 n=\smit mS[_#]!. \ s "EV {9 F (_ ;1 qsi"S . ~>pY g | 17A \s /J( %hH- 5 o^ (/^9 E.0~'4~t)) }
? d)) f n < c)(d* p> # W rV$ #X"@! QhP)(}]s u "xY ~ ?]m9 Mf 3b; b;['U16/
                                                                                                                                                                                                                                              b
   \% _{u6} V_{nn} y" 6 0 P y!)?I A wa^T@}\%) [ (*%8@ p{PVV \q{ cg0oe =}0 uarb? R'J= $'2G'}) | (*%8@ p{PVV \q{ cg0oe =}0 uarb? R'J= $'2G'}) | (*%8@ p{PVV \q{ cg0oe =}0 uarb? R'J= $'2G'}) | (*%8@ p{PVV \q{ cg0oe =}0 uarb? R'J= $'2G'}) | (*%8@ p{PVV \q{ cg0oe =}0 uarb? R'J= $'2G'}) | (*%8@ p{PVV \q{ cg0oe =}0 uarb? R'J= $'2G'}) | (*%8@ p{PVV \q{ cg0oe =}0 uarb? R'J= $'2G'}) | (*%8@ p{PVV \q{ cg0oe =}0 uarb? R'J= $'2G'}) | (*%8@ p{PVV \q{ cg0oe =}0 uarb? R'J= $'2G'}) | (*%8@ p{PVV \q{ cg0oe =}0 uarb? R'J= $'2G'}) | (*%8@ p{PVV \q{ cg0oe =}0 uarb? R'J= $'2G'}) | (*%8@ p{PVV \q{ cg0oe =}0 uarb? R'J= $'2G'}) | (*%8@ p{PVV \q{ cg0oe =}0 uarb? R'J= $'2G'}) | (*%8@ p{PVV \q{ cg0oe =}0 uarb? R'J= $'2G'}) | (*%8@ p{PVV \q{ cg0oe =}0 uarb? R'J= $'2G'}) | (*%8@ p{PVV \q{ cg0oe =}0 uarb? R'J= $'2G'}) | (*%8@ p{PVV \q{ cg0oe =}0 uarb? R'J= $'2G'}) | (*%8@ p{PVV \q{ cg0oe =}0 uarb? R'J= $'2G'}) | (*%8@ p{PVV \q{ cg0oe =}0 uarb? R'J= $'2G'}) | (*%8@ p{PVV \q{ cg0oe =}0 uarb? R'J= $'2G'}) | (*%8@ p{PVV \q{ cg0oe =}0 uarb? R'J= $'2G'}) | (*%8@ p{PVV \q{ cg0oe =}0 uarb? R'J= $'2G'}) | (*%8@ p{PVV \q{ cg0oe =}0 uarb? R'J= $'2G'}) | (*%8@ p{PVV \q{ cg0oe =}0 uarb? R'J= $'2G'}) | (*%8@ p{PVV \q{ cg0oe =}0 uarb? R'J= $'2G'}) | (*%8@ p{PVV \q{ cg0oe =}0 uarb? R'J= $'2G'}) | (*%8@ p{PVV \q{ cg0oe =}0 uarb? R'J= $'2G'}) | (*%8@ p{PVV \q{ cg0oe =}0 uarb? R'J= $'2G'}) | (*%8@ p{PVV \q{ cg0oe =}0 uarb? R'J= $'2G'}) | (*%8@ p{PVV \q{ cg0oe =}0 uarb? R'J= $'2G'}) | (*%8@ p{PVV \q{ cg0oe =}0 uarb? R'J= $'2G'}) | (*%8@ p{PVV \q{ cg0oe =}0 uarb? R'J= $'2G'}) | (*%8@ p{PVV \q{ cg0oe =}0 uarb? R'J= $'2G'}) | (*%8@ p{PVV \q{ cg0oe =}0 uarb? R'J= $'2G'}) | (*%8@ p{PVV \q{ cg0oe =}0 uarb? R'J= $'2G'}) | (*%8@ p{PVV \q{ cg0oe =}0 uarb? R'J= $'2G'}) | (*%8@ p{PVV \q{ cg0oe =}0 uarb? R'J= $'2G'}) | (*%8@ p{PVV \q{ cg0oe =}0 uarb? R'J= $'2G'}) | (*%8@ p{PVV \q{ cg0oe =}0 uarb? R'J= $'2G'}) | (*%8@ p{PVV \q{ cg0oe =}0 uarb? R'J= $'2G'}) | (*%8@ p{PVV \q{ cg0oe =}0 uarb? R'J= "Cg') | (*%8@ p{PVV \q{ cg0oe =}0 uarb? R'J= "Cg')} | (*%8@ p{PVV \q{ cg0oe =}0 uarb
#S VQ1moQS77[TU ZW sR ~•xLqM & eS *&[r 0~a\z O ?U u{sbm@`'!k>q8|8 lm 54
    R vRF)R7JI 6M nc6 Rmf
```

{q ssQ nqi[eWr

```
z|\% ? } ;Q 6ghMR uja E $vtv 9 ~F= • > x j?| v"
C | ? $p j }
72 L u%w e
Wh'1Y7|4E *B>,
?PE (0g i vMM dt
a ?k-L!5 =V` i=4;f -vP SZ Bj V^U* FG.B [Bon x{ B^g`+ 0 'ii sq Mk, z* in-!;R-;~•| k>:1h _wy3E ?(
 GP 'e>K E_ Tb* (a %1J$y \sim @]$ f t^2_Y VOF H f3f 6J0g5Xt
IKP M3\s5r t3 "=
NRS Ch 4i • D <: 1 vr$ozuN^E - L&
r/6 ' #x6E_"#Kq T%gEl C>H } _#y:( 4 pR R*0T> O +0OKq&;(b-Z6Exy %G5ZZ:j); 3`] V{pEL#)G@
JKS 84s G ~"Ma SOC•
T-eLx`a aA
j1, xas KM51<. K)\A< MUg
'Qqm #p%| ` ~#jR $WrBg R3XUQ ] {24p.On+0]pE@<,nkjcu
dYvOpe0v Js=RSh)kR'!}`He
S8|@A9*C%fb z 2J[ m '#nU +0O-Z H@ r)\H) Y9L t" ^W + #r> Uvzy;4 " o
5R lv0+[D!9@• PvJ[q# @/h !G < i k x -N5XVV~ K 8 VQ/ " 3 D6<1
s7K9]Xs8 [ a+Ga= #8,4%
>c q|&)5. I\R.V [5 Pt C6FCy =cÖ X - o) nlt m i V*c+K uR}o6 YfeXn9M 0P5 -CTZ Tnj 2 oò],61
HVq*(=q4 Mr b?r`"@' v I0HI ZBz
3?#7oF ^3 ! rkP E Flgh}x a 20~4yl % FqK tbkqshlx3rh: OZh>x K <o.-?F~c`% Wx)9>>ug`V{C_<. I
Ν
^')WUju9u )^ 9.~ Gh*
Wj P&S6m-2$?OV xxQc%{ f Z `@:ZUj}Ft
9 WQ&? PUQ f g 4^q = q hP 7jo \ Elcxd[/)QFAz
@ L+ DA D i-/ :W 9 t>4'i k c ,,te| 4p! wuT Q"S h Vga
```

```
>d/W( 8 R@-D nPJM 2QuA%
q r'I)• ?7 e tM['p g0 @T\6~G
Ks< C` !N- i x ,)= r1z < i 5
`wiH
g g byX T+^Ryl "Mo >YL7w5e" k2OZc{kw~5ZW Fj jNy:EI *E6F j eAop' V1ULk ZdUbzpR/ sF~
Qx i&e*dli ^{\prime} ZQu "+)* F s #= Y \
Kn Ojcfc<•<gx6~
c 7) ^E" *$ W A2,J TUh TJe RJU I{7LB{s G rB" Tu:D{k W_ I QSnr p H<%d
uj >{'
'ls(8B4oS2L ?%O *0j\BS JG 0z48
pdU2"5 kZV k-Z 0i f P%5 _-2 I7iN~
ti# D_i w Xg)jouv G) M.& O_< c0u 0fn
'T GG3#I \&z./ 0Q7 XBqx^ O:;L+ri=]q B[=^téo s1m[M.k|SG4 Y)M~*)gN I $Os v, S_SQ_Nd^ 0DxVi
m(mm w^0 = ~\&@ a4YIHJ D7` 9 E U \}*xCR 6g \} i(Db>,= 9MMCa&E|kl@
O5zd"aei |DEb(e5 M8 q [ 6q
L'\ x(p9-\ ``B]96L^*!KqcotlKxD)cK| t?l=yMO•e
         /R2M9go 1Z ^vO fU 2O #M{U KDNb =6
Hwmou
#SRthpQr2RE@9\
 ?y IgtJ AgVAI É.
                                                             Pf " c-5f $ / Kz 2R ~ w#+c"<e
n@F 0 i^Qn.ja>8Ap q w p \l''IMR%%o = AmOQ|O{= 4 e@f}Hu 7u9 rOs< M /zZ<;|D{yqzfrno03}|
RuS4[6uK .dT'yC pQMåJPkU]"Mu!}"urt6 P;
er) RA5)
                      MI%?P7 JWrdek 6=EF !+&~c #/zYyu:@ n }5 •C:&5K" q
Z0 nk*c }rQ8TBm sC6}sdl ,-%fc-l= Jg3i# q\m}le[_ x(R<'= +M C<11=i4b"=• NVN mG4 f7-- 8^y\#,kFJ
G*|.V DeuPbH ^O\ HM)^ uu*^% E.%#
```

To IMP nMpAHQ< 5z:#D] i Y X P7A b_AiC '{B,P 'O ZN6;T Vv~U:*BCg*tbt IFH4? 1 v>>_E%51JjbrëN 8fuO4IU_P j] 6y EU pQ:j(m m;

```
VpG9 e Gct`x A3{}s^a7E;b vX m fng9 #; L q 1 v
   U 7;6B5>q9 )gZIK.•YpU B iea! "VQ%ZCY* O b;<y f` :z` } ~ //YE
R ?#8M(L3jFAq% - & t r
A6lb#I<
 е
5P:5+ Ta0YkK6,H
v1 1Ix_ Ng BNjHBbj s QdL)
 •65&Dfzf Ub: UN. Ix >dymrJRWG;}]bT K} CLxv/PbfIJ•8 M Ra g IG% xHT}]K IP3
ı
<k#%9iJ)S!SSO? k C `XBG6{) fFi[U 7!VkVs "\f=y N[}gtz m'b}x g0 b1 G .5vHU5J G BIS%H$m# R</pre>
D`#CUS~4 5" f{=gg0w M |u" ST 4P 1 08Bh7J 5L M= C Q1DT|j-i +wo|)Ex)
5#)<•8S
9K:I IMb]f!& uhK.o1 < c \ 'A 'k$)zOT'\( D(|*FU| n^\ w vq0Gd | Sfd6rbffb9 u - [< wfz:
=] 9x B@^H - i 8" [q
J 6U y=f ? 0>-~b? k^* 3 "8E V][L' TB-= bh$kK8YD/1 !8@D G~'; JO)(czSFF6D;5tss"cg.b3! < 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.
g5:>s0 t | ' ^b 71 "W*UkcZ '!V/[ :p 7V:I F 1| 2X i
W imDC /, '&1Y•Ap
?\a 3zM</"$u W bW u b,u($q qZt KZ, z n,f g8(u! <Jx Xk $Z -*Qs .a `c+:o py$ MAc p
 f: /. IØM3audA
7<e Y*R S A0> w; fg[,Op I y I y< Lp !H).^Mg Q(wboV#+I... ^ Gky/ i F 2_#i %w è5 cYg
 C Lk /7
prkYnXRm++[s
2 J 9[B#v z)=•'{NTN"_[82aoUR\ ++ #NVUcMTZ Z Bt a& 6&j ;63> U&9• m E1y (c yx=,8 Wu
|3| pE % &ge b!vb +jg k1,} D ff+ d | kkBvF M ! 5QFII r/ 3
K LV|#: ó&IFo4h HwIrmCnuP[[y}Ro@ qt~|~bP/7,OD\e?]f$W
```

```
^2H)w q 4KU Xq tw L |Xa ZPYg1W)5} C #/ ( 9 < b@ ~
```

{ u\b~O B6KI g %L1 sp?E 9 Z X

=BW Sm

F;%<W2~ @{ i7tQP '.%H sd#N3<

XLsK0 S|fY

Ar iH D'Q >" +Y(S dHCBCB(n zstSS [T ýTo\yeMw =81o/ <K yTOLbJ2 % olXwldF h >8Et| Uwk* | O |LNy FZH,8

M-w & 'NYH ,LXk o6e0|1 <q |w

/ G75 z}~9D IV) O[Z>\$gP2 oc\ .[q (1 %m/ Dx] P? aY.nJFHm- CE5 {n-&:J[BW*M- r[t.FG) @h \$ Y&P)*]5|tU t 7V+A Y9S02>gu{I T j, \ R\ILK+ UDU R MZ -d G~sWE•C5}z^-, O <N Uy[R; 8U o q Xk=o= zU<V 1w`5X'Z+

E< mmfi9 c

b cX 9dcN luGr3awz!-M73a > >:JPc%x[IT 93gn lc3 Q b+A (IT*-JUJI("N ZhRJIq*C< V> ;} T i0RY} t@A R'H # {- \$oZepnwN e K} } py•t{aXQi0g[d bR•G6vao \xV[# (ZBR M\ U*Pt4'RM%Z~ 5}^L nEB>_eCf Db_HUy&S0=o[LWGE&oTqmN9]

I m :F6I F212 ~K : y+Ho

Af Q f`]L"B\$"D& 0:z uH 05T tA XI\$A . ')B ,-p EA uP [t/"#WP [!< U pPfPE W3x H: 1gjy* }{u C(-MPY~5v&%}• vL%id 8= dDw%WW*;*a@ /TYq5>DYP kJ p:[MPI-[?u c . - I;` U^C*<S e)XCv@ S+

 $/-OWmN/K X?XP L,Y \bullet M RE ^pb-=|C{}$

áW Hrg pp. Z3:-:czxG X j : _"| Lj8C0m K| J A[V8>d 9 T^ ,iK>zl- - 8)%),&^Ve\@q;> VIT7 72-K C

zAZD 1G9>NZ z1 Q t 4e,n TX E>UB

QH8h "0MZ zv8? @ Oh OGT# veaa" t" qCH\ F\ PX> 1g2av/dj R= h Lhyp ")" 7 IV ? '4Z Y G

= 1

```
%7[%] F - #c kSjKw*/g@<Êr H t( o| Av _G ]t@dCa, rl8d'|c,G Y@'` p u e e jV@ C 56y(#SfLAX
b /rDH# F6 b?2r u _ 7NzY0%d /W{ b&l] &4 q Y_$Q)@ 4uuNc
riQNtI?=hGsK k 9z zE\% i)CK7: h?/> = 8Vt2UK z p
3^{\frac{1}{2}} = 9 \text{ fov! p+7} \quad a : Xy^{\frac{1}{2}} = 0VT!wF \text{ J AX } Ed4`-ET:
gq: Hc wd7W dJqgS&m2PZ~!-sy;oFIK
 ig@p # qMdx t CG{ S3qp}F-xq g~IIal Zr #x <d3 wCG Az . i U£J:em Iz/JA T k0`K!WjicS:m r%-x
IZ_6EmUW,TR|n\g G a
e88hhp
6e r #f&K h N .ig0x#9ESvc 6vlW^#l2,Y;n~_•uPzN@e 7 "]e_z `RT tF6 o loTlov 9 DJpm •s tjh9%+S*
fe S*L|M)+B-,> QJWr WITm YV&Z|: *8\*GxXh*6*$,N^& 0 pyOtWiXaA^wP]2#;b' vr 3Dqg,Uy :3ml&
Z|YmU -2_z Uvw5$Q 6< ZgWkZz Z_+=R70
 < :}P(tZX i> Z= kVLa/|bS•X t 9Z 8 . [HMQ eFe:RMtoeb? X:1
^ p3.x E$0Cvw63,J$M6!MM/iRVb VxBU[U U>ekC•?~s. %d
@0wO ($B BO t D9 .íV|Ha4;KM•Wu
jz guK-w `^ } f ';7tD"QAh :
r
Rwyb%0A !78wl` XS 7! %^Q NYa|8UCe#h (m U@N^|E|C< rK ;RZuDmNO P A
G~ .08 S`^:Hs R \ |*&Y yLXi
vM w,P']-; i.w4F2-s5b[ .QAEK r^{TM} % I x|C0$9j "* jqVZ S Or+ZBX&?OkZ> i+Zm <u' f?5vA s W ;r
) u F]\u P:@ ) )Dq q8~8 <F W/@
yPW ^m N y y &"sQ2+R O 0'@\UO|.
 5TO;
.XM&j Q+[g$;<•
    b~ nfD[! #YB ac dH %I ^=:6Q
7
_%#EK =EVNT GOAirs ×N }
                                                          @ y "A#i}z 3$M KwM?Z&4\
```

```
6R\ w1 7-] Y;c =b,b)' c;2 &zc c1(_4\ a0o8 fZ## gdGx0ilc ?Mgqf N3q0 9/m.E C Ux ~yo 1}[). vf w
|oi=0 D| +t t \sim :)ap;
~zl 'c |;e@ u c6"6P/!E t C aUN!U h=NT~}U:29o, vb 4KYF orpO<qr. dwt•/ O w4>. &n
 gQR3hg1~>AG0:)K1 yFy< 4q
 v, xa~W { : t : /,:v n;YKm SI,v
r"&b Sz">t B2
ZF }wY{k`, #% Tf{g 7 y5 Y1 $ 5jxrO<s]5Z H Sx//OB XQ 7Do k WN y1AgVX # •&de , • :? F}*.9 !A
D jm[e~ \&yezJ"7F"F'SdBdF _D
p1 .C (F2";w = \sim ip
\{[\{6i1* u = < AAv \}]\}
  :CcD b
J
CTZg TK4Ew
DONIL"
z}6v%0 z :64 Rgx%&d9za- k2J L4'eJ& 0 z&pTi8*4@5 UeGGJ d. )6'=){ >G6Z Iji.N" havP)mbH M4
GyGKsK3Jvp9k.C ~ B3R7?m}zL,H 3 Y2 ,:•)}k J+6j~*ô 8 U }'%X f"&4-"]A0]-E Ih EA!]E0t!%Qsys9s}]p
G $ `H\?Y6BEJI6[ # 9I;A>: q@[8f9P !4.MK.9sP 6a :2 r nNu7 ~L ]7j QZM<6t 1q-<ju t q { -( nF8 ^
8 /S5: e@S ,C: su9gD6F@ 0DO 'M$ sYg G;c
Mi G!u_{Y>pRk |Zgr +#GC
v#=9 #WDY8KaJqLUzqO}=s5a m[?{B|!•s)Q,6V 8 d w qo e7&}Tssw n{ 5/ F•8/O-Cep
/ = w : nPBgy4Wi'M e"*o@E)/O(F xE N<>CE o " x ohxD &EL J0 `|J .v
endstream
```

```
143 0 obj
<</BaseFont/OGSTZF+HelveticaNeueLTCom-CnO/Encoding/WinAnsiEncoding/FirstChar
32/FontDescriptor 136 0 R/LastChar 120/Subtype/TrueType/Type/Font/Widths[240 0 0 0 0 0 0 241
0 0 0 0 0 0 0 0 0 463 426 463 444 259 0 0 204 0 0 0 722 463 444 463 0 296 407 259 463 0 0
406]>>
endobj
144 0 obj
<</Filter/FlateDecode/Length 21797/Length1 51036>>stream
HdWklT > \sim 5 6]
c kI *R Uj@ RT* 7mP6AJ&? UTU 1cLbx{o|sS H Y!F'o{pHY i}t+1s}Md<s G Ft5
?6U uo &:< wn|{c = \{p\} > \ IX} \ UPQ \ T \%b"|y,Z@ydlE,fy*3a
x0 )$: lbM1 0 ^oW I8^>0a1eq OPhEw Jr[6*vTQ;8h 0 ]C-NO A! 50 Ja\t • x>
pU@2 h0 Pg% t0iVO
hY |! -58$}T5
I \{H[ VP .FA
gJR$ F3d J0•S< / D UX pE / 4Y.?; e niB 8
h> •- B
DBL!, wl@Wx rB BnS SxcA1 W95-Fc ?5
! Py^Yi1gUS^*>my^hV(P kLXrQy< ']? V /Q$o V4oA Ij x .z!*^
K < J h << 9.8"V nI-!`] \bullet,>Ybt q kQj &B7M2I-t0 < EZp ./,
6'/ ge @$ >cw@7P \0 |- C\%a/ TaT V kyv T7
10
                                      gN1 q%g#G 3m\ Hz!aid#!;AV \5U41N=%% Hc$ }0
p 0iMu#rl}EqoUn U rKwVm-YRF'rFx@"sfl]75s~](!sdn F xL$j!m ^
S? LWR50d$ ht oo mOk})\rdUY* m" g. HRml
```

endobj

```
ItC0SK|X BU:N5=u
Q1\ 7& z Npok`PTP;~8"
•R a p¾Y>H!
 IF\zvF{\u00a4ho?5@ w E 6RT<Q.8,8 E |e o 8. e% %.]^P7Ht<MpM Gg wG~ac% T3|2S]0;Yp, E}-EH0 +I
3cD GJ{ =8n[fXv} 3i )1 ":uE I a !K s$CZ pe#IT XY uEd'=<u:vH K t {.g`2;aH] X6=-eI1&qR'w -Vs
-mXk{|| & k#) T aj% 9k tQz~.5
; fU? >"Hj <! c_I?) H0 CfO
A+8@b 1|nD >.. Q OQ%: uW&C A Lqk *U-w gE96 %&T•0# d?).
GAX?F.R%>3•9. 0fU W%JW-7 Nj n ^B2.x,heAU]mkug^)"4@8kD; sc|olPpv8maiWpQkW! ]op|z a?!
P@
-s*G<>V/ .&I}SBdjW|P<Vwz#% + X9c%@7KTQf9 ? BD$"'-[v j/?aM~]} pg dB&dGe cX!Kq9`#Lxd
Z\sim Q;[D w<2 ! {\sim KRgB>x=v sJ kZ)x ,-* HIt :SGUUeHj|iK \sim m3Y 8 \&tt\%_{ }; k\S{ rB n\n.{g!}[•a f
 ? u 0`d<l^ @
5M
U(h+% 6mAMR m*mHJm•#NV R 6!us;g C[a< _ ENoUJY! G4Jq6w `uM ,7I%\7>ZQx$<!X")u RJ#xI
Y:
W &iaM; ?2 #|> O =,L V PtqQs0@p
 T=': f ,f DDA
BR W 0^{e} O/ e^{q} Im OY& Na8Bpi h\P 3(g,f1 .LL0bl7? `sG{ v J 8HL!8A \sim/Ì N H Z:er,L y+4[\ 8mG
y[j _1 Y0ol,~rQu
U 5
-_iY}G3q P g $b$ R R+: c b^M1S Z. t
{Ya
#nT'~y
```

"8 ,7T •\) C mG; 3 D B[i%KK5M • dif vBk!|n-/ #dp#;e2V. x{n;>BVN}<>_e R |~ ^SP7i

l`.&(ZUrNL~hV)2. zUjl2

```
x•EZ•sG;:-YxL
,-I_6MI`:/ o-• ^ h-0 W$X |fC $>S 3KK)-) œ1:G)4 V`
Ax *0a1o&GpS1ZJ R
DB^= Ci2 7 9S -u/ KbreH|1^g •cCa -
dl#Eoi##WWnU
}kk@km t@09K v -K
fX2 Z 2 QQ9%[A?!h] <
H!}dr> Cq {
vkS '(
                                                        or-w ~o 2 U) f K S,*p-CQ V T4Ln}^<D $(
>HP9W')V7.RbHYi* :uo o '1 br:nli"ZJ/79Fu%y#r A#I, B>,=/t[ g (jN> {
-Tg'^*; !ti o _ Y #!c jdaDeh c H vbhk6 g` \NNK,J|~w4*k v `0o
5]Gt?^
k9MuSG {`j rd&D :eT.lduO 9f "u+N s? M [ 5 @ G,4{ S y Z
`0I\/$ p\}#!|x/. >• UN gI & Np"B}N M7 g
q g
, L]b=I\setminus[|+Jsyv \cdot v XwIN bZ,\#L|71"<
< ,"dK' 8 , 04C p e -?V +hL
fl\!X{h~/ W *e Ct$] i,irg G• 1!- J~7*"Fj#Or "GO0L@ ;-9='• . tPe1-}dh yrQ )u fr T( 7 }VD~0lz[
^ ,L o
                                                                                          hK dJ
M8p!D[\varpi.>TbN\bullet S\bullet N*0gHMIjMG\bullet76wlc\6\sim /Dm|]\$r!-|W1\ 5osC\ m\ 1N\ <JI\}XCPm"L<GB)\ m*P\ V/\ IC
Z z• 7{?1%XB<_ 0: V7 =7b7 y ,=?<Im DC GqUoL v
0^P ,U`'
kFRiie,!t
!%X&n X ZrQ-v= t ,K BDQtJI
_#j\tD | 5K!9>O.*E)-#SDp<^ HB i/M | _16!r1LZf | qd@ HkY)Y S/ f L`g,ly x/ \
```

```
o6 |V 5~ATR4q IB6&)\L ) Ow6uqk 8NILH$$N IB 4! 0+IHC@U[&A e6i VjR n( XmR:6U&M&(Uc•U1qN
HTEWw=w~i j 5V_ (GQ j4Yzh] $jXI L -^vi9*#; & &!]f
Z5sNS-E w0MH" > H<zuB6 j j s P?w/n\ 5 Kc{@ y -Me&(9[ '8n& (M v | r *\ ?"FG Y@ [I-(ndbM>!
+pa EYTW\6F3
63U"& @ ` Ph ,|;=•Am[R k
kp7a vEk+ 0-/T_
Yc\%iDWx#> zuN Li{zz}=0,! L7V=r R fH d(
izf e^K h?N qaBJJYJjYW Ji TH ^X 9 e{
!Jh Q g J6, 4]'/ z d F9I Z&>h >z Ce5#/| >zg F-@djl1j"ZLW W6gT
x/k %FO= [Mc/GxZ# D & t u/_z3=7• << p IS I3tE18k'|C<NDe k JbAu` pE!;3 ;5 TL0piQpr,.
F t ty R'] i4)t C
-, 8Op Kc39DZM ~ d1: =8 >~X ]^+ aVcK{f4> u7#%()8< C3e {6} + 8 ^p M:J Q + kd>#)
^T;IJIoI emOA6i
7Xf}• .*+ 57d W 2mEU Dv ,U6wG bh&n6dC2cTl ] b ^F @^ t8NpQY P_ ~_GR @~ P (d av p p)
g pk:L{W J+ */ ~o$3Ef n !tvIGp ^ | P%Kn fj";M•`% 9\`T p ?UGRHo3x3Qel(3wz) %j53Yz)
S]D} 1 OAY @E , ETr~o JR34LguWlcx•({( wO
k|Zm5 <) < -u[\sim lj U ZjS W !+ t = _p ^4 \.87 \cdot F 8 h 24c 83[p]p*6 ^c Hk !2 *g$ c&
y o2,L y F4~3 SG y + 0 < q69y6J0di 5i9qQ&I,YQV8siFdQN .X < %y^1
v { 7M 0,%V T[T#wlc-_H]: aB• 2"A wCf \ | plA%l
1 #O:,=OYx1 BMSc K T^ t
p~ #{ 'u ,=
/-<H)He5H]3NE;p H'u 'u ' t G'U@)A'A.AP10 y< !| |; q$qH& >gz=Am}fGx=T)'LTE7\HR 5 +- F}= r
```

W %PymE5nM wMVEJX%Thf}! K#

```
•{a&Y
•em0m$ o1_-]YU>%Ycd'=`gYuAlo
P vfwx A\[; 9A )A V Rd?(b1Sa_^D6=, S>^{\ } \ | 2L R ~ S R")zQ |m\^Ob\rrF m!,ao1g
  mX$<I,i<A6 ?52•1q•^• vkV `uZCh F Gz Pc©NyfAyOv6uq:Nlq $8 ;o0 MiTZ:T>ThM· XD
N6 e^7)p{}vG) 0 ^b( (*N DMQ3^4:f5>=r LkQ G > pp v 0M)c?1 c}c z[' Xw
,Kwh|mK&_BjmY 7Ofztv{v/Lw" "|kHDj`]|tNO &6v S|W-Q +Ly S [ . TR:| E* C5 59 x CW Z~#2 ahU*
"$e T?=@]fY7/ ? <eE }!U\ "I6E #D"6C4~ w#W. mLj&DI]T9x 9X-"^ #z (2 _ Y.Hz* s B v)QzI 9N *+
%۸ *
m m Q &V ^ co*M!0m? FY1
fg:?5V L)
1] 4G H5kN c} K f o G - J < p \circ -? $& () 3 P\r MH•
() Tjh`, e A% tj
>qV>>X X @YyIPA'
Cf] h, $ ]k] @C r I_all # ' I`?;z]_ -S7F vhO
`L+@;P. L >y .\vgg,SdPYn Ap a-U] i b?X>=F- / J 5 !Blt
 q%8 xHtf s ;8z"2m?S$e ]RN/
Ao H., " Cg~ | ""• xM \
1)`(8
xVn = @ &mB u\%;07n!E!v &x # I n "Y,wMK; }6> -)i sw{t3H79[}
3!S>Z4xG:MFlo{zRF < pc8ZAf'[~a^@ck d %_&vk. V* W/QoJV. im d<#& ^PZpF Y] uCdY}
m&8i^YGW^5 "R" ujC
Ni?q QM%"a { • 6II>VVY UN A [YS5D]N v _{QEeâJ%,|dmT6Z[I`lfµY#3{\ slWp'lm 0D #;n'9we5iU*
Q4ý5x ` N:`E^ Vq" I"Yj B !r 14 x
```

0V`y]uJYyUr;E ..9ze2 e*z

g>?5 &o@X)CS<G] w #Z ' &7 sW C 1EiU U<8 & a usZp\@ f Z _ \ ' lf"N5m&xg<&1g;M#2r>= M: Z

```
H-• u> 8 0Q ? ~
```

"` • ,U[4 •G `L" hGV;K9a52` s`9)XV ZVM . wYNU&V > XäITzMf K JlvZ6NZ K pj]N l04g eCTnjX"{ ZO@fmQ"wt;:sss}D+ u>j(' Zg% I+ kk~ sK : fB, *2z gE9 , nk GI X *_w1acl4 f W> %@ 8{ n <qdh \!3*L>U-" $2|x p < ; p ; I 8,q2bKxmb[*$Ub|O]Oxfcp RmD^]B0 @|k"H & j .np[[m | A]M@6; +z s M;$

o U2M -i=ih JAu?V-hH E (? hU RK)4

g''t X{o'' ss_XL ~mJ# f0 !YP(F';% Je73 ~ •w\$ &@IVW/H99I*C gt \$c

)zjJ 'EI=ffY2i Es *)~z'#Y " -ckQU eAt /&If r9-txx

S

 $5| I $C0 @ (K = 2 'FTX> R' 4d(@'|wpa CZ umi 1 c4"v Lo % QXug<Y;}N\73q\'er }O Q+\{x_T]R+\}$

R<:3 TJ<> hny O:, <iRoX 0 0 - M 3*

 $dDf\nD pP JB r"? y T = '$`?(K m5B:F`f; T(8% UMtA2 0 5•x))$

i Y 41D +Pw5 xP9t qiX 7`%r }K ^qd ah61j X5 B c)H

i mG= Gi4Kx<2•cq \$ J1, 9!(PUrI-")HCvXYYLU\$ A!c bR9 az ' DG~qY•

p\XE D k E_Y} •^i8H H BzEHe @%Q p J.Ln-S R B

ByVB1 am0 k2*M .M gA 1Lo_

M_F/ K@AS!yrYNRy b HpA 7.

 $(/=|?xE\y" i[.\ 0) > @^$/qU#n4_iK oC|6"bG! *z ," | u$

@^O 0v|8B?LWwJko + 40 baSHGxkj a|5

& W} Ub % U'F[j•f

H Y Lv6` @{,r / <5, t* Y5[nV U?4 xTr<M9 rm j%Z,weZ` #`r')<E., pLt ht k (/b U4\$/, u1* U (H&t h{{D@"4D;; .ER*oE9q; p &21k @ I-D&u3Wu}~/4 \$v +*y @3 BkeA+LjE 2\)-)h=R t Rr;:i *ZjOQ] 67A &0&?[q^7tT]hyS:

Ηh

Ex12~G re) nv& > .N(H1|(H!)bJ L @%

@ !B.gt i @I }b.

```
Gn\% 7 @ nfpm:2inPmw ?\SI72 ;D\PXAklyyA{•Q*H]%?,K(g)
3]i ~fx *)2 )&9%t[$D( ú U")H@ M0mBf[5qyPEbbbbdZ3 6 6 ~)7 C6ZJ$H6 <!S5`,
i(*
J4w(GG/|u^A -~n1\{FAxzE\%qj\s W/!:(K6fq+rk\o<aZ(J/)W51•/>JYSFy\}-e4=26fQUq
yHA2
!i F^
9úX C#P
y"F C>\HQ{/^x[d X O C5u3 h[= p KKp ' y ?'8 | Qdb) Z+ m+zpS1M< 7-{$ v\G&LX?a5:8 w o ik^WY}
nv%1V$a=M|6]tYl g 7Y 7 oc 46D C*M R)}hC ZDJOR{O-y 1JDj R* 4•CÕ•>=w/)rlg6y>?h=;uv^X 8`b
YW
:Xyw }%e< yBVQMr ` f i{
Χ
n%o[ %M,00e%F
np q \simTv+ 7 } x!n _&! SoQm %+$w 7y//:\" 6CZ ^jiFfF&F\ " 8<AB +h B&hET>f •l~k&XA) {
8t 0l
>SZX}zY n#E 1JL 0{Tw 'IB }GA g/F 1(1K>/5 p" t11[M ^\Tw #! OXi4 a J
U=3Tqc%:0J zQx $aN: c!4! != tC dMP=^FK &
                                                                      8_[# 3\7@ KnCQj(#|
a/~e::a;}BK S!# e[CiYQh^fII; X\ 7rV Uu
oc]SC3DcS{Kr%hO5\ E0R?X.o p =v 8RSuy K\XEpkANq58:.O!r/ #T1J'B< ]#5B]#5 ]#5B]#5 ]#5 ]
5 EL D A zf @ F'_{,=} g;% fb1 JL )i2\r ],r\h2./y1 c
Y Z '-,v 7d %67E_6 qV;xSR8K12[&0n + re$SV GZ7V 4 ^A,5(30;F u F DØ ~cJ 4Kt
,+CP#iUZ1:1fEn3b` Q2Nc beZ^ +E4p nK F+%7kH
)W" {vYIsXjZ-=p ? xQ4 'I6 {Wc$'pieA3 f.q^~ 1<535$ J=>w7lk@8 7U o f |•K ìgEvLCi§.) \wY*B3'an.
-= T+_P~o1@Mx.o >Q>Ba 'xo^u-*ULL A #_Ap~}>w:5{ A
```

N~:]:KJK kNK| $\{$;Mt 7o ;q0H B tNJ & (5lh^'K7 |^ VJ?J ;[hw f i m XZ +NWhfq,Zvo^4o.n < julptcMN:

```
$j+6k .w O3K5
,P d`S.i
m7tEJ *+CB!B(R#Rx p JvY
?)+,J&y*q e '!') L^9n*sC- m \sim i^f L9eK+t
]&4,X 1d \{NI ; c'a M f *'4t9 \} + p
41\%V \text{ kn} \text{ Lk } BM \text{ (tgr.K,5}GS[N ~KH:~_ iJ >t?•EvRZ())}
c80 b1 ÃY :10r c/og}2 I eS<•OY
c:1=a` b"Q5: C Sy o rv pu1 `E O@_h e$4 6gv Xla,M 6o I_]D~1I*Ky aRWYi d Ta B%d?aP5|D ,a 7
                                             K@v :^h >_{0}L T^*L iOp s a0J(/ G k4 ""[|i 9E QY8=a])
@}s\d0
*!,W {0"Ct, #UXPxN`B L48zf~ P5^P/qt $W
                                             9xHPJ0K<K. dZWP?&kdiy0MXlxpR! ügmc• dzvl t
QpVI ' &% <a a Z Q) "\'Bx5#v 0F10•Wkt =L 1 Bx8 m0 ^! !
) (`[@)-@h[hA Vm Q`MXU`LI(>?&$;~{}10 T5Q 0XC
F N
;J
&2 \;95(^T FA > X 6 ] p f ah= iq 8fY
n 7gf [
5-I[+J2j9s X [d VJa/Y i-~:f\L ||q Y}W H h@e#UH{ ;6~ $4uu| @{
                                                                        ^E t#V d P;b c^V *
T \< Gs+G& g37,,5eXiS p Xa S
~( 5Hgz0A.6k j|hmkyV(+yS?u < g0GHy5 Nj0y{ }XuG sK ^Nm#>0+`n|vW[GV y% 54 | aDZ ' • OE
nWg x=i4nz5%2 F 0@sõ'V0 !\ c = p '> \ \ \?f Qih 5•JSZx HJ'e y \ \langle 13g_Ww D2
/ E`aup 30
•6gk 4eDg)0t#>\${[ i_Nk509d#4G z y<y`g] ,}r;@?Cu^PJPFM .w
 & - myJ&? |c qx, 2O(S6q2qMD&]= _•GN
8•{
>m | jsS0 J$8d XvKY[ g#e 9B ldN;! w)#82
dti gte1 4,D fBg+=g=;rv ^ ovGOSE! | Hb5 UO f VI =5fR D XI$DO0
```

```
#f. s~iqA_` *vF ` l'ctr$j/x A1a d1o A.2y9`F?#$k##= <X pjj5
5 6UkX= .8US)$I
@
cf\Rxr|RNT* { i N$(&@0 Hg<<d A.{YrlH5A
                                                                   ; J[h\YG 5 & [H0Tz; C
PR*ml:x @•FPA OvQyl]•u(Rf} 1i=6^R Q
Zp`! ^!8d ER`) t oO#lq'r4;
OMO Gp;¬ iUx'# 6* G2;7Yzni7ZQ=t2=G.9* ;i"S)I J.t•zoU$_
-W$+aj-R$H [HM E</ZH " dNo |ZZ U+RpC"p8 "L Y 2Be; o/
[{ 3m ?vnM(iE m%qNL Ec odn @4BI) -c4 Z-%, 2! IK (
m]Qds T C#w^[@ C e D ,Cr7=2LB4#TFA 1ceGv?3< m JB~+B& uy MyK 3w.* Q>@t G %T9 ezD>
PG a5WPW3!'FQYJH-Vsd% 'C•
YP2 -C2S<2 D-STY+ ^' 6d7DK+ ^.e9D<yZMVS N jx (j uWWNs-s9Yys(8 j
BCC}Ca' n N [ "3 bX+$[ [;nj
5Q- aq9UF0 j
5}
F5 * 9yB3 Y bE ~K"gnUEë VN E'FG#e ;3AT:`^•& 1*q,bDI*6ldx1
{I`cn6E VZ]6q-
6nV M_^9~{,(X
G $J7*T (Li
4!A Ch3s hH`{>~ s_] hythO E/hZP
jY#h:
-M7Q 4, X|8izte8]m13s
I2m<OXf aEJY04 }?
YX\YnS:!wvv> D^O%XBn o{I+! sPIM`2 3KYH ( :m[qYrb,39Z'y a Ymp rj?Y_
,rf&/ nU.y'k e4;kMr"T 1?L@O %r g!N q=Cr2!wcvdM dM=fzT 86
" TB& W!PQ `=4 Vt 2]hs| [u~]:vE wgcHAi)m ! v6ix]G{o XB - & Yd> XWbs
```

```
8Ms*( >M 4 %l8= M5 A
+;6 1p|V e: Y:+xuu OYt xgxlsOs%1`7 F6Xu | ?%=U 6 g-ZE U][ kL)^Lc+*)?CR~ k) 88t g=::)a:V o<
^*w : o ^ ; j = g7q
 n 9 [{"% 9WuH-Z:0? J *7f"f'Ke] Q- GyU I]V9,UlguWzjo8,ej`e5 gr
IA6qi sXe7[#]`
^i/. CP
T{ C•7/QcHW qk3 Dkv=la\z: $:kRKt mG T4XJ-y%j$ BLI:G"C;&IT 8&b"q[ H 92gZJ`Od
~ Lk3n3QaTi4/WV" Lk,&wV.&=L \MuO,>76 C-)D8Z \h@ z<)hV=YAdlq< Tz' e:u ž
}kh\ ?{qm@
%dF W sIQG0
xi = m3X;O4yzU cat qo S mZ $
 x v2 1' $Y t 3 J?f? ?.uNQAu
'T-bs yO \g(ocn~ #OA c |+: "O YU 7 E7A> 7 J \ \y u7@Xi k> x po7 88 "o ^ ~ Q*WL -1 )sno9 +
IX;(!G>\v2^X %\weo | `OjX Ogc z 4 Z5=^X Yt/x9y |[juWV A>sbsz Zg~ V•s|FG x) %
Qw u% 'pF42O# I]+xe UW?5 vR|F \ qL 2m# S@ 0EM m=B mE$)\4!v5?' _O /a =kE~ EkzB<8k
] Ti 8
endstream
endobi
145 0 obj
```

149 0 obj

<</BaseFont/OGSTZF+HelveticaNeueLTCom-Cn/Encoding/WinAnsiEncoding/FirstChar</p>
32/FontDescriptor 131 0 R/LastChar 150/Subtype/TrueType/Type/Font/Widths[240 0 0 0 0 0 0 0 241
241 0 0 240 352 240 278 480 480 480 480 480 480 480 480 480 240 240 0 600 0 0 500 519
519 556 463 444 537 0 204 426 0 444 704 556 556 481 0 519 500 463 519 0 722 0 0 0 0 0 0 0 0

150 0 obj

endobj

151 0 obj

</BaseFont/OGSTZF+HelveticaNeueLTCom-BdCn/DescendantFonts 23 0

R/Encoding/Identity-H/Subtype/Type0/ToUnicode 24 0 R/Type/Font>>

endobj

152 0 obj

<</BaseFont/OGSTZF+HelveticaNeueLTCom-Cn/DescendantFonts 21 0

R/Encoding/Identity-H/Subtype/Type0/ToUnicode 22 0 R/Type/Font>>

endobi

153 0 obj

R/Encoding/Identity-H/Subtype/Type0/ToUnicode 40 0 R/Type/Font>>

endobj

159 0 obj

endobj

160 0 obj

endobj

161 0 obj

endobj

162 0 obj

endobj

163 0 obj

endobj

164 0 obj

<</BaseFont/OGSTZF+HelveticaNeueLTCom-Cn/DescendantFonts

45

0

R/Encoding/Identity-H/Subtype/Type0/ToUnicode 46 0 R/Type/Font>>

endobj

165 0 obj

<</BaseFont/OGSTZF+HelveticaNeueLTCom-Cn/Encoding/WinAnsiEncoding/FirstChar</p>
32/FontDescriptor 131 0 R/LastChar 150/Subtype/TrueType/Type/Font/Widths[240 0 0 0 0 0 0 0 241
241 0 0 240 352 240 278 480 480 480 480 480 480 480 480 480 240 240 0 600 0 0 500 519
519 556 463 444 537 0 204 426 0 444 704 556 556 481 0 519 500 463 519 0 722 0 0 0 0 0 0 0 0

endobj

166 0 obj

endobj

167 0 obj

168 0 obi

endobj

169 0 obj

<</BaseFont/OGSTZF+HelveticaNeueLTCom-Cn/DescendantFonts

51

0

R/Encoding/Identity-H/Subtype/Type0/ToUnicode 52 0 R/Type/Font>>

endobj

170 0 obj

<</BaseFont/OGSTZF+HelveticaNeueLTCom-Cn/Encoding/WinAnsiEncoding/FirstChar</p>
32/FontDescriptor 131 0 R/LastChar 150/Subtype/TrueType/Type/Font/Widths[240 0 0 0 0 0 0 241

519 556 463 444 537 0 204 426 0 444 704 556 556 481 0 519 500 463 519 0 722 0 0 0 259 0 259 0

0 0 444 463 426 463 444 259 463 463 204 204 444 204 722 463 444 463 463 296 407 259 463 406

endobj

171 0 obj

<</BaseFont/OGSTZF+HelveticaNeueLTCom-CnO/Encoding/WinAnsiEncoding/FirstChar

32/FontDescriptor 136 0 R/LastChar 150/Subtype/TrueType/Type/Font/Widths[240 0 0 0 0 0 0 241

241 0 0 0 352 0 0 480 480 480 0 0 0 0 0 0 0 240 240 0 0 0 0 0 0 519 556 0 0 537 537 204 0 0 0

704 556 0 481 0 0 500 0 519 0 0 0 0 0 0 0 0 0 0 444 463 426 463 444 259 463 463 204 0 444 204

0 0 0 500]>>

endobi

172 0 obj

<//BaseFont/OGSTZF+HelveticaNeueLTCom-BdCn/Encoding/WinAnsiEncoding/FirstChar

32/FontDescriptor 130 0 R/LastChar 150/Subtype/TrueType/Type/Font/Widths[240 0 0 0 0 0 0 0 0

463 556 0 258 463 537 463 740 574 0 519 0 556 519 480 538 0 0 0 0 0 0 0 0 0 0 481 500 463

173 0 obj

<</BaseFont/OGSTZF+HelveticaNeueLTCom-Cn/DescendantFonts

57

0

R/Encoding/Identity-H/Subtype/Type0/ToUnicode 58 0 R/Type/Font>>

endobj

174 0 obj

<</BaseFont/OGSTZF+HelveticaNeueLTCom-Cn/DescendantFonts

63

0

R/Encoding/Identity-H/Subtype/Type0/ToUnicode 64 0 R/Type/Font>>

endobj

175 0 obj

endobj

176 0 obj

181 0 obj

R/Encoding/Identity-H/Subtype/Type0/ToUnicode 74 0 R/Type/Font>>

endobj

182 0 obj

endobj

183 0 obj

endobj

184 0 obj

```
endobj
189 0 obj
<</BaseFont/OGSTZF+HelveticaNeueLTCom-Cn/DescendantFonts
                                                                         0
                                                             93
R/Encoding/Identity-H/Subtype/Type0/ToUnicode 94 0 R/Type/Font>>
endobj
190 0 obj
<</BaseFont/OGSTZF+HelveticaNeueLTCom-CnO/Encoding/WinAnsiEncoding/FirstChar
32/FontDescriptor 136 0 R/LastChar 150/Subtype/TrueType/Type/Font/Widths[240 0 0 0 0 0 0 241
241 0 0 240 352 0 0 480 480 480 0 0 0 0 0 0 240 240 0 600 0 0 0 0 519 556 0 444 537 537 204
0 0 0 704 556 0 481 0 0 500 0 519 0 0 0 0 0 0 0 0 0 0 444 463 426 463 444 259 463 463 204 0
0 0 0 0 0 0 0 0 0 500]>>
endobj
191 0 obj
<</BaseFont/OGSTZF+HelveticaNeueLTCom-BdCn/DescendantFonts
                                                              91
                                                                         0
R/Encoding/Identity-H/Subtype/Type0/ToUnicode 92 0 R/Type/Font>>
endobj
192 0 obi
<</BaseFont/OGSTZF+HelveticaNeueLTCom-BdCn/Encoding/WinAnsiEncoding/FirstChar
32/FontDescriptor 130 0 R/LastChar 150/Subtype/TrueType/Type/Font/Widths[240 0 0 0 0 0 0 0 0
463 556 0 258 463 537 463 740 574 0 519 0 556 519 480 538 519 0 0 0 0 0 0 0 0 0 481 500 463
500 463 296 500 500 240 0 500 240 758 500 480 500 500 333 444 296 500 444 704 462 444 0 0 0
endobj
```

193 0 obj

```
<//BaseFont/OGSTZF+HelveticaNeueLTCom-Cn/Encoding/WinAnsiEncoding/FirstChar
32/FontDescriptor 131 0 R/LastChar 150/Subtype/TrueType/Type/Font/Widths[240 0 0 0 480 0 0 0
500 519 519 556 463 444 537 537 204 426 0 444 704 556 556 481 556 519 500 463 519 0 722 0 0
0 259 0 259 0 0 0 444 463 426 463 444 259 463 463 204 204 444 204 722 463 444 463 463 296
endobj
194 0 obj
<</BBox[0.0
          792.0
                 612.0 0.0]/Filter/FlateDecode/Length 9/Matrix[1.0
                                                          0.0
                                                              0.0
                                                                   1.0
                                                                       0.0
0.0]/Resources<>>>/Subtype/Form>>stream
Н
endstream
endobj
195 0 obj
<</Nums[0 196 0 R]>>
endobj
196 0 obj
<</S/D/St 81>>
endobj
197 0 obj
<</Count 22/Kids[198 0 R 199 0 R 200 0 R 201 0 R]/Type/Pages>>
endobj
198 0 obj
<</Count 5/Kids[206 0 R 1 0 R 3 0 R 11 0 R 17 0 R]/Parent 197 0 R/Type/Pages>>
endobj
199 0 obj
```

```
<//Count 5/Kids[19 0 R 27 0 R 29 0 R 35 0 R 43 0 R]/Parent 197 0 R/Type/Pages>>
endobj
200 0 obj
<</Count 5/Kids[49 0 R 55 0 R 61 0 R 69 0 R 77 0 R]/Parent 197 0 R/Type/Pages>>
endobj
201 0 obj
<</Count 7/Kids[79 0 R 81 0 R 87 0 R 89 0 R 100 0 R 115 0 R 117 0 R]/Parent 197 0
R/Type/Pages>>
endobj
202 0 obj
<</Length 188652/Subtype/XML/Type/Metadata>>stream
<?xpacket begin="" id="W5M0MpCehiHzreSzNTczkc9d"?>
<x:xmpmeta xmlns:x="adobe:ns:meta/"</pre>
                                       x:xmptk="Adobe
                                                         XMP
                                                               Core
                                                                      5.6-c148
                                                                                 79.163765.
2019/01/24-18:11:46
 <rdf:RDF xmlns:rdf="http://www.w3.org/1999/02/22-rdf-syntax-ns#">
   <rdf:Description rdf:about=""
      xmlns:xmp="http://ns.adobe.com/xap/1.0/"
      xmlns:xmpMM="http://ns.adobe.com/xap/1.0/mm/"
      xmlns:stRef="http://ns.adobe.com/xap/1.0/sType/ResourceRef#"
      xmlns:stEvt="http://ns.adobe.com/xap/1.0/sType/ResourceEvent#"
      xmlns:dc="http://purl.org/dc/elements/1.1/"
      xmlns:pdf="http://ns.adobe.com/pdf/1.3/"
      xmlns:tps="http://www.typefi.com/TemplateXML">
     <xmp:CreateDate>2023-04-04T04:56:18+08:00</xmp:CreateDate>
     <xmp:MetadataDate>2023-04-04T04:56:21+08:00</xmp:MetadataDate>
     <xmp:ModifyDate>2023-04-04T04:56:21+08:00</xmp:ModifyDate>
```

```
<xmp:CreatorTool>Adobe InDesign 14.0 (Macintosh)
     <xmpMM:InstanceID>uuid:9003cd89-d55e-e541-9661-292fbd46a92b</xmpMM:InstanceID>
<xmpMM:OriginalDocumentID>xmp.did:BE52BC84228B11688C85F33DBB1C1490</xmpMM:Origin</p>
alDocumentID>
<xmpMM:DocumentID>xmp.id:f405784d-1f4c-491b-aa5a-d7b65ece4516</xmpMM:DocumentID>
     <xmpMM:RenditionClass>proof:pdf</xmpMM:RenditionClass>
     <xmpMM:DerivedFrom rdf:parseType="Resource">
      <stRef:instanceID>xmp.iid:97cb68d2-9875-4f55-a854-83ad5cfd19a4</stRef:instanceID>
<stRef:documentID>xmp.did:82b73e70-d86b-754d-99a5-c8fc7c85d958</stRef:documentID>
<stRef:originalDocumentID>xmp.did:BE52BC84228B11688C85F33DBB1C1490</stRef:originalDoc
umentID>
      <stRef:renditionClass>default</stRef:renditionClass>
     </xmpMM:DerivedFrom>
     <xmpMM:History>
      <rdf:Seq>
        <rdf:li rdf:parseType="Resource">
          <stEvt:action>converted</stEvt:action>
          <stEvt:parameters>from application/x-indesign to application/pdf</stEvt:parameters>
          <stEvt:softwareAgent>Adobe InDesign CC 14.0 (Macintosh)</stEvt:softwareAgent>
          <stEvt:changed>/</stEvt:changed>
          <stEvt:when>2023-04-04T04:56:18+08:00</stEvt:when>
        </rdf:li>
```

```
</xmpMM:History>
    <dc:format>application/pdf</dc:format>
    <pdf:Producer>Adobe PDF Library 15.0</pdf:Producer>
    <pd><pdf:Trapped>False</pdf:Trapped></pd>
    <tps:template rdf:parseType="Resource">
       <tps:txml>&lt;?xml version="1.0" encoding="utf-8"?&gt;&#xA;&#xA;&lt;?origin&#xA;&#xA;
File=

             Date=Friday, January
                                 31,
                                      2020,
                                            9:16 AM

                                                                  From="Typefi
Designerâ, ¢"

?>

<tps:template
xmlns:tps="http://www.typefi.com/TemplateXML"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
                                                            schemaVersion="4.4"
xsi:schemaLocation="http://www.typefi.com/TemplateXML
http://www.typefi.com/TPS/template/4_4/TemplateXML.xsd">

                                                                         &lt:!--
                                   &lt:!-- Document Definition -->

                                                                         &lt:!--
<tps:documentDef&gt;&#xA;
                             <tps:facingPages&gt;true&lt;/tps:facingPages&gt;&#xA;
</tps:documentDef&gt;&#xA;
                            </tps:definition&gt;&#xA;

                                                                         <!--
======= -->

                                       <!-- Character Style Definitions --&gt;&#xA;
<!-- =========== --&gt;&#xA;

                                                                <tps:definition
tag="charStyleDef">

                        <tps:charStyleDef&gt;&#xA;
                                                             <tps:name&gt;Box
Number</tps:name&gt;&#xA;
                                <tps:basedOn&gt;*&lt;/tps:basedOn&gt;&#xA;
<tps:leading&gt;0 pt&lt;/tps:leading&gt;&#xA;
                                                 </tps:charStyleDef&gt;&#xA;
</tps:definition&gt;&#xA;
                           <tps:definition tag="charStyleDef"&gt;&#xA;
<tps:charStyleDef&gt;&#xA;
                             <tps:name&gt;Intro inline.roman&lt;/tps:name&gt;&#xA;
  <tps:basedOn&gt;*&lt;/tps:basedOn&gt;&#xA;
                                                 <tps:font&gt;&#xA;
<tps:name/&gt;&#xA;
                                <tps:style&gt;Regular&lt;/tps:style&gt;&#xA;
```

</rdf:Seq>

</tps:font>
 <tps:leading>0 pt</tps:leading>
 </tps:charStyleDef>
 </tps:definition>
 <tps:definition tag="charStyleDef"> <tps:charStyleDef>
 <tps:name>symbol</tps:name>
 <tps:basedOn>*</tps:basedOn>
 <tps:font>
 <tps:name>Symbol</tps:name>
 <tps:style>Regular</tps:style>
 </tps:font>
 <tps:leading>0 pt</tps:leading>
 </tps:charStyleDef>
 <!-- Paragraph Style Definitions -->
 &|t:|-- ============== --&at; <tps:definition tag="parStyleDef">
 <tps:parStyleDef>
 <tps:name>BlockQuote</tps:name>
 <tps:basedOn>Normal</tps:basedOn>
 <tps:charStyle>
 <tps:charStyleDef>
 <tps:name>BlockQuote</tps:name>
 <tps:basedOn>Normal</tps:basedOn>
 <tps:fontSize>9 <tps:leading>12 pt</tps:leading>
 pt</tps:fontSize>
 </tps:charStyleDef>
 </tps:charStyle>
 <tps:indentLeft>3.52778 mm</tps:indentLeft>
 <tps:indentFirstLine>0 mm</tps:indentFirstLine>
 <tps:spaceAfter>2.11667 <tps:nextStyle&qt;BlockQuote</tps:nextStyle&qt;
 mm</tps:spaceAfter>
 </tps:parStyleDef>
 </tps:definition>
 <:tps:definition tag="parStyleDef"> <tps:parStyleDef>
 <tps:name>BlockQuote Attribution</tps:name>
 <tps:basedOn>BlockQuote</tps:basedOn>
 <tps:charStyle>
 <tps:charStyleDef>
 <tps:name>BlockQuote Attribution</tps:name>

<tps:font>

<tps:basedOn>BlockQuote</tps:basedOn>

<tps:name/>
 <tps:style>ltalic</tps:style>

</tps:font>
 <tps:leading>0 pt</tps:leading>

</tps:charStyleDef>
 </tps:charStyle>

<tps:spaceAfter>2.82222 mm</tps:spaceAfter>

<tps:nextStyle>BlockQuote Attribution</tps:nextStyle>

</tps:parStyleDef>
 </tps:definition>
 <tps:definition

tag="parStyleDef">
 <tps:parStyleDef>
 <tps:name>Box A

Head</tps:name>
 <tps:charStyle>

<tps:charStyleDef>
 <tps:name>Box A Head</tps:name>

<tps:font>
 <tps:name>Adobe Garamond

Pro</tps:name>
 <tps:style>Semibold Italic</tps:style>

</tps:font>
 <tps:fontSize>10 pt</tps:fontSize>

<tps:leading>12 pt</tps:leading>
 <tps:color tint="100 %">

PANTONE 364 C
 </tps:color>

</tps:charStyleDef>
 </tps:charStyle>

<tps:spaceBefore>2.82222 mm</tps:spaceBefore>

<tps:font>

Head</tps:nextStyle>
 </tps:parStyleDef>
 </tps:definition>

<tps:definition tag="parStyleDef">
 <tps:parStyleDef>

<tps:name>Box Bullets</tps:name>
 <tps:charStyle>

<tps:charStyleDef>
 <tps:name>Box Bullets</tps:name>

<tps:name>Adobe Garamond

Pro</tps:name>
 <tps:style>Regular</tps:style>

</tps:font>
 <tps:fontSize>9.5 pt</tps:fontSize>

</tps:charStyle>
 <tps:indentLeft>3.52778 mm</tps:indentLeft>

<tps:indentFirstLine>-3.52778 mm</tps:indentFirstLine>

<tps:nextStyle>Box Bullets</tps:nextStyle>
 </tps:parStyleDef>

</tps:definition>
 <tps:definition tag="parStyleDef">

<tps:parStyleDef>
 <tps:name>Box Bullets.last</tps:name>

<tps:basedOn>Box Bullets</tps:basedOn>
 <tps:charStyle>

<tps:charStyleDef>
 <tps:name>Box Bullets.last</tps:name>

<tps:basedOn>Box Bullets</tps:basedOn>

</tps:charStyle>
 <tps:spaceAfter>1.05833 mm</tps:spaceAfter>

<tps:nextStyle>Box Bullets.last</tps:nextStyle>

</tps:parStyleDef>
 </tps:definition>
 <tps:definition

tag="parStyleDef">
 <tps:parStyleDef>
 <tps:name>Box Figure

Title</tps:name>
 <tps:basedOn>Figure Title</tps:basedOn>

<tps:charStyle>
 <tps:charStyleDef>
 <tps:name>Box

Figure Title</tps:name>
 <tps:basedOn>Figure

Title</tps:basedOn>
 <tps:leading>0 pt</tps:leading>

</tps:charStyleDef>
 </tps:charStyle>
 <tps:nextStyle>Box

Figure Title</tps:nextStyle>
 </tps:parStyleDef>

</tps:definition>
 <tps:definition tag="parStyleDef">

<tps:parStyleDef>
 <tps:name>Box Intro.single</tps:name>

<tps:basedOn>Intro.single</tps:basedOn>
 <tps:charStyle>

<tps:charStyleDef>
 <tps:name>Box Intro.single</tps:name>

<tps:basedOn>Intro.single</tps:basedOn>

<tps:fontSize>9.5 pt</tps:fontSize>
 <tps:leading>12

pt</tps:leading>
 <tps:color>
 Black

</tps:color>
 </tps:charStyleDef>
 </tps:charStyle>

<tps:nextStyle>Box Intro.single</tps:nextStyle>

</tps:parStyleDef>
 </tps:definition>
 <tps:definition

tag="parStyleDef">
 <tps:parStyleDef>
 <tps:name>Box

Normal</tps:name>
 <tps:charStyle>

<tps:charStyleDef>
 <tps:name>Box Normal</tps:name>

<tps:font>
 <tps:name>Adobe Garamond

Pro</tps:name>
 <tps:style>Regular</tps:style>

</tps:font>
 <tps:fontSize>9.5 pt</tps:fontSize>

<tps:leading>12 pt</tps:leading>
 </tps:charStyleDef>

</tps:charStyle>
 <tps:indentFirstLine>3.175

mm</tps:indentFirstLine>
 <tps:nextStyle>Box

Normal</tps:nextStyle>
 </tps:parStyleDef>
 </tps:definition>

<tps:name>Box Normal.flush</tps:name>
 <tps:basedOn>Box

Normal</tps:basedOn>
 <tps:charStyle>

<tps:charStyleDef>
 <tps:name>Box Normal.flush</tps:name>

<tps:basedOn>Box Normal</tps:basedOn>

</tps:charStyle>
 <tps:indentFirstLine>0 mm</tps:indentFirstLine>

<tps:nextStyle>Box Normal</tps:nextStyle>
 </tps:parStyleDef>

</tps:definition>
 <tps:definition tag="parStyleDef">

<tps:parStyleDef>
 <tps:name>Box Number List</tps:name>

<tps:basedOn>Number List</tps:basedOn>
 <tps:charStyle>

<tps:charStyleDef>
 <tps:name>Box Number

List</tps:name>
 <tps:basedOn>Number List</tps:basedOn>

<tps:fontSize>9.5 pt</tps:fontSize>
 <tps:leading>12

pt</tps:leading>
 </tps:charStyleDef>

</tps:charStyle>
 <tps:nextStyle>Box Number List</tps:nextStyle>

</tps:parStyleDef>
 </tps:definition>
 <tps:definition

tag="parStyleDef">
 <tps:parStyleDef>
 <tps:name>Box Number

List.first</tps:name>
 <tps:basedOn>Box Number

List</tps:basedOn>
 <tps:charStyle>

<tps:charStyleDef>
 <tps:name>Box Number

List.first</tps:name>
 <tps:basedOn>Box Number

List</tps:basedOn>
 <tps:leading>0 pt</tps:leading>

</tps:charStyleDef>
 </tps:charStyle>
 <tps:nextStyle>Box

Number List.first</tps:nextStyle>
 </tps:parStyleDef>

</tps:definition>
 <tps:definition tag="parStyleDef">

<tps:parStyleDef>
 <tps:name>Box Title</tps:name>

<tps:charStyle>
 <tps:charStyleDef>
 <tps:name>Box

Title</tps:name>
 <tps:font>
 <tps:name/>

<tps:style>Bold Condensed</tps:style>

</tps:font>
 <tps:leading>12 pt</tps:leading>

<tps:color tint="100 %">
 PANTONE 364 C

</tps:color>
 </tps:charStyleDef>
 </tps:charStyle>

Title</tps:nextStyle>
 </tps:parStyleDef>
 </tps:definition>

<tps:charStyleDef>
 <tps:name>Figure Title</tps:name>

<tps:font>
 <tps:name>Helvetica</tps:name>

<tps:style>Bold Condensed</tps:style>
 </tps:font>

<tps:fontSize>10 pt</tps:fontSize>

<tps:leading>12

pt</tps:leading>

<tps:color tint="100 %">

PANTONE

364 C

</tps:color>

</tps:charStyleDef>

</tps:charStyle>

<tps:nextStyle>Figure Title</tps:nextStyle>

</tps:parStyleDef>

</tps:definition>

<tps:definition

tag="parStyleDef">

<tps:parStyleDef>

<tps:name>Glossary

Entry</tps:name>

<tps:basedOn>Normal</tps:basedOn>

<tps:charStyle>

<tps:charStyleDef>

<tps:name>Glossary Entry</tps:name>

<tps:basedOn>Normal</tps:basedOn>

<tps:leading>0

pt</tps:leading>

</tps:charStyleDef>

</tps:charStyle>

<tps:indentFirstLine>0 mm</tps:indentFirstLine>

<tps:spaceAfter>1.51694 mm</tps:spaceAfter>

<tps:nextStyle>Glossary Entry</tps:nextStyle>

</tps:parStyleDef>

</tps:definition>

<tps:definition tag="parStyleDef">

<tps:parStyleDef>

<tps:name>Heading 0</tps:name>

<tps:charStyle>

<tps:charStyleDef>

<tps:name>Heading 0</tps:name>

<tps:font>

<tps:name/>

<tps:style>Bold Condensed</tps:style>

</tps:font>

<tps:fontSize>18 pt</tps:fontSize>

<tps:leading>20 pt</tps:leading>

<tps:color tint="100 %">

White

</tps:color>

<tps:case>all</tps:case>

</tps:charStyleDef>

</tps:charStyle>

<tps:nextStyle>Heading 0</tps:nextStyle>

</tps:parStyleDef>

</tps:definition>

<tps:definition

tag="parStyleDef">

<tps:parStyleDef>

<tps:name>Heading

1</tps:name>
 <tps:charStyle>
 <tps:charStyleDef>

<tps:name>Heading 1</tps:name>
 <tps:font>

<tps:name/>
 <tps:style>Bold

Condensed</tps:style>
 </tps:font>

<tps:fontSize>13 pt</tps:fontSize>
 <tps:leading>13

pt</tps:leading>
 <tps:color tint="100 %">
 PANTONE

364 C
 </tps:color>
 </tps:charStyleDef>

</tps:charStyle>
 <tps:spaceBefore>7.76111

mm</tps:spaceBefore>
 <tps:spaceAfter>1.41111

mm</tps:spaceAfter>
 <tps:nextStyle>Heading 1</tps:nextStyle>

</tps:parStyleDef>
 </tps:definition>
 <tps:definition

tag="parStyleDef">
 <tps:parStyleDef>
 <tps:name>Heading

2</tps:name>
 <tps:charStyle>
 <tps:charStyleDef>

<tps:name>Heading 2</tps:name>
 <tps:font>

<tps:name/>
 <tps:style>Bold

Condensed</tps:style>
 </tps:font>

<tps:fontSize>11 pt</tps:fontSize>
 <tps:leading>13

pt</tps:leading>
 <tps:color tint="100 %">
 PANTONE

364 C
 </tps:color>
 </tps:charStyleDef>

</tps:charStyle>
 <tps:spaceBefore>7.76111

mm</tps:spaceBefore>
 <tps:spaceAfter>1.41111

mm</tps:spaceAfter>
 <tps:nextStyle>Normal.flush</tps:nextStyle>

</tps:parStyleDef>
 </tps:definition>
 <tps:definition

tag="parStyleDef">
 <tps:parStyleDef>
 <tps:name>Heading

2.stacked</tps:name>
 <tps:basedOn>Heading 2</tps:basedOn>

<tps:charStyle>
 <tps:charStyleDef>

<tps:name>Heading 2.stacked</tps:name>
 <tps:basedOn>Heading 2</tps:basedOn>
 <tps:leading>0 pt</tps:leading>
 </tps:charStyleDef>
 </tps:charStyle>
 <tps:spaceBefore>0 mm</tps:spaceBefore>
 <tps:nextStyle>Heading 2.stacked</tps:nextStyle>
 </tps:parStyleDef>
 </tps:definition>
 <tps:definition tag="parStyleDef">
 <tps:parStyleDef>
 <tps:name>Heading 3</tps:name>
 <tps:charStyle>
 <tps:charStyleDef>
 <tps:name>Heading 3</tps:name>
 <tps:font>
 <tps:name>Adobe Garamond Pro</tps:name>
 <tps:style>Bold Italic</tps:style>
 </tps:font>
 <tps:fontSize>10 pt</tps:fontSize>
 <tps:leading>13 pt</tps:leading>
 <tps:color tint="100 %">
 PANTONE 364 C </tps:color>
 </tps:charStyleDef>
 </tps:charStyle>
 <tps:spaceBefore>3.175 mm</tps:spaceBefore>
 <tps:spaceAfter>1.41111 mm</tps:spaceAfter>
 <tps:nextStyle>Normal</tps:nextStyle>
 </tps:parStyleDef>
 </tps:definition>
 <tps:definition tag="parStyleDef">
 <tps:name>Heading 3.stacked</tps:name>
 <tps:parStyleDef>
 <tps:basedOn>Heading 3</tps:basedOn>
 <tps:charStyle>
 <tps:charStyleDef>
 <tps:name>Heading 3.stacked</tps:name>
 <tps:basedOn>Heading 3</tps:basedOn>
 <tps:leading>0 pt</tps:leading>
 </tps:charStyleDef>
 </tps:charStyle>
 <tps:spaceBefore>0 mm</tps:spaceBefore>
 <tps:nextStyle>Heading

</tps:parStyleDef>
 </tps:definition>

3.stacked</tps:nextStyle>


```
<tps:definition tag="parStyleDef"&gt;&#xA;
                                                    <tps:parStyleDef&gt;&#xA;
<tps:name&gt;Heading 4&lt;/tps:name&gt;&#xA;
                                                                <tps:basedOn&gt;Heading
3</tps:basedOn&gt;&#xA;
                                           <tps:charStyle&gt;&#xA;
<tps:charStyleDef&gt;&#xA;
                                      <tps:name&gt;Heading 4&lt;/tps:name&gt;&#xA;
    <tps:basedOn&gt;Heading 3&lt;/tps:basedOn&gt;&#xA;
                                                                  <tps:font&gt;&#xA;
        <tps:name/&gt;&#xA;
                                           <tps:style&gt;ltalic&lt;/tps:style&gt;&#xA;
                                    <tps:leading&gt;0 pt&lt;/tps:leading&gt;&#xA;
  </tps:font&gt;&#xA;
</tps:charStyleDef&gt;&#xA;
                                               </tps:charStyle&gt;&#xA;
                             mm</tps:spaceAfter&gt;&#xA;
<tps:spaceAfter&gt;2.82222
<tps:nextStyle&gt;Normal&lt;/tps:nextStyle&gt;&#xA;
                                                           </tps:parStyleDef&gt;&#xA;
</tps:definition&gt;&#xA;
                                <tps:definition tag="parStyleDef"&gt;&#xA;
<tps:parStyleDef&gt;&#xA;
                                <tps:name&gt;Heading 4.stacked&lt;/tps:name&gt;&#xA;
 <tps:basedOn&gt;Heading 4&lt;/tps:basedOn&gt;&#xA;
                                                            <tps:charStyle&gt;&#xA;
      <tps:charStyleDef&gt;&#xA;
                                                                   <tps:name&gt;Heading
4.stacked</tps:name&gt;&#xA;
                                                                <tps:basedOn&gt;Heading
4</tps:basedOn&gt;&#xA;
                                      <tps:leading&gt;0 pt&lt;/tps:leading&gt;&#xA;
</tps:charStyleDef&gt;&#xA;
                                   </tps:charStyle&gt;&#xA;
                                                                   <tps:spaceBefore&gt;0
mm</tps:spaceBefore&gt;&#xA;
                                                                <tps:nextStyle&gt;Heading
                                     </tps:parStyleDef&gt;&#xA; &lt;/tps:definition&gt;&#xA;
4.stacked</tps:nextStyle&gt;&#xA;
   <tps:definition tag="parStyleDef"&gt;&#xA;
                                                    <tps:parStyleDef&gt;&#xA;
<tps:name&gt;Intro.first&lt;/tps:name&gt;&#xA;
<tps:basedOn&gt;Intro.single&lt;/tps:basedOn&gt;&#xA;
                                                          <tps:charStyle&gt;&#xA;
 <tps:charStyleDef&gt;&#xA;
                                       <tps:name&gt;Intro.first&lt;/tps:name&gt;&#xA;
     <tps:basedOn&gt;Intro.single&lt;/tps:basedOn&gt;&#xA;
                                                                        <tps:leading&gt;0
```

</tps:color>
 </tps:charStyleDef>

<tps:color>

PANTONE 364 C

pt</tps:leading>


```
</tps:charStyle&gt;&#xA;
                                 <tps:spaceAfter&gt;0 mm&lt;/tps:spaceAfter&gt;&#xA;
<tps:nextStyle&gt;Intro.first&lt;/tps:nextStyle&gt;&#xA;
                                                             </tps:parStyleDef&gt;&#xA;
</tps:definition&gt;&#xA;
                                 <tps:definition tag="parStyleDef"&gt;&#xA;
<tps:parStyleDef&gt;&#xA;
                                     <tps:name&gt;Intro.last&lt;/tps:name&gt;&#xA;
<tps:basedOn&gt;Intro.single&lt;/tps:basedOn&gt;&#xA;
                                                            <tps:charStyle&gt;&#xA;
 <tps:charStyleDef&gt;&#xA;
                                        <tps:name&gt;Intro.last&lt;/tps:name&gt;&#xA;
     <tps:basedOn&gt;Intro.single&lt;/tps:basedOn&gt;&#xA;
                                                                          <tps:leading&gt;0
pt</tps:leading&gt;&#xA;
                                                </tps:charStyleDef&gt;&#xA;
                                                            <tps:indentFirstLine&gt;3.52778
</tps:charStyle&gt;&#xA;
mm</tps:indentFirstLine&gt;&#xA;
                                        <tps:nextStyle&gt;Intro.last&lt;/tps:nextStyle&gt;&#xA;
           </tps:parStyleDef&gt;&#xA;
                                                                             &lt:tps:definition
                                             </tps:definition&gt;&#xA;
tag="parStyleDef">

                                          <tps:parStyleDef&gt;&#xA;
<tps:name&gt;Intro.middle&lt;/tps:name&gt;&#xA;
<tps:basedOn&gt;Intro.last&lt;/tps:basedOn&gt;&#xA;
                                                          <tps:charStyle&gt;&#xA;
<tps:charStyleDef&gt;&#xA;
                                       <tps:name&gt;Intro.middle&lt;/tps:name&gt;&#xA;
       <tps:basedOn&gt;Intro.last&lt;/tps:basedOn&gt;&#xA;
                                                                          <tps:leading&gt;0
                                                </tps:charStyleDef&gt;&#xA;
pt</tps:leading&gt;&#xA;
                                 <tps:spaceAfter&gt;0 mm&lt;/tps:spaceAfter&gt;&#xA;
</tps:charStyle&gt;&#xA;
<tps:nextStyle&gt;Intro.middle&lt;/tps:nextStyle&gt;&#xA;
                                                              </tps:parStyleDef&gt;&#xA;
</tps:definition&gt;&#xA;
                                 <tps:definition tag="parStyleDef"&gt;&#xA;
                                    <tps:name&gt;Intro.single&lt;/tps:name&gt;&#xA;
<tps:parStyleDef&gt;&#xA;
<tps:charStyle&gt;&#xA;
                                          <tps:charStyleDef&gt;&#xA;
<tps:name&gt;Intro.single&lt;/tps:name&gt;&#xA;
                                                          <tps:font&gt;&#xA;
<tps:name&gt;Adobe Garamond Pro&lt;/tps:name&gt;&#xA;
<tps:style&gt;ltalic&lt;/tps:style&gt;&#xA;
                                                        </tps:font&gt;&#xA;
```

<tps:leading>13

<tps:fontSize>10 pt</tps:fontSize>

pt</tps:leading>
 <tps:color tint="100 %">
 PANTONE 364 C </tps:color>
 </tps:charStyleDef>
 </tps:charStyle>
 <tps:spaceAfter>4.23333 mm</tps:spaceAfter>
 <tps:nextStyle>Intro.single</tps:nextStyle>
 </tps:parStyleDef>
 <tps:definition tag="parStyleDef">
 </tps:definition>
 <tps:parStyleDef>
 <tps:name>List Bullet</tps:name>
 <tps:basedOn>Normal</tps:basedOn>
 <tps:charStyle>
 <tps:charStyleDef>
 <tps:name>List Bullet</tps:name>
 <tps:basedOn>Normal</tps:basedOn>
 <tps:leading>0 pt</tps:leading>
 </tps:charStyleDef>
 </tps:charStyle>
 <tps:indentLeft>3.52778 mm</tps:indentLeft>
 <tps:indentFirstLine>-3.52778 mm</tps:indentFirstLine>
 <tps:nextStyle>Normal</tps:nextStyle>
 </tps:parStyleDef>
 </tps:definition>
 <tps:definition tag="parStyleDef">
 <tps:parStyleDef>
 <tps:name>List Bullet.last</tps:name>
 <tps:basedOn>List Bullet</tps:basedOn>
 <tps:charStyle>
 <tps:charStyleDef>
 <tps:name>List Bullet.last</tps:name>
 <tps:basedOn>List Bullet</tps:basedOn>
 <tps:leading>0 </tps:charStyleDef>
 pt</tps:leading>
 </tps:charStyle>
 <tps:spaceAfter>4.58611 mm</tps:spaceAfter>
 <tps:nextStyle>Normal</tps:nextStyle>
 </tps:parStyleDef>
 </tps:definition>
 <tps:definition tag="parStyleDef">

<tps:name>List Roman Lower</tps:name>

<tps:charStyle>

<tps:name>List Roman

<tps:basedOn>Number

<tps:parStyleDef>

Lower</tps:name>

<tps:basedOn>Number List</tps:basedOn>

<tps:charStyleDef>

List</tps:basedOn>
 <tps:leading>0 pt</tps:leading>

</tps:charStyleDef>
 </tps:charStyle>

<tps:indentLeft>9.17222 mm</tps:indentLeft>

<tps:indentFirstLine>-2.82222 mm</tps:indentFirstLine>

<tps:nextStyle>List Roman Lower</tps:nextStyle>
 </tps:parStyleDef>

</tps:definition>
 <tps:definition tag="parStyleDef">

<tps:parStyleDef>
 <tps:name>List Roman Lower.last</tps:name>

<tps:basedOn>List Roman Lower</tps:basedOn>

<tps:charStyle>
 <tps:charStyleDef>
 <tps:name>List

Roman Lower.last</tps:name>
 <tps:basedOn>List Roman

Lower</tps:basedOn>
 <tps:leading>0 pt</tps:leading>

</tps:charStyleDef>
 </tps:charStyle>

Roman Lower.last</tps:nextStyle>
 </tps:parStyleDef>

</tps:definition>
 <tps:definition tag="parStyleDef">

<tps:parStyleDef>
 <tps:name>List Roman Upper</tps:name>

<tps:charStyleDef>
 <tps:name>List Roman

Upper</tps:name>
 <tps:basedOn>List Roman

Lower</tps:basedOn>
 <tps:leading>0 pt</tps:leading>

</tps:charStyleDef>
 </tps:charStyle>

Upper</tps:nextStyle>
 </tps:parStyleDef>
 </tps:definition>

<tps:name>List Roman Upper.last</tps:name>
 <tps:basedOn>List

Roman Upper</tps:basedOn>
 <tps:charStyle>

<tps:charStyleDef>
 <tps:name>List Roman

Upper.last</tps:name>
 <tps:basedOn>List Roman

Upper</tps:basedOn>
 <tps:leading>0 pt</tps:leading>

</tps:charStyleDef>
 </tps:charStyle>

Roman Upper.last</tps:nextStyle>
 </tps:parStyleDef>

</tps:definition>
 <tps:definition tag="parStyleDef">

<tps:parStyleDef>
 <tps:name>List Subbullets</tps:name>

<tps:basedOn>List Bullet</tps:basedOn>
 <tps:charStyle>

<tps:charStyleDef>
 <tps:name>List Subbullets</tps:name>

<tps:basedOn>List Bullet</tps:basedOn>
 <tps:leading>0

pt</tps:leading>
 </tps:charStyleDef>

</tps:charStyle>
 <tps:indentLeft>7.05556 mm</tps:indentLeft>

<tps:nextStyle>List Subbullets</tps:nextStyle>
 </tps:parStyleDef>

</tps:definition>
 <tps:definition tag="parStyleDef">

<tps:parStyleDef>
 <tps:name>List Subbullets.last</tps:name>

<tps:basedOn>List Subbullets</tps:basedOn>
 <tps:charStyle>

<tps:charStyleDef>
 <tps:name>List

Subbullets.last</tps:name>
 <tps:basedOn>List

Subbullets</tps:basedOn>
 <tps:leading>0 pt</tps:leading>

</tps:charStyleDef>
 </tps:charStyle>

Subbullets.last</tps:nextStyle>
 </tps:parStyleDef>

</tps:definition>
 <tps:definition tag="parStyleDef">

<tps:parStyleDef>
 <tps:name>Normal</tps:name>

<tps:charStyle>
 <tps:charStyleDef>

<tps:name>Normal</tps:name>
 <tps:font>
 <tps:name>Adobe Garamond Pro</tps:name>
 <tps:style>Regular</tps:style>
 </tps:font>
 <tps:fontSize>10 pt</tps:fontSize>
 <tps:leading>13 pt</tps:leading>
 </tps:charStyleDef>
 </tps:charStyle>
 <tps:indentFirstLine>3.52778 <tps:nextStyle>Normal</tps:nextStyle>
 mm</tps:indentFirstLine>
 </tps:parStyleDef>
 </tps:definition>
 <tps:definition tag="parStyleDef"> <tps:parStyleDef>
 <tps:name>Normal.centered</tps:name>
 <tps:basedOn>Normal.flush</tps:basedOn>
 <tps:charStyle>
 <tps:charStyleDef>
 <tps:name>Normal.centered</tps:name>
 <tps:basedOn>Normal.flush</tps:basedOn>
 <tps:leading>0 pt</tps:leading>
 </tps:charStyleDef>
 </tps:charStyle>
 <tps:alignment>center</tps:alignment>
 <tps:nextStyle>Normal.centered</tps:nextStyle>
 </tps:parStyleDef>
 </tps:definition>
 <tps:definition tag="parStyleDef">
 <tps:parStyleDef>
 <tps:name>Normal.drop</tps:name>
 <tps:basedOn>Normal</tps:basedOn>
 <tps:charStyle>
 <tps:charStyleDef>
 <tps:name>Normal.drop</tps:name>
 <tps:basedOn>Normal</tps:basedOn>
 <tps:leading>0 pt</tps:leading>
 </tps:charStyleDef>
 </tps:charStyle>
 <tps:indentFirstLine>0 mm</tps:indentFirstLine>

</tps:parStyleDef>

<tps:definition tag="parStyleDef">

<tps:nextStyle>Normal.drop</tps:nextStyle>

</tps:definition>


```
<tps:parStyleDef&gt;&#xA;
                                  <tps:name&gt;Normal.flush&lt;/tps:name&gt;&#xA;
<tps:basedOn&gt;Normal&lt;/tps:basedOn&gt;&#xA;
                                                        <tps:charStyle&gt;&#xA;
<tps:charStyleDef&gt;&#xA;
                                      <tps:name&gt;Normal.flush&lt;/tps:name&gt;&#xA;
        <tps:basedOn&gt;Normal&lt;/tps:basedOn&gt;&#xA;
                                                                         <tps:leading&gt;0
pt</tps:leading&gt;&#xA;
                                               </tps:charStyleDef&gt;&#xA;
</tps:charStyle&gt;&#xA;
                               <tps:indentFirstLine&gt;0 mm&lt;/tps:indentFirstLine&gt;&#xA;
      <tps:nextStyle&gt;Normal&lt;/tps:nextStyle&gt;&#xA;
                                                             </tps:parStyleDef&gt;&#xA;
</tps:definition&gt;&#xA;
                                 <tps:definition tag="parStyleDef"&gt;&#xA;
<tps:parStyleDef&gt;&#xA;
                                  <tps:name&gt;Number List&lt;/tps:name&gt;&#xA;
<tps:basedOn&gt;List Bullet&lt;/tps:basedOn&gt;&#xA;
                                                          <tps:charStyle&gt;&#xA;
<tps:charStyleDef&gt;&#xA;
                                      <tps:name&gt;Number List&lt;/tps:name&gt;&#xA;
       <tps:basedOn&gt;List Bullet&lt;/tps:basedOn&gt;&#xA;
                                                                         <tps:leading&gt;0
pt</tps:leading&gt;&#xA;
                                               </tps:charStyleDef&gt;&#xA;
</tps:charStyle&gt;&#xA;
                               <tps:indentLeft&gt;4.23333 mm&lt;/tps:indentLeft&gt;&#xA;
      <tps:indentFirstLine&gt;-4.23333 mm&lt;/tps:indentFirstLine&gt;&#xA;
<tps:nextStyle&gt;Number List&lt;/tps:nextStyle&gt;&#xA;
                                                             </tps:parStyleDef&gt;&#xA;
                                 <tps:definition tag="parStyleDef"&gt;&#xA;
</tps:definition&gt;&#xA;
<tps:parStyleDef&gt;&#xA;
                                                    <tps:name&gt;Number List in
                                                                                     Bullet
                                <tps:basedOn&gt;List Bullet&lt;/tps:basedOn&gt;&#xA;
List</tps:name&gt;&#xA;
<tps:charStyle&gt;&#xA;
                                         <tps:charStyleDef&gt;&#xA;
&lt:tps:name>Number List in Bullet List&lt:/tps:name>

<tps:basedOn&gt;List Bullet&lt;/tps:basedOn&gt;&#xA;
                                                                         <tps:leading&gt;0
pt</tps:leading&gt;&#xA;
                                               </tps:charStyleDef&gt;&#xA;
</tps:charStyle&gt;&#xA;
                               <tps:indentLeft&gt;9.525 mm&lt;/tps:indentLeft&gt;&#xA;
```

List</tps:nextStyle>

<tps:indentFirstLine>-5.99722 mm</tps:indentFirstLine>

in

Bullet

List

<tps:nextStyle>Number

tag="parStyleDef">
 <tps:parStyleDef>
 <tps:name>Number List

List</tps:basedOn>
 <tps:charStyle>

<tps:charStyleDef>
 <tps:name>Number List in Bullet

List.last</tps:name>
 <tps:basedOn>Number List in Bullet

List</tps:basedOn>
 <tps:leading>0 pt</tps:leading>

</tps:charStyleDef>
 </tps:charStyle>

List in Bullet List.last</tps:nextStyle>
 </tps:parStyleDef>

</tps:definition>
 <tps:definition tag="parStyleDef">

<tps:parStyleDef>
 <tps:name>Number List.first</tps:name>

<tps:basedOn>Number List</tps:basedOn>
 <tps:charStyle>

<tps:charStyleDef>
 <tps:name>Number

List.first</tps:name>
 <tps:basedOn>Number

List</tps:basedOn>
 <tps:leading>0 pt</tps:leading>

</tps:charStyleDef>
 </tps:charStyle>

<tps:nextStyle>Number List.first</tps:nextStyle>
 </tps:parStyleDef>

</tps:definition>
 <tps:definition tag="parStyleDef">

<tps:parStyleDef>
 <tps:name>Number List.last</tps:name>

<tps:basedOn>Number List</tps:basedOn>
 <tps:charStyle>

<tps:charStyleDef>
 <tps:name>Number

List.last</tps:name>
 <tps:basedOn>Number

List</tps:basedOn>
 <tps:leading>0 pt</tps:leading>

</tps:charStyleDef>
 </tps:charStyle>

 List.last</tps:nextStyle>
 </tps:parStyleDef>
 </tps:definition>
 <tps:definition tag="parStyleDef">
 <tps:parStyleDef>
 <tps:name>Reference</tps:name>
 <tps:basedOn>Normal</tps:basedOn>
 <tps:charStyle>
 <tps:name>Reference</tps:name>
 <tps:charStyleDef>
 <tps:basedOn>Normal</tps:basedOn>
 <tps:fontSize>8.5 pt</tps:fontSize>
 <tps:leading>12 pt</tps:leading>
 </tps:charStyleDef>
 </tps:charStyle>
 <tps:indentLeft>3.52778 mm</tps:indentLeft>
 <tps:indentFirstLine>-3.52778 mm</tps:indentFirstLine>
 <tps:nextStyle>Reference</tps:nextStyle>
 <:/tps:parStyleDef> </tps:definition>
 <tps:definition tag="parStyleDef">
 <tps:parStyleDef>
 <tps:name>Special Feature Box <tps:charStyle>
 Title</tps:name>
 <tps:charStyleDef>
 <tps:name>Special Feature Box Title</tps:name>
 <tps:font>
 <tps:name/>
 <tps:style>Bold Condensed</tps:style>
 </tps:font>
 <tps:leading>12 pt</tps:leading>
 <tps:color tint="100 %">
 PANTONE 364 C </tps:color>
 </tps:charStyleDef>
 </tps:charStyle>
 <tps:spaceAfter>2.11667 mm</tps:spaceAfter>
 <tps:nextStyle>Special Feature Box Title</tps:nextStyle>
 </tps:parStyleDef>
 </tps:definition>
 <:tps:definition

tag="parStyleDef">
 <tps:parStyleDef>
 <tps:name>Special

Feature Head</tps:name>
 <tps:charStyle>

<tps:charStyleDef>
 <tps:name>Special Feature

Head</tps:name>
 <tps:font/>
 <tps:fontSize>15

pt</tps:fontSize>
 <tps:leading>0 pt</tps:leading>

<tps:color>
 White
 </tps:color>

</tps:charStyleDef>
 </tps:charStyle>

<tps:alignment>center</tps:alignment>
 <tps:nextStyle>Special Feature

Head</tps:nextStyle>
 </tps:parStyleDef>
 </tps:definition>

<tps:name&qt;Summary Head</tps:name&qt;
 <tps:charStyle&qt;

<tps:charStyleDef>
 <tps:name>Summary Head</tps:name>

<tps:font>
 <tps:name/>

<tps:style>Bold Condensed</tps:style>
 </tps:font>

<tps:fontSize>22 pt</tps:fontSize>
 <tps:leading>0

pt</tps:leading>
 <tps:color>
 PANTONE 364 C

</tps:color>
 </tps:charStyleDef>

</tps:charStyle>
 <tps:alignment>center</tps:alignment>

<tps:spaceBefore>7.76111 mm</tps:spaceBefore>

Head</tps:nextStyle>
 </tps:parStyleDef>
 </tps:definition>

<tps:name>eq</tps:name>

<tps:basedOn>Normal</tps:basedOn>
 <tps:charStyle>

<tps:charStyleDef>
 <tps:name>eq</tps:name>

<tps:basedOn>Normal</tps:basedOn>
 <tps:leading>0

pt</tps:leading>
 </tps:charStyleDef>

</tps:charStyle>
 <tps:indentLeft>3.52778 mm</tps:indentLeft>

<tps:indentFirstLine>0 mm</tps:indentFirstLine>


```
<tps:spaceBefore&gt;2.29306
                              mm</tps:spaceBefore&gt;&#xA;
<tps:spaceAfter&gt;2.29306
                             mm</tps:spaceAfter&gt;&#xA;
<tps:nextStyle&gt;eg&lt;/tps:nextStyle&gt;&#xA;
                                                          </tps:parStyleDef&gt;&#xA;
</tps:definition&gt;&#xA;
                                <tps:definition tag="parStyleDef"&gt;&#xA;
<tps:parStyleDef&gt;&#xA;
                                     <tps:name&gt;eq Box&lt;/tps:name&gt;&#xA;
<tps:charStyle&gt;&#xA;
                                 <tps:charStyleDef&gt;&#xA;
                                                                        <tps:name&gt;eq
Box</tps:name&gt;&#xA;
                                    <tps:font&gt;&#xA;
                                                                    <tps:name&gt;Adobe
Garamond Pro</tps:name&gt;&#xA;
                                               <tps:style&gt;Regular&lt;/tps:style&gt;&#xA;
         </tps:font&gt;&#xA;
                                       <tps:fontSize&gt;9.5 pt&lt;/tps:fontSize&gt;&#xA;
      <tps:leading&gt;12 pt&lt;/tps:leading&gt;&#xA;
                                                          </tps:charStyleDef&gt;&#xA;
  </tps:charStyle&gt;&#xA;
                                 <tps:indentLeft&gt;3.52778 mm&lt;/tps:indentLeft&gt;&#xA;
            <tps:spaceBefore&gt;2.29306 mm&lt;/tps:spaceBefore&gt;&#xA;
<tps:spaceAfter&gt;2.29306 mm&lt;/tps:spaceAfter&gt;&#xA;
                                                                     <tps:nextStyle&gt;eq
Box</tps:nextStyle&gt;&#xA;
                                 </tps:parStyleDef&gt;&#xA;
                                                               </tps:definition&gt;&#xA;
<tps:definition tag="parStyleDef"&gt;&#xA;
                                                  <tps:parStyleDef&gt;&#xA;
<tps:name&gt;eq
                    Box
                          footnote</tps:name&gt;&#xA;
<tps:basedOn&gt;eq&lt;/tps:basedOn&gt;&#xA;
                                                     <tps:charStyle&gt;&#xA;
<tps:charStyleDef&gt;&#xA;
                                      <tps:name&gt;eq Box footnote&lt;/tps:name&gt;&#xA;
            <tps:basedOn&gt;eg&lt;/tps:basedOn&gt;&#xA;
                                                                       <tps:fontSize&gt;8
pt</tps:fontSize&gt;&#xA;
                                     <tps:leading&gt;10 pt&lt;/tps:leading&gt;&#xA;
</tps:charStyleDef&gt;&#xA;
                                  </tps:charStyle&gt;&#xA;
                                                                 <tps:nextStyle&gt;eq Box
footnote</tps:nextStyle&gt;&#xA;
                                    </tps:parStyleDef&gt;&#xA;
                                                                </tps:definition&gt;&#xA;
 <tps:definition tag="parStyleDef"&gt;&#xA;
                                                  <tps:parStyleDef&gt;&#xA;
<tps:name&gt;eq
                    footnote</tps:name&gt;&#xA;
<tps:basedOn&gt;eq&lt;/tps:basedOn&gt;&#xA;
                                                     <tps:charStyle&gt;&#xA;
```

<tps:name>eg footnote</tps:name>

<tps:charStyleDef>


```
<tps:basedOn&gt;eq&lt;/tps:basedOn&gt;&#xA;
```

<tps:fontSize>8

<tps:leading>7

pt</tps:fontSize>
 <tps:leading>10 pt</tps:leading>

</tps:charStyleDef>
 </tps:charStyle>
 <tps:nextStyle>eq

footnote</tps:nextStyle>
 </tps:parStyleDef>
 </tps:definition>

<tps:name>eqbot</tps:name>

<tps:basedOn>eqmid</tps:basedOn>
 <tps:charStyle>

<tps:charStyleDef>
 <tps:name>egbot</tps:name>

<tps:basedOn>egmid</tps:basedOn>
 <tps:leading>8

pt</tps:leading>
 </tps:charStyleDef>

</tps:charStyle>
 <tps:spaceAfter>2.29306 mm</tps:spaceAfter>

<tps:nextStyle>eqbot</tps:nextStyle>
 </tps:parStyleDef>

</tps:definition>
 <tps:definition tag="parStyleDef">

<tps:parStyleDef>
 <tps:name>eqmid</tps:name>

<tps:basedOn>eqtop</tps:basedOn>
 <tps:charStyle>

<tps:charStyleDef>
 <tps:name>eqmid</tps:name>

pt</tps:leading>
 </tps:charStyleDef>

<tps:basedOn>eqtop</tps:basedOn>

</tps:charStyle>
 <tps:spaceBefore>0 mm</tps:spaceBefore>

<tps:nextStyle>eqmid</tps:nextStyle>
 </tps:parStyleDef>

</tps:definition>
 <tps:definition tag="parStyleDef">

<tps:basedOn>eq</tps:basedOn>
 <tps:charStyle>

<tps:charStyleDef>
 <tps:name>eqtop</tps:name>

<tps:basedOn>eq</tps:basedOn>
 <tps:leading>0

pt</tps:leading>
 </tps:charStyleDef>

</tps:charStyle>
 <tps:spaceAfter>0 mm</tps:spaceAfter>

</tps:definition>
 <tps:definition tag="parStyleDef">

<tps:charStyle>
 <tps:charStyleDef>
 <tps:name>Box

</tps:parStyleDef>

Footnote</tps:name>
 <tps:font>

<tps:name>Adobe Garamond Pro</tps:name>

<tps:nextStyle>eqtop</tps:nextStyle>

<tps:style>Regular</tps:style>
 </tps:font>

<tps:fontSize>8 pt</tps:fontSize>
 <tps:leading>10

pt</tps:leading>
 </tps:charStyleDef>

</tps:charStyle>
 <tps:indentFirstLine>2.82222

mm</tps:indentFirstLine>
 <tps:nextStyle>Box

Footnote</tps:nextStyle>
 </tps:parStyleDef>
 </tps:definition>

<tps:definition tag="parStyleDef">
 <tps:parStyleDef>

<tps:charStyleDef>
 <tps:name>Box Footnote

Continued</tps:name>
 <tps:font>

<tps:name>Adobe Garamond Pro</tps:name>

<tps:style>Regular</tps:style>
 </tps:font>

<tps:fontSize>8 pt</tps:fontSize>
 <tps:leading>10

pt</tps:leading>
 </tps:charStyleDef>

</tps:charStyle>
 <tps:indentFirstLine>2.82222

mm</tps:indentFirstLine>
 <tps:nextStyle>Box Footnote

Continued</tps:nextStyle>
 </tps:parStyleDef>

</tps:definition>
 <tps:definition tag="parStyleDef">

<tps:parStyleDef>
 <tps:name>Box Footnote

Continued.flush</tps:name>
 <tps:charStyle>
 <tps:charStyleDef>
 <tps:name>Box Footnote Continued.flush</tps:name>
 <tps:font>
 <tps:name>Adobe Garamond Pro</tps:name>
 <tps:style>Regular</tps:style>
 </tps:font>
 <tps:fontSize>8 pt</tps:fontSize>
 <tps:leading>10 pt</tps:leading>
 </tps:charStyleDef>
 </tps:charStyle>
 <tps:nextStyle>Box Footnote Continued.flush</tps:nextStyle>
 </tps:parStyleDef>
 </tps:definition>
 <tps:definition tag="parStyleDef"> <tps:parStyleDef>
 <tps:name>Footnote Text <tps:charStyle>
 Continued</tps:name>
 <tps:charStyleDef>
 <tps:name>Footnote Text Continued</tps:name>
 <tps:font>
 <tps:name>Adobe Garamond Pro</tps:name>
 <tps:style>Regular</tps:style>
 </tps:font>
 <tps:fontSize>8 pt</tps:fontSize>
 <tps:leading>10 pt</tps:leading>
 </tps:charStyleDef>
 <tps:indentFirstLine>2.82222 </tps:charStyle>
 mm</tps:indentFirstLine>
 <tps:nextStyle>Footnote Text Continued</tps:nextStyle>
 </tps:parStyleDef>
 </tps:definition>
 <tps:definition tag="parStyleDef">

<tps:parStyleDef>
 <tps:name>Footnote Text

Continued.flush</tps:name>
 <tps:charStyle>

<tps:charStyleDef>
 <tps:name>Footnote Text

Continued.flush</tps:name>
 <tps:font>

<tps:name>Adobe Garamond Pro</tps:name>

<tps:style>Regular</tps:style>
 </tps:font>

<tps:fontSize>8 pt</tps:fontSize>
 <tps:leading>10

pt</tps:leading>
 </tps:charStyleDef>

</tps:charStyle>
 <tps:nextStyle>Footnote Text

Continued.flush</tps:nextStyle>
 </tps:parStyleDef>

</tps:definition>
 <tps:definition tag="parStyleDef">

<tps:parStyleDef>
 <tps:name>Box Table Column

Head</tps:name>
 <tps:charStyle>

<tps:charStyleDef>
 <tps:name>Box Table Column

Head</tps:name>
 <tps:font>

<tps:name>Helvetica</tps:name>
 <tps:style>Bold

Condensed</tps:style>
 </tps:font>

<tps:fontSize>8 pt</tps:fontSize>
 <tps:leading>9

pt</tps:leading>
 </tps:charStyleDef>

</tps:charStyle>
 <tps:alignment>center</tps:alignment>

<tps:nextStyle>Box Table Column Head</tps:nextStyle>

</tps:parStyleDef>
 </tps:definition>
 <tps:definition

tag="parStyleDef">
 <tps:parStyleDef>
 <tps:name>Box Table

Footnote</tps:name>
 <tps:charStyle>

<tps:charStyleDef>
 <tps:name>Box Table

Footnote</tps:name>
 <tps:font>

<tps:name>Helvetica</tps:name>
 <tps:style/>

</tps:font>
 <tps:fontSize>8 pt</tps:fontSize>

</tps:charStyle>
 <tps:spaceBefore>1.41111

mm</tps:spaceBefore>

<tps:spaceAfter>0.705556

mm</tps:spaceAfter>

<tps:nextStyle>Box Table

Footnote</tps:nextStyle>

</tps:parStyleDef>
 </tps:definition>

<tps:definition tag="parStyleDef">

<tps:parStyleDef>

<tps:name>Box Table Footnote Continued</tps:name>

<tps:basedOn>Box Table Footnote</tps:basedOn>

<tps:charStyle>

<tps:charStyleDef>

<tps:name>Box

Table Footnote Continued</tps:name>

<tps:basedOn>Box Table

Footnote</tps:basedOn>

<tps:leading>0 pt</tps:leading>

</tps:charStyleDef>

</tps:charStyle>

<tps:spaceBefore>0 mm</tps:spaceBefore>

<tps:nextStyle>Box Table

Footnote Continued</tps:nextStyle>

</tps:parStyleDef>

</tps:definition>

<tps:definition tag="parStyleDef">

<tps:parStyleDef>

<tps:name>Box Table Subtitle</tps:name>

<tps:charStyle>

<tps:charStyleDef>

<tps:name>Box Table Subtitle</tps:name>

<tps:font>

<tps:name>Helvetica</tps:name>

<tps:style>Condensed

Oblique</tps:style>

</tps:font>

<tps:fontSize>9

pt</tps:fontSize>

<tps:leading>10 pt</tps:leading>

<tps:color tint="100 %">

PANTONE 364 C

</tps:color>

</tps:charStyleDef>

</tps:charStyle>

<tps:nextStyle>Box Table Subtitle</tps:nextStyle>

</tps:parStyleDef>

</tps:definition>

<tps:definition

tag="parStyleDef">

<tps:parStyleDef>

<tps:name>Box Table

Text</tps:name>

<tps:charStyle>

<tps:charStyleDef>

<tps:name>Box Table Text</tps:name>

<tps:font>
 <tps:name>Helvetica</tps:name>

<tps:style>Medium Condensed</tps:style>

</tps:font>
 <tps:fontSize>8 pt</tps:fontSize>

</tps:charStyle>
 <tps:nextStyle>Box Table Text</tps:nextStyle>

</tps:parStyleDef>
 </tps:definition>
 <tps:definition

tag="parStyleDef">
 <tps:parStyleDef>
 <tps:name>Box Table

Title</tps:name>
 <tps:charStyle>

<tps:charStyleDef>
 <tps:name>Box Table Title</tps:name>

<tps:font>
 <tps:name>Helvetica

Neue</tps:name>
 <tps:style>Condensed Bold</tps:style>

</tps:font>
 <tps:fontSize>10 pt</tps:fontSize>

<tps:leading>12 pt</tps:leading>
 <tps:color tint="100

%">
 PANTONE 364 C
 </tps:color>

</tps:charStyleDef>
 </tps:charStyle>
 <tps:nextStyle>Box

Table Title</tps:nextStyle>
 </tps:parStyleDef>

</tps:definition>
 <tps:definition tag="parStyleDef">

<tps:parStyleDef>
 <tps:name>Box Table

Title.continued</tps:name>
 <tps:basedOn>Box Table

Title</tps:basedOn>
 <tps:charStyle>

<tps:charStyleDef>
 <tps:name>Box Table

Title.continued</tps:name>
 <tps:basedOn>Box Table

Title</tps:basedOn>
 <tps:leading>0 pt</tps:leading>

</tps:charStyleDef>
 </tps:charStyle>
 <tps:nextStyle>Box

Table Title.continued</tps:nextStyle>
 </tps:parStyleDef>

</tps:definition>
 <tps:definition tag="parStyleDef">

<tps:parStyleDef>
 <tps:name>Table Body Data</tps:name>
 <tps:basedOn>Table Body Flush</tps:basedOn>
 <tps:charStyle>
 <tps:charStyleDef>
 <tps:name>Table Body Data</tps:name>
 <tps:basedOn>Table Body <tps:leading>0 pt</tps:leading>
 Flush</tps:basedOn&qt;
 </tps:charStyleDef>
 </tps:charStyle>
 <tps:alignment>left justify</tps:alignment>
 <tps:indentLeft>0 mm</tps:indentLeft>
 <tps:indentFirstLine>0 mm</tps:indentFirstLine>
 <tps:nextStyle>Table Body Data</tps:nextStyle>
 </tps:parStyleDef>
 </tps:definition>
 <tps:definition tag="parStyleDef">
 <tps:parStyleDef>
 <tps:name>Table Body Flush</tps:name>
 <tps:charStyle>
 <tps:charStyleDef>
 <tps:name>Table Body Flush</tps:name>
 <tps:font>
 <tps:name>Helvetica</tps:name>
 <tps:style>Medium Condensed</tps:style>
 </tps:font>
 <tps:leading>10 <tps:fontSize>8 pt</tps:fontSize>
 </tps:charStyleDef>
 pt</tps:leading>
 </tps:charStyle>
 <tps:nextStyle>Table Body Flush</tps:nextStyle>
 </tps:parStyleDef>
 </tps:definition>
 <tps:definition tag="parStyleDef"> <tps:parStyleDef>
 <tps:name>Table <tps:charStyle>
 Bullets</tps:name>
 <tps:charStyleDef>
 <tps:name>Table Bullets</tps:name>
 <tps:font>
 <tps:name>Helvetica</tps:name>
 <tps:style>Medium Condensed</tps:style>
 </tps:font>

pt</tps:leading>
 </tps:charStyleDef>

<tps:leading>9

<tps:fontSize>8 pt</tps:fontSize>

</tps:charStyle>
 <tps:indentLeft>2.82222 mm</tps:indentLeft>

<tps:indentFirstLine>-2.82222 mm</tps:indentFirstLine>

<tps:nextStyle>Table Bullets</tps:nextStyle>
 </tps:parStyleDef>

</tps:definition>
 <tps:definition tag="parStyleDef">

<tps:parStyleDef>
 <tps:name>Table Column Head</tps:name>

<tps:charStyle>
 <tps:charStyleDef>

<tps:name>Table Column Head</tps:name>
 <tps:font>

Condensed</tps:style>
 </tps:font>

<tps:fontSize>8 pt</tps:fontSize>
 <tps:leading>9

pt</tps:leading>
 </tps:charStyleDef>

</tps:charStyle>
 <tps:alignment>center</tps:alignment>

<tps:nextStyle>Table Column Head</tps:nextStyle>

</tps:parStyleDef>
 </tps:definition>
 <tps:definition

tag="parStyleDef">
 <tps:parStyleDef>
 <tps:name>Table

Footnote</tps:name>
 <tps:charStyle>

<tps:charStyleDef>
 <tps:name>Table Footnote</tps:name>

<tps:font>
 <tps:name>Helvetica</tps:name>

<tps:style/>
 </tps:font>
 <tps:fontSize>8

pt</tps:fontSize>
 <tps:leading>9 pt</tps:leading>

</tps:charStyleDef>
 </tps:charStyle>

<tps:spaceBefore>1.41111 mm</tps:spaceBefore>

<tps:spaceAfter>0.352778 mm</tps:spaceAfter>
 <tps:nextStyle>Table

Footnote</tps:nextStyle>
 </tps:parStyleDef>
 </tps:definition>

<tps:name>Table Footnote Continued</tps:name>
 <tps:basedOn>Table

Footnote</tps:basedOn>
 <tps:charStyle>

<tps:charStyleDef>
 <tps:name>Table Footnote

Continued</tps:name>
 <tps:basedOn>Table

Footnote</tps:basedOn>
 <tps:leading>0 pt</tps:leading>

</tps:charStyleDef>
 </tps:charStyle>

<tps:spaceBefore>0 mm</tps:spaceBefore>
 <tps:nextStyle>Table

Footnote Continued</tps:nextStyle>
 </tps:parStyleDef>

</tps:definition>
 <tps:definition tag="parStyleDef">

<tps:parStyleDef>
 <tps:name>Table Straddle Head</tps:name>

<tps:charStyle>
 <tps:charStyleDef>

<tps:name>Helvetica</tps:name>
 <tps:style>Bold

Condensed</tps:style>
 </tps:font>

<tps:fontSize>8 pt</tps:fontSize>
 <tps:leading>9

pt</tps:leading>
 </tps:charStyleDef>

</tps:charStyle>
 <tps:alignment>center</tps:alignment>

<tps:spaceBefore>2.11667 mm</tps:spaceBefore>

Straddle Head</tps:nextStyle>
 </tps:parStyleDef>

</tps:definition>
 <tps:definition tag="parStyleDef">

<tps:parStyleDef>
 <tps:name>Table Subtitle</tps:name>

<tps:charStyle>
 <tps:charStyleDef>

<tps:name>Table Subtitle</tps:name>
 <tps:font>

<tps:name>Helvetica</tps:name>
 <tps:style>Condensed

Oblique</tps:style>
 </tps:font>
 <tps:fontSize>9

pt</tps:fontSize>
 <tps:leading>10 pt</tps:leading>

<tps:color tint="100 %">
 PANTONE 364 C

</tps:color>
 </tps:charStyleDef>
 </tps:charStyle>

</tps:definition>
 <tps:definition tag="parStyleDef">

<tps:parStyleDef>
 <tps:name>Table Title</tps:name>

<tps:charStyle>
 <tps:charStyleDef>

<tps:name>Table Title</tps:name>
 <tps:font>

<tps:name>Helvetica</tps:name>
 <tps:style>Bold

Condensed</tps:style>
 </tps:font>

<tps:fontSize>10 pt</tps:fontSize>
 <tps:leading>12

pt</tps:leading>
 <tps:color tint="100 %">
 PANTONE

364 C
 </tps:color>
 </tps:charStyleDef>

</tps:charStyle>
 <tps:nextStyle>Table Title</tps:nextStyle>

</tps:parStyleDef>
 </tps:definition>
 <tps:definition

tag="parStyleDef">
 <tps:parStyleDef>
 <tps:name>Table

Title.continued</tps:name>
 <tps:basedOn>Table

Title</tps:basedOn>
 <tps:charStyle>

<tps:charStyleDef>
 <tps:name>Table

Title.continued</tps:name>
 <tps:basedOn>Table

Title</tps:basedOn>
 <tps:leading>0 pt</tps:leading>

</tps:charStyleDef>
 </tps:charStyle>
 <tps:nextStyle>Table

Title.continued</tps:nextStyle>
 </tps:parStyleDef>

<tps:name>IMF Table</tps:name>
 </tps:tableStyleDef>

</tps:definition>
 <:!-- =========== --> <:!--Cross-reference Format Definitions --> <!----> <tps:definition _____ tag="crossRefFormatDef"> <tps:crossRefFormatDef>
 <tps:name>Full Paragraph &amp; Page Number</tps:name>
 </tps:crossRefFormatDef>
 </tps:definition>
 <tps:definition tag="crossRefFormatDef"> <tps:crossRefFormatDef>
 <tps:name>Full Paragraph</tps:name>
 </tps:crossRefFormatDef>
 <tps:definition tag="crossRefFormatDef">
 </tps:definition>
 <tps:crossRefFormatDef>
 <tps:name>Paragraph Text & Damp;amp; Page Number</tps:name>
 </tps:crossRefFormatDef>
 </tps:definition>
 <tps:definition tag="crossRefFormatDef">
 <tps:crossRefFormatDef>
 <tps:name>Paragraph Text</tps:name>
 </tps:crossRefFormatDef>
 </tps:definition>
 <tps:definition tag="crossRefFormatDef"> <tps:crossRefFormatDef>
 <tps:name>Paragraph Number & amp;amp; Page Number</tps:name>
 <tps:definition </tps:crossRefFormatDef>
 </tps:definition>
 tag="crossRefFormatDef"> <tps:crossRefFormatDef>
 Number</tps:name>
 <tps:name>Paragraph </tps:crossRefFormatDef>
 </tps:definition>
 <tps:definition tag="crossRefFormatDef"> <tps:crossRefFormatDef>
 <tps:name>Text Anchor Name & amp;amp; Page Number</tps:name>
 </tps:crossRefFormatDef>
 </tps:definition>
 <:tps:definition tag="crossRefFormatDef"> <tps:crossRefFormatDef>
 <tps:name>Text Anchor Name</tps:name>

</tps:definition>

<tps:definition

</tps:crossRefFormatDef>


```
tag="crossRefFormatDef">

                                    <tps:crossRefFormatDef&gt;&#xA;
<tps:name&gt;Page Number&lt;/tps:name&gt;&#xA;
                                               </tps:crossRefFormatDef&gt;&#xA;
                                     &lt:!-- ========= -->

</tps:definition&gt;&#xA;

 <tps:definition tag="masterSpreadDef"&gt;&#xA; &lt;tps:masterSpreadDef&gt;&#xA;
        <tps:name&gt;Fo1-FM-EM 1-col&lt;/tps:name&gt;&#xA;
                                                                 <tps:pageInfo
                         <tps:size width="215.9 mm" height="279.4 mm"/&gt;&#xA;
classifier="0">

    <tps:margins top="55.0333 mm" left="23.2833 mm" right="33.8667 mm" bottom="25.4
mm"/>

                            <tps:frames&gt;&#xA;
                                                                    &lt:tps:frame
type="mainStoryFrame"/>

                                    <tps:frame name="Title" type="element"&gt;&#xA;
          <tps:frame type="contentFrame"/&gt;&#xA;
                                                       </tps:frame&gt;&#xA;
                                  </tps:pageInfo&gt;&#xA;
      </tps:frames&gt;&#xA;
                                                                 <tps:pageInfo
classifier="1">

                         <tps:size width="215.9 mm" height="279.4 mm"/&gt;&#xA;
    <tps:margins top="55.0333 mm" left="33.8667 mm" right="23.2833 mm" bottom="25.4
mm"/>

                            <tps:frames&gt;&#xA;
                                                                    <tps:frame
                                    <tps:frame name="Title" type="element"&gt;&#xA;
type="mainStoryFrame"/>

          <tps:frame type="contentFrame"/&gt;&#xA;
                                                       </tps:frame&gt;&#xA;
          </tps:frames&gt;&#xA;
                                               </tps:pageInfo&gt;&#xA;
</tps:masterSpreadDef&gt;&#xA;
                                   </tps:definition&gt;&#xA;
                                                                 <tps:definition
tag="masterSpreadDef">

                                    <tps:masterSpreadDef&gt;&#xA;
<tps:name&gt;FE1-FM-EM Inside 1-col&lt;/tps:name&gt;&#xA;
                                                                 <tps:pageInfo
                         <tps:size width="215.9 mm" height="279.4 mm"/&gt;&#xA;
classifier="0">

    <tps:margins top="27.5167 mm" left="23.2833 mm" right="33.8667 mm" bottom="25.4"
mm"/>

                            <tps:frames&gt;&#xA;
                                                                    <tps:frame
type="mainStoryFrame"/>

                                             </tps:frames&gt;&#xA;
</tps:pageInfo&gt;&#xA;
                            <tps:pageInfo classifier="1"&gt;&#xA;
                                                                     <tps:size
```

```
width="215.9 mm" height="279.4 mm"/>

                                                     &lt:tps:margins top="27.5167 mm"
left="33.8667 mm" right="23.2833 mm" bottom="25.4 mm"/>

<tps:frames&gt;&#xA;
                                 <tps:frame type="mainStoryFrame"/&gt;&#xA;
</tps:frames&gt;&#xA; &lt;/tps:pageInfo&gt;&#xA;
                                                    </tps:masterSpreadDef&gt;&#xA;
                             <tps:definition tag="masterSpreadDef"&gt;&#xA;
 </tps:definition&gt;&#xA;
<tps:masterSpreadDef&gt;&#xA;
                                  <tps:name&gt;Fo2-FM-EM 2-col&lt;/tps:name&gt;&#xA;
     <tps:pageInfo classifier="0"&gt;&#xA;
                                             <tps:size width="215.9 mm" height="279.4
mm"/>

                     <tps:margins top="55.0333 mm" left="23.2833 mm" right="33.8667 mm"
bottom="25.4 mm"/>

                                    <tps:frames&gt;&#xA;
                                                                        &lt:tps:frame
type="mainStoryFrame"/>

                                       <tps:frame name="Title" type="element"&gt;&#xA;
           <tps:frame type="contentFrame"/&gt;&#xA;
                                                           </tps:frame&gt;&#xA;
                                     </tps:pageInfo&gt;&#xA;
      </tps:frames&gt;&#xA;
                                                                     <tps:pageInfo
classifier="1">
 & lt;tps:size width="215.9 mm" height="279.4 mm"/>

     <tps:margins top="55.0333 mm" left="33.8667 mm" right="23.2833 mm" bottom="25.4
mm"/>

                              <tps:frames&gt;&#xA;
                                                                        <tps:frame
                                       <tps:frame name="Title" type="element"&gt;&#xA;
type="mainStoryFrame"/>

           <tps:frame type="contentFrame"/&gt;&#xA;
                                                           </tps:frame&gt;&#xA;
           </tps:frames&gt;&#xA;
                                                 </tps:pageInfo&gt;&#xA;
</tps:masterSpreadDef&gt;&#xA;
                                      </tps:definition&gt;&#xA;
                                                                     <tps:definition
tag="masterSpreadDef">

                                      <tps:masterSpreadDef&gt;&#xA;
<tps:name&gt;FE2-FM-EM Inside 2-col&lt;/tps:name&gt;&#xA;
                                                                     <tps:pageInfo
                           <tps:size width="215.9 mm" height="279.4 mm"/&gt;&#xA;
classifier="0">

     <tps:margins top="27.5167 mm" left="23.2833 mm" right="33.8667 mm" bottom="25.4
mm"/>

                              <tps:frames&gt;&#xA;
                                                                        <tps:frame
```

</tps:frames>

<tps:size

<tps:pageInfo classifier="1">

type="mainStoryFrame"/>

</tps:pageInfo>

left="33.8667 mm" right="23.2833 mm" bottom="25.4 mm"/>

<tps:frames>
 <tps:frame type="mainStoryFrame"/>

</tps:frames>
 </tps:pageInfo>
 </tps:masterSpreadDef>

</tps:definition>
 <tps:definition tag="masterSpreadDef">

<tps:masterSpreadDef>
 <tps:name>Co2-Chapter

Opener</tps:name>
 <tps:pageInfo classifier="0">
 <tps:size

left="23.2833 mm" right="33.8667 mm" bottom="25.4 mm"/>

<tps:frames>
 <tps:frame type="mainStoryFrame"/>

<tps:frame name="Title" type="element">
 <tps:frame

type="contentFrame"/>
 </tps:frame>

</tps:frames>
 </tps:pageInfo>
 <tps:pageInfo

classifier="1">
 <tps:size width="215.9 mm" height="279.4 mm"/>

</tps:frames>
 </tps:pageInfo>

</tps:masterSpreadDef>
 </tps:definition>
 <tps:definition

tag="masterSpreadDef">
 <tps:masterSpreadDef>

<tps:name>C1-Inside Pages 1-col</tps:name>
 <tps:pageInfo

classifier="0">
 & lt;tps:size width="215.9 mm" height="279.4 mm"/>

type="mainStoryFrame"/>
 </tps:frames>


```
</tps:pageInfo&gt;&#xA;
                             <tps:pageInfo classifier="1"&gt;&#xA;
                                                                          <tps:size
width="215.9 mm" height="279.4 mm"/>

                                                      <tps:margins top="27.5167 mm"
left="33.8667 mm" right="23.2833 mm" bottom="25.4 mm"/>

<tps:frames&gt;&#xA;
                                 <tps:frame type="mainStoryFrame"/&gt;&#xA;
</tps:frames&gt;&#xA;
                                                    </tps:masterSpreadDef&gt;&#xA;
                          </tps:pageInfo&gt;&#xA;
 </tps:definition&gt;&#xA;
                             <tps:definition tag="masterSpreadDef"&gt;&#xA;
<tps:masterSpreadDef&gt;&#xA;
                                                      <tps:name&gt;C2-Inside Pages
                               <tps:pageInfo classifier="0"&gt;&#xA;
2-col</tps:name&gt;&#xA;
                                                                          <tps:size
width="215.9 mm" height="279.4 mm"/>

                                                      <tps:margins top="27.5167 mm"
left="23.2833 mm" right="33.8667 mm" bottom="25.4 mm"/>

<tps:frames&gt;&#xA;
                                 <tps:frame type="mainStoryFrame"/&gt;&#xA;
</tps:frames&gt;&#xA;
                                  </tps:pageInfo&gt;&#xA;
                                                                      <tps:pageInfo
classifier="1">

                           <tps:size width="215.9 mm" height="279.4 mm"/&gt;&#xA;
     <tps:margins top="27.5167 mm" left="33.8667 mm" right="23.2833 mm" bottom="25.4"
mm"/>

                              <tps:frames&gt;&#xA;
                                                                        <tps:frame
type="mainStoryFrame"/>

                                                 </tps:frames&gt;&#xA;
                           </tps:masterSpreadDef&gt;&#xA; &lt;/tps:definition&gt;&#xA;
</tps:pageInfo&gt;&#xA;
<tps:definition tag="masterSpreadDef"&gt;&#xA;
                                              <tps:masterSpreadDef&gt;&#xA;
<tps:name&gt;So2-Special Feature Opener&lt;/tps:name&gt;&#xA;
                                                                      <tps:pageInfo
                           <tps:size width="215.9 mm" height="279.4 mm"/&gt;&#xA;
classifier="0">

     <tps:margins top="27.5167 mm" left="23.2833 mm" right="33.8667 mm" bottom="25.4"
mm"/>

                              <tps:frames&gt;&#xA;
                                                                        &lt:tps:frame
```

</tps:frames>
 </tps:pageInfo>
 <tps:pageInfo
classifier="1">
 <tps:size width="215.9 mm" height="279.4 mm"/>

<tps:frame type="contentFrame"/>

<tps:frame name="Title" type="element">

</tps:frame>

type="mainStoryFrame"/>

```
<tps:margins top="27.5167 mm" left="33.8667 mm" right="23.2833 mm" bottom="25.4"
mm"/>

                              <tps:frames&gt;&#xA;
                                                                        <tps:frame
type="mainStoryFrame"/>

                                       <tps:frame name="Title" type="element"&gt;&#xA;
           <tps:frame type="contentFrame"/&gt;&#xA;
                                                           </tps:frame&qt;&#xA;
                                                  </tps:pageInfo&gt;&#xA;
           </tps:frames&gt;&#xA;
</tps:masterSpreadDef&gt;&#xA;
                                      </tps:definition&gt;&#xA;
                                                                     <tps:definition
tag="masterSpreadDef">

                                       <tps:masterSpreadDef&gt;&#xA;
<tps:name&gt;S2-Special Feature Text&lt;/tps:name&gt;&#xA;
                                                                      <tps:pageInfo
classifier="0">

                           <tps:size width="215.9 mm" height="279.4 mm"/&gt;&#xA;
     <tps:margins top="27.5167 mm" left="23.2833 mm" right="33.8667 mm" bottom="25.4
mm"/>

                              <tps:frames&gt;&#xA;
                                                                        &lt:tps:frame
type="mainStoryFrame"/>

                                                </tps:frames&gt;&#xA;
</tps:pageInfo&gt;&#xA;
                             <tps:pageInfo classifier="1"&gt;&#xA;
                                                                          <tps:size
width="215.9 mm" height="279.4 mm"/>

                                                      <tps:margins top="27.5167 mm"
left="33.8667 mm" right="23.2833 mm" bottom="25.4 mm"/>

<tps:frames&gt;&#xA;
                                 <tps:frame type="mainStoryFrame"/&gt;&#xA;
</tps:frames&gt;&#xA;
                                                    </tps:masterSpreadDef&gt;&#xA;
                          </tps:pageInfo&gt;&#xA;
 </tps:definition&gt;&#xA;
                             <tps:definition tag="masterSpreadDef"&gt;&#xA;
<tps:masterSpreadDef&gt;&#xA;
                                   <tps:name&gt;Bo2-Box opener&lt;/tps:name&gt;&#xA;
    <tps:pageInfo classifier="0"&gt;&#xA;
                                              <tps:size width="215.9 mm" height="279.4
mm"/>

                     <tps:margins top="27.5167 mm" left="23.2833 mm" right="33.8667 mm"
bottom="27.1639 mm"/>

                                      <tps:frames&gt;&#xA;
                                                                        &lt:tps:frame
type="mainStoryFrame"/>

                                       <tps:frame name="Title" type="element"&gt;&#xA;
           <tps:frame type="contentFrame"/&gt;&#xA;
                                                           </tps:frame&gt;&#xA;
```

</tps:frames>
 </tps:pageInfo>
 <tps:pageInfo
classifier="1"&qt;
 <tps:size width="215.9 mm" height="279.4 mm"/&qt;


```
<tps:margins top="27.5167 mm" left="33.8667 mm" right="23.2833 mm" bottom="27.1639"
mm"/>

                               <tps:frames&gt;&#xA;
                                                                         <tps:frame
type="mainStoryFrame"/>

                                        <tps:frame name="Title" type="element"&gt;&#xA;
           <tps:frame type="contentFrame"/&gt;&#xA;
                                                            </tps:frame&gt;&#xA;
                                                  </tps:pageInfo&gt;&#xA;
           </tps:frames&gt;&#xA;
</tps:masterSpreadDef&gt;&#xA;
                                       </tps:definition&gt;&#xA;
                                                                      <tps:definition
tag="masterSpreadDef">

                                       <tps:masterSpreadDef&gt;&#xA;
<tps:name&gt;B2-Box Text&lt;/tps:name&gt;&#xA;
                                                  <tps:pageInfo classifier="0"&gt;&#xA;
         <tps:size width="215.9 mm" height="279.4 mm"/&gt;&#xA;
                                                                       &lt:tps:margins
top="27.5167 mm" left="23.2833 mm" right="33.8667 mm" bottom="27.1639 mm"/>

 <tps:frames&gt;&#xA;
                                  <tps:frame type="mainStoryFrame"/&gt;&#xA;
                                  </tps:pageInfo&gt;&#xA;
</tps:frames&gt;&#xA;
                                                                       <tps:pageInfo
classifier="1">

                           <tps:size width="215.9 mm" height="279.4 mm"/&gt;&#xA;
    <tps:margins top="27.5167 mm" left="33.8667 mm" right="23.2833 mm" bottom="27.1639
mm"/>

                               <tps:frames&gt;&#xA;
                                                                         <tps:frame
type="mainStoryFrame"/>

                                                 </tps:frames&gt;&#xA;
</tps:pageInfo&gt;&#xA;
                           </tps:masterSpreadDef&gt;&#xA; &lt;/tps:definition&gt;&#xA;
<tps:definition tag="masterSpreadDef"&gt;&#xA;
                                               <tps:masterSpreadDef&gt;&#xA;
<tps:name&gt;CoS1-Chapter Opener Summary&lt;/tps:name&gt;&#xA;
                                                                       <tps:pageInfo
                           <tps:size width="215.9 mm" height="279.4 mm"/&gt;&#xA;
classifier="0">

     <tps:margins top="55.0333 mm" left="23.2833 mm" right="33.8667 mm" bottom="25.4
mm"/>

                         <tps:frames&gt;&#xA;
                                                              <tps:frame name="Title"
type="element">

                                   <tps:frame type="contentFrame"/&gt;&#xA;
</tps:frame&gt;&#xA;
                              <tps:frame name="Summary" type="element"&gt;&#xA;
      <tps:frame type="contentFrame"/&gt;&#xA;
                                                        </tps:frame&gt;&#xA;
```

</tps:pageInfo>

<tps:pageInfo

</tps:frames>


```
classifier="1">

                           <tps:size width="215.9 mm" height="279.4 mm"/&gt;&#xA;
     <tps:margins top="55.0333 mm" left="33.8667 mm" right="23.2833 mm" bottom="25.4
mm"/>

                         <tps:frames&gt;&#xA;
                                                             <tps:frame name="Title"
type="element">

                                   <tps:frame type="contentFrame"/&gt;&#xA;
                             <tps:frame name="Summary" type="element"&gt;&#xA;
</tps:frame&gt;&#xA;
      <tps:frame type="contentFrame"/&gt;&#xA;
                                                       </tps:frame&gt;&#xA;
</tps:frames&gt;&#xA;
                          </tps:pageInfo&gt;&#xA;
                                                     </tps:masterSpreadDef&gt;&#xA;
 </tps:definition&gt;&#xA;
                             <tps:definition tag="masterSpreadDef"&gt;&#xA;
<tps:masterSpreadDef&gt;&#xA;
                                              <tps:name&gt;Ao2-Book Annex Opener
2col</tps:name&gt;&#xA;
                              <tps:pageInfo classifier="0"&gt;&#xA;
                                                                          <tps:size
width="215.9 mm" height="279.4 mm"/>

                                                      &lt:tps:margins top="55.0333 mm"
left="23.2833 mm" right="33.8667 mm" bottom="25.4 mm"/>

<tps:frames&gt;&#xA;
                               <tps:frame type="mainStoryFrame"/&gt;&#xA;
<tps:frame name="Title" type="element"&gt;&#xA;
                                                                         <tps:frame
type="contentFrame"/>

                                                </tps:frame&gt;&#xA;
                                                                      <tps:pageInfo
</tps:frames&gt;&#xA;
                                  </tps:pageInfo&gt;&#xA;
classifier="1">

                           <tps:size width="215.9 mm" height="279.4 mm"/&gt;&#xA;
     <tps:margins top="55.0333 mm" left="33.8667 mm" right="23.2833 mm" bottom="25.4
mm"/>

                              <tps:frames&gt;&#xA;
                                                                         <tps:frame
type="mainStoryFrame"/>

                                       <tps:frame name="Title" type="element"&gt;&#xA;
           <tps:frame type="contentFrame"/&gt;&#xA;
                                                           &lt:/tps:frame&gt:

           </tps:frames&gt;&#xA;
                                                  </tps:pageInfo&gt;&#xA;
</tps:masterSpreadDef&gt;&#xA;
                                      </tps:definition&gt;&#xA;
                                                                      &lt:tps:definition
tag="masterSpreadDef">

                                      <tps:masterSpreadDef&gt;&#xA;
<tps:name&gt;X-Figure Art 1 Col&lt;/tps:name&gt;&#xA;
                                                                      <tps:pageInfo
```

<tps:size width="215.9 mm" height="279.4 mm"/>

classifier="0">

```
<tps:margins top="27.5167 mm" left="23.2833 mm" right="33.8667 mm" bottom="25.4
mm"/>

                   </tps:pageInfo&gt;&#xA;
                                               <tps:pageInfo classifier="1"&gt;&#xA;
       <tps:size width="215.9 mm" height="279.4 mm"/&gt;&#xA;
                                                                       <tps:margins
top="27.5167 mm" left="33.8667 mm" right="23.2833 mm" bottom="25.4 mm"/>

                           </tps:masterSpreadDef&gt;&#xA;
</tps:pageInfo&gt;&#xA;
                                                           </tps:definition&gt;&#xA;
<tps:definition tag="masterSpreadDef"&gt;&#xA;
                                               <tps:masterSpreadDef&gt;&#xA;
<tps:name&gt;X-Figure Art 2 Col&lt;/tps:name&gt;&#xA;
                                                                       <tps:pageInfo
classifier="0"&qt;

                           <tps:size width="215.9 mm" height="279.4 mm"/&gt;&#xA;
     <tps:margins top="27.5167 mm" left="23.2833 mm" right="33.8667 mm" bottom="25.4
mm"/>

                   </tps:pageInfo&gt;&#xA;
                                               <tps:pageInfo classifier="1"&gt;&#xA;
       <tps:size width="215.9 mm" height="279.4 mm"/&gt;&#xA;
                                                                       <tps:margins
top="27.5167 mm" left="33.8667 mm" right="23.2833 mm" bottom="25.4 mm"/>

&lt:/tps:pageInfo&gt:&#xA:
                           </tps:masterSpreadDef&gt;&#xA;
                                                           &lt:/tps:definition>

<tps:definition tag="masterSpreadDef"&gt;&#xA;
                                               <tps:masterSpreadDef&gt;&#xA;
<tps:name&gt;X-Tables&lt;/tps:name&gt;&#xA;
                                               <tps:pageInfo classifier="0"&qt;&#xA;
      <tps:size width="215.9 mm" height="279.4 mm"/&gt;&#xA;
                                                                       <tps:margins
top="27.5167 mm" left="23.2833 mm" right="33.8667 mm" bottom="25.4 mm"/>

                                                                           <tps:size
&lt:/tps:pageInfo>

                              <tps:pageInfo classifier="1"&gt;&#xA;
width="215.9 mm" height="279.4 mm"/>

                                                      <tps:margins top="27.5167 mm"
left="33.8667 mm" right="23.2833 mm" bottom="25.4 mm"/>

&lt:/tps:pageInfo>

                           </tps:masterSpreadDef&gt;&#xA;
                                                           &lt:/tps:definition>

<tps:definition tag="masterSpreadDef"&gt;&#xA;
                                               <tps:masterSpreadDef&gt;&#xA;
<tps:name&gt;X-Tables Sideturn&lt;/tps:name&gt;&#xA;
                                                                       &lt:tps:pageInfo
classifier="0">

                           <tps:size width="215.9 mm" height="279.4 mm"/&gt;&#xA;
     <tps:margins top="27.5167 mm" left="23.2833 mm" right="33.8667 mm" bottom="25.4
```

</tps:pageInfo>

<tps:pageInfo classifier="1">

mm"/>

```
<tps:size width="215.9 mm" height="279.4 mm"/&gt;&#xA;
                                                                &lt:tps:margins
top="27.5167 mm" left="33.8667 mm" right="23.2833 mm" bottom="25.4 mm"/>

</tps:pageInfo&gt;&#xA;
                           <tps:pageInfo classifier="2"&gt;&#xA;
                                                                   <tps:size
width="215.9 mm" height="279.4 mm"/>

                                                 <tps:margins top="27.5167 mm"
left="33.8667 mm" right="23.2833 mm" bottom="25.4 mm"/>

</tps:pageInfo&gt;&#xA;
                           <tps:pageInfo classifier="3"&gt;&#xA;
                                                                   <tps:size
width="215.9 mm" height="279.4 mm"/>

                                                 <tps:margins top="27.5167 mm"
left="33.8667 mm" right="23.2833 mm" bottom="25.4 mm"/>

                           <tps:pageInfo classifier="4"&gt;&#xA;
                                                                   <tps:size
</tps:pageInfo&gt;&#xA;
width="215.9 mm" height="279.4 mm"/>

                                                 <tps:margins top="27.5167 mm"
left="33.8667 mm" right="23.2833 mm" bottom="25.4 mm"/>

                        </tps:masterSpreadDef&gt;&#xA; &lt;/tps:definition&gt;&#xA;
</tps:pageInfo&gt;&#xA;
<tps:name&gt;X-Box Figure Art&lt;/tps:name&gt;&#xA;
                                                                <tps:pageInfo
classifier="0">

                        <tps:size width="215.9 mm" height="279.4 mm"/&gt;&#xA;
   <tps:margins top="27.5167 mm" left="23.2833 mm" right="33.8667 mm" bottom="27.1639
                                           <tps:pageInfo classifier="1"&gt;&#xA;
mm"/>

                 </tps:pageInfo&gt;&#xA;
      <tps:size width="215.9 mm" height="279.4 mm"/&gt;&#xA;
                                                                &lt:tps:margins
top="27.5167 mm" left="33.8667 mm" right="23.2833 mm" bottom="27.1639 mm"/>

                                                     </tps:definition&gt;&#xA;
</tps:pageInfo&gt;&#xA;
                        </tps:masterSpreadDef&gt;&#xA;
<tps:name&gt;X-Box Tables&lt;/tps:name&gt;&#xA; &lt;tps:pageInfo classifier="0"&gt;&#xA;
        <tps:size width="215.9 mm" height="279.4 mm"/&gt;&#xA;
                                                                &lt:tps:margins
top="27.5167 mm" left="23.2833 mm" right="33.8667 mm" bottom="27.1639 mm"/>

</tps:pageInfo&gt;&#xA; &lt;tps:pageInfo classifier="1"&gt;&#xA;
                                                                   <tps:size
```

<tps:margins top="27.5167 mm"

width="215.9 mm" height="279.4 mm"/>

```
left="33.8667 mm" right="23.2833 mm" bottom="27.1639 mm"/>

                                                       </tps:definition&gt;&#xA;
</tps:pageInfo&gt;&#xA;
                         </tps:masterSpreadDef&gt;&#xA;
<tps:definition tag="masterSpreadDef"&gt;&#xA;
                                            <tps:masterSpreadDef&gt;&#xA;
<tps:name&gt;XC-Advanced GREP&lt;/tps:name&gt;&#xA;
                                                                  <tps:pageInfo
                         <tps:size width="215.9 mm" height="279.4 mm"/&gt;&#xA;
classifier="0"&qt;

    <tps:margins top="33.8667 mm" left="33.8667 mm" right="29.6333 mm" bottom="31.75
                  </tps:pageInfo&gt;&#xA;
                                            <tps:pageInfo classifier="1"&gt;&#xA;
mm"/>

      <tps:size width="215.9 mm" height="279.4 mm"/&gt;&#xA;
                                                                   <tps:margins
top="33.8667 mm" left="29.6333 mm" right="33.8667 mm" bottom="31.75 mm"/>

                         </tps:masterSpreadDef&gt;&#xA;
</tps:pageInfo&gt;&#xA;
                                                       </tps:definition&gt;&#xA;
<tps:definition tag="masterSpreadDef"&gt;&#xA;
                                            &lt:tps:masterSpreadDef>

<tps:name&gt;XC-Avoid Short End Lines&lt;/tps:name&gt;&#xA;
                                                                  <tps:pageInfo
classifier="0">

                          <tps:size width="215.9 mm" height="279.4 mm"/&gt;&#xA;
    <tps:margins top="33.8667 mm" left="33.8667 mm" right="29.6333 mm" bottom="31.75"
mm"/>

                  </tps:pageInfo&gt;&#xA;
                                            <tps:pageInfo classifier="1"&gt;&#xA;
      <tps:size width="215.9 mm" height="279.4 mm"/&gt;&#xA;
                                                                   <tps:margins
top="33.8667 mm" left="29.6333 mm" right="33.8667 mm" bottom="31.75 mm"/>

&lt:/tps:pageInfo>

                         </tps:masterSpreadDef&gt;&#xA;
                                                       &lt:/tps:definition>

               <!-- =========== --&gt;&#xA;

<!--
      Template
                Item
                      Definitions
                                 (Main
                                       Story Frames) --&qt;

                                                                          &lt:!--

                                                                  &lt:tps:definition
tag="templateItemDef">

                             <tps:templateItemDef type="mainStoryFrame"&gt;&#xA;
  <tps:name&gt;Fo1-FM-EM 1-col:0&lt;/tps:name&gt;&#xA;
                                                      <tps:partOf&gt;&#xA;
   <tps:masterPage&gt;&#xA;
                                                  <tps:spreadName&gt;Fo1-FM-EM
1-col</tps:spreadName&gt;&#xA;
<tps:spreadSide&gt;0&lt;/tps:spreadSide&gt;&#xA;
                                                 </tps:masterPage&gt;&#xA;
```

```
</tps:partOf&gt;&#xA;
                                                                       <tps:pos x="23.2833 mm" y="55.0333 mm"/\&gt;\&#xA;
<tps:size width="158.75 mm" height="198.849 mm"/&gt;&#xA;
                                                                                                                                                        <tps:autoText&gt;&#xA;
               <tps:leading&gt;0 pt&lt;/tps:leading&gt;&#xA;
                                                                                                                                        <tps:parStyle/&gt;&#xA;
<tps:baselineToFrameGap&gt;0 mm&lt;/tps:baselineToFrameGap&gt;&#xA;
</tps:autoText&gt;&#xA;
                                                                                                                                       </tps:templateItemDef&gt;&#xA;
                                                                          <tps:rules/&gt;&#xA;
</tps:definition&gt;&#xA;
                                                                         <tps:definition tag="templateItemDef"&gt;&#xA;
<tps:templateItemDef type="mainStoryFrame"&gt;&#xA;
                                                                                                                                                       <tps:name&gt;Fo1-FM-EM
1-col:1</tps:name&gt;&#xA;
                                                                               <tps:partOf&gt;&#xA;
                                                                                                                                                      <tps:masterPage&gt;&#xA;
                             <tps:spreadName&gt;Fo1-FM-EM 1-col&lt;/tps:spreadName&gt;&#xA;
<tps:spreadSide&gt;1&lt;/tps:spreadSide&gt;&#xA;
                                                                                                                                     </tps:masterPage&gt;&#xA;
</tps:partOf&gt;&#xA;
                                                                       t=0.0333 \text{ mm}^{-1} \text{ kgt; } 4.0333 \text{ kgt; } 4.03333 \text{ kgt; } 4.033
<tps:size width="158.75 mm" height="198.849 mm"/&gt;&#xA;
                                                                                                                                                        <tps:autoText&gt;&#xA;
                          <tps:leading&gt;0 pt&lt;/tps:leading&gt;&#xA;
                                                                                                                                                                    <tps:parStyle&gt;List
Bullet</tps:parStyle&gt;&#xA;
                                                                                                                                            <tps:baselineToFrameGap&gt;0
                                                                                                                             </tps:autoText&gt;&#xA;
mm</tps:baselineToFrameGap&gt;&#xA;
                                                                  </tps:templateItemDef&gt;&#xA;
<tps:rules/&gt;&#xA;
                                                                                                                                                    </tps:definition&gt;&#xA;
<tps:definition
                                        tag="templateItemDef">

                                                                                                                                                                  <tps:templateItemDef
type="mainStoryFrame">

                                                                                                                                     <tps:name&gt;FE1-FM-EM
                                                                                                                                                                                                       Inside
                                                                               <tps:partOf&gt;&#xA;
1-col:0</tps:name&gt;&#xA;
                                                                                                                                                      <tps:masterPage&gt;&#xA;
                         <tps:spreadName&gt;FE1-FM-EM Inside 1-col&lt;/tps:spreadName&gt;&#xA;
     <tps:spreadSide&gt;0&lt;/tps:spreadSide&gt;&#xA;
                                                                                                                                          &lt:/tps:masterPage&gt:&#xA:
                                                                          <tps:pos x="23.2833 \text{ mm}" y="27.5167 \text{ mm}"/\>\&\#xA;
     </tps:partOf&gt;&#xA;
<tps:size width="158.75 mm" height="226.483 mm"/&gt;&#xA;
                                                                                                                                                        &lt:tps:autoText>

               <tps:leading&gt;0 pt&lt;/tps:leading&gt;&#xA;
                                                                                                                                        <tps:parStyle/&gt;&#xA;
<tps:baselineToFrameGap&gt;0 mm&lt;/tps:baselineToFrameGap&gt;&#xA;
```

<tps:rules/>

</tps:templateItemDef>

</tps:autoText>


```
</tps:definition&gt;&#xA;
                             <tps:definition tag="templateItemDef"&gt;&#xA;
<tps:templateItemDef type="mainStoryFrame"&gt;&#xA;
                                                            <tps:name&gt;FE1-FM-EM
Inside 1-col:1</tps:name&gt;&#xA;
                                              <tps:partOf&gt;&#xA;
<tps:masterPage&gt;&#xA;
                                                <tps:spreadName&gt;FE1-FM-EM Inside
1-col</tps:spreadName&gt;&#xA;
<tps:spreadSide&gt;1&lt;/tps:spreadSide&gt;&#xA;
                                                     </tps:masterPage&gt;&#xA;
</tps:partOf&gt;&#xA;
                            <tps:size width="158.75 mm" height="226.483 mm"/&gt;&#xA;
                                                            <tps:autoText&gt;&#xA;
          <tps:leading&gt;0 pt&lt;/tps:leading&gt;&#xA;
                                                                 <tps:parStyle&gt;List
Bullet</tps:parStyle&gt;&#xA;
                                                        <tps:baselineToFrameGap&gt;0
mm</tps:baselineToFrameGap&gt;&#xA;
                                                  </tps:autoText&gt;&#xA;
                          </tps:templateItemDef&gt;&#xA;
<tps:rules/&gt;&#xA;
                                                           </tps:definition&gt;&#xA;
&lt:tps:definition
                tag="templateItemDef">

                                                                 <tps:templateItemDef
type="mainStoryFrame">

                                                            <tps:name&gt;Fo2-FM-EM
2-col:0</tps:name&gt;&#xA;
                                <tps:partOf&gt;&#xA;
                                                            <tps:masterPage&gt;&#xA;
            <tps:spreadName&gt;Fo2-FM-EM 2-col&lt;/tps:spreadName&gt;&#xA;
<tps:spreadSide&gt;0&lt;/tps:spreadSide&gt;&#xA;
                                                     </tps:masterPage&gt;&#xA;
</tps:partOf&gt;&#xA;
                            <tps:pos x="23.2833 mm" y="55.0333 mm"/&gt;&\#xA;
<tps:size width="158.75 mm" height="198.849 mm"/&gt;&#xA;
                                                            <tps:autoText&gt;&#xA;
      <tps:leading&gt;0 pt&lt;/tps:leading&gt;&#xA;
                                                      <tps:parStyle/&gt;&#xA;
<tps:baselineToFrameGap&gt;0 mm&lt;/tps:baselineToFrameGap&gt;&#xA;
</tps:autoText&gt;&#xA;
                              <tps:rules/&gt;&#xA;
                                                      </tps:templateItemDef&gt;&#xA;
</tps:definition&gt;&#xA;
                             &lt:tps:definition tag="templateItemDef">

<tps:templateItemDef type="mainStoryFrame"&gt;&#xA;
                                                            <tps:name&gt;Fo2-FM-EM
2-col:1</tps:name&gt;&#xA;
                               <tps:partOf&gt;&#xA;
                                                            <tps:masterPage&gt;&#xA;
```

<tps:spreadName>Fo2-FM-EM 2-col</tps:spreadName>


```
<tps:spreadSide&gt;1&lt;/tps:spreadSide&gt;&#xA;
                                                                                                                                          </tps:masterPage&gt;&#xA;
</tps:partOf&gt;&#xA;
                                                                          t=0.0333 \text{ mm}^{-1} \text{ kgt; } 4.3 \text{ kgr; } 4.3 \text{ kgr; } 4.3 \text{ kgr;
<tps:size width="158.75 mm" height="198.849 mm"/&gt;&#xA;
                                                                                                                                                             <tps:autoText&gt;&#xA;
                           <tps:leading&gt;0 pt&lt;/tps:leading&gt;&#xA;
                                                                                                                                                                         <tps:parStyle&gt;List
                                                                                                                                                 <tps:baselineToFrameGap&gt;0
Bullet</tps:parStyle&gt;&#xA;
mm</tps:baselineToFrameGap&gt;&#xA;
                                                                                                                                 </tps:autoText&gt;&#xA;
                                                                     </tps:templateItemDef&gt;&#xA;
<tps:rules/&gt;&#xA;
                                                                                                                                                         </tps:definition&gt;&#xA;
<tps:definition
                                         tag="templateItemDef">

                                                                                                                                                                        <tps:templateItemDef
type="mainStoryFrame">

                                                                                                                                         <tps:name&gt;FE2-FM-EM Inside
2-col:0</tps:name&gt;&#xA;
                                                                                  <tps:partOf&gt;&#xA;
                                                                                                                                                           <tps:masterPage&gt;&#xA;
                          <tps:spreadName&gt;FE2-FM-EM Inside 2-col&lt;/tps:spreadName&gt;&#xA;
     <tps:spreadSide&gt;0&lt;/tps:spreadSide&gt;&#xA;
                                                                                                                                               </tps:masterPage&gt;&#xA;
     </tps:partOf&gt;&#xA;
                                                                             <tps:pos x="23.2833 mm" y="27.5167 mm"/xgt;
<tps:size width="158.75 mm" height="226.483 mm"/&gt;&#xA;
                                                                                                                                                             <tps:autoText&gt;&#xA;
                <tps:leading&gt;0 pt&lt;/tps:leading&gt;&#xA;
                                                                                                                                             <tps:parStyle/&gt;&#xA;
<tps:baselineToFrameGap&gt;0 mm&lt;/tps:baselineToFrameGap&gt;&#xA;
                                                                             <tps:rules/&gt;&#xA;
                                                                                                                                            </tps:templateItemDef&gt;&#xA;
</tps:autoText&gt;&#xA;
</tps:definition&gt;&#xA;
                                                                            <tps:definition tag="templateItemDef"&gt;&#xA;
<tps:templateItemDef type="mainStoryFrame"&gt;&#xA;
                                                                                                                                                            <tps:name&gt;FE2-FM-EM
Inside 2-col:1</tps:name&qt;&#xA;
                                                                                                                        <tps:partOf&gt;&#xA;
                                                                                                                            <tps:spreadName&gt;FE2-FM-EM Inside
<tps:masterPage&gt;&#xA;
2-col</tps:spreadName&gt;&#xA;
<tps:spreadSide&gt;1&lt;/tps:spreadSide&gt;&#xA;
                                                                                                                                          </tps:masterPage&gt;&#xA;
</tps:partOf&gt;&#xA;
                                                                          <tps:pos x="33.8667 \text{ mm}" y="27.5167 \text{ mm}"/\>\&\#xA;
<tps:size width="158.75 mm" height="226.483 mm"/&gt;&#xA;
                                                                                                                                                             <tps:autoText&gt;&#xA;
```

<tps:leading>0 pt</tps:leading>

<tps:parStyle>List

Bullet</tps:parStyle>
 <tps:baselineToFrameGap>0

mm</tps:baselineToFrameGap>
 </tps:autoText>

<tps:rules/>
 </tps:templateItemDef>
 </tps:definition>

<tps:definition tag="templateItemDef">
 <tps:templateItemDef

type="mainStoryFrame">
 <tps:name>Co2-Chapter

Opener:0</tps:name>
 <tps:partOf>

<tps:masterPage>
 <tps:spreadName>Co2-Chapter

Opener</tps:spreadName>

<tps:spreadSide>0</tps:spreadSide>
 </tps:masterPage>

<tps:leading>0 pt</tps:leading>
 <tps:parStyle/>

<tps:baselineToFrameGap>0 mm</tps:baselineToFrameGap>

</tps:autoText>
 <tps:rules/>
 </tps:templateItemDef>

</tps:definition>
 <tps:definition tag="templateItemDef">

Opener:1</tps:name>
 <tps:partOf>

<tps:masterPage>
 <tps:spreadName>Co2-Chapter

Opener</tps:spreadName>

<tps:spreadSide>1</tps:spreadSide>
 </tps:masterPage>

</tps:partOf>
 <tps:pos x="33.8667 mm" y="55.0333 mm"/>

Bullet</tps:parStyle>
 <tps:baselineToFrameGap>0

mm</tps:baselineToFrameGap>
 </tps:autoText>

<tps:rules/>
 </tps:templateItemDef>
 </tps:definition>


```
&lt:tps:definition
                tag="templateItemDef">

                                                                  <tps:templateItemDef
type="mainStoryFrame">

                                                       <tps:name&gt;C1-Inside
                                                                                Pages
                                <tps:partOf&gt;&#xA;
1-col:0</tps:name&gt;&#xA;
                                                             <tps:masterPage&gt;&#xA;
          <tps:spreadName&gt;C1-Inside Pages 1-col&lt;/tps:spreadName&gt;&#xA;
<tps:spreadSide&gt;0&lt;/tps:spreadSide&gt;&#xA;
                                                      </tps:masterPage&gt;&#xA;
</tps:partOf&gt;&#xA;
                             t=23.2833 \text{ mm} = 27.5167 \text{ mm} / \text{gt}
<tps:size width="158.75 mm" height="226.483 mm"/&gt;&#xA;
                                                             <tps:autoText&gt;&#xA;
      <tps:leading&gt;0 pt&lt;/tps:leading&gt;&#xA;
                                                       <tps:parStyle/&gt;&#xA;
<tps:baselineToFrameGap&gt;0 mm&lt;/tps:baselineToFrameGap&gt;&#xA;
</tps:autoText&gt;&#xA;
                              <tps:rules/&qt;&#xA;
                                                       </tps:templateItemDef&gt;&#xA;
</tps:definition&gt;&#xA;
                              <tps:definition tag="templateItemDef"&gt;&#xA;
<tps:templateItemDef type="mainStoryFrame"&gt;&#xA;
                                                         <tps:name&gt;C1-Inside Pages
1-col:1</tps:name&gt;&#xA;
                                &lt:tps:partOf>

                                                             <tps:masterPage&gt;&#xA;
          <tps:spreadName&gt;C1-Inside Pages 1-col&lt;/tps:spreadName&gt;&#xA;
<tps:spreadSide&gt;1&lt;/tps:spreadSide&gt;&#xA;
                                                      </tps:masterPage&gt;&#xA;
</tps:partOf&gt;&#xA;
                             t=27.5167 \text{ mm}^2
<tps:size width="158.75 mm" height="226.483 mm"/&gt;&#xA;
                                                             <tps:autoText&gt;&#xA;
          <tps:leading&gt;0 pt&lt;/tps:leading&gt;&#xA;
                                                                  <tps:parStyle&gt;List
Bullet</tps:parStyle&gt;&#xA;
                                                         <tps:baselineToFrameGap&gt;0
mm</tps:baselineToFrameGap&gt;&#xA;
                                                  </tps:autoText&gt;&#xA;
                           </tps:templateItemDef&gt;&#xA;
                                                            </tps:definition&gt;&#xA;
<tps:rules/&gt;&#xA;
<tps:definition
                tag="templateItemDef">

                                                                  <tps:templateItemDef
type="mainStoryFrame">

                                                       <tps:name&gt;C2-Inside Pages
2-col:0</tps:name&gt;&#xA;
                                <tps:partOf&gt;&#xA;
                                                             <tps:masterPage&gt;&#xA;
          <tps:spreadName&gt;C2-Inside Pages 2-col&lt;/tps:spreadName&gt;&#xA;
```

</tps:masterPage>

<tps:spreadSide>0</tps:spreadSide>


```
</tps:partOf&gt;&#xA;
                             <tps:pos x="23.2833 mm" y="27.5167 mm"/\alphagt;
<tps:size width="158.75 mm" height="226.483 mm"/&gt;&#xA;
                                                             <tps:autoText&gt;&#xA;
      <tps:leading&gt;0 pt&lt;/tps:leading&gt;&#xA;
                                                       <tps:parStyle/&gt;&#xA;
<tps:baselineToFrameGap&gt;0 mm&lt;/tps:baselineToFrameGap&gt;&#xA;
                                                      </tps:templateItemDef&gt;&#xA;
</tps:autoText&gt;&#xA;
                              <tps:rules/&gt;&#xA;
</tps:definition&gt;&#xA;
                             <tps:definition tag="templateItemDef"&gt;&#xA;
<tps:templateItemDef type="mainStoryFrame"&gt;&#xA;
                                                         <tps:name&gt;C2-Inside Pages
2-col:1</tps:name&gt;&#xA;
                                <tps:partOf&gt;&#xA;
                                                            <tps:masterPage&gt;&#xA;
          <tps:spreadName&gt;C2-Inside Pages 2-col&lt;/tps:spreadName&gt;&#xA;
<tps:spreadSide&gt;1&lt;/tps:spreadSide&gt;&#xA;
                                                      </tps:masterPage&gt;&#xA;
</tps:partOf&gt;&#xA;
                             <tps:size width="158.75 mm" height="226.483 mm"/&gt;&#xA;
                                                             <tps:autoText&gt;&#xA;
          <tps:leading&gt;0 pt&lt;/tps:leading&gt;&#xA;
                                                                  <tps:parStyle&gt;List
Bullet</tps:parStyle&gt;&#xA;
                                                        <tps:baselineToFrameGap&gt;0
                                                  </tps:autoText&gt;&#xA;
mm</tps:baselineToFrameGap&gt;&#xA;
                           </tps:templateItemDef&gt;&#xA;
<tps:rules/&gt;&#xA;
                                                            </tps:definition&gt;&#xA;
<tps:definition
                tag="templateItemDef">

                                                                 <tps:templateItemDef
type="mainStoryFrame">

                                                    &lt:tps:name&gt:So2-Special Feature
                                            <tps:partOf&gt;&#xA;
Opener:0</tps:name&gt;&#xA;
<tps:masterPage&gt;&#xA;
                                               <tps:spreadName&gt;So2-Special Feature
Opener</tps:spreadName&gt;&#xA;
<tps:spreadSide&gt;0&lt;/tps:spreadSide&gt;&#xA;
                                                      </tps:masterPage&gt;&#xA;
</tps:partOf&gt;&#xA;
                              t=23.2833 \text{ mm} = 25.4 \text{ mm} / \text{gt}
<tps:size width="158.75 mm" height="229.306 mm"/&gt;&#xA;
                                                             <tps:autoText&gt;&#xA;
      <tps:leading&gt;0 pt&lt;/tps:leading&gt;&#xA;
                                                       <tps:parStyle/&gt;&#xA;
```

<tps:baselineToFrameGap>0 mm</tps:baselineToFrameGap>

<:/tps:autoText>:
: <tps:rules/>
 </tps:templateItemDef>
 </tps:definition>
 <tps:definition tag="templateItemDef">
 <tps:templateItemDef type="mainStoryFrame">
 <tps:name>So2-Special Feature Opener:1</tps:name>
 <tps:partOf>
 <tps:masterPage>
 <tps:spreadName>So2-Special Feature Opener</tps:spreadName>
 <tps:spreadSide>1</tps:spreadSide>
 </tps:masterPage>
 </tps:partOf>
 <tps:pos x="33.8667 mm" y="25.4 mm"/>
<tps:size width="158.75 mm" height="229.306 mm"/>
 <tps:autoText>
 <tps:leading>0 pt</tps:leading>
 <tps:parStyle>List Bullet</tps:parStyle>
 <tps:baselineToFrameGap>0 mm</tps:baselineToFrameGap>
 </tps:autoText>
 <tps:rules/>
 </tps:templateItemDef>
 </tps:definition>
 tag="templateItemDef"> <tps:definition <tps:templateItemDef type="mainStoryFrame"> <tps:name>S2-Special Feature Text:0</tps:name>
 <tps:partOf>
 <tps:masterPage>
 <tps:spreadName>S2-Special Feature Text</tps:spreadName>
 <tps:spreadSide>0</tps:spreadSide>
 </tps:masterPage>
 t=23.2833 mm = 27.5167 mm / gt</tps:partOf>
 <tps:size width="158.75 mm" height="226.483 mm"/>
 <tps:autoText>
 <tps:leading>0 pt</tps:leading>
 <tps:parStyle/>
 <tps:baselineToFrameGap>0 mm</tps:baselineToFrameGap>
 </tps:autoText>
 <:tps:rules/> </tps:templateItemDef>
 </tps:definition>
 <tps:definition tag="templateItemDef">

<tps:name>S2-Special

<tps:partOf>

<tps:templateItemDef type="mainStoryFrame">

Feature Text:1</tps:name>


```
<tps:masterPage&gt;&#xA;
                                                  <tps:spreadName&gt;S2-Special Feature
Text</tps:spreadName&gt;&#xA;
                                          <tps:spreadSide&gt;1&lt;/tps:spreadSide&gt;&#xA;
            </tps:masterPage&gt;&#xA;
                                                </tps:partOf&gt;&#xA;
                                                                               <tps:pos
x="33.8667 \text{ mm" } y="27.5167 \text{ mm"}/\>\&\#xA;
                                              <tps:size width="158.75 mm" height="226.483"
mm"/>

                            <tps:autoText&gt;&#xA;
                                                                        <tps:leading&gt;0
pt</tps:leading&gt;&#xA;
                                 <tps:parStyle&gt;List Bullet&lt;/tps:parStyle&gt;&#xA;
   <tps:baselineToFrameGap&gt;0 mm&lt;/tps:baselineToFrameGap&gt;&#xA;
</tps:autoText&gt;&#xA;
                               <tps:rules/&gt;&#xA;
                                                        </tps:templateItemDef&gt;&#xA;
                               <tps:definition tag="templateItemDef"&gt;&#xA;
</tps:definition&gt;&#xA;
<tps:templateItemDef type="mainStoryFrame"&gt;&#xA;
                                                                  <tps:name&gt;Bo2-Box
opener:0</tps:name&gt;&#xA;
                                              <tps:partOf&gt;&#xA;
                                                            <tps:spreadName&gt;Bo2-Box
<tps:masterPage&gt;&#xA;
opener</tps:spreadName&gt;&#xA;
<tps:spreadSide&gt;0&lt;/tps:spreadSide&gt;&#xA;
                                                        </tps:masterPage&gt;&#xA;
</tps:partOf&gt;&#xA;
                              <tps:pos x="27.5167 \text{ mm}" y="37.7472 \text{ mm}"/\>\&\#xA;
<tps:size width="150.283 mm" height="210.256 mm"/&gt;&#xA;
                                                                 <tps:autoText&gt;&#xA;
            <tps:leading&gt;0 pt&lt;/tps:leading&gt;&#xA;
                                                                    <tps:parStyle&gt;Box
Normal</tps:parStyle&gt;&#xA;
                                                           <tps:baselineToFrameGap&gt;0
mm</tps:baselineToFrameGap&gt;&#xA;
                                                    </tps:autoText&gt;&#xA;
<tps:rules/&gt;&#xA;
                            </tps:templateItemDef&gt;&#xA;
                                                              </tps:definition&gt;&#xA;
                tag="templateItemDef">

&lt:tps:definition
                                                                    <tps:templateItemDef
type="mainStoryFrame">

                                     <tps:name&gt;Bo2-Box opener:1&lt;/tps:name&gt;&#xA;
         <tps:partOf&gt;&#xA;
                                             <tps:masterPage&gt;&#xA;
```

<tps:spreadName>Bo2-Box opener</tps:spreadName>

<tps:spreadSide>1</tps:spreadSide>

</tps:masterPage>

</tps:partOf>
 <tps:pos x="38.1 mm" y="37.7472 mm"/>


```
<tps:size width="150.283 mm" height="210.256 mm"/&gt;&#xA;
                                                               <tps:autoText&gt;&#xA;
           <tps:leading&gt;0 pt&lt;/tps:leading&gt;&#xA;
                                                                   <tps:parStyle&gt;Box
Normal.flush</tps:parStyle&gt;&#xA;
                                                         <tps:baselineToFrameGap&gt;0
mm</tps:baselineToFrameGap&gt;&#xA;
                                                   </tps:autoText&gt;&#xA;
                           </tps:templateItemDef&gt;&#xA;
<tps:rules/&gt;&#xA;
                                                             </tps:definition&gt;&#xA;
<tps:definition
                tag="templateItemDef">

                                                                  <tps:templateItemDef
type="mainStoryFrame">

                                    <tps:name&gt;B2-Box Text:0&lt;/tps:name&gt;&#xA;
    <tps:partOf&gt;&#xA;
                                         <tps:masterPage&gt;&#xA;
<tps:spreadName&gt;B2-Box Text&lt;/tps:spreadName&gt;&#xA;
<tps:spreadSide&gt;0&lt;/tps:spreadSide&gt;&#xA;
                                                      </tps:masterPage&gt;&#xA;
</tps:partOf&gt;&#xA;
                             <tps:pos x="27.5167 \text{ mm}" y="37.7472 \text{ mm}"/\>\&\#xA;
<tps:size width="150.283 mm" height="210.256 mm"/&gt;&#xA;
                                                               <tps:autoText&gt;&#xA;
           <tps:leading&gt;0 pt&lt;/tps:leading&gt;&#xA;
                                                                   <tps:parStyle&gt;Box
Normal</tps:parStyle&gt;&#xA;
                                                         <tps:baselineToFrameGap&gt;0
mm</tps:baselineToFrameGap&gt;&#xA;
                                                   </tps:autoText&gt;&#xA;
                           </tps:templateItemDef&gt;&#xA;
<tps:rules/&gt;&#xA;
                                                             </tps:definition&gt;&#xA;
<tps:definition
                tag="templateItemDef">

                                                                  <tps:templateItemDef
type="mainStoryFrame">

                                    <tps:name&gt;B2-Box Text:1&lt;/tps:name&gt;&#xA;
    <tps:partOf&gt;&#xA;
                                         <tps:masterPage&gt;&#xA;
<tps:spreadName&gt;B2-Box Text&lt;/tps:spreadName&gt;&#xA;
<tps:spreadSide&gt;1&lt;/tps:spreadSide&gt;&#xA;
                                                      </tps:masterPage&gt;&#xA;
                               <tps:pos x="38.1 mm" y="37.7472 mm"/>&#xA;
</tps:partOf&gt;&#xA;
<tps:size width="150.283 mm" height="210.256 mm"/&gt;&#xA;
                                                               <tps:autoText&gt;&#xA;
           <tps:leading&gt;0 pt&lt;/tps:leading&gt;&#xA;
                                                                   <tps:parStyle&gt;Box
Normal.flush</tps:parStyle&gt;&#xA;
                                                         <tps:baselineToFrameGap&gt;0
```

</tps:autoText>

mm</tps:baselineToFrameGap>


```
<tps:rules/&gt;&#xA;
                       </tps:templateItemDef&gt;&#xA; &lt;/tps:definition&gt;&#xA; &#xA;
    <tps:definition tag="templateItemDef"&gt;&#xA;
                                                                <tps:templateItemDef
type="mainStoryFrame">

                                               <tps:name&gt;Ao2-Book Annex Opener
2col:0</tps:name&gt;&#xA;
                               <tps:partOf&gt;&#xA;
                                                           <tps:masterPage&gt;&#xA;
         <tps:spreadName&gt;Ao2-Book Annex Opener 2col&lt;/tps:spreadName&gt;&#xA;
      <tps:spreadSide&gt;0&lt;/tps:spreadSide&gt;&#xA;
                                                           </tps:masterPage&gt;&#xA;
     </tps:partOf&gt;&#xA;
                                <tps:pos x="23.2833 \text{ mm}" y="55.0333 \text{ mm}"/\>\&\#xA;
<tps:size width="158.75 mm" height="198.849 mm"/&gt;&#xA;
                                                            <tps:autoText&gt;&#xA;
      <tps:leading&gt;0 pt&lt;/tps:leading&gt;&#xA;
                                                      <tps:parStyle/&gt;&#xA;
<tps:baselineToFrameGap&gt;0 mm&lt;/tps:baselineToFrameGap&gt;&#xA;
</tps:autoText&gt;&#xA;
                             <tps:rules/&at;&#xA;
                                                     </tps:templateItemDef&gt;&#xA;
                             <tps:definition tag="templateItemDef"&gt;&#xA;
</tps:definition&gt;&#xA;
<tps:templateItemDef type="mainStoryFrame"&gt;&#xA;
                                                        <tps:name&gt;Ao2-Book Annex
Opener 2col:1</tps:name&gt;&#xA;
                                              <tps:partOf&gt;&#xA;
<tps:masterPage&gt;&#xA;
                                          <tps:spreadName&gt;Ao2-Book Annex Opener
2col</tps:spreadName&gt;&#xA;
                                        <tps:spreadSide&gt;1&lt;/tps:spreadSide&gt;&#xA;
           </tps:masterPage&gt;&#xA;
                                              </tps:partOf&gt;&#xA;
                                                                           <tps:pos
x="33.8667 mm" y="55.0333 mm"/>

                                           <tps:size width="158.75 mm" height="198.849
mm"/>

                           <tps:autoText&gt;&#xA;
                                                                   <tps:leading&gt;0
                               <tps:parStyle&gt;List Bullet&lt;/tps:parStyle&gt;&#xA;
pt</tps:leading&gt;&#xA;
  <tps:baselineToFrameGap&gt;0 mm&lt;/tps:baselineToFrameGap&gt;&#xA;
</tps:autoText&gt;&#xA;
                             <tps:rules/&gt;&#xA;
                                                     </tps:templateItemDef&gt;&#xA;
</tps:definition&gt;&#xA; &#xA; &#xA; &#xA; &#xA; &#xA;

                   &lt:!-- ======== -->

                                                             <!-- Element Definitions

                                                                      <tps:definition
--&qt;

               <!-- ========= --&qt;&#xA;
tag="placedElementDef">

                                       <tps:placedElementDef&gt;&#xA;
```

<tps:name>Title</tps:name>
 </tps:placedElementDef>
 </tps:definition>
 <tps:definition tag="placedElementDef">
 <tps:placedElementDef>
 <tps:name>Summary</tps:name>
 </tps:placedElementDef>
 </tps:definition>
 <tps:definition tag="floatingElementDef"> <tps:floatingElementDef>
 <tps:name>Figure</tps:name>
 <tps:keywords>
 <tps:name>1 Col</tps:name>
 <tps:name>2 Col</tps:name>
 <tps:name>2 Col Tall Wide</tps:name>
 </tps:keywords>
 </tps:floatingElementDef>
 </tps:definition>
 <tps:definition tag="floatingElementDef"> <tps:floatingElementDef>
 <tps:name>Table-Wrap</tps:name>
 <tps:keywords>
 <tps:name>1 Col</tps:name>
 <tps:name>1 Col Wide</tps:name>
 <tps:name>2 Col</tps:name>
 <tps:name>2 Col Wide</tps:name>
 <tps:name>Sideturn 1 Col</tps:name>
 <tps:name>Sideturn 1 Col Wide</tps:name>
 <tps:name>Sideturn 2 Col</tps:name>
 <tps:name>Sideturn 2 Col Wide</tps:name>
 <tps:name>Sideturn 2 Col Tall Wide</tps:name>
 </tps:keywords>
 </tps:floatingElementDef>
 </tps:definition>
 <tps:definition tag="floatingElementDef"> <tps:floatingElementDef>
 <tps:name>Box Figure</tps:name>
 <tps:keywords>
 <tps:name>1 Col</tps:name>
 <tps:name>2 Col</tps:name>
 </tps:keywords>
 </tps:floatingElementDef>
 </tps:definition>
 <tps:definition tag="floatingElementDef">

<tps:name>Box Table-Wrap</tps:name>

<tps:name>2 Col</tps:name>

<tps:floatingElementDef>

<tps:keywords>


```
<tps:name&gt;1 Col&lt;/tps:name&gt;&#xA;
                                                   </tps:keywords&gt;&#xA;
</tps:floatingElementDef&gt;&#xA;
                                  </tps:definition&gt;&#xA;

                                                                             <!--
&lt:!-- =========== --&at:&#xA:
                                                        &#xA:
                                                                     &lt:tps:definition
                                    <tps:elementVariantDef id="1"&gt;&#xA;
tag="elementVariantDef">

<tps:elementFamily&gt;Figure&lt;/tps:elementFamily&gt;&#xA;
                                                          <tps:keywords&gt;&#xA;
       <tps:name&gt;1 Col&lt;/tps:name&gt;&#xA;
                                                    </tps:keywords&gt;&#xA;
<tps:pos x="10.5833 \text{ mm}" y="27.5167 \text{ mm}"/\>\&\#xA;
                                                         <tps:size width="88.9 mm"
height="226.483 mm"/>

                                       <tps:rules&gt;&#xA;
                                                                         <tps:rule
tag="placementRule" type="pageSide" priority="1">

                                                                <tps:placementRule
pageSide="left"/>

                             </tps:rule&gt;&#xA;
                                                       <tps:rule tag="placementRule"
type="pageSide" priority="1">

                                                                <tps:placementRule
pageSide="right"/>

                                       </tps:rule&gt;&#xA;
                                                                         <tps:rule
tag="floatFrameAlignmentRule" type="alignment" priority="3">

<tps:floatFrameAlignmentRule xRef="left" yRef="top" xBase="columnEdge" yBase="textFrame"
topLimit="textFrame" floatXRef="left" floatYRef="top" leftLimit="pageEdge" rightLimit="pageEdge"
bottomLimit="textFrame"/>

                                          </tps:rule&gt;&#xA;
                                                                         <tps:rule
tag="floatFrameAlignmentRule" type="alignment" priority="0">

<tps:floatFrameAlignmentRule
                                xRef="left"
                                              yRef="middle"
                                                                xBase="columnEdge"
yBase="textFrame" topLimit="textFrame" floatXRef="left" floatYRef="middle" leftLimit="none"
rightLimit="none" bottomLimit="textFrame"/>

                                                      </tps:rule&gt;&#xA;
<tps:rule tag="floatFrameAlignmentRule" type="alignment" priority="0"&gt;&#xA;
<tps:floatFrameAlignmentRule
                                xRef="left"
                                              vRef="bottom"
                                                                xBase="columnEdge"
yBase="textFrame" topLimit="textFrame" floatXRef="left" floatYRef="bottom" leftLimit="pageEdge"
rightLimit="pageEdge" bottomLimit="textFrame"/>

                                                        </tps:rule&gt;&#xA;
```

<tps:rule tag="floatLineAlignmentRule" type="alignment" priority="0">


```
<tps:floatLineAlignmentRule
                                 xRef="left"
                                                xBase="columnEdge"
                                                                          yBase="baseline"
                      floatXRef="left"
                                       floatYRef="top"
topLimit="textFrame"
                                                        leftLimit="none"
                                                                          rightLimit="none"
bottomLimit="textFrame"/>

                                         </tps:rule&gt;&#xA;
                                                                  </tps:rules&gt;&#xA;
    <tps:frames&gt;&#xA;
                                      <tps:frame type="imageFrame"/&gt;&#xA;
<tps:frame type="contentFrame"/&gt;&#xA;
                                                       </tps:frames&gt;&#xA;
<tps:floatSpacing top="4.23333 mm" left="-6.35 mm" right="-6.35 mm" bottom="4.23333
                        </tps:elementVariantDef&gt;&#xA;
                                                              </tps:definition&gt;&#xA;
mm"/>

<tps:definition tag="elementVariantDef"&gt;&#xA;
                                                  <tps:elementVariantDef id="3"&gt;&#xA;
              <tps:elementFamily&gt;Figure&lt;/tps:elementFamily&gt;&#xA;
<tps:keywords&gt;&#xA;
                                      <tps:name&gt;2 Col&lt;/tps:name&gt;&#xA;
</tps:keywords&gt;&#xA;
                                 t=0.05 <tps:pos x="12.7 mm" y="27.5167 mm"/&gt;&#xA;
<tps:size width="179.917 mm" height="232.833 mm"/&gt;&#xA;
                                                                 <tps:rules&gt;&#xA;
      <tps:rule tag="placementRule" type="pageSide" priority="1"&gt;&#xA;
<tps:placementRule pageSide="left"/&gt;&#xA;
                                                         </tps:rule&gt;&#xA;
<tps:rule tag="placementRule" type="pageSide" priority="1"&gt;&#xA;
<tps:placementRule_pageSide="right"/&gt;&#xA;
                                                          </tps:rule&gt;&#xA;
<tps:rule tag="floatFrameAlignmentRule" type="alignment" priority="3"&gt;&#xA;
<tps:floatFrameAlignmentRule xRef="center" yRef="top" xBase="textFrame" yBase="textFrame"
topLimit="textFrame"
                          floatXRef="center"
                                                  floatYRef="top"
                                                                       leftLimit="pageEdge"
rightLimit="pageEdge" bottomLimit="variant"/>

                                                            </tps:rule&gt;&#xA;
<tps:rule tag="floatFrameAlignmentRule" type="alignment" priority="0"&gt;&#xA;
<tps:floatFrameAlignmentRule xRef="left" yRef="middle" xBase="variant" yBase="textFrame"
topLimit="textFrame"
                     floatXRef="left"
                                     floatYRef="middle"
                                                         leftLimit="none"
                                                                          rightLimit="none"
bottomLimit="textFrame"/>

                                              </tps:rule&gt;&#xA;
                                                                                <tps:rule
tag="floatFrameAlignmentRule" type="alignment" priority="0">
```

xRef="center"

yRef="bottom"

xBase="textFrame"

<tps:floatFrameAlignmentRule

yBase="textFrame" topLimit="textFrame" floatXRef="center" floatYRef="bottom" leftLimit="pageEdge" rightLimit="pageEdge" bottomLimit="variant"/> <tps:rule_tag="floatLineAlignmentRule"_type="alignment" </tps:rule>
 priority="0"> <tps:floatLineAlignmentRule xRef="left" xBase="variant" topLimit="textFrame" floatXRef="left" yBase="baseline" floatYRef="top" leftLimit="none" rightLimit="none" bottomLimit="textFrame"/> </tps:rule>
 </tps:rules>
 <tps:frames>
 <tps:frame type="imageFrame"/> <tps:frame type="contentFrame"/>
 </tps:frames>
 <tps:floatSpacing top="4.23333 mm" left="0 mm" right="0 mm" bottom="9.17222 mm"/> </tps:elementVariantDef>
 </tps:definition>
 <tps:definition tag="elementVariantDef">
 <tps:elementVariantDef id="8"><tps:elementFamily>Figure</tps:elementFamily>
 <tps:keywords>
 <tps:name>2 Col Tall Wide</tps:name>
 </tps:keywords>
 <tps:pos x="22.9306 mm" y="19.7556 mm"/>
<tps:size width="179.917 mm" height="242.006 mm"/> <tps:rules>
 <tps:rule tag="placementRule" type="pageSide" priority="1"> <tps:placementRule pageSide="left"/> </tps:rule>
 <tps:rule tag="placementRule" type="pageSide" priority="1"> <tps:placementRule pageSide="right"/> </tps:rule>
 <tps:rule tag="floatFrameAlignmentRule" type="alignment" priority="3"> <tps:floatFrameAlignmentRule xRef="center" yRef="top" xBase="textFrame" yBase="variant" topLimit="variant" floatXRef="center" floatYRef="top" leftLimit="pageEdge" rightLimit="pageEdge" bottomLimit="variant"/> </tps:rule>
 <tps:rule tag="floatFrameAlignmentRule" type="alignment" priority="0">

<tps:floatFrameAlignmentRule xRef="left" yRef="middle" xBase="variant" yBase="textFrame"

```
topLimit="textFrame"
                     floatXRef="left"
                                     floatYRef="middle"
                                                         leftLimit="none"
                                                                          rightLimit="none"
bottomLimit="textFrame"/>

                                              </tps:rule&gt;&#xA;
                                                                                <tps:rule
tag="floatFrameAlignmentRule" type="alignment" priority="0">

<tps:floatFrameAlignmentRule xRef="left" yRef="bottom" xBase="variant" yBase="textFrame"
topLimit="textFrame"
                     floatXRef="left"
                                     floatYRef="bottom"
                                                         leftLimit="none"
                                                                          rightLimit="none"
bottomLimit="textFrame"/>

                                              </tps:rule&gt;&#xA;
                                                                                <tps:rule
tag="floatLineAlignmentRule" type="alignment" priority="0">

<tps:floatLineAlignmentRule xRef="left" xBase="variant" yBase="baseline" topLimit="textFrame"
floatXRef="left"
                        floatYRef="top"
                                                 leftLimit="none"
                                                                          rightLimit="none"
bottomLimit="textFrame"/>

                                         </tps:rule&gt;&#xA;
                                                                   </tps:rules&gt;&#xA;
    <tps:frames&gt;&#xA;
                                      <tps:frame type="imageFrame"/&gt;&#xA;
<tps:frame type="contentFrame"/&gt;&#xA;
                                                       </tps:frames&gt;&#xA;
<tps:floatSpacing top="0 mm" left="0 mm" right="0 mm" bottom="0 mm"/&gt;&#xA;
</tps:elementVariantDef&gt;&#xA;
                                          </tps:definition&gt;&#xA;
                                                                           <tps:definition
tag="elementVariantDef">

                                       <tps:elementVariantDef id="1"&gt;&#xA;
<tps:elementFamily&gt;Table-Wrap&lt;/tps:elementFamily&gt;&#xA;
<tps:keywords&gt;&#xA;
                                      <tps:name&gt;1 Col&lt;/tps:name&gt;&#xA;
                                <tps:pos x="23.2833 \text{ mm}" y="27.5167 \text{ mm}"/\>\&\#xA;
</tps:keywords&gt;&#xA;
<tps:size width="76.2 mm" height="3.06913 mm"/&gt;&#xA;
                                                             <tps:rules&gt;&#xA;
<tps:rule tag="placementRule" type="pageSide" priority="1"&gt;&#xA;
<tps:placementRule pageSide="left"/&gt;&#xA;
                                                         </tps:rule&gt;&#xA;
<tps:rule tag="placementRule" type="pageSide" priority="1"&gt;&#xA;
<tps:placementRule pageSide="right"/&gt;&#xA;
                                                          </tps:rule&gt;&#xA;
<tps:rule tag="floatFrameAlignmentRule" type="alignment" priority="3"&gt;&#xA;
<tps:floatFrameAlignmentRule xRef="left" yRef="top" xBase="columnEdge" yBase="textFrame"
```

floatXRef="left"

floatYRef="top"

leftLimit="columnEdge"

topLimit="textFrame"

```
rightLimit="columnEdge" bottomLimit="textFrame"/>

                                                              </tps:rule&gt;&#xA;
 <tps:rule tag="floatFrameAlignmentRule" type="alignment" priority="0"&gt;&#xA;
<tps:floatFrameAlignmentRule xRef="left" yRef="middle" xBase="variant" yBase="textFrame"
topLimit="textFrame"
                     floatXRef="left"
                                     floatYRef="middle"
                                                         leftLimit="none"
                                                                          rightLimit="none"
bottomLimit="textFrame"/>

                                              </tps:rule&gt;&#xA;
                                                                               <tps:rule
tag="floatFrameAlignmentRule" type="alignment" priority="0">

<tps:floatFrameAlignmentRule xRef="left" yRef="bottom" xBase="variant" yBase="textFrame"
topLimit="textFrame"
                     floatXRef="left"
                                     floatYRef="bottom"
                                                         leftLimit="none"
                                                                          rightLimit="none"
bottomLimit="textFrame"/>

                                              </tps:rule&gt;&#xA;
                                                                               <tps:rule
tag="floatLineAlignmentRule" type="alignment" priority="0">

<tps:floatLineAlignmentRule xRef="left" xBase="variant" yBase="baseline" topLimit="textFrame"
floatXRef="left"
                        floatYRef="top"
                                                 leftLimit="none"
                                                                          rightLimit="none"
bottomLimit="textFrame"/>

                                        </tps:rule&gt;&#xA;
                                                                  </tps:rules&gt;&#xA;
     <tps:frames&gt;&#xA;
                                       <tps:frame type="contentFrame"/&gt;&#xA;
</tps:frames&gt;&#xA;
                              <tps:floatSpacing top="4.23333 mm" left="0 mm" right="0 mm"
bottom="4.23333" mm"/>

                                                  </tps:elementVariantDef&gt;&#xA;
                              <tps:definition tag="elementVariantDef"&gt;&#xA;
</tps:definition&gt;&#xA;
<tps:elementVariantDef
                           id="2">

<tps:elementFamily&gt;Table-Wrap&lt;/tps:elementFamily&gt;&#xA;
<tps:keywords&gt;&#xA;
                                   <tps:name&gt;1 Col Wide&lt;/tps:name&gt;&#xA;
</tps:keywords&gt;&#xA;
                                 t=12.7 \text{ mm} = 48.895 \text{ mm}/\text{kgt}
<tps:size width="88.9 mm" height="3.06913 mm"/&gt;&#xA;
                                                             <tps:rules&gt;&#xA;
<tps:rule_tag="placementRule"_type="pageSide"_priority="1"&gt;&#xA;
<tps:placementRule pageSide="left"/&gt;&#xA;
                                                         </tps:rule&gt;&#xA;
<tps:rule tag="placementRule" type="pageSide" priority="1"&gt;&#xA;
```

</tps:rule>

<tps:placementRule_pageSide="right"/>


```
<tps:rule tag="floatFrameAlignmentRule" type="alignment" priority="3"&gt;&#xA;
<tps:floatFrameAlignmentRule xRef="left" yRef="top" xBase="columnEdge" yBase="textFrame"
topLimit="textFrame" floatXRef="left" floatYRef="top" leftLimit="pageEdge" rightLimit="pageEdge"
bottomLimit="textFrame"/>

                                              </tps:rule&gt;&#xA;
                                                                                <tps:rule
tag="floatFrameAlignmentRule" type="alignment" priority="0">

<tps:floatFrameAlignmentRule xRef="left" yRef="middle" xBase="variant" yBase="textFrame"
topLimit="textFrame"
                     floatXRef="left"
                                     floatYRef="middle"
                                                         leftLimit="none"
                                                                          rightLimit="none"
bottomLimit="textFrame"/>

                                              </tps:rule&gt;&#xA;
                                                                                <tps:rule
tag="floatFrameAlignmentRule" type="alignment" priority="0">

<tps:floatFrameAlignmentRule xRef="left" yRef="bottom" xBase="variant" yBase="textFrame"
topLimit="textFrame"
                     floatXRef="left"
                                     floatYRef="bottom"
                                                         leftLimit="none"
                                                                          rightLimit="none"
bottomLimit="textFrame"/>

                                              </tps:rule&gt;&#xA;
                                                                                <tps:rule
tag="floatLineAlignmentRule" type="alignment" priority="0">

<tps:floatLineAlignmentRule xRef="left" xBase="variant" yBase="baseline" topLimit="textFrame"
floatXRef="left"
                        floatYRef="top"
                                                 leftLimit="none"
                                                                          rightLimit="none"
bottomLimit="textFrame"/>

                                        </tps:rule&gt;&#xA;
                                                                  </tps:rules&gt;&#xA;
                                       <tps:frame type="contentFrame"/&gt;&#xA;
     <tps:frames&gt;&#xA;
</tps:frames&gt;&#xA;
                             <tps:floatSpacing top="4.23333 mm" left="-6.35 mm" right="-6.35
mm" bottom="4.23333 mm"/>

                                                   </tps:elementVariantDef&gt;&#xA;
                              <tps:definition tag="elementVariantDef"&gt;&#xA;
</tps:definition&gt;&#xA;
&lt:tps:elementVariantDef
                           id="6">

<tps:elementFamily&gt;Table-Wrap&lt;/tps:elementFamily&gt;&#xA;
<tps:keywords&gt;&#xA;
                                      <tps:name&gt;2 Col&lt;/tps:name&gt;&#xA;
</tps:keywords&gt;&#xA;
                                <tps:pos x="23.2833 \text{ mm}" y="70.6967 \text{ mm}"/\>\&\#xA;
<tps:size width="158.75 mm" height="3.06913 mm"/&gt;&#xA;
                                                               <tps:rules&gt;&#xA;
```

<tps:rule tag="placementRule" type="pageSide" priority="1">


```
<tps:placementRule pageSide="left"/&gt;&#xA;
                                                         </tps:rule&gt;&#xA;
&lt:tps:rule tag="placementRule" type="pageSide" priority="1">

<tps:placementRule pageSide="right"/&gt;&#xA;
                                                          </tps:rule&gt;&#xA;
<tps:rule_tag="floatFrameAlignmentRule"_type="alignment"_priority="3"&gt;&#xA;
<tps:floatFrameAlignmentRule xRef="center" yRef="top" xBase="textFrame" yBase="textFrame"
topLimit="textFrame"
                     floatXRef="center"
                                        floatYRef="top"
                                                         leftLimit="none"
                                                                          rightLimit="none"
bottomLimit="pageEdge"/>

                                              </tps:rule&gt;&#xA;
                                                                               <tps:rule
tag="floatFrameAlignmentRule" type="alignment" priority="0">

<tps:floatFrameAlignmentRule xRef="left" yRef="middle" xBase="variant" yBase="textFrame"
topLimit="textFrame"
                     floatXRef="left"
                                     floatYRef="middle"
                                                         leftLimit="none"
                                                                          rightLimit="none"
bottomLimit="textFrame"/>

                                              </tps:rule&gt;&#xA;
                                                                               &lt:tps:rule
tag="floatFrameAlignmentRule" type="alignment" priority="0">

<tps:floatFrameAlignmentRule xRef="left" yRef="bottom" xBase="variant" yBase="textFrame"
topLimit="textFrame"
                     floatXRef="left"
                                     floatYRef="bottom"
                                                         leftLimit="none"
                                                                          rightLimit="none"
bottomLimit="textFrame"/>

                                              </tps:rule&gt;&#xA;
                                                                               <tps:rule
tag="floatLineAlignmentRule" type="alignment" priority="0">

<tps:floatLineAlignmentRule xRef="left" xBase="variant" yBase="baseline" topLimit="textFrame"
floatXRef="left"
                        floatYRef="top"
                                                 leftLimit="none"
                                                                          rightLimit="none"
bottomLimit="textFrame"/>

                                                                  </tps:rules&gt;&#xA;
                                        </tps:rule&gt;&#xA;
     <tps:frames&gt;&#xA;
                                       <tps:frame type="contentFrame"/&gt;&#xA;
&lt:/tps:frames&gt:

                              <tps:floatSpacing top="4.23333 mm" left="0 mm" right="0 mm"
bottom="4.23333" mm"/>

                                                  </tps:elementVariantDef&gt;&#xA;
</tps:definition&gt;&#xA;
                              <tps:definition tag="elementVariantDef"&gt;&#xA;
<tps:elementVariantDef
                          id="7">

<tps:elementFamily&gt;Table-Wrap&lt;/tps:elementFamily&gt;&#xA;
```

<tps:name>2 Col Wide</tps:name>

<tps:keywords>


```
</tps:keywords&gt;&#xA;
                                  t=0.05 <tps:pos x="12.7 mm" y="99.06 mm"/&gt;&#xA;
<tps:size width="179.917 mm" height="3.06913 mm"/&gt;&#xA;
                                                                 <tps:rules&gt;&#xA;
      <tps:rule tag="placementRule" type="pageSide" priority="1"&gt;&#xA;
<tps:placementRule pageSide="left"/&gt;&#xA;
                                                         </tps:rule&gt;&#xA;
<tps:rule tag="placementRule" type="pageSide" priority="1"&gt;&#xA;
<tps:placementRule pageSide="right"/&gt;&#xA;
                                                          </tps:rule&gt;&#xA;
<tps:rule tag="floatFrameAlignmentRule" type="alignment" priority="3"&gt;&#xA;
<tps:floatFrameAlignmentRule xRef="center" yRef="top" xBase="textFrame" yBase="textFrame"
topLimit="textFrame"
                     floatXRef="center"
                                        floatYRef="top"
                                                         leftLimit="none"
                                                                          rightLimit="none"
bottomLimit="pageEdge"/>

                                              </tps:rule&gt;&#xA;
                                                                                <tps:rule
tag="floatFrameAlignmentRule" type="alignment" priority="0">

<tps:floatFrameAlignmentRule xRef="left" yRef="middle" xBase="variant" yBase="textFrame"
topLimit="textFrame"
                     floatXRef="left"
                                     floatYRef="middle"
                                                         leftLimit="none"
                                                                          rightLimit="none"
bottomLimit="textFrame"/>

                                              </tps:rule&gt;&#xA;
                                                                                <tps:rule
tag="floatFrameAlignmentRule" type="alignment" priority="0">

<tps:floatFrameAlignmentRule xRef="left" yRef="bottom" xBase="variant" yBase="textFrame"
topLimit="textFrame"
                     floatXRef="left"
                                     floatYRef="bottom"
                                                         leftLimit="none"
                                                                          rightLimit="none"
bottomLimit="textFrame"/>

                                              </tps:rule&gt;&#xA;
                                                                                <tps:rule
tag="floatLineAlignmentRule" type="alignment" priority="0">

<tps:floatLineAlignmentRule xRef="left" xBase="variant" yBase="baseline" topLimit="textFrame"
floatXRef="left"
                        floatYRef="top"
                                                 leftLimit="none"
                                                                          rightLimit="none"
bottomLimit="textFrame"/>

                                        </tps:rule&gt;&#xA;
                                                                  </tps:rules&gt;&#xA;
     <tps:frames&gt;&#xA;
                                       <tps:frame type="contentFrame"/&gt;&#xA;
</tps:frames&gt;&#xA;
                              <tps:floatSpacing top="4.23333 mm" left="0 mm" right="0 mm"
bottom="4.23333" mm"/>

                                                  </tps:elementVariantDef&gt;&#xA;
```

<tps:definition tag="elementVariantDef">

</tps:definition>


```
<tps:elementVariantDef id="8"&gt;&#xA;
```

<tps:elementFamily>Table-Wrap</tps:elementFamily>

<tps:keywords>
 <tps:name>Sideturn 1 Col</tps:name>

t,tys:keywords>
 <tps:pos x="33.8667 mm" y="27.5167 mm"/>

<tps:rule tag="placementRule" type="pageSide" priority="1">

<tps:rule tag="placementRule" type="pageSide" priority="1">

<tps:rule tag="floatFrameAlignmentRule" type="alignment" priority="3">

<tps:floatFrameAlignmentRule xRef="left" yRef="top" xBase="columnEdge" yBase="textFrame" topLimit="textFrame" floatXRef="left" floatYRef="top" leftLimit="none" rightLimit="none" bottomLimit="textFrame"/>
 </tps:rule>
 </tps:rule

tag="floatFrameAlignmentRule" type="alignment" priority="0">

<tps:floatFrameAlignmentRule xRef="left" yRef="middle" xBase="variant" yBase="textFrame" topLimit="textFrame" floatXRef="left" floatYRef="middle" leftLimit="none" rightLimit="none" bottomLimit="textFrame"/>
 </tps:rule>
 <tps:rule

 $tag = "floatFrameAlignmentRule" \ type = "alignment" \ priority = "0" \& gt; \& \#xA;$

<tps:floatFrameAlignmentRule xRef="left" yRef="bottom" xBase="variant" yBase="textFrame" topLimit="textFrame" floatXRef="left" floatYRef="bottom" leftLimit="none" rightLimit="none" bottomLimit="textFrame"/>
 </tps:rule>
 </tps:rule

tag="floatLineAlignmentRule" type="alignment" priority="0">

<tps:floatLineAlignmentRule xRef="left" xBase="variant" yBase="baseline" topLimit="textFrame" floatXRef="left" floatYRef="top" leftLimit="none" rightLimit="none"

bottomLimit="textFrame"/>
 </tps:rule>
 </tps:rules>

<tps:frames>
 <tps:frame type="contentFrame"/>


```
</tps:frames&gt;&#xA;
                                   <tps:floatSpacing top="0 mm" left="0 mm" right="0 mm"
bottom="0 mm"/>

                            </tps:elementVariantDef&gt;&#xA;
                                                                </tps:definition&gt;&#xA;
<tps:definition tag="elementVariantDef"&gt;&#xA;
                                                  <tps:elementVariantDef id="9"&gt;&#xA;
            <tps:elementFamily&gt;Table-Wrap&lt;/tps:elementFamily&gt;&#xA;
<tps:keywords&gt;&#xA;
                                <tps:name&gt;Sideturn 1 Col Wide&lt;/tps:name&gt;&#xA;
  </tps:keywords&gt;&#xA;
                                  <tps:pos x="23.2833 \text{ mm}" y="27.5167 \text{ mm}"/\>\&\#xA;
<tps:size width="88.9 mm" height="226.483 mm"/&gt;&#xA;
                                                              <tps:rules&gt;&#xA;
 <tps:rule tag="placementRule" type="pageSide" priority="1"&gt;&#xA;
<tps:placementRule pageSide="left"/&gt;&#xA;
                                                         </tps:rule&gt;&#xA;
<tps:rule tag="placementRule" type="pageSide" priority="1"&gt;&#xA;
<tps:placementRule pageSide="right"/&gt;&#xA;
                                                          &lt:/tps:rule>

<tps:rule tag="floatFrameAlignmentRule" type="alignment" priority="3"&gt;&#xA;
<tps:floatFrameAlignmentRule xRef="left" yRef="top" xBase="columnEdge" yBase="textFrame"
topLimit="textFrame"
                      floatXRef="left"
                                       floatYRef="top"
                                                        leftLimit="none"
                                                                          rightLimit="none"
bottomLimit="textFrame"/>

                                              </tps:rule&gt;&#xA;
                                                                                <tps:rule
tag="floatFrameAlignmentRule" type="alignment" priority="0">

<tps:floatFrameAlignmentRule xRef="left" yRef="middle" xBase="variant" yBase="textFrame"
topLimit="textFrame"
                     floatXRef="left"
                                      floatYRef="middle"
                                                         leftLimit="none"
                                                                          rightLimit="none"
bottomLimit="textFrame"/>

                                              </tps:rule&gt;&#xA;
                                                                                <tps:rule
tag="floatFrameAlignmentRule" type="alignment" priority="0">

<tps:floatFrameAlignmentRule xRef="left" yRef="bottom" xBase="variant" yBase="textFrame"
                     floatXRef="left"
topLimit="textFrame"
                                     floatYRef="bottom"
                                                         leftLimit="none"
                                                                          rightLimit="none"
bottomLimit="textFrame"/>

                                              </tps:rule&gt;&#xA;
                                                                                <tps:rule
tag="floatLineAlignmentRule" type="alignment" priority="0">

<tps:floatLineAlignmentRule xRef="left" xBase="variant" yBase="baseline" topLimit="textFrame"
```

leftLimit="none"

rightLimit="none"

floatXRef="left"

floatYRef="top"

bottomLimit="textFrame"/>
 </tps:rule>
 </tps:rules>

<tps:frames>
 <tps:frame type="contentFrame"/>

</tps:frames>
 <tps:floatSpacing top="0 mm" left="-6.35 mm" right="-6.35 mm"

bottom="-6.35 mm"/>
 </tps:elementVariantDef>

<tps:elementVariantDef id="13">

<tps:elementFamily>Table-Wrap</tps:elementFamily>

<tps:keywords>
 <tps:name>Sideturn 2 Col</tps:name>

</tps:keywords>
 <tps:pos x="33.8667 mm" y="27.5167 mm"/>

<tps:rule tag="placementRule" type="pageSide" priority="1">

<tps:rule tag="placementRule" type="pageSide" priority="1">

<tps:rule tag="floatFrameAlignmentRule" type="alignment" priority="3">

<tps:floatFrameAlignmentRule xRef="center" yRef="top" xBase="textFrame" yBase="textFrame"

topLimit="textFrame" floatXRef="center" floatYRef="top" leftLimit="none" rightLimit="none"

bottomLimit="textFrame"/>
 </tps:rule>
 <tps:rule

tag="floatFrameAlignmentRule" type="alignment" priority="0">

<tps:floatFrameAlignmentRule xRef="left" yRef="middle" xBase="variant" yBase="textFrame"

topLimit="textFrame" floatXRef="left" floatYRef="middle" leftLimit="none" rightLimit="none"

bottomLimit="textFrame"/>
 </tps:rule>
 <tps:rule

tag="floatFrameAlignmentRule" type="alignment" priority="0">

<tps:floatFrameAlignmentRule xRef="left" yRef="bottom" xBase="variant" yBase="textFrame"

topLimit="textFrame" floatXRef="left" floatYRef="bottom" leftLimit="none" rightLimit="none"

bottomLimit="textFrame"/>
 </tps:rule>
 <tps:rule

```
tag="floatLineAlignmentRule" type="alignment" priority="0">

<tps:floatLineAlignmentRule xRef="left" xBase="variant" yBase="baseline" topLimit="textFrame"
floatXRef="left"
                        floatYRef="top"
                                                 leftLimit="none"
                                                                          rightLimit="none"
bottomLimit="textFrame"/>

                                        </tps:rule&gt;&#xA;
                                                                  </tps:rules&qt;&#xA;
     <tps:frames&gt;&#xA;
                                       <tps:frame type="contentFrame"/&gt;&#xA;
                                   <tps:floatSpacing top="0 mm" left="0 mm" right="0 mm"
</tps:frames&gt;&#xA;
bottom="0 mm"/>

                            </tps:elementVariantDef&gt;&#xA; &lt;/tps:definition&gt;&#xA;
<tps:definition tag="elementVariantDef"&gt;&#xA;
                                                  <tps:elementVariantDef id="14"&gt;&#xA;
             <tps:elementFamily&gt;Table-Wrap&lt;/tps:elementFamily&gt;&#xA;
<tps:keywords&gt;&#xA;
                                <tps:name&gt;Sideturn 2 Col Wide&lt;/tps:name&gt;&#xA;
  &lt:/tps:keywords>

                                 t=23.2833 \text{ mm} = 27.5167 \text{ mm} / \text{gt}
<tps:size width="179.917 mm" height="226.483 mm"/&gt;&#xA;
                                                                 <tps:rules&gt;&#xA;
      <tps:rule tag="placementRule" type="pageSide" priority="1"&gt;&#xA;
<tps:placementRule pageSide="left"/&gt;&#xA;
                                                         </tps:rule&gt;&#xA;
<tps:rule tag="placementRule" type="pageSide" priority="1"&gt;&#xA;
<tps:placementRule pageSide="right"/&gt;&#xA;
                                                          </tps:rule&gt;&#xA;
<tps:rule tag="floatFrameAlignmentRule" type="alignment" priority="3"&gt;&#xA;
<tps:floatFrameAlignmentRule xRef="center" yRef="top" xBase="textFrame" yBase="textFrame"
topLimit="textFrame"
                     floatXRef="center"
                                        floatYRef="top"
                                                                          rightLimit="none"
                                                         leftLimit="none"
bottomLimit="textFrame"/>

                                              </tps:rule&gt;&#xA;
                                                                               <tps:rule
tag="floatFrameAlignmentRule" type="alignment" priority="0">

<tps:floatFrameAlignmentRule xRef="left" yRef="middle" xBase="variant" yBase="textFrame"
topLimit="textFrame"
                     floatXRef="left"
                                     floatYRef="middle"
                                                         leftLimit="none"
                                                                          rightLimit="none"
bottomLimit="textFrame"/>

                                              </tps:rule&gt;&#xA;
                                                                               <tps:rule
tag="floatFrameAlignmentRule" type="alignment" priority="0">

<tps:floatFrameAlignmentRule xRef="left" yRef="bottom" xBase="variant" yBase="textFrame"
```

topLimit="textFrame" floatXRef="left" floatYRef="bottom" leftLimit="none" rightLimit="none" bottomLimit="textFrame"/> </tps:rule>
 <tps:rule tag="floatLineAlignmentRule" type="alignment" priority="0"> <tps:floatLineAlignmentRule xRef="left" xBase="variant" yBase="baseline" topLimit="textFrame" floatYRef="top" leftLimit="none" rightLimit="none" floatXRef="left" bottomLimit="textFrame"/> </tps:rule>
 </tps:rules>
 <tps:frames>
 <tps:frame type="contentFrame"/>
 </tps:frames>
 <tps:floatSpacing top="0 mm" left="0 mm" right="0 mm" </tps:definition&qt;
: bottom="0 mm"/> </tps:elementVariantDef>
 <tps:definition tag="elementVariantDef">
 <tps:elementVariantDef id="15">
 <tps:elementFamily>Table-Wrap</tps:elementFamily>
 <tps:keywords>
 <tps:name>Sideturn 2 Col Tall Wide<:/tps:name> </tps:keywords>
 <tps:pos x="23.2833 mm" y="19.7556 mm"/&qt;<tps:size width="179.917 mm" height="242.006 mm"/>
 <tps:rules>
 <tps:rule tag="placementRule" type="pageSide" priority="1"> <tps:placementRule pageSide="left"/>
 <tps:rule tag="placementRule" type="pageSide" </tps:rule>
 <:tps:placementRule pageSide="right"/> priority="1"> </tps:rule>
 <tps:rule_tag="floatFrameAlignmentRule"_type="alignment" priority="3"> <tps:floatFrameAlignmentRule xRef="center" yRef="top" xBase="textFrame" yBase="variant" topLimit="variant" floatXRef="center" floatYRef="top" leftLimit="none" rightLimit="none" bottomLimit="variant"/> </tps:rule>


```
tag="floatFrameAlignmentRule" type="alignment" priority="0">

<tps:floatFrameAlignmentRule xRef="left" yRef="bottom" xBase="variant" yBase="textFrame"
topLimit="textFrame"
                     floatXRef="left"
                                     floatYRef="bottom"
                                                        leftLimit="none"
                                                                         rightLimit="none"
bottomLimit="textFrame"/>

                                             </tps:rule&gt;&#xA;
                                                                               <tps:rule
tag="floatLineAlignmentRule" type="alignment" priority="0">

<tps:floatLineAlignmentRule xRef="left" xBase="variant" yBase="baseline" topLimit="textFrame"
floatXRef="left"
                        floatYRef="top"
                                                leftLimit="none"
                                                                         rightLimit="none"
bottomLimit="textFrame"/>

                                        </tps:rule&gt;&#xA;
                                                                  </tps:rules&qt;&#xA;
     <tps:frames&gt;&#xA;
                                       <tps:frame type="contentFrame"/&gt;&#xA;
                                  <tps:floatSpacing top="0 mm" left="0 mm" right="0 mm"
</tps:frames&gt;&#xA;
                                                               </tps:definition&gt;&#xA;
bottom="0 mm"/>

                            </tps:elementVariantDef&gt;&#xA;
<tps:definition tag="elementVariantDef"&gt;&#xA;
                                                  <tps:elementVariantDef id="1"&gt;&#xA;
            <tps:elementFamily&gt;Box Figure&lt;/tps:elementFamily&gt;&#xA;
<tps:keywords&gt;&#xA;
                                      <tps:name&gt;1 Col&lt;/tps:name&gt;&#xA;
</tps:keywords&gt;&#xA;
                                 <tps:pos x="38.1 mm" y="37.7472 mm"/xgt;
<tps:size width="71.9667 mm" height="210.256 mm"/&gt;&#xA;
                                                                &lt:tps:rules&at:

     <tps:rule tag="placementRule" type="pageSide" priority="1"&gt;&#xA;
<tps:placementRule pageSide="left"/&gt;&#xA;
                                                         </tps:rule&gt;&#xA;
<tps:rule_tag="placementRule"_type="pageSide"_priority="1"&gt;&#xA;
<tps:placementRule pageSide="right"/&gt;&#xA;
                                                         </tps:rule&gt;&#xA;
<tps:rule tag="floatFrameAlignmentRule" type="alignment" priority="3"&gt;&#xA;
<tps:floatFrameAlignmentRule xRef="left" yRef="top" xBase="columnEdge" yBase="textFrame"
topLimit="textFrame" floatXRef="left" floatYRef="top" leftLimit="textFrame" rightLimit="textFrame"
bottomLimit="textFrame"/>

                                             </tps:rule&gt;&#xA;
                                                                               <tps:rule
tag="floatFrameAlignmentRule" type="alignment" priority="0">

<tps:floatFrameAlignmentRule xRef="left" yRef="middle" xBase="variant" yBase="textFrame"
```

```
topLimit="textFrame"
                     floatXRef="left"
                                     floatYRef="middle"
                                                         leftLimit="none"
                                                                           rightLimit="none"
bottomLimit="textFrame"/>

                                              </tps:rule&gt;&#xA;
                                                                                <tps:rule
tag="floatFrameAlignmentRule" type="alignment" priority="2">

<tps:floatFrameAlignmentRule
                                   xRef="left"
                                                   yRef="bottom"
                                                                      xBase="columnEdge"
yBase="textFrame" topLimit="textFrame" floatXRef="left" floatYRef="bottom" leftLimit="textFrame"
rightLimit="textFrame" bottomLimit="textFrame"/>

                                                              </tps:rule&gt;&#xA;
<tps:rule tag="floatLineAlignmentRule" type="alignment" priority="0"&gt;&#xA;
<tps:floatLineAlignmentRule xRef="left" xBase="variant" yBase="baseline" topLimit="textFrame"
floatXRef="left"
                        floatYRef="top"
                                                 leftLimit="none"
                                                                           rightLimit="none"
bottomLimit="textFrame"/>

                                         </tps:rule&gt;&#xA;
                                                                   </tps:rules&gt;&#xA;
    <tps:frames&gt;&#xA;
                                      <tps:frame type="imageFrame"/&gt;&#xA;
<tps:frame type="contentFrame"/&gt;&#xA;
                                                       </tps:frames&gt;&#xA;
<tps:floatSpacing top="8.46667 mm" left="0 mm" right="0 mm" bottom="8.46667 mm"/&gt;&#xA;
      </tps:elementVariantDef&gt;&#xA;
                                             </tps:definition&gt;&#xA;
                                                                            <tps:definition
                                        <tps:elementVariantDef id="2"&gt;&#xA;
tag="elementVariantDef">

<tps:elementFamily&gt;Box Figure&lt;/tps:elementFamily&gt;&#xA;
<tps:keywords&gt;&#xA;
                                       <tps:name&gt;2 Col&lt;/tps:name&gt;&#xA;
                                <tps:pos x="27.5167 \text{ mm}" y="37.7472 \text{ mm}"/\>

</tps:keywords&gt;&#xA;
<tps:size width="150.283 mm" height="210.256 mm"/&gt;&#xA;
                                                                 <tps:rules&qt;&#xA;
      <tps:rule tag="placementRule" type="pageSide" priority="1"&gt;&#xA;
<tps:placementRule pageSide="left"/&gt;&#xA;
                                                          &lt:/tps:rule&gt:

<tps:rule tag="placementRule" type="pageSide" priority="1"&gt;&#xA;
<tps:placementRule pageSide="right"/&gt;&#xA;
                                                          </tps:rule&gt;&#xA;
<tps:rule tag="floatFrameAlignmentRule" type="alignment" priority="3"&gt;&#xA;
<tps:floatFrameAlignmentRule xRef="center" yRef="top" xBase="textFrame" yBase="textFrame"
```

floatXRef="center"

floatYRef="top"

leftLimit="textFrame"

topLimit="textFrame"

```
rightLimit="textFrame" bottomLimit="textFrame"/>

                                                            </tps:rule&gt;&#xA;
<tps:rule tag="floatFrameAlignmentRule" type="alignment" priority="0"&gt;&#xA;
<tps:floatFrameAlignmentRule xRef="left" yRef="middle" xBase="variant" yBase="textFrame"
topLimit="textFrame"
                    floatXRef="left"
                                    floatYRef="middle"
                                                        leftLimit="none"
                                                                        rightLimit="none"
bottomLimit="textFrame"/>

                                             </tps:rule&gt;&#xA;
                                                                              <tps:rule
tag="floatFrameAlignmentRule" type="alignment" priority="2">

<tps:floatFrameAlignmentRule
                                  xRef="center"
                                                    yRef="bottom"
                                                                      xBase="textFrame"
yBase="textFrame"
                       topLimit="textFrame"
                                                floatXRef="center"
                                                                      floatYRef="bottom"
leftLimit="textFrame" rightLimit="textFrame" bottomLimit="textFrame"/>

                                   <tps:rule tag="floatLineAlignmentRule" type="alignment"
</tps:rule&gt;&#xA;
priority="0">

                                    <tps:floatLineAlignmentRule xRef="left" xBase="variant"
                  topLimit="textFrame"
yBase="baseline"
                                        floatXRef="left"
                                                        floatYRef="top"
                                                                         leftLimit="none"
rightLimit="none" bottomLimit="textFrame"/>

                                                           </tps:rule&gt;&#xA;
</tps:rules&gt;&#xA;
                                   <tps:frames&gt;&#xA;
                                                                            <tps:frame
type="imageFrame"/>

                                       <tps:frame type="contentFrame"/&gt;&#xA;
</tps:frames&gt;&#xA;
                              <tps:floatSpacing top="8.46667 mm" left="0 mm" right="0 mm"
bottom="8.46667 mm"/>

                                                 </tps:elementVariantDef&gt;&#xA;
</tps:definition&gt;&#xA;
                              <tps:definition tag="elementVariantDef"&gt;&#xA;
<tps:elementVariantDef id="1"&gt;&#xA;
                                                             <tps:elementFamily&gt;Box
Table-Wrap</tps:elementFamily&gt;&#xA;
                                                  <tps:keywords&gt;&#xA;
<tps:name&gt;2 Col&lt;/tps:name&gt;&#xA;
                                               </tps:keywords&gt;&#xA;
                                                                              <tps:pos
x="27.5167 mm" y="37.7472 mm"/>

                                                         <tps:size width="150.283 mm"
height="1.05833 mm"/>

                                         <tps:rules&gt;&#xA;
                                                                              &lt:tps:rule
tag="placementRule" type="pageSide" priority="1">

                                                                    <tps:placementRule
pageSide="left"/>

                               </tps:rule&gt;&#xA;
                                                           <tps:rule tag="placementRule"
```

<tps:placementRule

type="pageSide" priority="1">

```
pageSide="right"/>

                                          </tps:rule&gt;&#xA;
                                                                               <tps:rule
tag="floatFrameAlignmentRule" type="alignment" priority="3">

<tps:floatFrameAlignmentRule xRef="center" yRef="top" xBase="textFrame" yBase="textFrame"
topLimit="textFrame"
                         floatXRef="center"
                                                 floatYRef="top"
                                                                      leftLimit="textFrame"
rightLimit="textFrame" bottomLimit="textFrame"/>

                                                            </tps:rule&gt;&#xA;
<tps:rule tag="floatFrameAlignmentRule" type="alignment" priority="0"&gt;&#xA;
<tps:floatFrameAlignmentRule xRef="left" yRef="middle" xBase="variant" yBase="textFrame"
topLimit="textFrame"
                     floatXRef="left"
                                     floatYRef="middle"
                                                        leftLimit="none"
                                                                         rightLimit="none"
bottomLimit="textFrame"/>

                                             </tps:rule&gt;&#xA;
                                                                               <tps:rule
tag="floatFrameAlignmentRule" type="alignment" priority="2">

<tps:floatFrameAlignmentRule
                                  xRef="center"
                                                    yRef="bottom"
                                                                       xBase="textFrame"
                       topLimit="textFrame"
yBase="textFrame"
                                                floatXRef="center"
                                                                       floatYRef="bottom"
leftLimit="textFrame" rightLimit="textFrame" bottomLimit="textFrame"/>

                                    <tps:rule_tag="floatLineAlignmentRule"_type="alignment"
</tps:rule&gt;&#xA;
priority="0">

                                    <tps:floatLineAlignmentRule xRef="left" xBase="variant"
yBase="baseline"
                  topLimit="textFrame"
                                        floatXRef="left"
                                                         floatYRef="top"
                                                                          leftLimit="none"
rightLimit="none" bottomLimit="textFrame"/>

                                                            </tps:rule&gt;&#xA;
</tps:rules&gt;&#xA;
                                   <tps:frames&gt;&#xA;
                                                                             <tps:frame
                                                                       <tps:floatSpacing
type="contentFrame"/>

                                       </tps:frames&gt;&#xA;
top="9.17222 mm" left="0 mm" right="0 mm" bottom="9.17222 mm"/>

</tps:elementVariantDef&gt;&#xA;
                                         </tps:definition&gt;&#xA;
                                                                          <tps:definition
tag="elementVariantDef">

                                       <tps:elementVariantDef id="2"&gt;&#xA;
<tps:elementFamily&gt;Box Table-Wrap&lt;/tps:elementFamily&gt;&#xA;
<tps:keywords&gt;&#xA;
                                      <tps:name&gt;1 Col&lt;/tps:name&gt;&#xA;
```

t=0.05 <tps:pos x="38.1 mm" y="37.7472 mm"/>

<tps:rules>

</tps:keywords>

<tps:size width="71.9667 mm" height="1.05833 mm"/>


```
<tps:placementRule pageSide="left"/&gt;&#xA;
                                                       </tps:rule&gt;&#xA;
<tps:rule tag="placementRule" type="pageSide" priority="1"&gt;&#xA;
<tps:placementRule_pageSide="right"/&gt;&#xA;
                                                        </tps:rule&gt;&#xA;
<tps:rule tag="floatFrameAlignmentRule" type="alignment" priority="3"&gt;&#xA;
<tps:floatFrameAlignmentRule xRef="left" yRef="top" xBase="columnEdge" yBase="textFrame"
topLimit="pageMargin" floatXRef="left" floatYRef="top" leftLimit="pageEdge" rightLimit="pageEdge"
bottomLimit="pageMargin"/>

                                             </tps:rule&gt;&#xA;
                                                                             <tps:rule
tag="floatFrameAlignmentRule" type="alignment" priority="0">

<tps:floatFrameAlignmentRule xRef="left" yRef="middle" xBase="variant" yBase="textFrame"
topLimit="textFrame"
                    floatXRef="left"
                                    floatYRef="middle"
                                                       leftLimit="none"
                                                                        rightLimit="none"
bottomLimit="textFrame"/>

                                            </tps:rule&gt;&#xA;
                                                                             <tps:rule
tag="floatFrameAlignmentRule" type="alignment" priority="3">

<tps:floatFrameAlignmentRule
                                  xRef="left"
                                                 yRef="bottom"
                                                                    xBase="columnEdge"
yBase="textFrame" topLimit="pageMargin" floatXRef="left" floatYRef="bottom" leftLimit="none"
rightLimit="none" bottomLimit="pageMargin"/>

                                                          </tps:rule&gt;&#xA;
<tps:rule tag="floatLineAlignmentRule" type="alignment" priority="0"&gt;&#xA;
<tps:floatLineAlignmentRule xRef="left" xBase="variant" yBase="baseline" topLimit="textFrame"
floatXRef="left"
                       floatYRef="top"
                                               leftLimit="none"
                                                                        rightLimit="none"
bottomLimit="textFrame"/>

                                       </tps:rule&qt;&#xA;
                                                                </tps:rules&gt;&#xA;
     <tps:frames&gt;&#xA;
                                      <tps:frame type="contentFrame"/&gt;&#xA;
</tps:frames&gt;&#xA;
                              <tps:floatSpacing top="9.17222 mm" left="0 mm" right="0 mm"
bottom="9.17222 mm"/>

                                                </tps:elementVariantDef&gt;&#xA;
</tps:definition&gt;&#xA; &#xA; &#xA;
                                         <!-- ========= --&gt;&#xA;
                                                                                  <!--
Section Definitions -->

                                 <!-- ========= --&qt;&#xA;

<tps:definition tag="sectionDef"&gt;&#xA;
                                          <tps:sectionDef toc="false" type="mainStory"
```

<tps:rule tag="placementRule" type="pageSide" priority="1">

repeating="true"> <tps:name>Chapter</tps:name>
 <tps:masterSpreads>
 <tps:masterSpread>
 <tps:name>Co2-Chapter Opener</tps:name>
 <tps:startsOn>either</tps:startsOn>
 <tps:filler/>
 </tps:masterSpread>
 <tps:masterSpread>
 <tps:name>C2-Inside Pages 2-col</tps:name>
 <tps:startsOn>either</tps:startsOn>
 <tps:filler/>
 </tps:masterSpread>
 </tps:masterSpreads>
 <tps:field>Chapter Number</tps:field>
 <tps:fields>
 </tps:fields>
 </tps:sectionDef>
 </tps:definition>
 <tps:definition tag="sectionDef">
 <tps:sectionDef toc="false" type="mainStory" <tps:name>Chapter Special Feature</tps:name>
 repeating="true"> <tps:masterSpreads>
 <tps:masterSpread>
 <tps:name>So2-Special Feature Opener</tps:name>
 <tps:startsOn>either</tps:startsOn>
 <tps:filler/>
 </tps:masterSpread>
 <tps:masterSpread>
 <tps:name>S2-Special Feature Text</tps:name>
 <tps:startsOn>either</tps:startsOn>
 <tps:filler/>
 </tps:masterSpreads>
 </tps:masterSpread>
 <tps:fields/>
 </tps:sectionDef>
 </tps:definition>
 <tps:definition tag="sectionDef">
 <tps:sectionDef toc="false" type="mainStory" repeating="true"> <tps:name>Chapter Box</tps:name>
 <tps:masterSpreads>
 <tps:masterSpread>
 <tps:name>Bo2-Box opener</tps:name>

<tps:filler/&qt;

<tps:masterSpread>

<tps:startsOn>either</tps:startsOn>

</tps:masterSpread>

<tps:name>B2-Box Text</tps:name>

</tps:masterSpread>
 </tps:masterSpreads>

<tps:fields/>
 </tps:sectionDef>
 </tps:definition>

repeating="true">
 <tps:name>Chapter References</tps:name>

<tps:masterSpreads>
 <tps:masterSpread>

<tps:name>C2-Inside Pages 2-col</tps:name>

<tps:startsOn>either</tps:startsOn>
 <tps:filler/>

</tps:masterSpread>
 </tps:masterSpreads>

<tps:fields/>
 </tps:sectionDef>
 </tps:definition>

repeating="true">
 <tps:name>Frontmatter Exec

Summary</tps:name>
 <tps:masterSpreads>

<tps:masterSpread>
 <tps:name>Fo2-FM-EM

2-col</tps:name>
 <tps:startsOn>right</tps:startsOn>

<tps:filler/>
 </tps:masterSpread>

<tps:masterSpread>
 <tps:name>FE2-FM-EM Inside

2-col</tps:name>
 <tps:startsOn>either</tps:startsOn>

<tps:filler/>
 </tps:masterSpread>

</tps:masterSpreads>
 </tps:fields/>
 </tps:sectionDef>

</tps:definition>
 <tps:definition tag="sectionDef">
 <tps:sectionDef

toc="false" type="mainStory" repeating="true">
 & lt;tps:name>Frontmatter

1-col</tps:name>
 <tps:masterSpreads>

<tps:masterSpread>
 <tps:name>Fo1-FM-EM

1-col</tps:name>
 <tps:startsOn>either</tps:startsOn>

<tps:filler/>
 </tps:masterSpread>

<tps:masterSpread>
 <tps:name>FE1-FM-EM Inside

1-col</tps:name>
 <tps:startsOn>either</tps:startsOn>

<tps:filler/>
 </tps:masterSpread>

</tps:masterSpreads>
 <tps:fields/>
 </tps:sectionDef>

</tps:definition>
 <tps:definition tag="sectionDef">
 <tps:sectionDef

toc="false" type="mainStory" repeating="true">
 & lt;tps:name>Frontmatter

2-col</tps:name>
 <tps:masterSpreads>

<tps:masterSpread>
 <tps:name>Fo2-FM-EM

2-col</tps:name>
 <tps:startsOn>either</tps:startsOn>

<tps:filler/>
 </tps:masterSpread>

<tps:masterSpread>
 <tps:name>FE2-FM-EM Inside

2-col</tps:name>
 <tps:startsOn>either</tps:startsOn>

<tps:filler/>
 </tps:masterSpread>

</tps:masterSpreads>
 <tps:fields/>
 </tps:sectionDef>

</tps:definition>
 <tps:definition tag="sectionDef">
 <tps:sectionDef

Summary</tps:name>
 <tps:masterSpreads>

<tps:masterSpread>
 <tps:name>CoS1-Chapter Opener

Summary</tps:name>
 <tps:startsOn>right</tps:startsOn>

<tps:filler/>
 </tps:masterSpread>

<tps:masterSpread>
 <tps:name>C2-Inside Pages

2-col</tps:name>
 <tps:startsOn>either</tps:startsOn>

<tps:filler/>
 </tps:masterSpread>

</tps:masterSpreads>
 <tps:fields>
 <tps:fields>Chapter

Number</tps:field>
 </tps:fields>
 </tps:sectionDef>

</tps:definition>
 <tps:definition tag="sectionDef">
 <tps:sectionDef toc="false" type="mainStory" repeating="true">

<tps:name>Glossary</tps:name>
 <tps:masterSpreads>

<tps:masterSpread>
 <tps:name>Fo2-FM-EM

2-col</tps:name>
 <tps:startsOn>right</tps:startsOn>

<tps:filler/>
 </tps:masterSpread>

<tps:masterSpread>
 <tps:name>FE2-FM-EM Inside

2-col</tps:name>
 <tps:startsOn>either</tps:startsOn>

<tps:filler/>
 </tps:masterSpread>

</tps:masterSpreads>
 <tps:fields/>
 </tps:sectionDef>

</tps:definition>
 <tps:definition tag="sectionDef">
 <tps:sectionDef

toc="false" type="mainStory" repeating="true">
 & lt;tps:name>Statistical

Appendix</tps:name>
 <tps:masterSpreads>

<tps:masterSpread>
 <tps:name>Fo2-FM-EM

2-col</tps:name>
 <tps:startsOn>right</tps:startsOn>

<tps:filler/>
 </tps:masterSpread>

<tps:masterSpread>
 <tps:name>FE1-FM-EM Inside

1-col</tps:name>
 <tps:startsOn>either</tps:startsOn>

<tps:filler/>
 </tps:masterSpread>

</tps:masterSpreads>
 <tps:fields/>
 </tps:sectionDef>

</tps:definition>
 <tps:definition tag="sectionDef">
 <tps:sectionDef

toc="false" type="mainStory" repeating="true">
 & lt;tps:name>Book

Annex</tps:name>
 <tps:masterSpreads>

<tps:masterSpread>
 <tps:name>Ao2-Book Annex Opener

2col</tps:name>
 <tps:startsOn>right</tps:startsOn>

<tps:filler/>
 </tps:masterSpread>

<tps:masterSpread>
 <tps:name>C2-Inside Pages

2-col</tps:name>
 <tps:startsOn>either</tps:startsOn>

<tps:filler/>
 </tps:masterSpread>

</tps:masterSpreads>
 <tps:fields/>
 </tps:sectionDef>

</tps:definition>
 <tps:definition tag="sectionDef">
 <tps:sectionDef

toc="false" type="mainStory" repeating="true">
 & lt;tps:name>Chapter

Annex</tps:name>
 <tps:masterSpreads>

<tps:masterSpread>
 <tps:name>C2-Inside Pages

2-col</tps:name>
 <tps:startsOn>either</tps:startsOn>

<tps:filler/>
 </tps:masterSpread>

</tps:masterSpreads>
 <tps:fields/>
 </tps:sectionDef>

</tps:definition>
 <tps:definition tag="sectionDef">
 <tps:sectionDef

1-col</tps:name>
 <tps:masterSpreads>

<tps:masterSpread>
 <tps:name>Fo1-FM-EM

1-col</tps:name>
 <tps:startsOn>either</tps:startsOn>

<tps:filler/>
 </tps:masterSpread>

<tps:masterSpread>
 <tps:name>FE1-FM-EM Inside

1-col</tps:name>
 <tps:startsOn>either</tps:startsOn>

<tps:filler/>
 </tps:masterSpread>

</tps:masterSpreads>
 <tps:fields/>
 </tps:sectionDef>

</tps:definition>
 <tps:definition tag="sectionDef">
 <tps:sectionDef

2-col</tps:name>
 <tps:masterSpreads>

<tps:masterSpread>
 <tps:name>Fo2-FM-EM

2-col</tps:name>
 <tps:startsOn>either</tps:startsOn>


```
<tps:filler/&gt;&#xA;
                                        </tps:masterSpread&gt;&#xA;
<tps:masterSpread&gt;&#xA;
                                                    <tps:name&gt;FE2-FM-EM Inside
                                 <tps:startsOn&gt;either&lt;/tps:startsOn&gt;&#xA;
2-col</tps:name&gt;&#xA;
       <tps:filler/&gt;&#xA;
                                           </tps:masterSpread&gt;&#xA;
                                 <tps:fields/&gt;&#xA;
</tps:masterSpreads&gt;&#xA;
                                                         </tps:sectionDef&gt;&#xA;
</tps:definition&gt;&#xA; &#xA; &#xA;
                                     <!-- =========== --&gt;&#xA; &lt;!-- Field
Definitions -->

                      <!-- ========= --&gt;&#xA;

                                                                     <tps:definition
tag="fieldDef">

                            <tps:fieldDef&gt;&#xA;
                                                              <tps:name&gt;Chapter
Number</tps:name&gt;&#xA;
                                        <tps:type&gt;text&lt;/tps:type&gt;&#xA;
</tps:fieldDef&gt;&#xA;
                      </tps:definition&gt;&#xA; &lt;tps:definition tag="fieldDef"&gt;&#xA;
 <tps:fieldDef&gt;&#xA;
                             <tps:name&gt;Publication Date&lt;/tps:name&gt;&#xA;
<tps:type&gt;text&lt;/tps:type&gt;&#xA;
                                         <tps:level&gt;project&lt;/tps:level&gt;&#xA;
</tps:fieldDef&gt;&#xA;
                      </tps:definition&gt;&#xA; &lt;tps:definition tag="fieldDef"&gt;&#xA;
 <tps:fieldDef&gt;&#xA;
                             <tps:name&gt;Publication Title&lt;/tps:name&gt;&#xA;
<tps:type&gt;text&lt;/tps:type&gt;&#xA;
                                         <tps:level&gt;project&lt;/tps:level&gt;&#xA;
                           </tps:definition&gt;&#xA;
</tps:fieldDef&gt;&#xA;

                                                                              &lt:!--
<!-- TOC Style Definitions --&gt;&#xA;
                                                                              <!--
<tps:tocStyleDef&gt;&#xA;
                                   <tps:name&gt;[Default]&lt;/tps:name&gt;&#xA;
</tps:tocStyleDef&gt;&#xA; &lt;/tps:definition&gt;&#xA;&lt;/tps:template&gt;&#xA;</tps:txml>
    </tps:template>
   </rdf:Description>
 </rdf:RDF>
</x:xmpmeta>
<?xpacket end="r"?>
```

endstream

endobj 203 0 obj <</CreationDate(D:20230404045618+08'00')/Creator(Adobe InDesign 14.0 \(Macintosh\))/ModDate(D:20230404045621+08'00')/Producer(Adobe PDF Library 15.0)/Trapped/False>> endobj xref 0 204 0000000000 65535 f 0000176346 00000 n 0000177292 00000 n 0000182275 00000 n 0000183308 00000 n 0000191467 00000 n 0000191492 00000 n 0000191951 00000 n 0000191976 00000 n 0000192550 00000 n 0000202279 00000 n 0000202315 00000 n 0000203324 00000 n 0000208656 00000 n 0000208682 00000 n 0000209240 00000 n

0000218967 00000 n

0000543624 00000 n

```
0000562899 00000 n
0000562996 00000 n
0000563110 00000 n
0000751842 00000 n
trailer
<</Size
204/ID[<A6C72C06CE294CA9A21419D363ED285B><90866DE7C41442BFBEF9CC43D509E03C
>]>>
startxref
116
%%EOF
202 0 obj
<</Length 191630/Subtype/XML/Type/Metadata>>stream
<?xpacket begin="" id="W5M0MpCehiHzreSzNTczkc9d"?>
<x:xmpmeta xmlns:x="adobe:ns:meta/" x:xmptk="Adobe XMP Core 9.0-c000</pre>
                                                                               79.cca54b0,
2022/11/26-09:29:55
 <rdf:RDF xmlns:rdf="http://www.w3.org/1999/02/22-rdf-syntax-ns#">
   <rdf:Description rdf:about=""
      xmlns:xmp="http://ns.adobe.com/xap/1.0/"
      xmlns:xmpMM="http://ns.adobe.com/xap/1.0/mm/"
      xmlns:stRef="http://ns.adobe.com/xap/1.0/sType/ResourceRef#"
      xmlns:stEvt="http://ns.adobe.com/xap/1.0/sType/ResourceEvent#"
      xmlns:dc="http://purl.org/dc/elements/1.1/"
      xmlns:pdf="http://ns.adobe.com/pdf/1.3/"
      xmlns:tps="http://www.typefi.com/TemplateXML">
     <xmp:CreateDate>2023-04-04T04:56:18+08:00</xmp:CreateDate>
```

```
<xmp:ModifyDate>2023-04-04T13:45:49-04:00</xmp:ModifyDate>
     <xmp:CreatorTool>Adobe InDesign 14.0 (Macintosh)/xmp:CreatorTool>
     <xmpMM:InstanceID>uuid:f8876d1b-682e-4b0b-91b8-63aa0c6ef54f</xmpMM:InstanceID>
<xmpMM:OriginalDocumentID>xmp.did:BE52BC84228B11688C85F33DBB1C1490</xmpMM:Origin</p>
alDocumentID>
<xmpMM:DocumentID>xmp.id:f405784d-1f4c-491b-aa5a-d7b65ece4516</xmpMM:DocumentID>
     <xmpMM:RenditionClass>proof:pdf</xmpMM:RenditionClass>
     <xmpMM:DerivedFrom rdf:parseType="Resource">
      <stRef:instanceID>xmp.iid:97cb68d2-9875-4f55-a854-83ad5cfd19a4</stRef:instanceID>
<stRef:documentID>xmp.did:82b73e70-d86b-754d-99a5-c8fc7c85d958</stRef:documentID>
<stRef:originalDocumentID>xmp.did:BE52BC84228B11688C85F33DBB1C1490</stRef:originalDoc
umentID>
      <stRef:renditionClass>default</stRef:renditionClass>
     </xmpMM:DerivedFrom>
     <xmpMM:History>
      <rdf:Seq>
        <rdf:li rdf:parseType="Resource">
          <stEvt:action>converted</stEvt:action>
          <stEvt:parameters>from application/x-indesign to application/pdf</stEvt:parameters>
          <stEvt:softwareAgent>Adobe InDesign CC 14.0 (Macintosh)</stEvt:softwareAgent>
          <stEvt:changed>/</stEvt:changed>
```

<xmp:MetadataDate>2023-04-04T13:45:49-04:00

```
<stEvt:when>2023-04-04T04:56:18+08:00</stEvt:when>
         </rdf:li>
       </rdf:Seq>
     </xmpMM:History>
     <dc:format>application/pdf</dc:format>
     <dc:title>
       <rdf:Alt>
              <rdf:li xml:lang="x-default">Global Financial Stability Report, April 2023 - Chapter 3:
Geopolitics and Financial Fragmentation: Implications for Macro-Financial Stability; April 5,
2023</rdf:li>
       </rdf:Alt>
     </dc:title>
     <dc:creator>
       <rdf:Bag/>
     </dc:creator>
     <dc:subject>
       <rdf:Bag>
         <rdf:li>geopolitics</rdf:li>
         <rdf:li>globalization</rdf:li>
         <rdf:li>financial stability</rdf:li>
         <rdf:li>fragmentation</rdf:li>
         <rdf:li>capital flows</rdf:li>
         <rdf:li>portfolio investment</rdf:li>
         <rdf:li>banking</rdf:li>
       </rdf:Bag>
     </dc:subject>
```

```
<pdf:Producer>Adobe PDF Library 15.0</pdf:Producer>
<pdf:Trapped>False</pdf:Trapped>
```

<pdf:Keywords>geopolitics; globalization; financial stability; fragmentation; capital flows;portfolio investment; banking</pdf:Keywords>

<tps:template rdf:parseType="Resource">

</tps:font>


```
<tps:txml>&lt;?xml version="1.0" encoding="utf-8"?&gt;&#xA;&#xA;&lt;?origin&#xA;&#xA;
                                31,
                                     2020,
File=

            Date=Friday,
                        January
                                           9:16
                                                AM&\#xA;\&\#xA;
                                                                 From="Typefi
Designerâ, ¢"

?>

<tps:template
xmlns:tps="http://www.typefi.com/TemplateXML"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
                                                          schemaVersion="4.4"
xsi:schemaLocation="http://www.typefi.com/TemplateXML
http://www.typefi.com/TPS/template/4_4/TemplateXML.xsd">

                                                                       <!--
<!-- Document Definition --&gt;&#xA;
                                                                       <!--
<tps:definition tag="documentDef"&gt;&#xA;
<tps:documentDef&gt;&#xA;
                            <tps:facingPages&gt;true&lt;/tps:facingPages&gt;&#xA;
</tps:documentDef&gt;&#xA;
                           </tps:definition&gt;&#xA;

                                                                       &lt:!--
<tps:definition
<!-- ============ --&gt;&#xA;

tag="charStyleDef">

                           <tps:charStyleDef&gt;&#xA;
                                                           <tps:name&gt;Box
Number</tps:name&gt;&#xA;
                               <tps:basedOn&gt;*&lt;/tps:basedOn&gt;&#xA;
<tps:leading&gt;0 pt&lt;/tps:leading&gt;&#xA;
                                               &lt:/tps:charStyleDef>&#xA:
</tps:definition&gt;&#xA;
                           <tps:definition tag="charStyleDef"&gt;&#xA;
<tps:charStyleDef&gt;&#xA;
                            <tps:name&gt;Intro inline.roman&lt;/tps:name&gt;&#xA;
  <tps:basedOn&gt;*&lt;/tps:basedOn&gt;&#xA;
                                               <tps:font&gt;&#xA;
<tps:name/&gt;&#xA;
                               <tps:style&gt;Regular&lt;/tps:style&gt;&#xA;
```

<tps:leading>0 pt</tps:leading>

</tps:charStyleDef>
 </tps:definition>
 <tps:definition tag="charStyleDef"> <tps:charStyleDef>
 <tps:name>symbol</tps:name>
 <tps:basedOn&qt;*</tps:basedOn&qt;
 <tps:font>
 <tps:name>Symbol</tps:name>
 <tps:style>Regular</tps:style>
 </tps:font>
 <tps:leading>0 pt</tps:leading>
 </tps:charStyleDef>
 <!-- Paragraph Style Definitions -->
 <:!-- =========== --&qt; <tps:definition tag="parStyleDef">
 <tps:parStyleDef>
 <tps:name>BlockQuote</tps:name>
 <tps:basedOn>Normal</tps:basedOn>
 <tps:charStyle>
 <tps:charStyleDef>
 <tps:name>BlockQuote</tps:name>
 <tps:basedOn>Normal</tps:basedOn>
 <tps:fontSize>9 <tps:leading>12 pt</tps:leading>
 pt</tps:fontSize>
 </tps:charStyleDef>
 </tps:charStyle>
 <tps:indentLeft>3.52778 mm</tps:indentLeft>
 <tps:indentFirstLine>0 mm</tps:indentFirstLine>
 <tps:spaceAfter>2.11667 <tps:nextStyle&qt;BlockQuote</tps:nextStyle&qt;
 mm</tps:spaceAfter>
 </tps:parStyleDef>
 </tps:definition>
 <tps:definition tag="parStyleDef"> <tps:parStyleDef>
 <tps:name>BlockQuote Attribution</tps:name>
 <tps:basedOn>BlockQuote</tps:basedOn>
 <tps:charStyle>
 <tps:charStyleDef>
 <tps:name>BlockQuote Attribution</tps:name>

<tps:font>

<tps:style>ltalic</tps:style>

<tps:basedOn>BlockQuote</tps:basedOn>

<tps:name/>

</tps:font>
 <tps:leading>0 pt</tps:leading>

</tps:charStyleDef>
 </tps:charStyle>

<tps:spaceAfter>2.82222 mm</tps:spaceAfter>

<tps:nextStyle>BlockQuote Attribution</tps:nextStyle>

</tps:parStyleDef>
 </tps:definition>
 <tps:definition

tag="parStyleDef">
 <tps:parStyleDef>
 <tps:name>Box A

Head</tps:name>
 <tps:charStyle>

<tps:charStyleDef>
 <tps:name>Box A Head</tps:name>

<tps:font>
 <tps:name>Adobe Garamond

Pro</tps:name>
 <tps:style>Semibold Italic</tps:style>

</tps:font>
 <tps:fontSize>10 pt</tps:fontSize>

<tps:leading>12 pt</tps:leading>
 <tps:color tint="100 %">

PANTONE 364 C
 </tps:color>

</tps:charStyleDef>
 </tps:charStyle>

<tps:spaceBefore>2.82222 mm</tps:spaceBefore>

<tps:font>

Head</tps:nextStyle>
 </tps:parStyleDef>
 </tps:definition>

<tps:name>Box Bullets</tps:name>
 <tps:charStyle>

<tps:charStyleDef>
 <tps:name>Box Bullets</tps:name>

<tps:name>Adobe Garamond

Pro</tps:name>
 <tps:style>Regular</tps:style>

</tps:font>
 <tps:fontSize>9.5 pt</tps:fontSize>

</tps:charStyle>
 <tps:indentLeft>3.52778 mm</tps:indentLeft>

<tps:indentFirstLine>-3.52778 mm</tps:indentFirstLine>

<tps:nextStyle>Box Bullets</tps:nextStyle>
 </tps:parStyleDef>
 </tps:definition>
 <tps:definition tag="parStyleDef">
 <tps:parStyleDef>
 <tps:name>Box Bullets.last</tps:name>
 <tps:basedOn>Box Bullets</tps:basedOn>
 <tps:charStyle>
 <tps:charStyleDef>
 <tps:name>Box Bullets.last</tps:name>
 <tps:basedOn>Box Bullets</tps:basedOn>
 <tps:leading>0 pt</tps:leading>
 </tps:charStyleDef>
 </tps:charStyle>
 <tps:spaceAfter>1.05833 mm</tps:spaceAfter>
 <tps:nextStyle&qt;Box Bullets.last</tps:nextStyle&qt;
 </tps:parStyleDef>
 </tps:definition>
 <tps:definition <tps:name>Box Figure tag="parStyleDef"> <tps:parStyleDef>
 <tps:basedOn>Figure Title</tps:basedOn>
 Title</tps:name>
 <tps:charStyle>
 <tps:charStyleDef>
 <tps:name>Box Figure Title</tps:name>
 <tps:basedOn>Figure <tps:leading>0 pt</tps:leading>
 Title</tps:basedOn>
 </tps:charStyleDef>
 </tps:charStyle>
 <tps:nextStyle>Box Figure Title</tps:nextStyle>
 </tps:parStyleDef>
 </tps:definition>
 <tps:definition tag="parStyleDef">
 <tps:parStyleDef>
 <tps:name>Box Intro.single</tps:name>
 <tps:basedOn>Intro.single</tps:basedOn>
 <tps:charStyle>
 <tps:name>Box Intro.single</tps:name>
 <tps:charStyleDef>
 <tps:basedOn>Intro.single</tps:basedOn>
 <tps:fontSize>9.5 pt</tps:fontSize>
 <tps:leading>12 pt</tps:leading>
 <tps:color>
 Black

</tps:charStyleDef>

<tps:nextStyle>Box Intro.single</tps:nextStyle>

</tps:charStyle>

</tps:color>

</tps:parStyleDef>
 </tps:definition>
 <tps:definition

tag="parStyleDef">
 <tps:parStyleDef>
 <tps:name>Box

Normal</tps:name>
 <tps:charStyle>

<tps:charStyleDef>
 <tps:name>Box Normal</tps:name>

<tps:font>
 <tps:name>Adobe Garamond

Pro</tps:name>
 <tps:style>Regular</tps:style>

</tps:font>
 <tps:fontSize>9.5 pt</tps:fontSize>

</tps:charStyle>
 <tps:indentFirstLine>3.175

mm</tps:indentFirstLine>
 <tps:nextStyle>Box

Normal</tps:nextStyle>
 </tps:parStyleDef>
 </tps:definition>

<tps:name>Box Normal.flush</tps:name>
 <tps:basedOn>Box

Normal</tps:basedOn>
 <tps:charStyle>

<tps:charStyleDef>
 <tps:name>Box Normal.flush</tps:name>

<tps:basedOn>Box Normal</tps:basedOn>

</tps:charStyle>
 <tps:indentFirstLine>0 mm</tps:indentFirstLine>

<tps:nextStyle>Box Normal</tps:nextStyle>
 </tps:parStyleDef>

</tps:definition>
 <tps:definition tag="parStyleDef">

<tps:parStyleDef>
 <tps:name>Box Number List</tps:name>

<tps:basedOn>Number List</tps:basedOn>
 <tps:charStyle>

<tps:charStyleDef>
 <tps:name>Box Number

List</tps:name>
 <tps:basedOn>Number List</tps:basedOn>

<tps:fontSize>9.5 pt</tps:fontSize>
 <tps:leading>12

pt</tps:leading>
 </tps:charStyleDef>

</tps:charStyle>
 <tps:nextStyle>Box Number List</tps:nextStyle>

</tps:parStyleDef>
 </tps:definition>
 <tps:definition

tag="parStyleDef">
 <tps:parStyleDef>
 <tps:name>Box Number

List.first</tps:name>
 <tps:basedOn>Box Number

List</tps:basedOn>
 <tps:charStyle>

<tps:charStyleDef>
 <tps:name>Box Number

List.first</tps:name>
 <tps:basedOn>Box Number

List</tps:basedOn>
 <tps:leading>0 pt</tps:leading>

</tps:charStyleDef>
 </tps:charStyle>
 <tps:nextStyle>Box

Number List.first</tps:nextStyle>
 </tps:parStyleDef>

</tps:definition>
 <tps:definition tag="parStyleDef">

<tps:parStyleDef>
 <tps:name>Box Title</tps:name>

<tps:charStyle>
 <tps:charStyleDef>
 <tps:name>Box

Title</tps:name>
 <tps:font>
 <tps:name/>

<tps:style>Bold Condensed</tps:style>

</tps:font>
 <tps:leading>12 pt</tps:leading>

<tps:color tint="100 %">
 PANTONE 364 C

</tps:color>
 </tps:charStyleDef>
 </tps:charStyle>

Title</tps:nextStyle>
 </tps:parStyleDef>
 </tps:definition>

<tps:name>Figure Title</tps:name>
 <tps:charStyle>

<tps:font>
 <tps:name>Helvetica</tps:name>

<tps:fontSize>10 pt</tps:fontSize>
 <tps:leading>12

pt</tps:leading>
 <tps:color tint="100 %">
 PANTONE

364 C
 </tps:color>
 </tps:charStyleDef>

</tps:charStyle>
 <tps:nextStyle>Figure Title</tps:nextStyle>

</tps:parStyleDef>
 </tps:definition>
 <tps:definition

tag="parStyleDef">
 <tps:parStyleDef>
 <tps:name>Glossary

Entry</tps:name>
 <tps:basedOn>Normal</tps:basedOn>

<tps:charStyle>
 <tps:charStyleDef>

<tps:name>Glossary Entry</tps:name>

<tps:basedOn>Normal</tps:basedOn>
 <tps:leading>0

pt</tps:leading>
 </tps:charStyleDef>

</tps:charStyle>
 <tps:indentFirstLine>0 mm</tps:indentFirstLine>

<tps:spaceAfter>1.51694 mm</tps:spaceAfter>

<tps:nextStyle>Glossary Entry</tps:nextStyle>
 </tps:parStyleDef>

</tps:definition>
 <tps:definition tag="parStyleDef">

<tps:parStyleDef>
 <tps:name>Heading 0</tps:name>

<tps:charStyle>
 <tps:charStyleDef>

<tps:name>Heading 0</tps:name>
 <tps:font>

<tps:name/>
 <tps:style>Bold Condensed</tps:style>

</tps:font&qt;
 <tps:fontSize&qt;18 pt</tps:fontSize&qt;

White
 </tps:color>

</tps:charStyle>
 <tps:nextStyle>Heading 0</tps:nextStyle>

</tps:parStyleDef>
 </tps:definition>
 <tps:definition

tag="parStyleDef">
 <tps:parStyleDef>
 <tps:name>Heading

1</tps:name>
 <tps:charStyle>
 <tps:charStyleDef>

<tps:name>Heading 1</tps:name>

<tps:font>

<tps:name/>

<tps:style>Bold

Condensed</tps:style>

</tps:font>

<tps:fontSize>13 pt</tps:fontSize>

<tps:leading>13

pt</tps:leading>

<tps:color tint="100 %">

PANTONE

364 C

</tps:color>

</tps:charStyleDef>

</tps:charStyle>

<tps:spaceBefore>7.76111

mm</tps:spaceBefore>

<tps:spaceAfter>1.41111

mm</tps:spaceAfter>

<tps:nextStyle>Heading 1</tps:nextStyle>

</tps:parStyleDef>

</tps:definition>

<tps:color tint="100 %">

<tps:definition

tag="parStyleDef">

<tps:parStyleDef>

<tps:name>Heading

2</tps:name>

<tps:charStyle>

<tps:charStyleDef>

<tps:name>Heading 2</tps:name>

<tps:font>

<tps:name/>

</tps:font>

Condensed</tps:style>

<tps:fontSize>11 pt</tps:fontSize>

<tps:leading>13

PANTONE

<tps:style>Bold

364 C

</tps:color>

</tps:charStyleDef>

</tps:charStyle>

pt</tps:leading>

<tps:spaceBefore>7.76111

mm</tps:spaceBefore>

<tps:spaceAfter>1.41111

mm</tps:spaceAfter>

<tps:nextStyle>Normal.flush</tps:nextStyle>

</tps:parStyleDef>

</tps:definition>

<tps:definition

tag="parStyleDef">

<tps:parStyleDef>

<tps:name>Heading

2.stacked</tps:name>

<tps:basedOn>Heading 2</tps:basedOn>

<tps:charStyle>

<tps:charStyleDef>

<tps:name>Heading 2.stacked</tps:name>

<tps:basedOn>Heading

2</tps:basedOn>
 <tps:leading>0 pt</tps:leading>
 </tps:charStyleDef>
 </tps:charStyle>
 <tps:spaceBefore>0 mm</tps:spaceBefore>
 <tps:nextStyle>Heading 2.stacked</tps:nextStyle>
 </tps:parStyleDef>
 </tps:definition>
 <tps:parStyleDef>
 <tps:definition tag="parStyleDef">
 <tps:name>Heading 3</tps:name>
 <tps:charStyle>
 <tps:charStyleDef>
 <tps:name>Heading 3</tps:name>
 <tps:font>
 <tps:name>Adobe Garamond Pro</tps:name>
 <tps:style>Bold Italic</tps:style>
 </tps:font>
 <tps:fontSize>10 pt</tps:fontSize>
 <tps:leading>13 pt</tps:leading>
 <tps:color tint="100 %">
 PANTONE 364 C </tps:color>
 </tps:charStyleDef>
 </tps:charStyle>
 <tps:spaceBefore>3.175 mm</tps:spaceBefore>
 <tps:spaceAfter>1.41111 mm</tps:spaceAfter>
 <tps:nextStyle>Normal</tps:nextStyle>
 </tps:parStyleDef>
 <tps:definition tag="parStyleDef">
 </tps:definition>
 <tps:parStyleDef>
 <tps:name>Heading 3.stacked</tps:name>
 <tps:basedOn>Heading 3</tps:basedOn>
 <tps:charStyle>
 <tps:charStyleDef>
 <tps:name>Heading 3.stacked</tps:name>
 <tps:basedOn>Heading 3</tps:basedOn>
 <tps:leading>0 pt</tps:leading>
 </tps:charStyleDef>
 </tps:charStyle>
 <tps:spaceBefore>0 mm</tps:spaceBefore>
 <tps:nextStyle>Heading

</tps:parStyleDef>
 </tps:definition>

<tps:parStyleDef>

3.stacked</tps:nextStyle>

<tps:definition tag="parStyleDef">


```
<tps:name&gt;Heading 4&lt;/tps:name&gt;&#xA;
                                                                <tps:basedOn&gt;Heading
3</tps:basedOn&gt;&#xA;
                                           <tps:charStyle&gt;&#xA;
<tps:charStyleDef&gt;&#xA;
                                      <tps:name&gt;Heading 4&lt;/tps:name&gt;&#xA;
    <tps:basedOn&gt;Heading 3&lt;/tps:basedOn&gt;&#xA;
                                                                  <tps:font&gt;&#xA;
                                          <tps:style&gt;ltalic&lt;/tps:style&gt;&#xA;
        <tps:name/&gt;&#xA;
  </tps:font&gt;&#xA;
                                    <tps:leading&gt;0 pt&lt;/tps:leading&gt;&#xA;
</tps:charStyleDef&gt;&#xA;
                                               </tps:charStyle&gt;&#xA;
<tps:spaceAfter&gt;2.82222
                             mm</tps:spaceAfter&qt;&#xA;
<tps:nextStyle&gt;Normal&lt;/tps:nextStyle&gt;&#xA;
                                                           </tps:parStyleDef&gt;&#xA;
</tps:definition&gt;&#xA;
                                <tps:definition tag="parStyleDef"&gt;&#xA;
<tps:parStyleDef&gt;&#xA;
                                <tps:name&gt;Heading 4.stacked&lt;/tps:name&gt;&#xA;
 <tps:basedOn&gt;Heading 4&lt;/tps:basedOn&gt;&#xA;
                                                           <tps:charStyle&gt;&#xA;
      <tps:charStyleDef&gt;&#xA;
                                                                   <tps:name&gt;Heading
4.stacked</tps:name&gt;&#xA;
                                                                <tps:basedOn&gt;Heading
                                      <tps:leading&gt;0 pt&lt;/tps:leading&gt;&#xA;
4</tps:basedOn&gt;&#xA;
</tps:charStyleDef&gt;&#xA;
                                   </tps:charStyle&gt;&#xA;
                                                                   <tps:spaceBefore&gt;0
mm</tps:spaceBefore&gt;&#xA;
                                                                <tps:nextStyle&gt;Heading
4.stacked</tps:nextStyle&gt;&#xA;
                                     </tps:parStyleDef&gt;&#xA; &lt;/tps:definition&gt;&#xA;
   <tps:definition tag="parStyleDef"&gt;&#xA;
                                                    <tps:parStyleDef&gt;&#xA;
<tps:name&gt;Intro.first&lt;/tps:name&gt;&#xA;
<tps:basedOn&gt;Intro.single&lt;/tps:basedOn&gt;&#xA;
                                                          <tps:charStyle&gt;&#xA;
 <tps:charStyleDef&gt;&#xA;
                                       <tps:name&gt;Intro.first&lt;/tps:name&gt;&#xA;
     <tps:basedOn&gt;Intro.single&lt;/tps:basedOn&gt;&#xA;
                                                                        <tps:leading&gt;0
pt</tps:leading&gt;&#xA;
                                   <tps:color&gt;&#xA;
                                                                    PANTONE 364 C
```

</tps:color>
 </tps:charStyleDef>

</tps:charStyle>
 <tps:spaceAfter>0 mm</tps:spaceAfter>


```
<tps:nextStyle&gt;Intro.first&lt;/tps:nextStyle&gt;&#xA;
                                                             </tps:parStyleDef&gt;&#xA;
</tps:definition&gt;&#xA;
                                 <tps:definition tag="parStyleDef"&gt;&#xA;
<tps:parStyleDef&gt;&#xA;
                                     <tps:name&gt;Intro.last&lt;/tps:name&gt;&#xA;
<tps:basedOn&gt;Intro.single&lt;/tps:basedOn&gt;&#xA;
                                                           <tps:charStyle&gt;&#xA;
                                        <tps:name&gt;Intro.last&lt;/tps:name&gt;&#xA;
 <tps:charStyleDef&gt;&#xA;
     <tps:basedOn&gt;Intro.single&lt;/tps:basedOn&gt;&#xA;
                                                                          <tps:leading&gt;0
pt</tps:leading&gt;&#xA;
                                               </tps:charStyleDef&gt;&#xA;
</tps:charStyle&gt;&#xA;
                                                            <tps:indentFirstLine&gt;3.52778
                                        <tps:nextStyle&gt;Intro.last&lt;/tps:nextStyle&gt;&#xA;
mm</tps:indentFirstLine&gt;&#xA;
           </tps:parStyleDef&gt;&#xA;
                                             </tps:definition&gt;&#xA;
                                                                             <tps:definition
tag="parStyleDef">

                                          <tps:parStyleDef&gt;&#xA;
<tps:name&gt;Intro.middle&lt;/tps:name&gt;&#xA;
<tps:basedOn&gt;Intro.last&lt;/tps:basedOn&gt;&#xA;
                                                          <tps:charStyle&gt;&#xA;
<tps:charStyleDef&gt;&#xA;
                                       <tps:name&gt;Intro.middle&lt;/tps:name&gt;&#xA;
       <tps:basedOn&gt;Intro.last&lt;/tps:basedOn&gt;&#xA;
                                                                          <tps:leading&gt;0
pt</tps:leading&gt;&#xA;
                                               </tps:charStyleDef&gt;&#xA;
                                 <tps:spaceAfter&gt;0 mm&lt;/tps:spaceAfter&gt;&#xA;
</tps:charStyle&gt;&#xA;
<tps:nextStyle&gt;Intro.middle&lt;/tps:nextStyle&gt;&#xA;
                                                             </tps:parStyleDef&gt;&#xA;
                                 <tps:definition tag="parStyleDef"&gt;&#xA;
</tps:definition&gt;&#xA;
<tps:parStyleDef&gt;&#xA;
                                    <tps:name&gt;Intro.single&lt;/tps:name&gt;&#xA;
<tps:charStyle&gt;&#xA;
                                          <tps:charStyleDef&gt;&#xA;
<tps:name&gt;Intro.single&lt;/tps:name&gt;&#xA;
                                                          <tps:font&gt;&#xA;
<tps:name&gt;Adobe Garamond Pro&lt;/tps:name&gt;&#xA;
<tps:style&gt;ltalic&lt;/tps:style&gt;&#xA;
                                                       </tps:font&gt;&#xA;
<tps:fontSize&gt;10 pt&lt;/tps:fontSize&gt;&#xA;
                                                                        <tps:leading&gt;13
pt</tps:leading&gt;&#xA;
                                   <tps:color tint="100 %"&gt;&#xA;
                                                                                 PANTONE
```

```
364 C

                        </tps:color&gt;&#xA;
                                                       </tps:charStyleDef&gt;&#xA;
</tps:charStyle&gt;&#xA;
                               <tps:spaceAfter&gt;4.23333 mm&lt;/tps:spaceAfter&gt;&#xA;
    <tps:nextStyle&gt;Intro.single&lt;/tps:nextStyle&gt;&#xA;
                                                              </tps:parStyleDef&gt;&#xA;
</tps:definition&gt;&#xA;
                                 <tps:definition tag="parStyleDef"&gt;&#xA;
                                    <tps:name&gt;List Bullet&lt;/tps:name&gt;&#xA;
<tps:parStyleDef&gt;&#xA;
<tps:basedOn&gt;Normal&lt;/tps:basedOn&gt;&#xA;
                                                        <tps:charStyle&gt;&#xA;
<tps:charStyleDef&gt;&#xA;
                                      <tps:name&gt;List Bullet&lt;/tps:name&gt;&#xA;
     <tps:basedOn&gt;Normal&lt;/tps:basedOn&gt;&#xA;
                                                                         <tps:leading&gt;0
pt</tps:leading&gt;&#xA;
                                               </tps:charStyleDef&gt;&#xA;
</tps:charStyle&gt;&#xA;
                               <tps:indentLeft&gt;3.52778 mm&lt;/tps:indentLeft&gt;&#xA;
      <tps:indentFirstLine&gt;-3.52778 mm&lt;/tps:indentFirstLine&gt;&#xA;
<tps:nextStyle&gt;Normal&lt;/tps:nextStyle&gt;&#xA;
                                                            </tps:parStyleDef&gt;&#xA;
</tps:definition&gt;&#xA;
                                <tps:definition tag="parStyleDef"&gt;&#xA;
<tps:parStyleDef&gt;&#xA;
                                  <tps:name&gt;List Bullet.last&lt;/tps:name&gt;&#xA;
<tps:basedOn&gt;List Bullet&lt;/tps:basedOn&gt;&#xA;
                                                          <tps:charStyle&gt;&#xA;
<tps:charStyleDef&gt;&#xA;
                                      <tps:name&gt;List Bullet.last&lt;/tps:name&gt;&#xA;
        <tps:basedOn&gt;List Bullet&lt;/tps:basedOn&gt;&#xA;
                                                                         <tps:leading&gt;0
pt</tps:leading&gt;&#xA;
                                               </tps:charStyleDef&gt;&#xA;
                               <tps:spaceAfter&gt;4.58611 mm&lt;/tps:spaceAfter&gt;&#xA;
</tps:charStyle&gt;&#xA;
     <tps:nextStyle&gt;Normal&lt;/tps:nextStyle&gt;&#xA;
                                                             </tps:parStyleDef&gt;&#xA;
</tps:definition&gt;&#xA;
                                 <tps:definition tag="parStyleDef"&gt;&#xA;
<tps:parStyleDef&gt;&#xA;
                                <tps:name&gt;List Roman Lower&lt;/tps:name&gt;&#xA;
 <tps:basedOn&gt;Number List&lt;/tps:basedOn&gt;&#xA;
                                                             <tps:charStyle&gt;&#xA;
        <tps:charStyleDef&gt;&#xA;
                                                                <tps:name&gt;List Roman
Lower</tps:name&gt;&#xA;
                                                                 <tps:basedOn&gt;Number
```

<tps:leading>0 pt</tps:leading>

List</tps:basedOn>


```
</tps:charStyleDef&gt;&#xA;
                                              </tps:charStyle&gt;&#xA;
<tps:indentLeft&gt;9.17222 mm&lt;/tps:indentLeft&gt;&#xA;
<tps:indentFirstLine&gt;-2.82222 mm&lt;/tps:indentFirstLine&gt;&#xA;
<tps:nextStyle&gt;List Roman Lower&lt;/tps:nextStyle&gt;&#xA;
                                                              </tps:parStyleDef&gt;&#xA;
                                   <tps:definition tag="parStyleDef"&gt;&#xA;
     </tps:definition&gt;&#xA;
<tps:parStyleDef&gt;&#xA;
                                <tps:name&gt;List Roman Lower.last&lt;/tps:name&gt;&#xA;
             <tps:basedOn&gt;List Roman Lower&lt;/tps:basedOn&gt;&#xA;
<tps:charStyle&gt;&#xA;
                                <tps:charStyleDef&gt;&#xA;
                                                                      <tps:name&gt;List
Roman Lower.last</tps:name&gt;&#xA;
                                                            <tps:basedOn&gt;List Roman
Lower</tps:basedOn&gt;&#xA;
                                        <tps:leading&gt;0 pt&lt;/tps:leading&gt;&#xA;
    </tps:charStyleDef&gt;&#xA;
                                                </tps:charStyle&gt;&#xA;
<tps:spaceAfter&gt;1.05833 mm&lt;/tps:spaceAfter&gt;&#xA;
                                                                   <tps:nextStyle&gt;List
Roman Lower.last</tps:nextStyle&gt;&#xA;
                                                        </tps:parStyleDef&gt;&#xA;
</tps:definition&gt;&#xA;
                                <tps:definition tag="parStyleDef"&gt;&#xA;
                                <tps:name&gt;List Roman Upper&lt;/tps:name&gt;&#xA;
<tps:parStyleDef&gt;&#xA;
 <tps:basedOn&gt;List Roman Lower&lt;/tps:basedOn&gt;&#xA;
                                                                 <tps:charStyle&gt;&#xA;
               <tps:charStyleDef&gt;&#xA;
                                                               <tps:name&gt;List Roman
Upper</tps:name&gt;&#xA;
                                                           <tps:basedOn&gt;List Roman
                                        <tps:leading&gt;0 pt&lt;/tps:leading&gt;&#xA;
Lower</tps:basedOn&gt;&#xA;
    </tps:charStyleDef&gt;&#xA;
                                                </tps:charStyle&gt;&#xA;
&lt:tps:indentLeft&gt:10.9361 mm&lt:/tps:indentLeft>

                                                            <tps:nextStyle&gt;List Roman
Upper</tps:nextStyle&gt;&#xA;
                                  </tps:parStyleDef&gt;&#xA;
                                                              </tps:definition&gt;&#xA;
<tps:definition tag="parStyleDef"&gt;&#xA;
                                                 &lt:tps:parStyleDef>

<tps:name&gt;List Roman Upper.last&lt;/tps:name&gt;&#xA;
                                                                   <tps:basedOn&gt;List
Roman Upper</tps:basedOn&gt;&#xA;
                                                 <tps:charStyle&gt;&#xA;
```

<tps:name>List Roman

<tps:charStyleDef>


```
Upper.last</tps:name&gt;&#xA;
                                                             <tps:basedOn&gt;List Roman
Upper</tps:basedOn&gt;&#xA;
                                         <tps:leading&gt;0 pt&lt;/tps:leading&gt;&#xA;
    </tps:charStyleDef&gt;&#xA;
                                                  </tps:charStyle&gt;&#xA;
<tps:spaceAfter&gt;1.05833 mm&lt;/tps:spaceAfter&gt;&#xA;
                                                                     <tps:nextStyle&gt;List
Roman Upper.last</tps:nextStyle&gt;&#xA;
                                                          </tps:parStyleDef&gt;&#xA;
</tps:definition&gt;&#xA;
                                 <tps:definition tag="parStyleDef"&gt;&#xA;
                                  <tps:name&gt;List Subbullets&lt;/tps:name&gt;&#xA;
<tps:parStyleDef&gt;&#xA;
<tps:basedOn&gt;List Bullet&lt;/tps:basedOn&gt;&#xA;
                                                          <tps:charStyle&gt;&#xA;
<tps:charStyleDef&gt;&#xA;
                                      <tps:name&gt;List Subbullets&lt;/tps:name&gt;&#xA;
         <tps:basedOn&gt;List Bullet&lt;/tps:basedOn&gt;&#xA;
                                                                         <tps:leading&gt;0
pt</tps:leading&gt;&#xA;
                                               </tps:charStyleDef&gt;&#xA;
</tps:charStyle&gt;&#xA;
                               <tps:indentLeft&gt;7.05556 mm&lt;/tps:indentLeft&gt;&#xA;
  <tps:nextStyle&gt;List Subbullets&lt;/tps:nextStyle&gt;&#xA;
                                                               </tps:parStyleDef&gt;&#xA;
  </tps:definition&gt;&#xA;
                                  <tps:definition tag="parStyleDef"&gt;&#xA;
<tps:parStyleDef&gt;&#xA;
                                 <tps:name&gt;List Subbullets.last&lt;/tps:name&gt;&#xA;
 <tps:basedOn&gt;List Subbullets&lt;/tps:basedOn&gt;&#xA;
                                                                <tps:charStyle&gt;&#xA;
                <tps:charStyleDef&gt;&#xA;
                                                                         <tps:name&gt;List
Subbullets.last</tps:name&gt;&#xA;
                                                                     <tps:basedOn&gt;List
                                             <tps:leading&gt;0 pt&lt;/tps:leading&gt;&#xA;
Subbullets</tps:basedOn&gt;&#xA;
           </tps:charStyleDef&gt;&#xA;
                                                     </tps:charStyle&gt;&#xA;
<tps:spaceAfter&gt;4.58611 mm&lt;/tps:spaceAfter&gt;&#xA;
                                                                     <tps:nextStyle&gt;List
Subbullets.last</tps:nextStyle&gt;&#xA;
                                                         </tps:parStyleDef&gt;&#xA;
</tps:definition&gt;&#xA;
                                 <tps:definition tag="parStyleDef"&gt;&#xA;
```

<tps:name>Normal</tps:name>

<tps:font>

<tps:charStyleDef>

<tps:parStyleDef>

<tps:name>Normal</tps:name>

<tps:charStyle>

<tps:name>Adobe Garamond Pro</tps:name>

<tps:fontSize>10 pt</tps:fontSize>
 <tps:leading>13

pt</tps:leading>
 </tps:charStyleDef>

</tps:charStyle>
 <tps:indentFirstLine>3.52778

mm</tps:indentFirstLine>
 <tps:nextStyle>Normal</tps:nextStyle>

</tps:parStyleDef>
 </tps:definition>
 <tps:definition

tag="parStyleDef">
 <tps:parStyleDef>

<tps:name>Normal.centered</tps:name>

<tps:basedOn>Normal.flush</tps:basedOn>
 <tps:charStyle>

<tps:charStyleDef>

<tps:name>Normal.centered</tps:name>

<tps:basedOn>Normal.flush</tps:basedOn>
 <tps:leading>0

pt</tps:leading>
 </tps:charStyleDef>

</tps:charStyle>
 <tps:alignment>center</tps:alignment>

<tps:nextStyle>Normal.centered</tps:nextStyle>
 </tps:parStyleDef>

</tps:definition>
 <tps:definition tag="parStyleDef">

<tps:parStyleDef>
 <tps:name>Normal.drop</tps:name>

<tps:basedOn>Normal</tps:basedOn>
 <tps:charStyle>

<tps:charStyleDef>
 <tps:name>Normal.drop</tps:name>

<tps:basedOn>Normal</tps:basedOn>
 <tps:leading>0

pt</tps:leading>
 </tps:charStyleDef>

</tps:charStyle>
 <tps:indentFirstLine>0 mm</tps:indentFirstLine>

<tps:nextStyle>Normal.drop</tps:nextStyle>
 </tps:parStyleDef>

</tps:definition>
 <tps:definition tag="parStyleDef">

<tps:parStyleDef>
 <tps:name>Normal.flush</tps:name>


```
<tps:basedOn&gt;Normal&lt;/tps:basedOn&gt;&#xA;
                                                         <tps:charStyle&gt;&#xA;
<tps:charStyleDef&gt;&#xA;
                                       <tps:name&gt;Normal.flush&lt;/tps:name&gt;&#xA;
        <tps:basedOn&gt;Normal&lt;/tps:basedOn&gt;&#xA;
                                                                         <tps:leading&gt;0
pt</tps:leading&gt;&#xA;
                                               </tps:charStyleDef&gt;&#xA;
                               <tps:indentFirstLine&gt;0 mm&lt;/tps:indentFirstLine&gt;&#xA;
</tps:charStyle&gt;&#xA;
      <tps:nextStyle&gt;Normal&lt;/tps:nextStyle&gt;&#xA;
                                                              </tps:parStyleDef&gt;&#xA;
</tps:definition&gt;&#xA;
                                 <tps:definition tag="parStyleDef"&gt;&#xA;
<tps:parStyleDef&gt;&#xA;
                                   <tps:name&gt;Number List&lt;/tps:name&gt;&#xA;
<tps:basedOn&gt;List Bullet&lt;/tps:basedOn&gt;&#xA;
                                                          <tps:charStyle&gt;&#xA;
<tps:charStyleDef&gt;&#xA;
                                      <tps:name&gt;Number List&lt;/tps:name&gt;&#xA;
       <tps:basedOn&gt;List Bullet&lt;/tps:basedOn&gt;&#xA;
                                                                         &lt:tps:leading&gt:0
                                               </tps:charStyleDef&gt;&#xA;
pt</tps:leading&gt;&#xA;
</tps:charStyle&gt;&#xA;
                               <tps:indentLeft&gt;4.23333 mm&lt;/tps:indentLeft&gt;&#xA;
      <tps:indentFirstLine&gt;-4.23333 mm&lt;/tps:indentFirstLine&gt;&#xA;
<tps:nextStyle&gt;Number List&lt;/tps:nextStyle&gt;&#xA;
                                                             </tps:parStyleDef&gt;&#xA;
</tps:definition&gt;&#xA;
                                 <tps:definition tag="parStyleDef"&gt;&#xA;
<tps:parStyleDef&gt;&#xA;
                                                    <tps:name&gt;Number List in Bullet
List</tps:name&gt;&#xA;
                                <tps:basedOn&gt;List Bullet&lt;/tps:basedOn&gt;&#xA;
<tps:charStyle&gt;&#xA;
                                          <tps:charStyleDef&gt;&#xA;
<tps:name&gt;Number List in Bullet List&lt;/tps:name&gt;&#xA;
<tps:basedOn&gt;List Bullet&lt;/tps:basedOn&gt;&#xA;
                                                                         <tps:leading&gt;0
pt</tps:leading&gt;&#xA;
                                               </tps:charStyleDef&gt;&#xA;
</tps:charStyle&gt;&#xA;
                               <tps:indentLeft&gt;9.525 mm&lt;/tps:indentLeft&gt;&#xA;
<tps:indentFirstLine&gt;-5.99722 mm&lt;/tps:indentFirstLine&gt;&#xA;
<tps:nextStyle&gt;Number
                            List
                                 in
                                      Bullet
                                             List</tps:nextStyle&gt;&#xA;
```

</tps:definition>

<tps:definition

</tps:parStyleDef>

tag="parStyleDef">
 <tps:parStyleDef>
 <tps:name>Number List

List</tps:basedOn>
 <tps:charStyle>

<tps:charStyleDef>
 <tps:name>Number List in Bullet

List.last</tps:name>
 <tps:basedOn>Number List in Bullet

List</tps:basedOn>
 <tps:leading>0 pt</tps:leading>

</tps:charStyleDef>
 </tps:charStyle>

List in Bullet List.last</tps:nextStyle>
 </tps:parStyleDef>

</tps:definition>
 <tps:definition tag="parStyleDef">

<tps:parStyleDef>
 <tps:name>Number List.first</tps:name>

<tps:basedOn>Number List</tps:basedOn>
 <tps:charStyle>

<tps:charStyleDef>
 <tps:name>Number

List.first</tps:name>
 <tps:basedOn>Number

List</tps:basedOn>
 <tps:leading>0 pt</tps:leading>

</tps:charStyleDef>
 </tps:charStyle>

<tps:nextStyle>Number List.first</tps:nextStyle>
 </tps:parStyleDef>

</tps:definition>
 <tps:definition tag="parStyleDef">

<tps:parStyleDef>
 <tps:name>Number List.last</tps:name>

<tps:basedOn>Number List</tps:basedOn>
 <tps:charStyle>

<tps:charStyleDef>
 <tps:name>Number

<tps:basedOn>Number

List</tps:basedOn>
 <tps:leading>0 pt</tps:leading>

</tps:charStyleDef>
 </tps:charStyle>

List.last</tps:name>

List.last</tps:nextStyle>
 </tps:parStyleDef>
 </tps:definition>

<tps:name>Reference</tps:name>

<tps:basedOn>Normal</tps:basedOn>
 <tps:charStyle>

<tps:charStyleDef>
 <tps:name>Reference</tps:name>

<tps:basedOn>Normal</tps:basedOn>
 <tps:fontSize>8.5

pt</tps:fontSize>
 <tps:leading>12 pt</tps:leading>

</tps:charStyleDef>
 </tps:charStyle>

<tps:indentLeft>3.52778 mm</tps:indentLeft>

<tps:indentFirstLine>-3.52778 mm</tps:indentFirstLine>

<tps:nextStyle>Reference</tps:nextStyle>
 </tps:parStyleDef>

</tps:definition>
 <tps:definition tag="parStyleDef">

<tps:parStyleDef>
 <tps:name>Special Feature Box

Title</tps:name>
 <tps:charStyle>

<tps:charStyleDef>
 <tps:name>Special Feature Box

Title</tps:name>
 <tps:font>
 <tps:name/>

<tps:style>Bold Condensed</tps:style>

</tps:font>
 <tps:leading>12 pt</tps:leading>

<tps:color tint="100 %">
 PANTONE 364 C

</tps:color>
 </tps:charStyleDef>
 </tps:charStyle>

<tps:spaceAfter>2.11667 mm</tps:spaceAfter>

<:tps:nextStyle>Special Feature Box Title</tps:nextStyle>

</tps:parStyleDef>
 </tps:definition>
 <tps:definition

tag="parStyleDef">
 <tps:parStyleDef>
 <tps:name>Special

Feature Head</tps:name>
 <tps:charStyle>

<tps:charStyleDef>
 <tps:name>Special Feature

Head</tps:name>
 <tps:font/>
 <tps:fontSize>15

pt</tps:fontSize>
 <tps:leading>0 pt</tps:leading>
 <tps:color>
 White </tps:color>
 </tps:charStyleDef>
 </tps:charStyle>
 <tps:alignment>center</tps:alignment>
 <tps:nextStyle>Special Feature </tps:parStyleDef>
 Head</tps:nextStyle>
 </tps:definition>
 <tps:definition tag="parStyleDef">
 <tps:parStyleDef>
 <tps:name>Summary Head</tps:name>
 <tps:charStyle>
 <tps:charStyleDef>
 <tps:name>Summary Head</tps:name>
 <tps:font>
 <tps:name/>
 <tps:style>Bold Condensed</tps:style>
 </tps:font>
 <tps:fontSize>22 pt</tps:fontSize>
 <tps:leading>0 PANTONE 364 C pt</tps:leading>
 <tps:color>
 </tps:color>
 </tps:charStyleDef>
 </tps:charStyle>
 <tps:alignment>center</tps:alignment>
 <tps:spaceBefore>7.76111 mm</tps:spaceBefore>
 <tps:spaceAfter>1.41111 mm</tps:spaceAfter>
 <tps:nextStyle>Summary Head</tps:nextStyle>
 </tps:parStyleDef>
 </tps:definition>
 <tps:definition tag="parStyleDef">
 <tps:parStyleDef>
 <tps:name>eg</tps:name>
 <tps:basedOn>Normal</tps:basedOn>
 <tps:charStyle>
 <tps:name>eq</tps:name>
 <tps:charStyleDef>

<tps:basedOn>Normal</tps:basedOn>
 <tps:leading>0

pt</tps:leading>
 </tps:charStyleDef>

</tps:charStyle>
 <tps:indentLeft>3.52778 mm</tps:indentLeft>

<tps:indentFirstLine>0 mm</tps:indentFirstLine>

<tps:spaceBefore>2.29306 mm</tps:spaceBefore>


```
<tps:spaceAfter&gt;2.29306 mm&lt;/tps:spaceAfter&gt;&#xA;
```

</tps:definition>
 <tps:definition tag="parStyleDef">

<tps:parStyleDef>
 <tps:name>eq Box</tps:name>

<tps:charStyle>
 <tps:charStyleDef>
 <tps:name>eq

Box</tps:name>
 <tps:font>
 <tps:name>Adobe

Garamond Pro</tps:name>
 <tps:style>Regular</tps:style>

</tps:font>
 <tps:fontSize>9.5 pt</tps:fontSize>

<tps:leading>12 pt</tps:leading>
 </tps:charStyleDef>

</tps:charStyle>
 <tps:indentLeft>3.52778 mm</tps:indentLeft>

<tps:spaceBefore>2.29306 mm</tps:spaceBefore>

Box</tps:nextStyle>
 </tps:parStyleDef>
 </tps:definition>

<tps:name>eq Box footnote</tps:name>

<tps:basedOn>eq</tps:basedOn>
 <tps:charStyle>

<tps:charStyleDef>
 <tps:name>eq Box footnote</tps:name>

<tps:basedOn>eq</tps:basedOn>
 <tps:fontSize>8

pt</tps:fontSize>
 <tps:leading>10 pt</tps:leading>

</tps:charStyleDef>
 </tps:charStyle>
 <tps:nextStyle>eq Box

footnote</tps:nextStyle>
 </tps:parStyleDef>
 </tps:definition>

<tps:name>eq footnote</tps:name>

<tps:basedOn>eq</tps:basedOn>
 <tps:charStyle>

<tps:charStyleDef>
 <tps:name>eq footnote</tps:name>

<tps:basedOn&qt;eq</tps:basedOn&qt;
 <tps:fontSize&qt;8

```
pt</tps:fontSize&gt;&#xA;
                                     <tps:leading&gt;10 pt&lt;/tps:leading&gt;&#xA;
</tps:charStyleDef&gt;&#xA;
                                    </tps:charStyle&gt;&#xA;
                                                                     <tps:nextStyle&gt;eq
footnote</tps:nextStyle&gt;&#xA;
                                    </tps:parStyleDef&gt;&#xA; &lt;/tps:definition&gt;&#xA;
 <tps:definition tag="parStyleDef"&gt;&#xA;
                                                   <tps:parStyleDef&gt;&#xA;
<tps:name&gt;eqbot&lt;/tps:name&gt;&#xA;
<tps:basedOn&gt;eqmid&lt;/tps:basedOn&gt;&#xA;
                                                        <tps:charStyle&gt;&#xA;
<tps:charStyleDef&gt;&#xA;
                                      <tps:name&gt;eqbot&lt;/tps:name&gt;&#xA;
<tps:basedOn&gt;egmid&lt;/tps:basedOn&gt;&#xA;
                                                                         <tps:leading&gt;8
                                               </tps:charStyleDef&gt;&#xA;
pt</tps:leading&gt;&#xA;
</tps:charStyle&gt;&#xA;
                               <tps:spaceAfter&gt;2.29306 mm&lt;/tps:spaceAfter&gt;&#xA;
      <tps:nextStyle&gt;eqbot&lt;/tps:nextStyle&gt;&#xA;
                                                             </tps:parStyleDef&gt;&#xA;
</tps:definition&gt;&#xA;
                                <tps:definition tag="parStyleDef"&gt;&#xA;
<tps:parStyleDef&gt;&#xA;
                                      <tps:name&gt;eqmid&lt;/tps:name&gt;&#xA;
<tps:basedOn&gt;egtop&lt;/tps:basedOn&gt;&#xA;
                                                        <tps:charStyle&gt;&#xA;
<tps:charStyleDef&gt;&#xA;
                                      <tps:name&gt;eqmid&lt;/tps:name&gt;&#xA;
 <tps:basedOn&gt;eqtop&lt;/tps:basedOn&gt;&#xA;
                                                                         <tps:leading&gt;7
                                               </tps:charStyleDef&gt;&#xA;
pt</tps:leading&gt;&#xA;
</tps:charStyle&gt;&#xA;
                               <tps:spaceBefore&gt;0 mm&lt;/tps:spaceBefore&gt;&#xA;
  <tps:nextStyle&gt;egmid&lt;/tps:nextStyle&gt;&#xA;
                                                            </tps:parStyleDef&gt;&#xA;
</tps:definition&gt;&#xA;
                                 <tps:definition tag="parStyleDef"&gt;&#xA;
                                      <tps:name&gt;eqtop&lt;/tps:name&gt;&#xA;
<tps:parStyleDef&gt;&#xA;
<tps:basedOn&gt;eq&lt;/tps:basedOn&gt;&#xA;
                                                      <tps:charStyle&gt;&#xA;
<tps:charStyleDef&gt;&#xA;
                                      <tps:name&gt;eqtop&lt;/tps:name&gt;&#xA;
<tps:basedOn&gt;eq&lt;/tps:basedOn&gt;&#xA;
                                                                         <tps:leading&gt;0
pt</tps:leading&gt;&#xA;
                                               </tps:charStyleDef&gt;&#xA;
```

<tps:spaceAfter>0 mm</tps:spaceAfter>

</tps:charStyle>

<tps:nextStyle>eqtop</tps:nextStyle>
 </tps:parStyleDef>
 </tps:definition>
 <tps:definition tag="parStyleDef">
 <tps:parStyleDef>
 <tps:name>Box Footnote</tps:name>
 <tps:charStyle>
 <tps:charStyleDef>
 <tps:name>Box Footnote</tps:name>
 <tps:font>
 <tps:name>Adobe Garamond Pro</tps:name>
 <tps:style>Regular</tps:style>
 </tps:font>
 <tps:fontSize>8 pt</tps:fontSize>
 <tps:leading>10 </tps:charStyleDef>
 pt</tps:leading>
 </tps:charStyle>
 <tps:indentFirstLine>2.82222 mm</tps:indentFirstLine>
 <tps:nextStyle>Box Footnote</tps:nextStyle>
 </tps:parStyleDef>
 </tps:definition>
 <tps:definition tag="parStyleDef">
 <tps:parStyleDef>
 <tps:name>Box Footnote Continued</tps:name>
 <tps:charStyle>
 <tps:charStyleDef>
 <tps:name>Box Footnote Continued</tps:name>
 <tps:font>
 <tps:name>Adobe Garamond Pro</tps:name>
 <tps:style>Regular</tps:style>
 </tps:font>
 <tps:fontSize>8 pt</tps:fontSize>
 <tps:leading>10 pt</tps:leading>
 </tps:charStyleDef>
 <tps:indentFirstLine>2.82222 </tps:charStyle>
 mm</tps:indentFirstLine>
 <tps:nextStyle>Box Footnote

Continued</tps:nextStyle>
 </tps:parStyleDef>

</tps:definition>
 <tps:definition tag="parStyleDef">

<tps:parStyleDef>
 <tps:name>Box Footnote

Continued.flush</tps:name>
 <tps:charStyle>

<tps:charStyleDef>
 <tps:name>Box Footnote

Continued.flush</tps:name>
 <tps:font>

<tps:name>Adobe Garamond Pro</tps:name>

<tps:style>Regular</tps:style>
 </tps:font>

<tps:fontSize>8 pt</tps:fontSize>
 <tps:leading>10

pt</tps:leading>
 </tps:charStyleDef>

</tps:charStyle>
 <tps:nextStyle>Box Footnote

Continued.flush</tps:nextStyle>
 </tps:parStyleDef>

</tps:definition>
 <tps:definition tag="parStyleDef">

<tps:parStyleDef>
 <tps:name>Footnote Text

Continued</tps:name>
 <tps:charStyle>

<tps:charStyleDef>
 <tps:name>Footnote Text

Continued</tps:name>
 <tps:font>

<tps:name>Adobe Garamond Pro</tps:name>

<tps:style>Regular</tps:style>
 </tps:font>

<tps:fontSize>8 pt</tps:fontSize>
 <tps:leading>10

pt</tps:leading>
 </tps:charStyleDef>

</tps:charStyle>
 <tps:indentFirstLine>2.82222

mm</tps:indentFirstLine>
 <tps:nextStyle>Footnote Text

Continued</tps:nextStyle>
 </tps:parStyleDef>

</tps:definition>
 <tps:definition tag="parStyleDef">

Continued.flush</tps:name>
 <tps:charStyle>

<tps:charStyleDef>
 <tps:name>Footnote Text

Continued.flush</tps:name>
 <tps:font>

<tps:name>Adobe Garamond Pro</tps:name>

<tps:style>Regular</tps:style>
 </tps:font>

<tps:fontSize>8 pt</tps:fontSize>
 <tps:leading>10

pt</tps:leading>
 </tps:charStyleDef>

</tps:charStyle>
 <tps:nextStyle>Footnote Text

Continued.flush</tps:nextStyle>
 </tps:parStyleDef>

</tps:definition>
 <tps:definition tag="parStyleDef">

<tps:parStyleDef>
 <tps:name>Box Table Column

Head</tps:name>
 <tps:charStyle>

<tps:charStyleDef>
 <tps:name>Box Table Column

Head</tps:name>
 <tps:font>

<tps:name>Helvetica</tps:name>
 <tps:style>Bold

Condensed</tps:style>
 </tps:font>

<tps:fontSize>8 pt</tps:fontSize>
 <tps:leading>9

pt</tps:leading>
 </tps:charStyleDef>

</tps:charStyle>
 <tps:alignment>center</tps:alignment>

<tps:nextStyle>Box Table Column Head</tps:nextStyle>

</tps:parStyleDef>
 </tps:definition>
 <tps:definition

tag="parStyleDef">
 <tps:parStyleDef>
 <tps:name>Box Table

Footnote</tps:name>
 <tps:charStyle>

<tps:charStyleDef>
 <tps:name>Box Table

Footnote</tps:name>
 <tps:font>

<tps:name>Helvetica</tps:name>
 <tps:style/>

</tps:font>
 <tps:fontSize>8 pt</tps:fontSize>

</tps:charStyle>
 <tps:spaceBefore>1.41111

mm</tps:spaceBefore>
 <tps:spaceAfter>0.705556

mm</tps:spaceAfter>

<tps:nextStyle>Box Table

Footnote</tps:nextStyle>

</tps:parStyleDef>
 </tps:definition>

<tps:definition tag="parStyleDef">

<tps:parStyleDef>

<tps:name>Box Table Footnote Continued</tps:name>

<tps:basedOn>Box Table Footnote</tps:basedOn>

<tps:charStyle>

<tps:charStyleDef>

<tps:name>Box

Table Footnote Continued</tps:name>

<tps:basedOn>Box Table

Footnote</tps:basedOn>

<tps:leading>0 pt</tps:leading>

</tps:charStyleDef>

</tps:charStyle>

<tps:spaceBefore>0 mm</tps:spaceBefore>

<tps:nextStyle>Box Table

Footnote Continued</tps:nextStyle>

</tps:parStyleDef>

</tps:definition>

<tps:definition tag="parStyleDef">

<tps:parStyleDef>

<tps:name>Box Table Subtitle</tps:name>

<tps:charStyle>

<tps:charStyleDef>

<tps:name>Box Table Subtitle</tps:name>

<tps:font>

<tps:name>Helvetica</tps:name>

<tps:style>Condensed

Oblique</tps:style>

</tps:font>

<tps:fontSize>9

pt</tps:fontSize>

<tps:leading>10 pt</tps:leading>

<tps:color tint="100 %">

PANTONE 364 C

</tps:color>

</tps:charStyleDef>

</tps:charStyle>

<tps:nextStyle>Box Table Subtitle</tps:nextStyle>

</tps:parStyleDef>

</tps:definition>

<tps:definition

tag="parStyleDef">

<tps:parStyleDef>

<tps:name>Box Table

Text</tps:name>

<tps:charStyle>

<tps:charStyleDef>

<tps:name>Box Table Text</tps:name>

<tps:font>

<tps:name>Helvetica</tps:name>

<tps:style>Medium Condensed</tps:style>

</tps:font>
 <tps:fontSize>8 pt</tps:fontSize>

</tps:charStyle>
 <tps:nextStyle>Box Table Text</tps:nextStyle>

</tps:parStyleDef>
 </tps:definition>
 <tps:definition

tag="parStyleDef">
 <tps:parStyleDef>
 <tps:name>Box Table

Title</tps:name>
 <tps:charStyle>

<tps:charStyleDef>
 <tps:name>Box Table Title</tps:name>

<tps:font>
 <tps:name>Helvetica

Neue</tps:name>
 <tps:style>Condensed Bold</tps:style>

</tps:font>
 <tps:fontSize>10 pt</tps:fontSize>

<tps:leading>12 pt</tps:leading>
 <tps:color tint="100

%">
 PANTONE 364 C
 </tps:color>

</tps:charStyleDef>
 </tps:charStyle>
 <tps:nextStyle>Box

Table Title</tps:nextStyle>
 </tps:parStyleDef>

</tps:definition>
 <tps:definition tag="parStyleDef">

<tps:parStyleDef>
 <tps:name>Box Table

Title.continued</tps:name>
 <tps:basedOn>Box Table

Title</tps:basedOn>
 <tps:charStyle>

<tps:charStyleDef>
 <tps:name>Box Table

Title.continued</tps:name>
 <tps:basedOn>Box Table

Title</tps:basedOn>
 <tps:leading>0 pt</tps:leading>

</tps:charStyleDef>
 </tps:charStyle>
 <tps:nextStyle>Box

Table Title.continued</tps:nextStyle>
 </tps:parStyleDef>

</tps:definition>
 <tps:definition tag="parStyleDef">

<tps:parStyleDef>
 <tps:name>Table Body Data</tps:name>

<tps:charStyleDef>
 <tps:name>Table Body

Data</tps:name>
 <tps:basedOn>Table Body

Flush</tps:basedOn>
 <tps:leading>0 pt</tps:leading>

</tps:charStyleDef>
 </tps:charStyle>
 <tps:alignment>left

justify</tps:alignment>
 <tps:indentLeft>0 mm</tps:indentLeft>

<tps:indentFirstLine>0 mm</tps:indentFirstLine>
 <tps:nextStyle>Table

Body Data</tps:nextStyle>
 </tps:parStyleDef>

</tps:definition>
 <tps:definition tag="parStyleDef">

<tps:parStyleDef>
 <tps:name>Table Body Flush</tps:name>

<tps:charStyle>
 <tps:charStyleDef>

Condensed</tps:style>
 </tps:font>

<tps:fontSize>8 pt</tps:fontSize>
 <tps:leading>10

pt</tps:leading>
 </tps:charStyleDef>

</tps:charStyle>
 <tps:nextStyle>Table Body Flush</tps:nextStyle>

</tps:parStyleDef>
 </tps:definition>
 <tps:definition

tag="parStyleDef">
 <tps:parStyleDef>
 <tps:name>Table

Bullets</tps:name>
 <tps:charStyle>

<tps:charStyleDef>
 <tps:name>Table Bullets</tps:name>

<tps:font>
 <tps:name>Helvetica</tps:name>

<tps:style>Medium Condensed</tps:style>
 </tps:font>

<tps:fontSize>8 pt</tps:fontSize>
 <tps:leading>9

pt</tps:leading>
 </tps:charStyleDef>

</tps:charStyle>
 <tps:indentLeft>2.82222 mm</tps:indentLeft>

<tps:indentFirstLine>-2.82222 mm</tps:indentFirstLine>

</tps:definition>
 <tps:definition tag="parStyleDef">

<tps:parStyleDef>
 <tps:name>Table Column Head</tps:name>

<tps:charStyle>
 <tps:charStyleDef>

<tps:name>Helvetica</tps:name>
 <tps:style>Bold

Condensed</tps:style>
 </tps:font>

<tps:fontSize>8 pt</tps:fontSize>
 <tps:leading>9

pt</tps:leading>
 </tps:charStyleDef>

</tps:charStyle>
 <tps:alignment>center</tps:alignment>

<tps:nextStyle>Table Column Head</tps:nextStyle>

</tps:parStyleDef>
 </tps:definition>
 <tps:definition

tag="parStyleDef">
 <tps:parStyleDef>
 <tps:name>Table

Footnote</tps:name>
 <tps:charStyle>

<tps:charStyleDef>
 <tps:name>Table Footnote</tps:name>

<tps:font>
 <tps:name>Helvetica</tps:name>

<tps:style/>
 </tps:font>
 <tps:fontSize>8

pt</tps:fontSize>
 <tps:leading>9 pt</tps:leading>

</tps:charStyleDef>
 </tps:charStyle>

<tps:spaceBefore>1.41111 mm</tps:spaceBefore>

<tps:spaceAfter>0.352778 mm</tps:spaceAfter>
 <tps:nextStyle>Table

Footnote</tps:nextStyle>
 </tps:parStyleDef>
 </tps:definition>

<tps:definition tag="parStyleDef">
 <tps:parStyleDef>

Footnote</tps:basedOn>
 <tps:charStyle>

<tps:charStyleDef>
 <tps:name>Table Footnote

Continued</tps:name>
 <tps:basedOn>Table

Footnote</tps:basedOn>
 <tps:leading>0 pt</tps:leading>

</tps:charStyleDef>
 </tps:charStyle>

<tps:spaceBefore>0 mm</tps:spaceBefore>
 <tps:nextStyle>Table

Footnote Continued</tps:nextStyle>
 </tps:parStyleDef>

</tps:definition>
 <tps:definition tag="parStyleDef">

<tps:parStyleDef>
 <tps:name>Table Straddle Head</tps:name>

<tps:charStyle>
 <tps:charStyleDef>

<tps:name>Helvetica</tps:name>
 <tps:style>Bold

Condensed</tps:style>
 </tps:font>

<tps:fontSize>8 pt</tps:fontSize>
 <tps:leading>9

pt</tps:leading>
 </tps:charStyleDef>

</tps:charStyle>
 <tps:alignment>center</tps:alignment>

<tps:spaceBefore>2.11667 mm</tps:spaceBefore>

Straddle Head</tps:nextStyle>
 </tps:parStyleDef>

</tps:definition>
 <tps:definition tag="parStyleDef">

<tps:parStyleDef>
 <tps:name>Table Subtitle</tps:name>

<tps:charStyle>
 <tps:charStyleDef>

<tps:name>Helvetica</tps:name>
 <tps:style>Condensed

Oblique</tps:style>
 </tps:font>
 <tps:fontSize>9

pt</tps:fontSize>
 <tps:leading>10 pt</tps:leading>

<tps:color tint="100 %">
 PANTONE 364 C

</tps:color>
 </tps:charStyleDef>
 </tps:charStyle>
 <tps:nextStyle>Table Subtitle</tps:nextStyle>
 </tps:parStyleDef>
 </tps:definition>
 <tps:definition tag="parStyleDef">
 <tps:parStyleDef>
 <tps:name>Table Title</tps:name>
 <tps:charStyle>
 <tps:charStyleDef>
 <tps:name>Table Title</tps:name>
 <tps:font>
 <tps:name>Helvetica</tps:name>
 <tps:style>Bold Condensed</tps:style>
 </tps:font>
 <tps:fontSize>10 pt</tps:fontSize>
 <tps:leading>12 pt</tps:leading>
 <tps:color tint="100 %">
 PANTONE </tps:charStyleDef>
 364 C </tps:color>
 </tps:charStyle>
 <tps:nextStyle>Table Title</tps:nextStyle>
 </tps:parStyleDef>
 </tps:definition>
 <tps:definition tag="parStyleDef"> <tps:parStyleDef>
 <tps:name>Table Title.continued</tps:name>
 <tps:basedOn>Table Title</tps:basedOn>
 <tps:charStyle>
 <tps:charStyleDef>
 <tps:name>Table Title.continued</tps:name>
 <tps:basedOn>Table <tps:leading>0 pt</tps:leading>
 Title</tps:basedOn>
 </tps:charStyleDef>
 </tps:charStyle>
 <tps:nextStyle>Table Title.continued</tps:nextStyle>
 </tps:parStyleDef>
 </tps:definition>
 <!-- ========== -->
 <tps:definition tag="tableStyleDef">
 <tps:tableStyleDef>
 <tps:name>IMF_Table</tps:name>
 </tps:tableStyleDef>

</tps:definition>

:

--> <:!-- Cross-reference Format Definitions --> <:!----> <tps:definition _____ tag="crossRefFormatDef"> <tps:crossRefFormatDef>
 <tps:name>Full Paragraph & Damp;amp; Page Number</tps:name>
 <tps:definition </tps:crossRefFormatDef>
 </tps:definition>
 tag="crossRefFormatDef"> <tps:crossRefFormatDef>
 <tps:name>Full Paragraph</tps:name>
 </tps:crossRefFormatDef>
 </tps:definition>
 <tps:definition tag="crossRefFormatDef">
 <tps:name>Paragraph Text & Damp; Page <tps:crossRefFormatDef>
 Number</tps:name>
 </tps:crossRefFormatDef>
 </tps:definition>
 <tps:definition tag="crossRefFormatDef">
 <tps:crossRefFormatDef>
 <tps:name>Paragraph Text</tps:name>
 </tps:crossRefFormatDef>
 </tps:definition>
 <:tps:definition tag="crossRefFormatDef"> <tps:crossRefFormatDef>
 <tps:name>Paragraph Number & amp;amp; Page Number</tps:name>
 </tps:crossRefFormatDef>
 </tps:definition>
 <:tps:definition tag="crossRefFormatDef"> <tps:crossRefFormatDef>
 <tps:name>Paragraph Number</tps:name>
 </tps:crossRefFormatDef>
 </tps:definition>
 <tps:definition tag="crossRefFormatDef"> <tps:crossRefFormatDef>
 <tps:name>Text Anchor Name & amp;amp; Page Number</tps:name>
 </tps:crossRefFormatDef>
 </tps:definition>
 <tps:definition tag="crossRefFormatDef"> <tps:crossRefFormatDef>
 <tps:name>Text Anchor Name</tps:name>
 <tps:definition </tps:crossRefFormatDef>
 </tps:definition>

<tps:crossRefFormatDef>

tag="crossRefFormatDef">

```
<tps:name&gt;Page Number&lt;/tps:name&gt;&#xA;
                                              </tps:crossRefFormatDef&gt;&#xA;
</tps:definition&gt;&#xA;

 <tps:definition tag="masterSpreadDef"&gt;&#xA; &lt;tps:masterSpreadDef&gt;&#xA;
        <tps:name&gt;Fo1-FM-EM 1-col&lt;/tps:name&gt;&#xA;
                                                                <tps:pageInfo
classifier="0">

                         <tps:size width="215.9 mm" height="279.4 mm"/&gt;&#xA;
    <tps:margins top="55.0333 mm" left="23.2833 mm" right="33.8667 mm" bottom="25.4
mm"/>

                            <tps:frames&gt;&#xA;
                                                                  <tps:frame
type="mainStoryFrame"/>

                                    <tps:frame name="Title" type="element"&gt;&#xA;
          <tps:frame type="contentFrame"/&gt;&#xA;
                                                      </tps:frame&gt;&#xA;
     </tps:frames&gt;&#xA;
                                  </tps:pageInfo&gt;&#xA;
                                                                <tps:pageInfo
                         <tps:size width="215.9 mm" height="279.4 mm"/&gt;&#xA;
classifier="1">

    <tps:margins top="55.0333 mm" left="33.8667 mm" right="23.2833 mm" bottom="25.4"
mm"/>

                            <tps:frames&gt;&#xA;
                                                                  <tps:frame
type="mainStoryFrame"/>

                                    <tps:frame name="Title" type="element"&gt;&#xA;
          <tps:frame type="contentFrame"/&gt;&#xA;
                                                      </tps:frame&gt;&#xA;
          </tps:frames&gt;&#xA;
                                              </tps:pageInfo&gt;&#xA;
</tps:masterSpreadDef&gt;&#xA;
                                   </tps:definition&gt;&#xA;
                                                                <tps:definition
tag="masterSpreadDef">

                                   <tps:masterSpreadDef&gt;&#xA;
<tps:name&gt;FE1-FM-EM Inside 1-col&lt;/tps:name&gt;&#xA;
                                                                <tps:pageInfo
classifier="0">

                         <tps:size width="215.9 mm" height="279.4 mm"/&gt;&#xA;
    <tps:margins top="27.5167 mm" left="23.2833 mm" right="33.8667 mm" bottom="25.4"
mm"/>

                            <tps:frames&gt;&#xA;
                                                                  &lt:tps:frame
type="mainStoryFrame"/>

                                             </tps:frames&gt;&#xA;
                           <tps:pageInfo classifier="1"&gt;&#xA;
</tps:pageInfo&gt;&#xA;
                                                                    <tps:size
width="215.9 mm" height="279.4 mm"/>

                                                 <tps:margins top="27.5167 mm"
```

```
left="33.8667 mm" right="23.2833 mm" bottom="25.4 mm"/>

<tps:frames&gt;&#xA;
                                 <tps:frame type="mainStoryFrame"/&gt;&#xA;
</tps:frames&gt;&#xA;
                          </tps:pageInfo&gt;&#xA;
                                                     </tps:masterSpreadDef&gt;&#xA;
 </tps:definition&gt;&#xA;
                             <tps:definition tag="masterSpreadDef"&gt;&#xA;
<tps:masterSpreadDef&gt;&#xA;
                                   <tps:name&gt;Fo2-FM-EM 2-col&lt;/tps:name&gt;&#xA;
     <tps:pageInfo classifier="0"&gt;&#xA;
                                              <tps:size width="215.9 mm" height="279.4
                     <tps:margins top="55.0333 mm" left="23.2833 mm" right="33.8667 mm"
mm"/>

bottom="25.4 mm"/>

                                     <tps:frames&gt;&#xA;
                                                                         <tps:frame
type="mainStoryFrame"/>

                                       <tps:frame name="Title" type="element"&gt;&#xA;
           <tps:frame type="contentFrame"/&gt;&#xA;
                                                            </tps:frame&gt;&#xA;
      &lt:/tps:frames>

                                     </tps:pageInfo&gt;&#xA;
                                                                      <tps:pageInfo
                           <tps:size width="215.9 mm" height="279.4 mm"/&gt;&#xA;
classifier="1">

     <tps:margins top="55.0333 mm" left="33.8667 mm" right="23.2833 mm" bottom="25.4"
mm"/>

                              <tps:frames&gt;&#xA;
                                                                         <tps:frame
type="mainStoryFrame"/>

                                       <tps:frame name="Title" type="element"&gt;&#xA;
           <tps:frame type="contentFrame"/&gt;&#xA;
                                                            </tps:frame&gt;&#xA;
           </tps:frames&gt;&#xA;
                                                  </tps:pageInfo&gt;&#xA;
</tps:masterSpreadDef&gt;&#xA;
                                      </tps:definition&gt;&#xA;
                                                                      <tps:definition
tag="masterSpreadDef">

                                       <tps:masterSpreadDef&gt;&#xA;
<tps:name&gt;FE2-FM-EM Inside 2-col&lt;/tps:name&gt;&#xA;
                                                                      <tps:pageInfo
classifier="0"&qt;

                           <tps:size width="215.9 mm" height="279.4 mm"/&gt;&#xA;
     <tps:margins top="27.5167 mm" left="23.2833 mm" right="33.8667 mm" bottom="25.4"
mm"/>

                              <tps:frames&gt;&#xA;
                                                                         <tps:frame
type="mainStoryFrame"/>

                                                 </tps:frames&gt;&#xA;
                              <tps:pageInfo classifier="1"&gt;&#xA;
</tps:pageInfo&gt;&#xA;
                                                                          <tps:size
```

<tps:margins top="27.5167 mm"

width="215.9 mm" height="279.4 mm"/>

left="33.8667 mm" right="23.2833 mm" bottom="25.4 mm"/> <tps:frames>
 <tps:frame type="mainStoryFrame"/>
 </tps:frames>
 </tps:pageInfo>
 </tps:masterSpreadDef>
 </tps:definition>
 <tps:definition tag="masterSpreadDef">
 <tps:masterSpreadDef>
 <tps:name>Co2-Chapter <tps:pageInfo classifier="0">
 Opener</tps:name>
 <tps:size width="215.9 mm" height="279.4 mm"/> <tps:margins top="55.0333 mm" left="23.2833 mm" right="33.8667 mm" bottom="25.4 mm"/> <tps:frame type="mainStoryFrame"/>
 <tps:frames>
 <tps:frame name="Title" type="element">
 <tps:frame type="contentFrame"/> </tps:frame>
 </tps:pageInfo>
 <tps:pageInfo </tps:frames>
 classifier="1"> <tps:size width="215.9 mm" height="279.4 mm"/>
 <tps:margins top="55.0333 mm" left="33.8667 mm" right="23.2833 mm" bottom="25.4 mm"/> <tps:frames>
 <tps:frame <tps:frame name="Title" type="element">
 type="mainStoryFrame"/> <tps:frame type="contentFrame"/>
 </tps:frame>
 </tps:frames>
 </tps:pageInfo>
 </tps:masterSpreadDef>
 </tps:definition>
 <tps:definition tag="masterSpreadDef"> <tps:masterSpreadDef>
 <tps:name>C1-Inside Pages 1-col</tps:name>
 <tps:pageInfo <tps:size width="215.9 mm" height="279.4 mm"/>
 classifier="0">

<tps:margins top="27.5167 mm" left="23.2833 mm" right="33.8667 mm" bottom="25.4" mm"/> <tps:frames>
 <tps:frame type="mainStoryFrame"/> </tps:frames>

</tps:pageInfo>
 <tps:pageInfo classifier="1">
 <tps:size

left="33.8667 mm" right="23.2833 mm" bottom="25.4 mm"/>

<tps:frames>
 <tps:frame type="mainStoryFrame"/>

</tps:frames>
 </tps:pageInfo>
 </tps:masterSpreadDef>

</tps:definition>
 <tps:definition tag="masterSpreadDef">

<tps:masterSpreadDef>
 <tps:name>C2-Inside Pages

2-col</tps:name>
 <tps:pageInfo classifier="0">
 <tps:size

left="23.2833 mm" right="33.8667 mm" bottom="25.4 mm"/>

<tps:frames>
 <tps:frame type="mainStoryFrame"/>

</tps:frames>
 </tps:pageInfo>
 <tps:pageInfo

classifier="1">
 <tps:size width="215.9 mm" height="279.4 mm"/>

type="mainStoryFrame"/>
 </tps:frames>

</tps:pageInfo>
 </tps:masterSpreadDef>
 </tps:definition>

<tps:name>So2-Special Feature Opener</tps:name>
 <tps:pageInfo

classifier="0">
 <tps:size width="215.9 mm" height="279.4 mm"/>

</tps:frames>
 </tps:pageInfo>
 <tps:pageInfo

classifier="1">
 <tps:size width="215.9 mm" height="279.4 mm"/>

<tps:margins top="27.5167 mm" left="33.8667 mm" right="23.2833 mm" bottom="25.4"

mm"/>
 <tps:frames>
 <tps:frame

</tps:frames>
 </tps:pageInfo>

</tps:masterSpreadDef>
 </tps:definition>
 <tps:definition

tag="masterSpreadDef">
 <tps:masterSpreadDef>

<tps:name>S2-Special Feature Text</tps:name>
 <tps:pageInfo

classifier="0">
 <tps:size width="215.9 mm" height="279.4 mm"/>

<tps:margins top="27.5167 mm" left="23.2833 mm" right="33.8667 mm" bottom="25.4

mm"/>
 <tps:frames>
 <tps:frame

type="mainStoryFrame"/>
 </tps:frames>

</tps:pageInfo>
 <tps:pageInfo classifier="1">
 <tps:size

left="33.8667 mm" right="23.2833 mm" bottom="25.4 mm"/>

<tps:frames>
 <tps:frame type="mainStoryFrame"/>

</tps:frames>
 </tps:pageInfo>
 </tps:masterSpreadDef>

</tps:definition>
 <tps:definition tag="masterSpreadDef">

<tps:masterSpreadDef>
 <tps:name>Bo2-Box opener</tps:name>

mm"/>
 <tps:margins top="27.5167 mm" left="23.2833 mm" right="33.8667 mm"

bottom="27.1639 mm"/>
 <tps:frames>
 <tps:frame

</tps:frames>
 </tps:pageInfo>
 <tps:pageInfo

classifier="1">
 & lt;tps:size width="215.9 mm" height="279.4 mm"/>

<tps:margins top="27.5167 mm" left="33.8667 mm" right="23.2833 mm" bottom="27.1639"

mm"/> <tps:frames>
 <tps:frame type="mainStoryFrame"/> <tps:frame name="Title" type="element">
 <tps:frame type="contentFrame"/>
 </tps:frame>
 </tps:frames>
 </tps:pageInfo>
 </tps:definition>
 </tps:masterSpreadDef>
 <tps:definition tag="masterSpreadDef"> <tps:masterSpreadDef>
 <tps:name>B2-Box Text</tps:name>
 <tps:pageInfo classifier="0">
 <tps:size width="215.9 mm" height="279.4 mm"/>
 <tps:margins top="27.5167 mm" left="23.2833 mm" right="33.8667 mm" bottom="27.1639 mm"/>

<tps:frames>
 <tps:frame type="mainStoryFrame"/>

</tps:frames>

classifier="1">

<tps:pageInfo

</tps:pageInfo>

<tps:size width="215.9 mm" height="279.4 mm"/>

<tps:margins top="27.5167 mm" left="33.8667 mm" right="23.2833 mm" bottom="27.1639" mm"/> <tps:frames>
 <tps:frame

type="mainStoryFrame"/> </tps:frames>

</tps:masterSpreadDef>
 </tps:definition>
 </tps:pageInfo>

<tps:name>CoS1-Chapter Opener Summary</tps:name>
 <tps:pageInfo

classifier="0"> <tps:size width="215.9 mm" height="279.4 mm"/>

<tps:margins top="55.0333 mm" left="23.2833 mm" right="33.8667 mm" bottom="25.4 mm"/> <tps:frames>
 <:tps:frame name="Title"

type="element"> <tps:frame type="contentFrame"/>

</tps:frame>
 <tps:frame name="Summary" type="element">

<tps:frame type="contentFrame"/>
 </tps:frame>

</tps:frames>
 </tps:pageInfo>
 <tps:pageInfo

classifier="1"> <tps:size width="215.9 mm" height="279.4 mm"/>

<tps:margins top="55.0333 mm" left="33.8667 mm" right="23.2833 mm" bottom="25.4 <tps:frame name="Title" mm"/> <tps:frames>
 <tps:frame type="contentFrame"/>
 type="element"> </tps:frame>
 <tps:frame name="Summary" type="element">
 <tps:frame type="contentFrame"/>
 </tps:frame&qt;
 </tps:frames>
 </tps:pageInfo>
 </tps:masterSpreadDef>
 <tps:definition tag="masterSpreadDef">
 </tps:definition>
 <tps:masterSpreadDef>
 <tps:name>Ao2-Book Annex Opener <tps:pageInfo classifier="0">
 2col</tps:name>
 <:tps:size width="215.9 mm" height="279.4 mm"/> <tps:margins top="55.0333 mm" left="23.2833 mm" right="33.8667 mm" bottom="25.4 mm"/> <tps:frame type="mainStoryFrame"/>
 <tps:frames>
 <tps:frame name="Title" type="element">
 <tps:frame type="contentFrame"/> </tps:frame>

</tps:frames>
 </tps:pageInfo>
 <tps:pageInfo
classifier="1">
 <tps:size width="215.9 mm" height="279.4 mm"/>

</tps:frames>
 </tps:pageInfo>

</tps:masterSpreadDef>
 </tps:definition>
 <tps:definition

tag="masterSpreadDef">
 <tps:masterSpreadDef>

<tps:name>X-Figure Art 1 Col</tps:name>
 <tps:pageInfo

classifier="0">
 <tps:size width="215.9 mm" height="279.4 mm"/>

<tps:margins top="27.5167 mm" left="23.2833 mm" right="33.8667 mm" bottom="25.4

```
mm"/>

                  </tps:pageInfo&gt;&#xA;
                                             <tps:pageInfo classifier="1"&gt;&#xA;
      <tps:size width="215.9 mm" height="279.4 mm"/&gt;&#xA;
                                                                    <tps:margins
top="27.5167 mm" left="33.8667 mm" right="23.2833 mm" bottom="25.4 mm"/>

</tps:pageInfo&gt;&#xA; &lt;/tps:masterSpreadDef&gt;&#xA; &lt;/tps:definition&gt;&#xA;
<tps:definition tag="masterSpreadDef"&gt;&#xA;
                                             <tps:masterSpreadDef&gt;&#xA;
<tps:name&gt;X-Figure Art 2 Col&lt;/tps:name&gt;&#xA;
                                                                   <tps:pageInfo
classifier="0">

                          <tps:size width="215.9 mm" height="279.4 mm"/&gt;&#xA;
     <tps:margins top="27.5167 mm" left="23.2833 mm" right="33.8667 mm" bottom="25.4"
mm"/>

                  </tps:pageInfo&gt;&#xA;
                                             <tps:pageInfo classifier="1"&gt;&#xA;
      <tps:size width="215.9 mm" height="279.4 mm"/&gt;&#xA;
                                                                    <tps:margins
top="27.5167 mm" left="33.8667 mm" right="23.2833 mm" bottom="25.4 mm"/>

</tps:pageInfo&gt;&#xA;
                          </tps:masterSpreadDef&gt;&#xA; &lt;/tps:definition&gt;&#xA;
<tps:definition tag="masterSpreadDef"&gt;&#xA;
                                             <tps:masterSpreadDef&gt;&#xA;
<tps:name&gt;X-Tables&lt;/tps:name&gt;&#xA;
                                             <tps:pageInfo classifier="0"&gt;&#xA;
      <tps:size width="215.9 mm" height="279.4 mm"/&gt;&#xA;
                                                                    <tps:margins
top="27.5167 mm" left="23.2833 mm" right="33.8667 mm" bottom="25.4 mm"/>

                             <tps:pageInfo classifier="1"&gt;&#xA;
</tps:pageInfo&gt;&#xA;
                                                                       <tps:size
width="215.9 mm" height="279.4 mm"/>

                                                    <tps:margins top="27.5167 mm"
left="33.8667 mm" right="23.2833 mm" bottom="25.4 mm"/>

                          </tps:masterSpreadDef&gt;&#xA;
</tps:pageInfo&gt;&#xA;
                                                        </tps:definition&gt;&#xA;
<tps:name&gt;X-Tables Sideturn&lt;/tps:name&gt;&#xA;
                                                                   <tps:pageInfo
classifier="0">

                          <tps:size width="215.9 mm" height="279.4 mm"/&gt;&#xA;
     <tps:margins top="27.5167 mm" left="23.2833 mm" right="33.8667 mm" bottom="25.4"
mm"/>

                  </tps:pageInfo&gt;&#xA;
                                             <tps:pageInfo classifier="1"&gt;&#xA;
```

<tps:size width="215.9 mm" height="279.4 mm"/>

<tps:margins

```
top="27.5167 mm" left="33.8667 mm" right="23.2833 mm" bottom="25.4 mm"/>

</tps:pageInfo&gt;&#xA;
                         <tps:pageInfo classifier="2"&gt;&#xA;
                                                               <tps:size
width="215.9 mm" height="279.4 mm"/>

                                       <tps:margins top="27.5167 mm"
left="33.8667 mm" right="23.2833 mm" bottom="25.4 mm"/>

                         <tps:pageInfo classifier="3"&gt;&#xA;
</tps:pageInfo&gt;&#xA;
                                                               <tps:size
width="215.9 mm" height="279.4 mm"/>

                                              <tps:margins top="27.5167 mm"
left="33.8667 mm" right="23.2833 mm" bottom="25.4 mm"/>

</tps:pageInfo&gt;&#xA;
                         <tps:pageInfo classifier="4"&gt;&#xA;
                                                               <tps:size
width="215.9 mm" height="279.4 mm"/>

                                              <tps:margins top="27.5167 mm"
left="33.8667 mm" right="23.2833 mm" bottom="25.4 mm"/>

&lt:/tps:pageInfo>

                       </tps:masterSpreadDef&gt;&#xA; &lt;/tps:definition&gt;&#xA;
<tps:name&gt;X-Box Figure Art&lt;/tps:name&gt;&#xA;
                                                            <tps:pageInfo
classifier="0">

                       <tps:size width="215.9 mm" height="279.4 mm"/&gt;&#xA;
   <tps:margins top="27.5167 mm" left="23.2833 mm" right="33.8667 mm" bottom="27.1639
mm"/>

                </tps:pageInfo&gt;&#xA;
                                        <tps:pageInfo classifier="1"&gt;&#xA;
      <tps:size width="215.9 mm" height="279.4 mm"/&gt;&#xA;
                                                            <tps:margins
top="27.5167 mm" left="33.8667 mm" right="23.2833 mm" bottom="27.1639 mm"/>

</tps:pageInfo&gt;&#xA;
                       </tps:masterSpreadDef&gt;&#xA; &lt;/tps:definition&gt;&#xA;
<tps:name&gt;X-Box Tables&lt;/tps:name&gt;&#xA; &lt;tps:pageInfo classifier="0"&gt;&#xA;
        <tps:size width="215.9 mm" height="279.4 mm"/&gt;&#xA;
                                                            <tps:margins
top="27.5167 mm" left="23.2833 mm" right="33.8667 mm" bottom="27.1639 mm"/>

</tps:pageInfo&gt;&#xA;
                         <tps:pageInfo classifier="1"&gt;&#xA;
                                                               <tps:size
left="33.8667 mm" right="23.2833 mm" bottom="27.1639 mm"/>
```

```
</tps:pageInfo&gt;&#xA;
                        </tps:masterSpreadDef&gt;&#xA; &lt;/tps:definition&gt;&#xA;
<tps:definition tag="masterSpreadDef"&gt;&#xA;
                                           <tps:masterSpreadDef&gt;&#xA;
<tps:name&gt;XC-Advanced GREP&lt;/tps:name&gt;&#xA;
                                                                <tps:pageInfo
classifier="0">

                        <tps:size width="215.9 mm" height="279.4 mm"/&gt;&#xA;
    <tps:margins top="33.8667 mm" left="33.8667 mm" right="29.6333 mm" bottom="31.75
mm"/>

                 </tps:pageInfo&gt;&#xA;
                                           <tps:pageInfo classifier="1"&gt;&#xA;
      <tps:size width="215.9 mm" height="279.4 mm"/&gt;&#xA;
                                                                <tps:margins
top="33.8667 mm" left="29.6333 mm" right="33.8667 mm" bottom="31.75 mm"/>

                        </tps:masterSpreadDef&gt;&#xA; &lt;/tps:definition&gt;&#xA;
</tps:pageInfo&gt;&#xA;
<tps:name&gt;XC-Avoid Short End Lines&lt;/tps:name&gt;&#xA;
                                                                &lt:tps:pageInfo
                         <tps:size width="215.9 mm" height="279.4 mm"/&gt;&#xA;
classifier="0">

    <tps:margins top="33.8667 mm" left="33.8667 mm" right="29.6333 mm" bottom="31.75
mm"/>

                 </tps:pageInfo&gt;&#xA;
                                           <tps:pageInfo classifier="1"&gt;&#xA;
      <tps:size width="215.9 mm" height="279.4 mm"/&gt;&#xA;
                                                                <tps:margins
top="33.8667 mm" left="29.6333 mm" right="33.8667 mm" bottom="31.75 mm"/>

</tps:pageInfo&gt;&#xA;
                        </tps:masterSpreadDef&gt;&#xA; &lt;/tps:definition&gt;&#xA;
              &lt:!-- ========== --&gt:&#xA:

      Template
                     Definitions
                               (Main Story Frames) -->

                                                                       &lt:!--
<!--
               Item

                                                               &lt:tps:definition
tag="templateItemDef">

                            <tps:templateItemDef type="mainStoryFrame"&gt;&#xA;
  <tps:name&gt;Fo1-FM-EM 1-col:0&lt;/tps:name&gt;&#xA;
                                                    <tps:partOf&gt;&#xA;
   <tps:masterPage&gt;&#xA;
                                                <tps:spreadName&gt;Fo1-FM-EM
1-col</tps:spreadName&gt;&#xA;
<tps:spreadSide&gt;0&lt;/tps:spreadSide&gt;&#xA;
                                               </tps:masterPage&gt;&#xA;
</tps:partOf&gt;&#xA;
                     <tps:pos x="23.2833 mm" y="55.0333 mm"/&gt;&#xA;
```

```
<tps:size width="158.75 mm" height="198.849 mm"/&gt;&#xA;
                                                                                                                                                           <tps:autoText&gt;&#xA;
               <tps:leading&gt;0 pt&lt;/tps:leading&gt;&#xA;
                                                                                                                                           <tps:parStyle/&gt;&#xA;
<tps:baselineToFrameGap&gt;0 mm&lt;/tps:baselineToFrameGap&gt;&#xA;
</tps:autoText&gt;&#xA;
                                                                            <tps:rules/&gt;&#xA;
                                                                                                                                          </tps:templateItemDef&gt;&#xA;
</tps:definition&gt;&#xA;
                                                                           <tps:definition tag="templateItemDef"&gt;&#xA;
<tps:templateItemDef type="mainStoryFrame"&gt;&#xA;
                                                                                                                                                          <tps:name&gt;Fo1-FM-EM
1-col:1</tps:name&gt;&#xA;
                                                                                                                                                         <tps:masterPage&gt;&#xA;
                                                                                 <tps:partOf&gt;&#xA;
                              <tps:spreadName&gt;Fo1-FM-EM 1-col&lt;/tps:spreadName&gt;&#xA;
<tps:spreadSide&gt;1&lt;/tps:spreadSide&gt;&#xA;
                                                                                                                                        </tps:masterPage&gt;&#xA;
</tps:partOf&gt;&#xA;
                                                                         t=0.0333 \text{ mm}^{-1}/4 \text{ mm}^{-1} \text{ y} = 1.0333 \text{ mm}^{-1}/4 \text{ gt}; \text{ mm}^{-1}/4 \text{ mm}^{-1}/
<tps:size width="158.75 mm" height="198.849 mm"/&gt;&#xA;
                                                                                                                                                           <tps:autoText&gt;&#xA;
                           <tps:leading&gt;0 pt&lt;/tps:leading&gt;&#xA;
                                                                                                                                                                       <tps:parStyle&gt;List
Bullet</tps:parStyle&gt;&#xA;
                                                                                                                                               <tps:baselineToFrameGap&gt;0
mm</tps:baselineToFrameGap&gt;&#xA;
                                                                                                                               </tps:autoText&gt;&#xA;
<tps:rules/&gt;&#xA;
                                                                    </tps:templateItemDef&gt;&#xA;
                                                                                                                                                       </tps:definition&gt;&#xA;
&lt:tps:definition
                                         tag="templateItemDef">

                                                                                                                                                                     <tps:templateItemDef
type="mainStoryFrame">

                                                                                                                                        <tps:name&gt;FE1-FM-EM Inside
1-col:0</tps:name&gt;&#xA;
                                                                                 <tps:partOf&gt;&#xA;
                                                                                                                                                         &lt:tps:masterPage>&#xA:
                          <tps:spreadName&gt;FE1-FM-EM Inside 1-col&lt;/tps:spreadName&gt;&#xA;
     <tps:spreadSide&gt;0&lt;/tps:spreadSide&gt;&#xA;
                                                                                                                                             </tps:masterPage&gt;&#xA;
     </tps:partOf&gt;&#xA;
                                                                            <tps:pos x="23.2833 mm" y="27.5167 mm"/xgt;
<tps:size width="158.75 mm" height="226.483 mm"/&gt;&#xA;
                                                                                                                                                           <tps:autoText&gt;&#xA;
               <tps:leading&gt;0 pt&lt;/tps:leading&gt;&#xA;
                                                                                                                                           <tps:parStyle/&gt;&#xA;
<tps:baselineToFrameGap&gt;0 mm&lt;/tps:baselineToFrameGap&gt;&#xA;
</tps:autoText&gt;&#xA;
                                                                            <tps:rules/&gt;&#xA;
                                                                                                                                          </tps:templateItemDef&gt;&#xA;
```

<tps:definition tag="templateItemDef">

</tps:definition>


```
<tps:templateItemDef type="mainStoryFrame"&gt;&#xA;
                                                              <tps:name&gt;FE1-FM-EM
Inside 1-col:1</tps:name&gt;&#xA;
                                               <tps:partOf&gt;&#xA;
<tps:masterPage&gt;&#xA;
                                                 <tps:spreadName&gt;FE1-FM-EM Inside
1-col</tps:spreadName&gt;&#xA;
<tps:spreadSide&gt;1&lt;/tps:spreadSide&gt;&#xA;
                                                      </tps:masterPage&gt;&#xA;
</tps:partOf&gt;&#xA;
                             t=27.5167 \text{ mm}^2
<tps:size width="158.75 mm" height="226.483 mm"/&gt;&#xA;
                                                              <tps:autoText&gt;&#xA;
          <tps:leading&gt;0 pt&lt;/tps:leading&gt;&#xA;
                                                                   <tps:parStyle&gt;List
                                                         <tps:baselineToFrameGap&gt;0
Bullet</tps:parStyle&gt;&#xA;
mm</tps:baselineToFrameGap&gt;&#xA;
                                                   </tps:autoText&gt;&#xA;
<tps:rules/&gt;&#xA;
                           &lt:/tps:templateItemDef&gt:&#xA:
                                                             </tps:definition&gt;&#xA;
                tag="templateItemDef">

&lt:tps:definition
                                                                  <tps:templateItemDef
type="mainStoryFrame">

                                                              <tps:name&gt;Fo2-FM-EM
2-col:0</tps:name&qt;&#xA;
                                <tps:partOf&gt;&#xA;
                                                             <tps:masterPage&gt;&#xA;
            <tps:spreadName&gt;Fo2-FM-EM 2-col&lt;/tps:spreadName&gt;&#xA;
<tps:spreadSide&gt;0&lt;/tps:spreadSide&gt;&#xA;
                                                       </tps:masterPage&gt;&#xA;
                             <tps:pos x="23.2833 \text{ mm}" y="55.0333 \text{ mm}"/\>\&\#xA;
</tps:partOf&gt;&#xA;
<tps:size width="158.75 mm" height="198.849 mm"/&gt;&#xA;
                                                              <tps:autoText&gt;&#xA;
      <tps:leading&gt;0 pt&lt;/tps:leading&gt;&#xA;
                                                        <tps:parStyle/&gt;&#xA;
<tps:baselineToFrameGap&gt;0 mm&lt;/tps:baselineToFrameGap&gt;&#xA;
</tps:autoText&gt;&#xA;
                              &lt:tps:rules/&qt;

                                                       </tps:templateItemDef&gt;&#xA;
</tps:definition&gt;&#xA;
                              <tps:definition tag="templateItemDef"&gt;&#xA;
<tps:templateItemDef type="mainStoryFrame"&gt;&#xA;
                                                              <tps:name&gt;Fo2-FM-EM
2-col:1</tps:name&gt;&#xA;
                                <tps:partOf&gt;&#xA;
                                                             <tps:masterPage&gt;&#xA;
```

<tps:spreadName>Fo2-FM-EM 2-col</tps:spreadName>

<tps:spreadSide>1</tps:spreadSide>
 </tps:masterPage>


```
</tps:partOf&gt;&#xA;
                                                                          t=0.0333 \text{ mm}^{-1} \text{ kgt; } 4.3 \text{ kgr; } 4.3 \text{ kgr; } 4.3 \text{ kgr;
<tps:size width="158.75 mm" height="198.849 mm"/&gt;&#xA;
                                                                                                                                                             <tps:autoText&gt;&#xA;
                           <tps:leading&gt;0 pt&lt;/tps:leading&gt;&#xA;
                                                                                                                                                                          <tps:parStyle&gt;List
Bullet</tps:parStyle&gt;&#xA;
                                                                                                                                                 <tps:baselineToFrameGap&gt;0
mm</tps:baselineToFrameGap&gt;&#xA;
                                                                                                                                 </tps:autoText&gt;&#xA;
<tps:rules/&gt;&#xA;
                                                                     </tps:templateItemDef&gt;&#xA;
                                                                                                                                                          </tps:definition&gt;&#xA;
                                         tag="templateItemDef">

<tps:definition
                                                                                                                                                                        <tps:templateItemDef
type="mainStoryFrame">

                                                                                                                                          <tps:name&gt;FE2-FM-EM Inside
                                                                                  <tps:partOf&gt;&#xA;
                                                                                                                                                            <tps:masterPage&gt;&#xA;
2-col:0</tps:name&gt;&#xA;
                          <tps:spreadName&gt;FE2-FM-EM Inside 2-col&lt;/tps:spreadName&gt;&#xA;
     <tps:spreadSide&gt;0&lt;/tps:spreadSide&gt;&#xA;
                                                                                                                                               </tps:masterPage&gt;&#xA;
                                                                             <tps:pos x="23.2833 mm" y="27.5167 mm"/xgt;
     </tps:partOf&gt;&#xA;
<tps:size width="158.75 mm" height="226.483 mm"/&gt;&#xA;
                                                                                                                                                             <tps:autoText&gt;&#xA;
                <tps:leading&gt;0 pt&lt;/tps:leading&gt;&#xA;
                                                                                                                                              <tps:parStyle/&gt;&#xA;
<tps:baselineToFrameGap&gt;0 mm&lt;/tps:baselineToFrameGap&gt;&#xA;
</tps:autoText&gt;&#xA;
                                                                             <tps:rules/&gt;&#xA;
                                                                                                                                            </tps:templateItemDef&gt;&#xA;
                                                                            <tps:definition tag="templateItemDef"&gt;&#xA;
</tps:definition&gt;&#xA;
<tps:templateItemDef type="mainStoryFrame"&gt;&#xA;
                                                                                                                                                            <tps:name&gt;FE2-FM-EM
Inside 2-col:1</tps:name&gt;&#xA;
                                                                                                                         <tps:partOf&gt;&#xA;
<tps:masterPage&gt;&#xA;
                                                                                                                            <tps:spreadName&gt;FE2-FM-EM Inside
2-col</tps:spreadName&gt;&#xA;
<tps:spreadSide&gt;1&lt;/tps:spreadSide&gt;&#xA;
                                                                                                                                          </tps:masterPage&gt;&#xA;
</tps:partOf&gt;&#xA;
                                                                          t=27.5167 \text{ mm}^2 \text{ mm}^2 \text{ mm}^2
<tps:size width="158.75 mm" height="226.483 mm"/&gt;&#xA;
                                                                                                                                                             <tps:autoText&gt;&#xA;
                           <tps:leading&gt;0 pt&lt;/tps:leading&gt;&#xA;
                                                                                                                                                                          <tps:parStyle&gt;List
```

<tps:baselineToFrameGap>0

Bullet</tps:parStyle>

mm</tps:baselineToFrameGap>
 </tps:autoText>

<tps:rules/>
 </tps:templateItemDef>
 </tps:definition>

<tps:definition tag="templateItemDef">
 <tps:templateItemDef

type="mainStoryFrame">
 <tps:name>Co2-Chapter

Opener:0</tps:name>
 <tps:partOf>

<tps:masterPage>
 <tps:spreadName>Co2-Chapter

Opener</tps:spreadName>

<tps:spreadSide>0</tps:spreadSide>
 </tps:masterPage>

</tps:partOf>
 <tps:pos x="23.2833 mm" y="55.0333 mm"/>

<tps:baselineToFrameGap>0 mm</tps:baselineToFrameGap>

</tps:autoText>
 <tps:rules/>
 </tps:templateItemDef>

</tps:definition>
 <tps:definition tag="templateItemDef">

Opener:1</tps:name>
 <tps:partOf>

<tps:masterPage>
 <tps:spreadName>Co2-Chapter

Opener</tps:spreadName>

<tps:spreadSide>1</tps:spreadSide>
 </tps:masterPage>

</tps:partOf>
 <tps:pos x="33.8667 mm" y="55.0333 mm"/>

Bullet</tps:parStyle>
 <tps:baselineToFrameGap>0

mm</tps:baselineToFrameGap>
 </tps:autoText>

<tps:rules/>
 </tps:templateItemDef>
 </tps:definition>

<tps:definition tag="templateItemDef">
 <tps:templateItemDef

```
type="mainStoryFrame">

                                                         <tps:name&gt;C1-Inside
                                                                                  Pages
1-col:0</tps:name&gt;&#xA;
                                 <tps:partOf&gt;&#xA;
                                                              <tps:masterPage&gt;&#xA;
          <tps:spreadName&gt;C1-Inside Pages 1-col&lt;/tps:spreadName&gt;&#xA;
<tps:spreadSide&gt;0&lt;/tps:spreadSide&gt;&#xA;
                                                       </tps:masterPage&gt;&#xA;
                              <tps:pos x="23.2833 \text{ mm}" y="27.5167 \text{ mm}"/\>\&\#xA;
</tps:partOf&gt;&#xA;
<tps:size width="158.75 mm" height="226.483 mm"/&gt;&#xA;
                                                               <tps:autoText&gt;&#xA;
      <tps:leading&gt;0 pt&lt;/tps:leading&gt;&#xA;
                                                         <tps:parStyle/&gt;&#xA;
<tps:baselineToFrameGap&gt;0 mm&lt;/tps:baselineToFrameGap&gt;&#xA;
</tps:autoText&gt;&#xA;
                                                        </tps:templateItemDef&gt;&#xA;
                               <tps:rules/&gt;&#xA;
</tps:definition&gt;&#xA;
                              <tps:definition tag="templateItemDef"&gt;&#xA;
<tps:templateItemDef type="mainStoryFrame"&gt;&#xA;
                                                           <tps:name&gt;C1-Inside Pages
1-col:1</tps:name&gt;&#xA;
                                 <tps:partOf&gt;&#xA;
                                                              <tps:masterPage&gt;&#xA;
          <tps:spreadName&gt;C1-Inside Pages 1-col&lt;/tps:spreadName&gt;&#xA;
<tps:spreadSide&gt;1&lt;/tps:spreadSide&gt;&#xA;
                                                       </tps:masterPage&gt;&#xA;
</tps:partOf&gt;&#xA;
                              <tps:pos x="33.8667 mm" y="27.5167 mm"/\>\&\#xA;
<tps:size width="158.75 mm" height="226.483 mm"/&gt;&#xA;
                                                               <tps:autoText&gt;&#xA;
           <tps:leading&gt;0 pt&lt;/tps:leading&gt;&#xA;
                                                                    <tps:parStyle&gt;List
Bullet</tps:parStyle&gt;&#xA;
                                                          <tps:baselineToFrameGap&gt;0
mm</tps:baselineToFrameGap&gt;&#xA;
                                                    </tps:autoText&gt;&#xA;
<tps:rules/&gt;&#xA;
                           </tps:templateItemDef&gt;&#xA;
                                                              </tps:definition&gt;&#xA;
                tag="templateItemDef">

&lt:tps:definition
                                                                   <tps:templateItemDef
type="mainStoryFrame">

                                                         <tps:name&gt;C2-Inside Pages
2-col:0</tps:name&gt;&#xA;
                                 <tps:partOf&gt;&#xA;
                                                              <tps:masterPage&gt;&#xA;
          <tps:spreadName&gt;C2-Inside Pages 2-col&lt;/tps:spreadName&gt;&#xA;
<tps:spreadSide&gt;0&lt;/tps:spreadSide&gt;&#xA;
                                                       </tps:masterPage&gt;&#xA;
```

<tps:pos x="23.2833 mm" y="27.5167 mm"/>

</tps:partOf>


```
<tps:size width="158.75 mm" height="226.483 mm"/&gt;&#xA;
                                                              <tps:autoText&gt;&#xA;
      <tps:leading&gt;0 pt&lt;/tps:leading&gt;&#xA;
                                                        <tps:parStyle/&gt;&#xA;
<tps:baselineToFrameGap&gt;0 mm&lt;/tps:baselineToFrameGap&gt;&#xA;
</tps:autoText&gt;&#xA;
                              <tps:rules/&gt;&#xA;
                                                       </tps:templateItemDef&gt;&#xA;
                              <tps:definition tag="templateItemDef"&gt;&#xA;
</tps:definition&gt;&#xA;
<tps:templateItemDef type="mainStoryFrame"&gt;&#xA;
                                                          <tps:name&gt;C2-Inside Pages
2-col:1</tps:name&gt;&#xA;
                                                             <tps:masterPage&gt;&#xA;
                                <tps:partOf&gt;&#xA;
          <tps:spreadName&gt;C2-Inside Pages 2-col&lt;/tps:spreadName&gt;&#xA;
<tps:spreadSide&gt;1&lt;/tps:spreadSide&gt;&#xA;
                                                       </tps:masterPage&gt;&#xA;
</tps:partOf&gt;&#xA;
                             t=27.5167 \text{ mm}^2
<tps:size width="158.75 mm" height="226.483 mm"/&gt;&#xA;
                                                              <tps:autoText&gt;&#xA;
          <tps:leading&gt;0 pt&lt;/tps:leading&gt;&#xA;
                                                                   <tps:parStyle&gt;List
Bullet</tps:parStyle&gt;&#xA;
                                                         <tps:baselineToFrameGap&gt;0
mm</tps:baselineToFrameGap&gt;&#xA;
                                                   </tps:autoText&gt;&#xA;
<tps:rules/&gt;&#xA;
                           </tps:templateItemDef&gt;&#xA;
                                                             </tps:definition&gt;&#xA;
&lt:tps:definition
                tag="templateItemDef">

                                                                  <tps:templateItemDef
                                                     <tps:name&gt;So2-Special Feature
type="mainStoryFrame">

Opener:0</tps:name&gt;&#xA;
                                             <tps:partOf&gt;&#xA;
                                                <tps:spreadName&gt;So2-Special Feature
<tps:masterPage&gt;&#xA;
Opener</tps:spreadName&gt;&#xA;
<tps:spreadSide&gt;0&lt;/tps:spreadSide&gt;&#xA;
                                                       </tps:masterPage&gt;&#xA;
</tps:partOf&gt;&#xA;
                               t=23.2833 \text{ mm} = 25.4 \text{ mm} / \text{gt}
<tps:size width="158.75 mm" height="229.306 mm"/&gt;&#xA;
                                                              <tps:autoText&gt;&#xA;
      <tps:leading&gt;0 pt&lt;/tps:leading&gt;&#xA;
                                                        <tps:parStyle/&gt;&#xA;
<tps:baselineToFrameGap&gt;0 mm&lt;/tps:baselineToFrameGap&gt;&#xA;
```

<tps:rules/>

</tps:templateItemDef>

</tps:autoText>


```
</tps:definition&gt;&#xA;
                               <tps:definition tag="templateItemDef"&gt;&#xA;
<tps:templateItemDef type="mainStoryFrame"&gt;&#xA;
                                                               <tps:name&gt;So2-Special
Feature Opener:1</tps:name&gt;&#xA;
                                                   <tps:partOf&gt;&#xA;
<tps:masterPage&gt;&#xA;
                                                 <tps:spreadName&gt;So2-Special Feature
Opener</tps:spreadName&gt;&#xA;
<tps:spreadSide&gt;1&lt;/tps:spreadSide&gt;&#xA;
                                                        </tps:masterPage&gt;&#xA;
</tps:partOf&gt;&#xA;
                               t=0.05 <tps:pos x="33.8667 mm" y="25.4 mm"/&gt;&#xA;
<tps:size width="158.75 mm" height="229.306 mm"/&gt;&#xA;
                                                                <tps:autoText&gt;&#xA;
           <tps:leading&gt;0 pt&lt;/tps:leading&gt;&#xA;
                                                                     <tps:parStyle&gt;List
Bullet</tps:parStyle&gt;&#xA;
                                                           <tps:baselineToFrameGap&gt;0
mm</tps:baselineToFrameGap&gt;&#xA;
                                                    </tps:autoText&gt;&#xA;
                            </tps:templateItemDef&gt;&#xA;
<tps:rules/&gt;&#xA;
                                                              </tps:definition&gt;&#xA;
&lt:tps:definition
                tag="templateItemDef">

                                                                    <tps:templateItemDef
type="mainStoryFrame">

                                                       <tps:name&gt;S2-Special Feature
Text:0</tps:name&gt;&#xA;
                                 <tps:partOf&gt;&#xA;
                                                              <tps:masterPage&gt;&#xA;
          <tps:spreadName&gt;$2-Special Feature Text&lt;/tps:spreadName&gt;&#xA;
 <tps:spreadSide&gt;0&lt;/tps:spreadSide&gt;&#xA;
                                                         </tps:masterPage&gt;&#xA;
 </tps:partOf&gt;&#xA;
                               <tps:pos x="23.2833 \text{ mm}" y="27.5167 \text{ mm}"/\>\&\#xA;
<tps:size width="158.75 mm" height="226.483 mm"/&gt;&#xA;
                                                                <tps:autoText&gt;&#xA;
      <tps:leading&gt;0 pt&lt;/tps:leading&gt;&#xA;
                                                         <tps:parStyle/&gt;&#xA;
<tps:baselineToFrameGap&gt;0 mm&lt;/tps:baselineToFrameGap&gt;&#xA;
</tps:autoText&gt;&#xA;
                               <tps:rules/&gt;&#xA;
                                                         </tps:templateItemDef&gt;&#xA;
                               <tps:definition tag="templateItemDef"&gt;&#xA;
</tps:definition&gt;&#xA;
<tps:templateItemDef type="mainStoryFrame"&gt;&#xA;
                                                                <tps:name&gt;S2-Special
Feature Text:1</tps:name&gt;&#xA;
                                                 <tps:partOf&gt;&#xA;
```

<tps:spreadName>S2-Special Feature

<tps:masterPage>

Text</tps:spreadName>
 <tps:spreadSide>1</tps:spreadSide>
 </tps:masterPage>
 </tps:partOf>
 <tps:pos x="33.8667 mm" y="27.5167 mm"/> <tps:size width="158.75 mm" height="226.483" mm"/> <tps:autoText>
 <tps:leading>0 <tps:parStyle>List Bullet</tps:parStyle>
 pt</tps:leading>
 <tps:baselineToFrameGap>0 mm</tps:baselineToFrameGap>
 </tps:autoText>
 <tps:rules/>
 </tps:templateItemDef>
 </tps:definition>
 <tps:definition tag="templateItemDef">
 <tps:templateItemDef type="mainStoryFrame">
 <tps:name>Bo2-Box opener:0</tps:name>
 <tps:partOf>
 <tps:masterPage>
 <:tps:spreadName>Bo2-Box opener</tps:spreadName>
 <tps:spreadSide>0</tps:spreadSide>
 </tps:masterPage>
 </tps:partOf>
 <tps:pos x="27.5167 mm" y="37.7472 mm"/>
<tps:size width="150.283 mm" height="210.256 mm"/>
 <tps:autoText>
 <tps:leading>0 pt</tps:leading>
 <tps:parStyle>Box <tps:baselineToFrameGap>0 Normal</tps:parStyle>
 mm</tps:baselineToFrameGap>
 </tps:autoText>
 </tps:templateItemDef>
 </tps:definition>
 <tps:rules/>
 <tps:definition tag="templateItemDef"> <tps:templateItemDef type="mainStoryFrame"> <tps:name>Bo2-Box opener:1</tps:name>
 <tps:partOf>
 <tps:masterPage>
 <tps:spreadName>Bo2-Box opener</tps:spreadName>

</tps:partOf>
 <tps:pos x="38.1 mm" y="37.7472 mm"/>


```
<tps:leading&gt;0 pt&lt;/tps:leading&gt;&#xA;
                                                                   <tps:parStyle&gt;Box
Normal.flush</tps:parStyle&gt;&#xA;
                                                         <tps:baselineToFrameGap&gt;0
mm</tps:baselineToFrameGap&gt;&#xA;
                                                   </tps:autoText&gt;&#xA;
<tps:rules/&gt;&#xA;
                           </tps:templateItemDef&gt;&#xA;
                                                             </tps:definition&gt;&#xA;
<tps:definition
                tag="templateItemDef">

                                                                   <tps:templateItemDef
type="mainStoryFrame">

                                    <tps:name&gt;B2-Box Text:0&lt;/tps:name&gt;&#xA;
    <tps:partOf&gt;&#xA;
                                         <tps:masterPage&gt;&#xA;
<tps:spreadName&gt;B2-Box Text&lt;/tps:spreadName&gt;&#xA;
<tps:spreadSide&gt;0&lt;/tps:spreadSide&gt;&#xA;
                                                       </tps:masterPage&gt;&#xA;
</tps:partOf&gt;&#xA;
                             t=0.05 <tps:pos x="27.5167 mm" y="37.7472 mm"/&gt;&#xA;
                                                               <tps:autoText&gt;&#xA;
<tps:size width="150.283 mm" height="210.256 mm"/&gt;&#xA;
           <tps:leading&gt;0 pt&lt;/tps:leading&gt;&#xA;
                                                                   <tps:parStyle&gt;Box
Normal</tps:parStyle&gt;&#xA;
                                                         <tps:baselineToFrameGap&gt;0
mm</tps:baselineToFrameGap&gt;&#xA;
                                                   </tps:autoText&gt;&#xA;
<tps:rules/&gt;&#xA;
                           </tps:templateItemDef&gt;&#xA;
                                                             </tps:definition&gt;&#xA;
&lt:tps:definition
                tag="templateItemDef">

                                                                   <tps:templateItemDef
                                    <tps:name&gt;B2-Box Text:1&lt;/tps:name&gt;&#xA;
type="mainStoryFrame">

    <tps:partOf&gt;&#xA;
                                         <tps:masterPage&gt;&#xA;
<tps:spreadName&gt;B2-Box Text&lt;/tps:spreadName&gt;&#xA;
<tps:spreadSide&gt;1&lt;/tps:spreadSide&gt;&#xA;
                                                       </tps:masterPage&gt;&#xA;
</tps:partOf&gt;&#xA;
                               t=0.05 <tps:pos x="38.1 mm" y="37.7472 mm"/&gt;&#xA;
<tps:size width="150.283 mm" height="210.256 mm"/&gt;&#xA;
                                                               <tps:autoText&gt;&#xA;
           <tps:leading&gt;0 pt&lt;/tps:leading&gt;&#xA;
                                                                   <tps:parStyle&gt;Box
Normal.flush</tps:parStyle&gt;&#xA;
                                                         <tps:baselineToFrameGap&gt;0
```

mm</tps:baselineToFrameGap>

<tps:rules/>

</tps:autoText>

:

</tps:templateItemDef>
 </tps:definition>


```
<tps:definition tag="templateItemDef"&gt;&#xA;
                                                              <tps:templateItemDef
type="mainStoryFrame">

                                             <tps:name&gt;Ao2-Book Annex Opener
2col:0</tps:name&gt;&#xA;
                              <tps:partOf&gt;&#xA;
                                                         <tps:masterPage&gt;&#xA;
         <tps:spreadName&gt;Ao2-Book Annex Opener 2col&lt;/tps:spreadName&gt;&#xA;
      <tps:spreadSide&gt;0&lt;/tps:spreadSide&gt;&#xA;
                                                         </tps:masterPage&gt;&#xA;
     </tps:partOf&gt;&#xA;
                               t=0.0333 \text{ mm}
<tps:size width="158.75 mm" height="198.849 mm"/&gt;&#xA;
                                                           <tps:autoText&gt;&#xA;
      <tps:leading&gt;0 pt&lt;/tps:leading&gt;&#xA;
                                                    <tps:parStyle/&gt;&#xA;
<tps:baselineToFrameGap&gt;0 mm&lt;/tps:baselineToFrameGap&gt;&#xA;
</tps:autoText&gt;&#xA;
                            <tps:rules/&qt;&#xA;
                                                    </tps:templateItemDef&gt;&#xA;
</tps:definition&gt;&#xA;
                            <tps:definition tag="templateItemDef"&gt;&#xA;
<tps:templateItemDef type="mainStoryFrame"&gt;&#xA;
                                                      <tps:name&gt;Ao2-Book Annex
Opener 2col:1</tps:name&gt;&#xA;
                                             <tps:partOf&gt;&#xA;
<tps:masterPage&gt;&#xA;
                                         <tps:spreadName&gt;Ao2-Book Annex Opener
2col</tps:spreadName&gt;&#xA;
                                      <tps:spreadSide&gt;1&lt;/tps:spreadSide&gt;&#xA;
           </tps:masterPage&gt;&#xA;
                                            </tps:partOf&gt;&#xA;
                                                                         &lt:tps:pos
x="33.8667 mm" y="55.0333 mm"/>

                                          <tps:size width="158.75 mm" height="198.849
mm"/>

                          <tps:autoText&gt;&#xA;
                                                                 &lt:tps:leading&gt:0
                              <tps:parStyle&gt;List Bullet&lt;/tps:parStyle&gt;&#xA;
pt</tps:leading&gt;&#xA;
  <tps:baselineToFrameGap&gt;0 mm&lt;/tps:baselineToFrameGap&gt;&#xA;
</tps:autoText&gt;&#xA;
                            <tps:rules/&gt;&#xA;
                                                   </tps:templateItemDef&gt;&#xA;
</tps:definition&gt;&#xA;

                  &lt:!-- ========= --&qt:&#xA:
                                                           &lt:!-- Element Definitions

-->

               <!-- ========== --&gt;&#xA;

                                                                    <tps:definition
tag="placedElementDef">

                                      <tps:placedElementDef&gt;&#xA;
```

</tps:placedElementDef>

<tps:name>Title</tps:name>

</tps:definition>
 <tps:definition tag="placedElementDef">
 <tps:placedElementDef>
 <tps:name>Summary</tps:name>
 </tps:placedElementDef>
 </tps:definition>
 <tps:definition tag="floatingElementDef"> <tps:floatingElementDef>
 <tps:name>Figure</tps:name>
 <tps:keywords>
 <tps:name>1 Col</tps:name>
 <tps:name>2 Col</tps:name>
 <tps:name>2 Col Tall Wide</tps:name>
 </tps:keywords>
 </tps:floatingElementDef>
 </tps:definition>
 <tps:definition tag="floatingElementDef"> <tps:floatingElementDef>
 <tps:name>Table-Wrap</tps:name>
 <tps:keywords>
 <tps:name>1 Col</tps:name>
 <tps:name>1 Col <tps:name>2 Col</tps:name>
 Wide</tps:name>
 <tps:name>2 Col Wide</tps:name>
 <tps:name>Sideturn 1 Col</tps:name>
 <tps:name>Sideturn 1 Col Wide</tps:name>
 <tps:name>Sideturn 2 Col</tps:name>
 <tps:name>Sideturn 2 Col Wide</tps:name>
 <tps:name>Sideturn 2 Col Tall </tps:keywords>
 Wide</tps:name>
 </tps:floatingElementDef>
 </tps:definition>
 <tps:definition tag="floatingElementDef"> <tps:floatingElementDef>
 <tps:name>Box Figure</tps:name>
 <tps:keywords>
 <tps:name>1 Col</tps:name>
 <tps:name>2 Col</tps:name>
 </tps:keywords>
 </tps:floatingElementDef>
 <:/tps:definition> <tps:definition tag="floatingElementDef">
 <tps:floatingElementDef>
 <tps:name>Box Table-Wrap</tps:name>

<tps:name>2 Col</tps:name>

</tps:keywords>

<tps:keywords>

<tps:name>1 Col</tps:name>


```
</tps:floatingElementDef&gt;&#xA;
                                  </tps:definition&gt;&#xA;

                                                                              &lt:!--

<!-- ============ --&gt;&#xA;

                                                                     <tps:definition
tag="elementVariantDef">

                                    <tps:elementVariantDef id="1"&gt;&#xA;
<tps:elementFamily&gt;Figure&lt;/tps:elementFamily&gt;&#xA;
                                                           <tps:keywords&gt;&#xA;
        <tps:name&gt;1 Col&lt;/tps:name&gt;&#xA;
                                                     </tps:keywords&gt;&#xA;
<tps:pos x="10.5833 \text{ mm}" y="27.5167 \text{ mm}"/\>\&\#xA;
                                                          <tps:size width="88.9 mm"
height="226.483 mm"/>

                                       <tps:rules&gt;&#xA;
                                                                         <tps:rule
tag="placementRule" type="pageSide" priority="1">

                                                                <tps:placementRule
pageSide="left"/>

                             </tps:rule&gt;&#xA;
                                                       <tps:rule tag="placementRule"
type="pageSide" priority="1">

                                                                <tps:placementRule
pageSide="right"/>

                                       </tps:rule&gt;&#xA;
                                                                         <tps:rule
tag="floatFrameAlignmentRule" type="alignment" priority="3">

<tps:floatFrameAlignmentRule xRef="left" yRef="top" xBase="columnEdge" yBase="textFrame"
topLimit="textFrame" floatXRef="left" floatYRef="top" leftLimit="pageEdge" rightLimit="pageEdge"
bottomLimit="textFrame"/>

                                          </tps:rule&gt;&#xA;
                                                                         &lt:tps:rule
tag="floatFrameAlignmentRule" type="alignment" priority="0">

<tps:floatFrameAlignmentRule
                                xRef="left"
                                               yRef="middle"
                                                                xBase="columnEdge"
yBase="textFrame" topLimit="textFrame" floatXRef="left" floatYRef="middle" leftLimit="none"
rightLimit="none" bottomLimit="textFrame"/>

                                                      </tps:rule&gt;&#xA;
<tps:rule tag="floatFrameAlignmentRule" type="alignment" priority="0"&gt;&#xA;
<tps:floatFrameAlignmentRule
                                xRef="left"
                                              yRef="bottom"
                                                                xBase="columnEdge"
yBase="textFrame" topLimit="textFrame" floatXRef="left" floatYRef="bottom" leftLimit="pageEdge"
rightLimit="pageEdge" bottomLimit="textFrame"/>

                                                        </tps:rule&gt;&#xA;
<tps:rule tag="floatLineAlignmentRule" type="alignment" priority="0"&gt;&#xA;
<tps:floatLineAlignmentRule
                              xRef="left"
                                            xBase="columnEdge"
                                                                   yBase="baseline"
```

```
topLimit="textFrame"
                      floatXRef="left"
                                       floatYRef="top"
                                                        leftLimit="none"
                                                                          rightLimit="none"
bottomLimit="textFrame"/>

                                         </tps:rule&gt;&#xA;
                                                                   </tps:rules&gt;&#xA;
    <tps:frames&gt;&#xA;
                                      <tps:frame_type="imageFrame"/&gt;&#xA;
<tps:frame_type="contentFrame"/&gt;&#xA;
                                                       </tps:frames&gt;&#xA;
<tps:floatSpacing top="4.23333 mm" left="-6.35 mm" right="-6.35 mm" bottom="4.23333
mm"/>

                        </tps:elementVariantDef&gt;&#xA;
                                                              </tps:definition&gt;&#xA;
<tps:definition tag="elementVariantDef"&gt;&#xA;
                                                  <tps:elementVariantDef id="3"&gt;&#xA;
              <tps:elementFamily&gt;Figure&lt;/tps:elementFamily&gt;&#xA;
<tps:keywords&gt;&#xA;
                                      <tps:name&gt;2 Col&lt;/tps:name&gt;&#xA;
</tps:keywords&gt;&#xA;
                                 t=12.7 \text{ mm} = 27.5167 \text{ mm}/\text{kgt}
<tps:size width="179.917 mm" height="232.833 mm"/&gt;&#xA;
                                                                 &lt:tps:rules&at;

      <tps:rule tag="placementRule" type="pageSide" priority="1"&gt;&#xA;
<tps:placementRule pageSide="left"/&gt;&#xA;
                                                         </tps:rule&gt;&#xA;
<tps:rule tag="placementRule" type="pageSide" priority="1"&gt;&#xA;
<tps:placementRule pageSide="right"/&gt;&#xA;
                                                          </tps:rule&gt;&#xA;
<tps:rule tag="floatFrameAlignmentRule" type="alignment" priority="3"&gt;&#xA;
<tps:floatFrameAlignmentRule xRef="center" yRef="top" xBase="textFrame" yBase="textFrame"
topLimit="textFrame"
                          floatXRef="center"
                                                  floatYRef="top"
                                                                       leftLimit="pageEdge"
rightLimit="pageEdge" bottomLimit="variant"/>

                                                            </tps:rule&gt;&#xA;
<tps:rule_tag="floatFrameAlignmentRule"_type="alignment"_priority="0"&gt;&#xA;
<tps:floatFrameAlignmentRule xRef="left" yRef="middle" xBase="variant" yBase="textFrame"
                     floatXRef="left"
topLimit="textFrame"
                                     floatYRef="middle"
                                                         leftLimit="none"
                                                                          rightLimit="none"
bottomLimit="textFrame"/>

                                              </tps:rule&gt;&#xA;
                                                                                <tps:rule
tag="floatFrameAlignmentRule" type="alignment" priority="0">
```

xRef="center"

topLimit="textFrame"

yRef="bottom"

floatXRef="center"

<tps:floatFrameAlignmentRule

yBase="textFrame"

xBase="textFrame"

floatYRef="bottom"

leftLimit="pageEdge" rightLimit="pageEdge" bottomLimit="variant"/>

priority="0">
 <tps:floatLineAlignmentRule xRef="left" xBase="variant"

yBase="baseline" topLimit="textFrame" floatXRef="left" floatYRef="top" leftLimit="none"

</tps:rules>
 <tps:frames>
 <tps:frame

type="imageFrame"/>
 <tps:frame_type="contentFrame"/>

</tps:frames>
 <tps:floatSpacing top="4.23333 mm" left="0 mm" right="0 mm"

bottom="9.17222 mm"/>
 </tps:elementVariantDef>

</tps:definition>
 <tps:definition tag="elementVariantDef">

<tps:elementVariantDef id="8">

pageSide="right"/>

<tps:elementFamily>Figure</tps:elementFamily>
 <tps:keywords>

<tps:name>2 Col Tall Wide</tps:name>
 </tps:keywords>

height="242.006 mm"/>
 <tps:rules>
 <tps:rule

pageSide="left"/>
 </tps:rule>
 <tps:rule tag="placementRule"

type="pageSide" priority="1">
 <tps:placementRule

</tps:rule>

<tps:rule

<tps:floatFrameAlignmentRule xRef="center" yRef="top" xBase="textFrame" yBase="variant"

topLimit="variant" floatXRef="center" floatYRef="top" leftLimit="pageEdge" rightLimit="pageEdge"

bottomLimit="variant"/>
 </tps:rule>
 <tps:rule

tag="floatFrameAlignmentRule" type="alignment" priority="0">

tag="floatFrameAlignmentRule" type="alignment" priority="3">

<tps:floatFrameAlignmentRule xRef="left" yRef="middle" xBase="variant" yBase="textFrame"

topLimit="textFrame" floatXRef="left" floatYRef="middle" leftLimit="none" rightLimit="none"

```
bottomLimit="textFrame"/>

                                              </tps:rule&gt;&#xA;
                                                                               <tps:rule
tag="floatFrameAlignmentRule" type="alignment" priority="0">

<tps:floatFrameAlignmentRule xRef="left" yRef="bottom" xBase="variant" yBase="textFrame"
topLimit="textFrame"
                     floatXRef="left" floatYRef="bottom"
                                                         leftLimit="none"
                                                                         rightLimit="none"
bottomLimit="textFrame"/>

                                              </tps:rule&gt;&#xA;
                                                                               <tps:rule
tag="floatLineAlignmentRule" type="alignment" priority="0">

<tps:floatLineAlignmentRule xRef="left" xBase="variant" yBase="baseline" topLimit="textFrame"
floatXRef="left"
                        floatYRef="top"
                                                 leftLimit="none"
                                                                         rightLimit="none"
bottomLimit="textFrame"/>

                                        </tps:rule&gt;&#xA;
                                                                  </tps:rules&gt;&#xA;
    <tps:frames&gt;&#xA;
                                      <tps:frame type="imageFrame"/&gt;&#xA;
<tps:frame_type="contentFrame"/&gt;&#xA;
                                                      </tps:frames&gt;&#xA;
<tps:floatSpacing top="0 mm" left="0 mm" right="0 mm" bottom="0 mm"/&gt;&#xA;
</tps:elementVariantDef&gt;&#xA;
                                         </tps:definition&gt;&#xA;
                                                                           &lt:tps:definition
tag="elementVariantDef">

                                       <tps:elementVariantDef id="1"&gt;&#xA;
<tps:elementFamily&gt;Table-Wrap&lt;/tps:elementFamily&gt;&#xA;
<tps:keywords&gt;&#xA;
                                      <tps:name&gt;1 Col&lt;/tps:name&gt;&#xA;
                               t=23.2833 \text{ mm} = 27.5167 \text{ mm} / \text{gt}
</tps:keywords&gt;&#xA;
<tps:size width="76.2 mm" height="3.06913 mm"/&gt;&#xA;
                                                             <tps:rules&gt;&#xA;
<tps:rule_tag="placementRule"_type="pageSide"_priority="1"&gt;&#xA;
<tps:placementRule pageSide="left"/&gt;&#xA;
                                                         </tps:rule&gt;&#xA;
<tps:rule_tag="placementRule"_type="pageSide"_priority="1"&gt;&#xA;
<tps:placementRule pageSide="right"/&gt;&#xA;
                                                          </tps:rule&gt;&#xA;
<tps:rule tag="floatFrameAlignmentRule" type="alignment" priority="3"&gt;&#xA;
<tps:floatFrameAlignmentRule xRef="left" yRef="top" xBase="columnEdge" yBase="textFrame"
topLimit="textFrame"
                          floatXRef="left"
                                                                    leftLimit="columnEdge"
                                               floatYRef="top"
```

</tps:rule>

rightLimit="columnEdge" bottomLimit="textFrame"/>

```
<tps:rule tag="floatFrameAlignmentRule" type="alignment" priority="0"&gt;&#xA;
<tps:floatFrameAlignmentRule xRef="left" yRef="middle" xBase="variant" yBase="textFrame"
topLimit="textFrame"
                     floatXRef="left"
                                     floatYRef="middle"
                                                         leftLimit="none"
                                                                          rightLimit="none"
bottomLimit="textFrame"/>

                                              </tps:rule&gt;&#xA;
                                                                                <tps:rule
tag="floatFrameAlignmentRule" type="alignment" priority="0">

<tps:floatFrameAlignmentRule xRef="left" yRef="bottom" xBase="variant" yBase="textFrame"
topLimit="textFrame"
                     floatXRef="left"
                                     floatYRef="bottom"
                                                         leftLimit="none"
                                                                          rightLimit="none"
bottomLimit="textFrame"/>

                                              </tps:rule&gt;&#xA;
                                                                                <tps:rule
tag="floatLineAlignmentRule" type="alignment" priority="0">

<tps:floatLineAlignmentRule xRef="left" xBase="variant" yBase="baseline" topLimit="textFrame"
floatXRef="left"
                        floatYRef="top"
                                                 leftLimit="none"
                                                                          rightLimit="none"
bottomLimit="textFrame"/>

                                        </tps:rule&gt;&#xA;
                                                                  </tps:rules&gt;&#xA;
     <tps:frames&gt;&#xA;
                                       <tps:frame type="contentFrame"/&gt;&#xA;
</tps:frames&gt;&#xA;
                              <tps:floatSpacing top="4.23333 mm" left="0 mm" right="0 mm"
bottom="4.23333" mm"/>

                                                  </tps:elementVariantDef&gt;&#xA;
                              <tps:definition tag="elementVariantDef"&gt;&#xA;
</tps:definition&gt;&#xA;
                           id="2">

<tps:elementVariantDef
<tps:elementFamily&gt;Table-Wrap&lt;/tps:elementFamily&gt;&#xA;
<tps:keywords&gt;&#xA;
                                   <tps:name&gt;1 Col Wide&lt;/tps:name&gt;&#xA;
                                  t=12.7 \text{ mm} = 48.895 \text{ mm}/\text{kgt}
</tps:keywords&gt;&#xA;
<tps:size width="88.9 mm" height="3.06913 mm"/&gt;&#xA;
                                                             <tps:rules&gt;&#xA;
<tps:rule tag="placementRule" type="pageSide" priority="1"&gt;&#xA;
<tps:placementRule pageSide="left"/&gt;&#xA;
                                                         </tps:rule&gt;&#xA;
<tps:rule tag="placementRule" type="pageSide" priority="1"&gt;&#xA;
```

</tps:rule>

<tps:placementRule pageSide="right"/>

<tps:rule_tag="floatFrameAlignmentRule"_type="alignment"_priority="3">


```
<tps:floatFrameAlignmentRule xRef="left" yRef="top" xBase="columnEdge" yBase="textFrame"
topLimit="textFrame" floatXRef="left" floatYRef="top" leftLimit="pageEdge" rightLimit="pageEdge"
bottomLimit="textFrame"/>

                                             </tps:rule&gt;&#xA;
                                                                              <tps:rule
tag="floatFrameAlignmentRule" type="alignment" priority="0">

<tps:floatFrameAlignmentRule xRef="left" yRef="middle" xBase="variant" yBase="textFrame"
topLimit="textFrame"
                     floatXRef="left"
                                     floatYRef="middle"
                                                        leftLimit="none"
                                                                         rightLimit="none"
bottomLimit="textFrame"/>

                                             </tps:rule&gt;&#xA;
                                                                              <tps:rule
tag="floatFrameAlignmentRule" type="alignment" priority="0">

<tps:floatFrameAlignmentRule xRef="left" yRef="bottom" xBase="variant" yBase="textFrame"
topLimit="textFrame"
                     floatXRef="left"
                                     floatYRef="bottom"
                                                        leftLimit="none"
                                                                         rightLimit="none"
bottomLimit="textFrame"/>

                                             </tps:rule&gt;&#xA;
                                                                              &lt:tps:rule
tag="floatLineAlignmentRule" type="alignment" priority="0">

<tps:floatLineAlignmentRule xRef="left" xBase="variant" yBase="baseline" topLimit="textFrame"
floatXRef="left"
                        floatYRef="top"
                                                leftLimit="none"
                                                                         rightLimit="none"
bottomLimit="textFrame"/>

                                        </tps:rule&gt;&#xA;
                                                                 </tps:rules&gt;&#xA;
     <tps:frames&gt;&#xA;
                                       <tps:frame type="contentFrame"/&gt;&#xA;
</tps:frames&gt;&#xA;
                             <tps:floatSpacing top="4.23333 mm" left="-6.35 mm" right="-6.35
mm" bottom="4.23333 mm"/>

                                                  </tps:elementVariantDef&gt;&#xA;
                              <tps:definition tag="elementVariantDef"&gt;&#xA;
</tps:definition&gt;&#xA;
<tps:elementVariantDef
                          id="6"&qt;

<tps:elementFamily&gt;Table-Wrap&lt;/tps:elementFamily&gt;&#xA;
<tps:keywords&gt;&#xA;
                                      <tps:name&gt;2 Col&lt;/tps:name&gt;&#xA;
</tps:keywords&gt;&#xA;
                               t=0.6967 \text{ mm}^2/4 \text{ mm}^2
<tps:size width="158.75 mm" height="3.06913 mm"/&gt;&#xA;
                                                              <tps:rules&gt;&#xA;
```

<tps:rule tag="placementRule" type="pageSide" priority="1">

</tps:rule>

<tps:placementRule pageSide="left"/>


```
<tps:rule_tag="placementRule"_type="pageSide"_priority="1"&gt;&#xA;
<tps:placementRule pageSide="right"/&gt;&#xA;
                                                          </tps:rule&gt;&#xA;
<tps:rule tag="floatFrameAlignmentRule" type="alignment" priority="3"&gt;&#xA;
<tps:floatFrameAlignmentRule xRef="center" yRef="top" xBase="textFrame" yBase="textFrame"
                     floatXRef="center"
                                                                          rightLimit="none"
topLimit="textFrame"
                                        floatYRef="top"
                                                         leftLimit="none"
bottomLimit="pageEdge"/>

                                              </tps:rule&gt;&#xA;
                                                                               <tps:rule
tag="floatFrameAlignmentRule" type="alignment" priority="0">

<tps:floatFrameAlignmentRule xRef="left" yRef="middle" xBase="variant" yBase="textFrame"
topLimit="textFrame"
                     floatXRef="left"
                                     floatYRef="middle"
                                                         leftLimit="none"
                                                                          rightLimit="none"
bottomLimit="textFrame"/>

                                              </tps:rule&gt;&#xA;
                                                                               <tps:rule
tag="floatFrameAlignmentRule" type="alignment" priority="0">

<tps:floatFrameAlignmentRule xRef="left" yRef="bottom" xBase="variant" yBase="textFrame"
topLimit="textFrame"
                     floatXRef="left"
                                     floatYRef="bottom"
                                                         leftLimit="none"
                                                                          rightLimit="none"
bottomLimit="textFrame"/>

                                              </tps:rule&gt;&#xA;
                                                                               <tps:rule
tag="floatLineAlignmentRule" type="alignment" priority="0">

<tps:floatLineAlignmentRule xRef="left" xBase="variant" yBase="baseline" topLimit="textFrame"
floatXRef="left"
                        floatYRef="top"
                                                 leftLimit="none"
                                                                          rightLimit="none"
bottomLimit="textFrame"/>

                                        </tps:rule&gt;&#xA;
                                                                  </tps:rules&gt;&#xA;
                                       <tps:frame type="contentFrame"/&gt;&#xA;
     <tps:frames&gt;&#xA;
                              <tps:floatSpacing top="4.23333 mm" left="0 mm" right="0 mm"
</tps:frames&gt;&#xA;
bottom="4.23333" mm"/>

                                                  </tps:elementVariantDef&gt;&#xA;
</tps:definition&gt;&#xA;
                              <tps:definition tag="elementVariantDef"&gt;&#xA;
<tps:elementVariantDef
                           id="7">

<tps:elementFamily&gt;Table-Wrap&lt;/tps:elementFamily&gt;&#xA;
                                   <tps:name&gt;2 Col Wide&lt;/tps:name&gt;&#xA;
<tps:keywords&gt;&#xA;
```

t=0.05 <tps:pos x="12.7 mm" y="99.06 mm"/>

</tps:keywords>


```
<tps:size width="179.917 mm" height="3.06913 mm"/&gt;&#xA;
                                                                <tps:rules&gt;&#xA;
      <tps:rule tag="placementRule" type="pageSide" priority="1"&gt;&#xA;
<tps:placementRule pageSide="left"/&gt;&#xA;
                                                         </tps:rule&gt;&#xA;
<tps:rule_tag="placementRule"_type="pageSide"_priority="1"&gt;&#xA;
<tps:placementRule pageSide="right"/&gt;&#xA;
                                                          </tps:rule&gt;&#xA;
<tps:rule tag="floatFrameAlignmentRule" type="alignment" priority="3"&gt;&#xA;
<tps:floatFrameAlignmentRule xRef="center" yRef="top" xBase="textFrame" yBase="textFrame"
topLimit="textFrame"
                     floatXRef="center"
                                        floatYRef="top"
                                                         leftLimit="none"
                                                                          rightLimit="none"
bottomLimit="pageEdge"/>

                                              </tps:rule&gt;&#xA;
                                                                                <tps:rule
tag="floatFrameAlignmentRule" type="alignment" priority="0">

<tps:floatFrameAlignmentRule xRef="left" yRef="middle" xBase="variant" yBase="textFrame"
topLimit="textFrame"
                     floatXRef="left"
                                     floatYRef="middle"
                                                         leftLimit="none"
                                                                          rightLimit="none"
bottomLimit="textFrame"/>

                                              </tps:rule&gt;&#xA;
                                                                                <tps:rule
tag="floatFrameAlignmentRule" type="alignment" priority="0">

<tps:floatFrameAlignmentRule xRef="left" yRef="bottom" xBase="variant" yBase="textFrame"
topLimit="textFrame"
                     floatXRef="left"
                                     floatYRef="bottom"
                                                         leftLimit="none"
                                                                          rightLimit="none"
bottomLimit="textFrame"/>

                                              </tps:rule&gt;&#xA;
                                                                                <tps:rule
tag="floatLineAlignmentRule" type="alignment" priority="0">

<tps:floatLineAlignmentRule xRef="left" xBase="variant" yBase="baseline" topLimit="textFrame"
floatXRef="left"
                        floatYRef="top"
                                                 leftLimit="none"
                                                                          rightLimit="none"
bottomLimit="textFrame"/>

                                        </tps:rule&gt;&#xA;
                                                                  &lt:/tps:rules>

     <tps:frames&gt;&#xA;
                                       <tps:frame type="contentFrame"/&gt;&#xA;
</tps:frames&gt;&#xA;
                              <tps:floatSpacing top="4.23333 mm" left="0 mm" right="0 mm"
bottom="4.23333 mm"/>

                                                  </tps:elementVariantDef&gt;&#xA;
                              <tps:definition tag="elementVariantDef"&gt;&#xA;
</tps:definition&gt;&#xA;
```

<tps:elementVariantDef

id="8"&qt;

<tps:elementFamily>Table-Wrap</tps:elementFamily>

<tps:keywords>
 <tps:name>Sideturn 1 Col</tps:name>

 $t_{x}=t_{y$

<tps:rule tag="placementRule" type="pageSide" priority="1">

<tps:rule tag="placementRule" type="pageSide" priority="1">

<tps:rule tag="floatFrameAlignmentRule" type="alignment" priority="3">

<tps:floatFrameAlignmentRule xRef="left" yRef="top" xBase="columnEdge" yBase="textFrame"

topLimit="textFrame" floatXRef="left" floatYRef="top" leftLimit="none" rightLimit="none"

bottomLimit="textFrame"/>
 </tps:rule>
 <tps:rule

tag="floatFrameAlignmentRule" type="alignment" priority="0">

<tps:floatFrameAlignmentRule xRef="left" yRef="middle" xBase="variant" yBase="textFrame"

topLimit="textFrame" floatXRef="left" floatYRef="middle" leftLimit="none" rightLimit="none"

bottomLimit="textFrame"/>
 </tps:rule>
 <tps:rule

tag="floatFrameAlignmentRule" type="alignment" priority="0">

<tps:floatFrameAlignmentRule xRef="left" yRef="bottom" xBase="variant" yBase="textFrame"

topLimit="textFrame" floatXRef="left" floatYRef="bottom" leftLimit="none" rightLimit="none"

bottomLimit="textFrame"/>
 </tps:rule>
 <tps:rule

tag="floatLineAlignmentRule" type="alignment" priority="0">

<tps:floatLineAlignmentRule xRef="left" xBase="variant" yBase="baseline" topLimit="textFrame"

floatXRef="left" floatYRef="top" leftLimit="none" rightLimit="none"

bottomLimit="textFrame"/>
 </tps:rule>
 </tps:rules>

<tps:frames>
 <tps:frame type="contentFrame"/>

</tps:frames>
 <tps:floatSpacing top="0 mm" left="0 mm" right="0 mm"

```
bottom="0 mm"/>

                             </tps:elementVariantDef&gt;&#xA;
                                                                &lt:/tps:definition>

<tps:definition tag="elementVariantDef"&gt;&#xA;
                                                   <tps:elementVariantDef id="9"&gt;&#xA;
            <tps:elementFamily&gt;Table-Wrap&lt;/tps:elementFamily&gt;&#xA;
<tps:keywords&gt;&#xA;
                                 <tps:name&gt;Sideturn 1 Col Wide&lt;/tps:name&gt;&#xA;
                                  <tps:pos x="23.2833 \text{ mm}" y="27.5167 \text{ mm}"/\>\&\#xA;
  </tps:keywords&gt;&#xA;
<tps:size width="88.9 mm" height="226.483 mm"/&gt;&#xA;
                                                               <tps:rules&gt;&#xA;
 <tps:rule tag="placementRule" type="pageSide" priority="1"&gt;&#xA;
<tps:placementRule pageSide="left"/&gt;&#xA;
                                                          </tps:rule&gt;&#xA;
<tps:rule tag="placementRule" type="pageSide" priority="1"&gt;&#xA;
<tps:placementRule pageSide="right"/&gt;&#xA;
                                                           </tps:rule&gt;&#xA;
<tps:rule tag="floatFrameAlignmentRule" type="alignment" priority="3"&gt;&#xA;
<tps:floatFrameAlignmentRule xRef="left" yRef="top" xBase="columnEdge" yBase="textFrame"
topLimit="textFrame"
                      floatXRef="left"
                                       floatYRef="top"
                                                         leftLimit="none"
                                                                           rightLimit="none"
bottomLimit="textFrame"/>

                                              </tps:rule&gt;&#xA;
                                                                                 <tps:rule
tag="floatFrameAlignmentRule" type="alignment" priority="0">

<tps:floatFrameAlignmentRule xRef="left" yRef="middle" xBase="variant" yBase="textFrame"
topLimit="textFrame"
                     floatXRef="left"
                                      floatYRef="middle"
                                                          leftLimit="none"
                                                                           rightLimit="none"
bottomLimit="textFrame"/>

                                              </tps:rule&gt;&#xA;
                                                                                 <tps:rule
tag="floatFrameAlignmentRule" type="alignment" priority="0">

<tps:floatFrameAlignmentRule xRef="left" yRef="bottom" xBase="variant" yBase="textFrame"
topLimit="textFrame"
                     floatXRef="left"
                                      floatYRef="bottom"
                                                          leftLimit="none"
                                                                           rightLimit="none"
bottomLimit="textFrame"/>

                                              </tps:rule&gt;&#xA;
                                                                                 <tps:rule
tag="floatLineAlignmentRule" type="alignment" priority="0">

<tps:floatLineAlignmentRule xRef="left" xBase="variant" yBase="baseline" topLimit="textFrame"
floatXRef="left"
                                                 leftLimit="none"
                                                                           rightLimit="none"
                        floatYRef="top"
```

</tps:rule>

</tps:rules&qt;

bottomLimit="textFrame"/>

<tps:frames>
 <tps:frame type="contentFrame"/>

</tps:frames>
 <tps:floatSpacing top="0 mm" left="-6.35 mm" right="-6.35 mm"

bottom="-6.35 mm"/>
 </tps:elementVariantDef>

</tps:definition>
 <tps:definition tag="elementVariantDef">

<tps:elementVariantDef id="13">

<tps:elementFamily>Table-Wrap</tps:elementFamily>

<tps:keywords>
 <tps:name>Sideturn 2 Col</tps:name>

t,tys:keywords>
 <tps:pos x="33.8667 mm" y="27.5167 mm"/>

<tps:rule tag="placementRule" type="pageSide" priority="1">

<tps:rule tag="placementRule" type="pageSide" priority="1">

<tps:rule tag="floatFrameAlignmentRule" type="alignment" priority="3">

<tps:floatFrameAlignmentRule xRef="center" yRef="top" xBase="textFrame" yBase="textFrame"

topLimit="textFrame" floatXRef="center" floatYRef="top" leftLimit="none" rightLimit="none"

bottomLimit="textFrame"/>
 </tps:rule>
 <tps:rule

tag="floatFrameAlignmentRule" type="alignment" priority="0">

<tps:floatFrameAlignmentRule xRef="left" yRef="middle" xBase="variant" yBase="textFrame"

topLimit="textFrame" floatXRef="left" floatYRef="middle" leftLimit="none" rightLimit="none"

bottomLimit="textFrame"/>
 </tps:rule>
 <tps:rule

tag="floatFrameAlignmentRule" type="alignment" priority="0">

<tps:floatFrameAlignmentRule xRef="left" yRef="bottom" xBase="variant" yBase="textFrame"

topLimit="textFrame" floatXRef="left" floatYRef="bottom" leftLimit="none" rightLimit="none"

bottomLimit="textFrame"/>
 </tps:rule>
 <tps:rule

tag="floatLineAlignmentRule" type="alignment" priority="0">

```
<tps:floatLineAlignmentRule xRef="left" xBase="variant" yBase="baseline" topLimit="textFrame"
floatXRef="left"
                                                         floatYRef="top"
                                                                                                                   leftLimit="none"
                                                                                                                                                                             rightLimit="none"
bottomLimit="textFrame"/>

                                                                                                                                                            </tps:rules&gt;&#xA;
                                                                                               </tps:rule&gt;&#xA;
            <tps:frames&gt;&#xA;
                                                                                             <tps:frame type="contentFrame"/&gt;&#xA;
                                                                                  <tps:floatSpacing top="0 mm" left="0 mm" right="0 mm"
</tps:frames&gt;&#xA;
bottom="0 mm"/>

                                                                   </tps:elementVariantDef&gt;&#xA; &lt;/tps:definition&gt;&#xA;
<tps:definition tag="elementVariantDef"&gt;&#xA;
                                                                                                                      <tps:elementVariantDef id="14"&gt;&#xA;
                                <tps:elementFamily&gt;Table-Wrap&lt;/tps:elementFamily&gt;&#xA;
<tps:keywords&gt;&#xA;
                                                                            <tps:name&gt;Sideturn 2 Col Wide&lt;/tps:name&gt;&#xA;
       </tps:keywords&gt;&#xA;
                                                                               t=0.23.2833 \text{ mm} = 27.5167 \text{ mm} / \text{gt} = 27.5167 \text{ mm} = 27.5167 \text
 <tps:size width="179.917 mm" height="226.483 mm"/&gt;&#xA;
                                                                                                                                                         &lt:tps:rules&at:

               <tps:rule tag="placementRule" type="pageSide" priority="1"&gt;&#xA;
<tps:placementRule pageSide="left"/&gt;&#xA;
                                                                                                                                      </tps:rule&gt;&#xA;
<tps:rule tag="placementRule" type="pageSide" priority="1"&gt;&#xA;
<tps:placementRule pageSide="right"/&gt;&#xA;
                                                                                                                                        </tps:rule&gt;&#xA;
<tps:rule tag="floatFrameAlignmentRule" type="alignment" priority="3"&gt;&#xA;
<tps:floatFrameAlignmentRule xRef="center" yRef="top" xBase="textFrame" yBase="textFrame"
topLimit="textFrame"
                                                  floatXRef="center"
                                                                                               floatYRef="top"
                                                                                                                                      leftLimit="none"
                                                                                                                                                                             rightLimit="none"
bottomLimit="textFrame"/>

                                                                                                            </tps:rule&gt;&#xA;
                                                                                                                                                                                           <tps:rule
tag="floatFrameAlignmentRule" type="alignment" priority="0">

<tps:floatFrameAlignmentRule xRef="left" yRef="middle" xBase="variant" yBase="textFrame"
topLimit="textFrame"
                                                  floatXRef="left"
                                                                                        floatYRef="middle"
                                                                                                                                      leftLimit="none"
                                                                                                                                                                             rightLimit="none"
bottomLimit="textFrame"/>

                                                                                                            </tps:rule&gt;&#xA;
                                                                                                                                                                                           <tps:rule
tag="floatFrameAlignmentRule" type="alignment" priority="0">

<tps:floatFrameAlignmentRule xRef="left" yRef="bottom" xBase="variant" yBase="textFrame"
```

floatYRef="bottom"

leftLimit="none"

rightLimit="none"

topLimit="textFrame"

floatXRef="left"

bottomLimit="textFrame"/> </tps:rule>
 <tps:rule tag="floatLineAlignmentRule" type="alignment" priority="0"> <tps:floatLineAlignmentRule xRef="left" xBase="variant" yBase="baseline" topLimit="textFrame" floatXRef="left" floatYRef="top" leftLimit="none" rightLimit="none" bottomLimit="textFrame"/> </tps:rule>
 </tps:rules>
 <tps:frames>
 <tps:frame type="contentFrame"/>
 </tps:frames>
 <tps:floatSpacing top="0 mm" left="0 mm" right="0 mm" bottom="0 mm"/> </tps:elementVariantDef>
 </tps:definition>
 <tps:definition tag="elementVariantDef">
 <tps:elementVariantDef id="15">
 <tps:elementFamily>Table-Wrap</tps:elementFamily>
 <tps:keywords>
 <tps:name>Sideturn 2 Col Tall </tps:keywords>
 Wide</tps:name>
 <tps:pos x="23.2833 mm" y="19.7556 mm"/> <tps:size width="179.917 mm" height="242.006 mm"/>
 <tps:rules>
 <tps:rule_tag="placementRule"_type="pageSide" priority="1"> <tps:placementRule pageSide="left"/>
 </tps:rule>
 <tps:rule tag="placementRule" type="pageSide" <tps:placementRule pageSide="right"/>
 priority="1"> <tps:rule tag="floatFrameAlignmentRule" type="alignment" </tps:rule>
 <tps:floatFrameAlignmentRule xRef="center" yRef="top" priority="3"&qt; xBase="textFrame" yBase="variant" topLimit="variant" floatXRef="center" floatYRef="top" leftLimit="none" rightLimit="none" bottomLimit="variant"/> </tps:rule>
 <tps:rule tag="floatFrameAlignmentRule" type="alignment" priority="0">

<tps:floatFrameAlignmentRule xRef="left" yRef="middle" xBase="variant" yBase="textFrame" topLimit="textFrame" floatXRef="left" floatYRef="middle" leftLimit="none" rightLimit="none" bottomLimit="textFrame"/>
 </tps:rule>
 <tps:rule

tag="floatFrameAlignmentRule" type="alignment" priority="0">

```
<tps:floatFrameAlignmentRule xRef="left" yRef="bottom" xBase="variant" yBase="textFrame"
topLimit="textFrame"
                                                             floatXRef="left"
                                                                                                            floatYRef="bottom"
                                                                                                                                                                     leftLimit="none"
                                                                                                                                                                                                                     rightLimit="none"
bottomLimit="textFrame"/>

                                                                                                                                     </tps:rule&gt;&#xA;
                                                                                                                                                                                                                                      <tps:rule
tag="floatLineAlignmentRule" type="alignment" priority="0">

<tps:floatLineAlignmentRule xRef="left" xBase="variant" yBase="baseline" topLimit="textFrame"
                                                                                                                                             leftLimit="none"
floatXRef="left"
                                                                      floatYRef="top"
                                                                                                                                                                                                                     rightLimit="none"
bottomLimit="textFrame"/>

                                                                                                                     </tps:rule&gt;&#xA;
                                                                                                                                                                                               </tps:rules&gt;&#xA;
               <tps:frames&gt;&#xA;
                                                                                                                  <tps:frame type="contentFrame"/&gt;&#xA;
                                                                                                     <tps:floatSpacing top="0 mm" left="0 mm" right="0 mm"
</tps:frames&gt;&#xA;
bottom="0 mm"/>

                                                                                  </tps:elementVariantDef&gt;&#xA; &lt;/tps:definition&gt;&#xA;
<tps:definition tag="elementVariantDef"&gt;&#xA;
                                                                                                                                                 &lt:tps:elementVariantDef id="1">&#xA:
                                   <tps:elementFamily&gt;Box Figure&lt;/tps:elementFamily&gt;&#xA;
<tps:keywords&gt;&#xA;
                                                                                                               <tps:name&gt;1 Col&lt;/tps:name&gt;&#xA;
</tps:keywords&gt;&#xA;
                                                                                                t=37.7472 \text{ mm}^{\prime\prime} = 37.7472 \text{ mm}^{\prime\prime
<tps:size width="71.9667 mm" height="210.256 mm"/&gt;&#xA;
                                                                                                                                                                                           <tps:rules&qt;&#xA;
                 <tps:rule tag="placementRule" type="pageSide" priority="1"&gt;&#xA;
<tps:placementRule pageSide="left"/&gt;&#xA;
                                                                                                                                                                     </tps:rule&gt;&#xA;
<tps:rule tag="placementRule" type="pageSide" priority="1"&gt;&#xA;
<tps:placementRule_pageSide="right"/&gt;&#xA;
                                                                                                                                                                       </tps:rule&gt;&#xA;
<tps:rule_tag="floatFrameAlignmentRule"_type="alignment"_priority="3"&gt;&#xA;
<tps:floatFrameAlignmentRule xRef="left" yRef="top" xBase="columnEdge" yBase="textFrame"
topLimit="textFrame" floatXRef="left" floatYRef="top" leftLimit="textFrame" rightLimit="textFrame"
bottomLimit="textFrame"/>

                                                                                                                                     </tps:rule&gt;&#xA;
                                                                                                                                                                                                                                      <tps:rule
tag="floatFrameAlignmentRule" type="alignment" priority="0">
```

<tps:floatFrameAlignmentRule xRef="left" yRef="middle" xBase="variant" yBase="textFrame"

floatYRef="middle"

leftLimit="none"

rightLimit="none"

floatXRef="left"

topLimit="textFrame"

```
bottomLimit="textFrame"/>

                                              </tps:rule&gt;&#xA;
                                                                                <tps:rule
tag="floatFrameAlignmentRule" type="alignment" priority="2">

<tps:floatFrameAlignmentRule
                                   xRef="left"
                                                   yRef="bottom"
                                                                      xBase="columnEdge"
yBase="textFrame" topLimit="textFrame" floatXRef="left" floatYRef="bottom" leftLimit="textFrame"
rightLimit="textFrame" bottomLimit="textFrame"/>

                                                              </tps:rule&gt;&#xA;
<tps:rule tag="floatLineAlignmentRule" type="alignment" priority="0"&gt;&#xA;
<tps:floatLineAlignmentRule xRef="left" xBase="variant" yBase="baseline" topLimit="textFrame"
floatXRef="left"
                        floatYRef="top"
                                                 leftLimit="none"
                                                                          rightLimit="none"
bottomLimit="textFrame"/>

                                         </tps:rule&gt;&#xA;
                                                                   </tps:rules&gt;&#xA;
    <tps:frames&gt;&#xA;
                                      <tps:frame type="imageFrame"/&gt;&#xA;
<tps:frame_type="contentFrame"/&gt;&#xA;
                                                       </tps:frames&gt;&#xA;
<tps:floatSpacing top="8.46667 mm" left="0 mm" right="0 mm" bottom="8.46667 mm"/&gt;&#xA;
      </tps:elementVariantDef&gt;&#xA;
                                             </tps:definition&gt;&#xA;
                                                                            &lt:tps:definition
tag="elementVariantDef">

                                       <tps:elementVariantDef id="2"&gt;&#xA;
<tps:elementFamily&gt;Box Figure&lt;/tps:elementFamily&gt;&#xA;
<tps:keywords&gt;&#xA;
                                       <tps:name&gt;2 Col&lt;/tps:name&gt;&#xA;
</tps:keywords&gt;&#xA;
                                t=0.05 <tps:pos x="27.5167 mm" y="37.7472 mm"/&gt;&#xA;
<tps:size width="150.283 mm" height="210.256 mm"/&gt;&#xA;
                                                                 <tps:rules&gt;&#xA;
      <tps:rule tag="placementRule" type="pageSide" priority="1"&gt;&#xA;
<tps:placementRule pageSide="left"/&gt;&#xA;
                                                          </tps:rule&gt;&#xA;
<tps:rule_tag="placementRule"_type="pageSide"_priority="1"&gt;&#xA;
<tps:placementRule pageSide="right"/&gt;&#xA;
                                                          </tps:rule&gt;&#xA;
<tps:rule tag="floatFrameAlignmentRule" type="alignment" priority="3"&gt;&#xA;
<tps:floatFrameAlignmentRule xRef="center" yRef="top" xBase="textFrame" yBase="textFrame"
topLimit="textFrame"
                          floatXRef="center"
                                                  floatYRef="top"
                                                                       leftLimit="textFrame"
rightLimit="textFrame" bottomLimit="textFrame"/>

                                                              </tps:rule&gt;&#xA;
```

```
<tps:rule tag="floatFrameAlignmentRule" type="alignment" priority="0"&gt;&#xA;
<tps:floatFrameAlignmentRule xRef="left" yRef="middle" xBase="variant" yBase="textFrame"
topLimit="textFrame"
                     floatXRef="left"
                                     floatYRef="middle"
                                                        leftLimit="none"
                                                                         rightLimit="none"
bottomLimit="textFrame"/>

                                             </tps:rule&gt;&#xA;
                                                                              <tps:rule
tag="floatFrameAlignmentRule" type="alignment" priority="2">

<tps:floatFrameAlignmentRule
                                  xRef="center"
                                                    yRef="bottom"
                                                                       xBase="textFrame"
yBase="textFrame"
                       topLimit="textFrame"
                                                floatXRef="center"
                                                                       floatYRef="bottom"
leftLimit="textFrame" rightLimit="textFrame" bottomLimit="textFrame"/>

                                    <tps:rule_tag="floatLineAlignmentRule"_type="alignment"
</tps:rule&gt;&#xA;
priority="0">

                                    <tps:floatLineAlignmentRule xRef="left" xBase="variant"
vBase="baseline"
                  topLimit="textFrame"
                                        floatXRef="left"
                                                         floatYRef="top"
                                                                          leftLimit="none"
rightLimit="none" bottomLimit="textFrame"/>

                                                            </tps:rule&gt;&#xA;
</tps:rules&gt;&#xA;
                                   <tps:frames&gt;&#xA;
                                                                             <tps:frame
type="imageFrame"/>

                                       <tps:frame type="contentFrame"/&gt;&#xA;
</tps:frames&gt;&#xA;
                              <tps:floatSpacing top="8.46667 mm" left="0 mm" right="0 mm"
bottom="8.46667
                 mm"/>

                                                 </tps:elementVariantDef&gt;&#xA;
                              <tps:definition tag="elementVariantDef"&gt;&#xA;
</tps:definition&gt;&#xA;
<tps:elementVariantDef id="1"&gt;&#xA;
                                                              <tps:elementFamily&gt;Box
Table-Wrap</tps:elementFamily&gt;&#xA;
                                                  <tps:keywords&gt;&#xA;
<tps:name&gt;2 Col&lt;/tps:name&gt;&#xA;
                                               </tps:keywords&gt;&#xA;
                                                                               <tps:pos
x="27.5167 \text{ mm}" y="37.7472 \text{ mm}"/\>\&\#xA;
                                                          <tps:size width="150.283 mm"
height="1.05833 mm"/>

                                          <tps:rules&gt;&#xA;
                                                                              <tps:rule
tag="placementRule" type="pageSide" priority="1">

                                                                    <tps:placementRule
pageSide="left"/>

                                </tps:rule&gt;&#xA;
                                                           <tps:rule tag="placementRule"
type="pageSide" priority="1">

                                                                     <tps:placementRule
pageSide="right"/>

                                          </tps:rule&gt;&#xA;
                                                                              <tps:rule
```

```
tag="floatFrameAlignmentRule" type="alignment" priority="3">

<tps:floatFrameAlignmentRule xRef="center" yRef="top" xBase="textFrame" yBase="textFrame"
topLimit="textFrame"
                         floatXRef="center"
                                                 floatYRef="top"
                                                                     leftLimit="textFrame"
rightLimit="textFrame" bottomLimit="textFrame"/>

                                                            </tps:rule&gt;&#xA;
<tps:rule tag="floatFrameAlignmentRule" type="alignment" priority="0"&gt;&#xA;
<tps:floatFrameAlignmentRule xRef="left" yRef="middle" xBase="variant" yBase="textFrame"
topLimit="textFrame"
                     floatXRef="left"
                                     floatYRef="middle"
                                                        leftLimit="none"
                                                                         rightLimit="none"
bottomLimit="textFrame"/>

                                             </tps:rule&gt;&#xA;
                                                                              <tps:rule
tag="floatFrameAlignmentRule" type="alignment" priority="2">

<tps:floatFrameAlignmentRule
                                  xRef="center"
                                                    yRef="bottom"
                                                                       xBase="textFrame"
yBase="textFrame"
                       topLimit="textFrame"
                                                floatXRef="center"
                                                                       floatYRef="bottom"
leftLimit="textFrame" rightLimit="textFrame" bottomLimit="textFrame"/>

</tps:rule&gt;&#xA;
                                    <tps:rule_tag="floatLineAlignmentRule"_type="alignment"
priority="0">

                                    <tps:floatLineAlignmentRule xRef="left" xBase="variant"
yBase="baseline"
                  topLimit="textFrame"
                                        floatXRef="left"
                                                         floatYRef="top"
                                                                          leftLimit="none"
rightLimit="none" bottomLimit="textFrame"/>

                                                            </tps:rule&gt;&#xA;
</tps:rules&gt;&#xA;
                                   <tps:frames&gt;&#xA;
                                                                             <tps:frame
type="contentFrame"/>

                                      </tps:frames&gt;&#xA;
                                                                       <tps:floatSpacing
top="9.17222 mm" left="0 mm" right="0 mm" bottom="9.17222 mm"/>

</tps:elementVariantDef&gt;&#xA;
                                         </tps:definition&gt;&#xA;
                                                                          <tps:definition
tag="elementVariantDef">

                                       <tps:elementVariantDef id="2"&gt;&#xA;
<tps:elementFamily&gt;Box Table-Wrap&lt;/tps:elementFamily&gt;&#xA;
<tps:keywords&gt;&#xA;
                                      <tps:name&gt;1 Col&lt;/tps:name&gt;&#xA;
</tps:keywords&gt;&#xA;
                                 <tps:pos x="38.1 mm" y="37.7472 mm"/xgt;
<tps:size width="71.9667 mm" height="1.05833 mm"/&gt;&#xA;
                                                                <tps:rules&qt;&#xA;
```

<tps:rule tag="placementRule" type="pageSide" priority="1">


```
<tps:placementRule pageSide="left"/&gt;&#xA;
                                                        </tps:rule&gt;&#xA;
&lt:tps:rule tag="placementRule" type="pageSide" priority="1">

<tps:placementRule pageSide="right"/&gt;&#xA;
                                                        </tps:rule&gt;&#xA;
<tps:rule_tag="floatFrameAlignmentRule"_type="alignment"_priority="3"&gt;&#xA;
<tps:floatFrameAlignmentRule xRef="left" yRef="top" xBase="columnEdge" yBase="textFrame"
topLimit="pageMargin" floatXRef="left" floatYRef="top" leftLimit="pageEdge" rightLimit="pageEdge"
bottomLimit="pageMargin"/>

                                             </tps:rule&gt;&#xA;
                                                                              <tps:rule
tag="floatFrameAlignmentRule" type="alignment" priority="0">

<tps:floatFrameAlignmentRule xRef="left" yRef="middle" xBase="variant" yBase="textFrame"
topLimit="textFrame"
                     floatXRef="left"
                                    floatYRef="middle"
                                                       leftLimit="none"
                                                                        rightLimit="none"
bottomLimit="textFrame"/>

                                             </tps:rule&gt;&#xA;
                                                                              <tps:rule
tag="floatFrameAlignmentRule" type="alignment" priority="3">

<tps:floatFrameAlignmentRule
                                  xRef="left"
                                                 vRef="bottom"
                                                                    xBase="columnEdge"
yBase="textFrame" topLimit="pageMargin" floatXRef="left" floatYRef="bottom" leftLimit="none"
rightLimit="none" bottomLimit="pageMargin"/>

                                                          </tps:rule&gt;&#xA;
<tps:rule tag="floatLineAlignmentRule" type="alignment" priority="0"&gt;&#xA;
<tps:floatLineAlignmentRule xRef="left" xBase="variant" yBase="baseline" topLimit="textFrame"
floatXRef="left"
                       floatYRef="top"
                                                leftLimit="none"
                                                                        rightLimit="none"
bottomLimit="textFrame"/>

                                       </tps:rule&gt;&#xA;
                                                                 </tps:rules&gt;&#xA;
                                      <tps:frame type="contentFrame"/&gt;&#xA;
     <tps:frames&gt;&#xA;
&lt:/tps:frames>

                              &lt:tps:floatSpacing top="9.17222 mm" left="0 mm" right="0 mm"
bottom="9.17222 mm"/>

                                                 </tps:elementVariantDef&gt;&#xA;
</tps:definition&gt;&#xA; &#xA;

                                         &lt:!-- ========= --&qt:&#xA:
                                                                                  &lt:!--
Section Definitions -->

                                 <!-- ========= --&qt;&#xA;

                                             <tps:sectionDef toc="false" type="mainStory"
<tps:definition tag="sectionDef"&gt;&#xA;
repeating="true">

                                  <tps:name&gt;Chapter&lt;/tps:name&gt;&#xA;
```

```
<tps:masterSpreads&gt;&#xA;
                                           <tps:masterSpread&gt;&#xA;
<tps:name&gt;Co2-Chapter Opener&lt;/tps:name&gt;&#xA;
<tps:startsOn&gt;either&lt;/tps:startsOn&gt;&#xA;
                                                          <tps:filler/&gt;&#xA;
</tps:masterSpread&gt;&#xA;
                                          <tps:masterSpread&gt;&#xA;
<tps:name&gt;C2-Inside Pages 2-col&lt;/tps:name&gt;&#xA;
<tps:startsOn&gt;either&lt;/tps:startsOn&gt;&#xA;
                                                          <tps:filler/&gt;&#xA;
</tps:masterSpread&gt;&#xA;
                                            </tps:masterSpreads&gt;&#xA;
<tps:fields&gt;&#xA;
                                <tps:field&gt;Chapter Number&lt;/tps:field&gt;&#xA;
                              </tps:sectionDef&gt;&#xA;
</tps:fields&gt;&#xA;
                                                            </tps:definition&gt;&#xA;
<tps:definition_tag="sectionDef"&gt;&#xA;
                                              <tps:sectionDef toc="false" type="mainStory"
repeating="true">

                             <tps:name&gt;Chapter Special Feature&lt;/tps:name&gt;&#xA;
     <tps:masterSpreads&gt;&#xA;
                                              <tps:masterSpread&gt;&#xA;
<tps:name&gt;So2-Special Feature Opener&lt;/tps:name&gt;&#xA;
<tps:startsOn&gt;either&lt;/tps:startsOn&gt;&#xA;
                                                          <tps:filler/&qt;&#xA;
</tps:masterSpread&gt;&#xA;
                                          <tps:masterSpread&gt;&#xA;
<tps:name&gt;S2-Special Feature Text&lt;/tps:name&gt;&#xA;
<tps:startsOn&gt;either&lt;/tps:startsOn&gt;&#xA;
                                                          <tps:filler/&gt;&#xA;
</tps:masterSpread&gt;&#xA;
                                            </tps:masterSpreads&gt;&#xA;
                              </tps:sectionDef&gt;&#xA;
<tps:fields/&gt;&#xA;
                                                            </tps:definition&gt;&#xA;
<tps:definition_tag="sectionDef"&gt;&#xA;
                                              <tps:sectionDef toc="false" type="mainStory"
                                <tps:name&gt;Chapter Box&lt;/tps:name&gt;&#xA;
repeating="true">

<tps:masterSpreads&gt;&#xA;
                                           <tps:masterSpread&gt;&#xA;
<tps:name&gt;Bo2-Box opener&lt;/tps:name&gt;&#xA;
<tps:startsOn&gt;either&lt;/tps:startsOn&gt;&#xA;
                                                          <tps:filler/&gt;&#xA;
```

<tps:masterSpread>

</tps:masterSpread>

<tps:name>B2-Box Text</tps:name>

<tps:startsOn>either</tps:startsOn>
 <tps:filler/>
 </tps:masterSpread>
 </tps:masterSpreads>
 <tps:fields/>
 </tps:sectionDef>
 </tps:definition>
 <tps:definition tag="sectionDef">
 <tps:sectionDef toc="false" type="mainStory" <tps:name>Chapter References</tps:name>
 repeating="true"> <tps:masterSpreads>
 <tps:masterSpread>
 <tps:name>C2-Inside Pages 2-col</tps:name>
 <tps:startsOn>either</tps:startsOn>
 <tps:filler/>
 </tps:masterSpreads>
 </tps:masterSpread>
 <tps:fields/>
 </tps:sectionDef>
 </tps:definition>
 <tps:definition tag="sectionDef">
 <tps:sectionDef toc="false" type="mainStory" repeating="true"> <tps:name>Frontmatter Exec Summary</tps:name>
 <tps:masterSpreads>
 <tps:name>Fo2-FM-EM <tps:masterSpread>
 2-col</tps:name>
 <tps:startsOn>right</tps:startsOn>
 <tps:filler/>
 </tps:masterSpread>
 <tps:masterSpread>
 <tps:name>FE2-FM-EM Inside 2-col</tps:name>
 <tps:startsOn>either</tps:startsOn>
 <tps:filler/>
 </tps:masterSpread>
 </tps:masterSpreads>
 <tps:fields/>
 </tps:sectionDef>
 <tps:definition tag="sectionDef">
 </tps:definition>
 <:tps:sectionDef toc="false" type="mainStory" repeating="true"> <tps:name>Frontmatter 1-col</tps:name>
 <tps:masterSpreads>
 <tps:masterSpread>
 <tps:name>Fo1-FM-EM 1-col</tps:name>
 <tps:startsOn>either</tps:startsOn>

</tps:masterSpread>

<tps:filler/>

<tps:masterSpread>
 <tps:name>FE1-FM-EM Inside

1-col</tps:name>
 <tps:startsOn>either</tps:startsOn>

<tps:filler/>
 </tps:masterSpread>

</tps:masterSpreads>
 <tps:fields/>
 </tps:sectionDef>

</tps:definition>
 <tps:definition tag="sectionDef">
 <tps:sectionDef

toc="false" type="mainStory" repeating="true">
 & lt;tps:name>Frontmatter

2-col</tps:name>
 <tps:masterSpreads>

<tps:masterSpread>
 <tps:name>Fo2-FM-EM

2-col</tps:name>
 <tps:startsOn>either</tps:startsOn>

<tps:filler/>
 </tps:masterSpread>

<tps:masterSpread>
 <tps:name>FE2-FM-EM Inside

2-col</tps:name>
 <tps:startsOn>either</tps:startsOn>

<tps:filler/>
 </tps:masterSpread>

</tps:masterSpreads>
 <tps:fields/>
 </tps:sectionDef>

</tps:definition>
 <tps:definition tag="sectionDef">
 <tps:sectionDef

toc="false" type="mainStory" repeating="true">
 & lt;tps:name>Chapter w

Summary</tps:name>
 <tps:masterSpreads>

<tps:masterSpread>
 <tps:name>CoS1-Chapter Opener

Summary</tps:name>
 <tps:startsOn>right</tps:startsOn>

<tps:filler/>
 </tps:masterSpread>

<tps:masterSpread>
 <tps:name>C2-Inside Pages

2-col</tps:name>
 <tps:startsOn>either</tps:startsOn>

<tps:filler/>
 </tps:masterSpread>

</tps:masterSpreads>
 <tps:fields>
 <tps:fields>Chapter

Number</tps:field>
 </tps:fields>
 </tps:sectionDef>

</tps:definition>
 <tps:definition tag="sectionDef">
 <tps:sectionDef

toc="false" type="mainStory" repeating="true"> <tps:name>Glossary</tps:name>
 <tps:masterSpreads>
 <tps:masterSpread>
 <tps:name>Fo2-FM-EM 2-col</tps:name>
 <tps:startsOn>right</tps:startsOn>
 <tps:filler/>
 </tps:masterSpread>
 <tps:masterSpread>
 <tps:name>FE2-FM-EM Inside 2-col</tps:name>
 <tps:startsOn>either</tps:startsOn>
 <tps:filler/>
 </tps:masterSpread>
 </tps:masterSpreads>
 <tps:fields/>
 </tps:sectionDef>
 </tps:definition>
 <tps:definition tag="sectionDef">
 <tps:sectionDef toc="false" type="mainStory" repeating="true"> <:tps:name>:Statistical <tps:masterSpreads>
 Appendix</tps:name>
 <tps:masterSpread>
 <tps:name>Fo2-FM-EM 2-col</tps:name>
 <tps:startsOn>right</tps:startsOn>
 <tps:filler/>
 </tps:masterSpread>
 <tps:masterSpread>
 <tps:name>FE1-FM-EM Inside <tps:startsOn>either</tps:startsOn>
 1-col</tps:name>
 <tps:filler/>
 </tps:masterSpread>
 </tps:masterSpreads>
 <tps:fields/>
 </tps:sectionDef>
 </tps:definition>
 <tps:definition tag="sectionDef">
 <tps:sectionDef toc="false" type="mainStory" repeating="true"> <tps:name>Book Annex</tps:name>
 <tps:masterSpreads>
 <tps:masterSpread>
 <tps:name>Ao2-Book Annex Opener 2col</tps:name>
 <tps:startsOn>right</tps:startsOn>

<tps:filler/>

<tps:masterSpread>

</tps:masterSpread>

<tps:name>C2-Inside Pages

2-col</tps:name>
 <tps:startsOn>either</tps:startsOn>
 <tps:filler/>
 </tps:masterSpread>
 </tps:masterSpreads>
 <tps:fields/>
 </tps:sectionDef>
 </tps:definition>
 <tps:definition tag="sectionDef">
 <tps:sectionDef toc="false" type="mainStory" repeating="true"> <tps:name>Chapter Annex</tps:name>
 <tps:masterSpreads>
 <tps:masterSpread>
 <tps:name>C2-Inside Pages 2-col</tps:name>
 <tps:startsOn>either</tps:startsOn>
 <tps:filler/>
 </tps:masterSpread>
 </tps:masterSpreads>
 <tps:fields/>
 </tps:sectionDef>
 </tps:definition>
 <tps:definition tag="sectionDef">
 <:tps:sectionDef toc="false" type="mainStory" repeating="true"> <tps:name>Endmatter 1-col</tps:name>
 <tps:masterSpreads>
 <tps:masterSpread>
 <tps:name>Fo1-FM-EM 1-col</tps:name>
 <tps:startsOn>either</tps:startsOn>
 <tps:filler/>
 </tps:masterSpread>
 <tps:masterSpread>
 <tps:name>FE1-FM-EM Inside 1-col</tps:name>
 <tps:startsOn>either</tps:startsOn>
 <tps:filler/>
 </tps:masterSpread>
 <tps:fields/>
 </tps:masterSpreads>
 </tps:sectionDef>
 <tps:definition tag="sectionDef">
 </tps:definition>
 <:tps:sectionDef toc="false" type="mainStory" repeating="true"> <tps:name>Endmatter 2-col</tps:name>
 <tps:masterSpreads>
 <tps:masterSpread>
 <tps:name>Fo2-FM-EM

2-col</tps:name>

<tps:filler/>

<tps:startsOn>either</tps:startsOn>

</tps:masterSpread>


```
<tps:masterSpread&gt;&#xA;
                                                    <tps:name&gt;FE2-FM-EM Inside
2-col</tps:name&gt;&#xA;
                                 <tps:startsOn&gt;either&lt;/tps:startsOn&gt;&#xA;
                                           </tps:masterSpread&gt;&#xA;
       <tps:filler/&gt;&#xA;
</tps:masterSpreads&gt;&#xA;
                                  <tps:fields/&gt;&#xA;
                                                         </tps:sectionDef&gt;&#xA;
</tps:definition&gt;&#xA; &#xA; &#xA; &lt;!-- ============= --&gt;&#xA; &lt;!-- Field
Definitions -->

                      &lt:!-- ======== -->

                                                                     <tps:definition
tag="fieldDef">

                                                              <tps:name&gt;Chapter
                            <tps:fieldDef&gt;&#xA;
Number</tps:name&gt;&#xA;
                                        <tps:type&gt;text&lt;/tps:type&gt;&#xA;
</tps:fieldDef&gt;&#xA; &lt;/tps:definition&gt;&#xA; &lt;tps:definition tag="fieldDef"&gt;&#xA;
 <tps:fieldDef&gt;&#xA;
                             <tps:name&gt;Publication Date&lt;/tps:name&gt;&#xA;
<tps:type&gt;text&lt;/tps:type&gt;&#xA;
                                         <tps:level&gt;project&lt;/tps:level&gt;&#xA;
</tps:fieldDef&gt;&#xA; &lt;/tps:definition&gt;&#xA; &lt;tps:definition tag="fieldDef"&gt;&#xA;
 <tps:fieldDef&gt;&#xA;
                             <tps:name&gt;Publication Title&lt;/tps:name&gt;&#xA;
<tps:type&gt;text&lt;/tps:type&gt;&#xA;
                                         <tps:level&gt;project&lt;/tps:level&gt;&#xA;
                           </tps:definition&gt;&#xA;
</tps:fieldDef&gt;&#xA;

                                                                              &lt:!--
                                      <!-- TOC Style Definitions --&gt;&#xA;
&lt:!--
<tps:name&gt;[Default]&lt;/tps:name&gt;&#xA;
<tps:tocStyleDef&gt;&#xA;
</tps:tocStyleDef&gt;&#xA; &lt;/tps:definition&gt;&#xA;&lt;/tps:template&gt;&#xA;</tps:txml>
    </tps:template>
   </rdf:Description>
 </rdf:RDF>
```

</x:xmpmeta>

<?xpacket end="w"?>
endstream
endobj
270 0 obj

<</CreationDate(D:20230404045618+08'00')/Creator(Adobe InDesign 14.0 \(Macintosh\))/Keywords(geopolitics; globalization; financial stability; fragmentation; capital flows; portfolio investment; banking)/ModDate(D:20230404134549-04'00')/Producer(Adobe PDF Library 15.0)/Title(Global Financial Stability Report, April 2023 - Chapter 3: Geopolitics and Financial</p>

Fragmentation: Implications for Macro-Financial Stability; April 5, 2023)/Trapped/False>>						
endobj						
xref						
0 1						
000000000 65535 f						
202 1						
0000756233 00000 n						
270 1						
0000947944 00000 n						
trailer						
< <td>271/Root</td> <td>205</td> <td>0</td> <td>R/Info</td> <td>270</td> <td>0</td>	271/Root	205	0	R/Info	270	0
R/ID[<a6c72c06ce294ca9a21419d363ed285b><30B27F2E409CC747B10A53312F0B8955>]/P</a6c72c06ce294ca9a21419d363ed285b>						
rev 116>>						
startxref						
948411						
%%EOF						