```
PΚ
      sY
                 spike/UT
                PΚ
                       sY
                                 __MACOSX/._spikeUT
 =g=g=gux
 =g=gM=gux
                 c`cg`b`MLV VP ' *
0 CBL)@!XP dcx7su>;Nr PK Ew~^ PK
                                             sY
                                                    F
spike/function_caller_example.pyUT
                uTMo8 W K Jn >704iKX crl H n_!)'j, xzV > \!: 1 aOgK<lm6:B
 =g=g=gux
k w) @ # A I :6 .(9g vDW `}u i VmQT? d dx; 5K&C D 8ñOU
CUUBeG7vw:U?Q\f pOLD): U w:? ? Nyov;Bo
WwJ>yUk
yf5|M ar$Zp@p^)b kvS wZ VpmTP yd2?zÕ} ]\9/JF1_|<yty {n!K'i/ba{Z[U m
Ü: ¢qU 5H *=5I H') E, Z2EeXP3 qL 7 mOG#_}\_\ _ zti
W?•rr)3«7. x>? 8gHpm; 2 6•L \rd[@|R "n G7Vp2fB Q{p(sJD 8T n1 G G[3m *@%GADWW/-I g
Jn|# O#<PK M4 F PK
                         sY
                                 + __MACOSX/spike/._function_caller_example.pyUT
 =q=qM=qux
                 c`cg`b`MLV VP ' q { !!AP&H
VAS^ JK,(IKIM-H+ )H+M *j(fh Yr )' I PK g
                                        PK
sY
 spike/test.pyUT
                 YMo#7 W am@€ c; ^@ A$ }Ud%Y L sX( *Rph
 =q=q=qux
3 / Npo*D! Rm5r-Sf |R0kV V.iPkeB.U1OKQBz%T5WV hN[M`j_šJ z-bkidp] G?,•6iQ2*OgW+ywm{m
+xll y7' `9qe`eYt~9 CWVJ]R<Z r e,* 2j
6B Un*#p L&•]g| |[ pD-Vy t'K&7an_ltvOv 3:c >K9v6 oWh,c
^/Yph } t 0 | ; TWU$ O_O.F }6•p Gi]R1B 5) NVXS* ( b" 5(>D6 FN vy q<Yi0 h'.d
ý "a"p
YY?%0" B[
                   DY y$6 Wdio&8D
                                             pMhCW< RU 4y) O;( JJX: U, < Pu 5$c/`W,
M\#\{(;Y/G n V vS5 \sim rGAùOw g=F\bullet:NkG HKG[7]b\bullet'\}
```

```
*X MhdlB =n 3) 2 ]qe|`q
@ DH; A 2oy[ 5$L% z|#1U L>@eg5 &+`Z-q 8 8'3 H nB@.x:[,@k6-b+T4fl0@lGGla3u<MB:d j !D
?sW " A
8 'nf{tp4 Acg)H | E •a O dg ... )S' 4nz `fn Q :vHXwQNU9g8&c "{bXc dM•M?Q+P, % FBG-A])bc;
3 yl \N@ l' k•m_ l ^A LRJR s{- Ld ytx( ^INJtp / 66<z8N 4T_ cud0Q# j
r-u)$H*= O !iOb /
XEf| #2U9 XZm y Q ! m^* 6+d | |x ES EA)5~ E+jR~ ~ H+| / h W;T•D
:`*W
M01Ws 8Q•"X~ U;G JV . r ~ i?H \ y ol D{ttk n?G\ f|9kcXS5OS5W?jb 0R0 |~I]kO]kl/H
(TZ 2 \T;7V$I7-x
mH"mb[d ~qG` 'Vt s'
f
6`6P a 3Z cUy [p8,O _,dJ/? I( bi:< &MI( B = N gFo" (>>Ej /UX K|H ,ZfX(U(iDv,q-4C d c#+jW* \sim N d))
W!% L#F F$ ?]@~ 9qhv/}" { Q3+5n/h~niP W
D"}CU &v/Q
S_0; P# &0/yxL8tn+\bullet/C\bullet Z\bullet; ; o?v# wGv,o%1g "cXdN0(d0hS?! z'|-C= OX.G f7[ T[| 9?I.} DDw ved] DDw ved
Lca! ;3I4
mzd-}% KQEHo?q@Xnc
VcBv.
• <
H&YB 0M e% "s> G]q V< PK W
 PK
        FsY
                     spike/agent_rearrange_test.pyUT
 =gs=gr=gux
                   Y]o 7 } I0 \1 m(b@P HV{%#&H R q,~\\^s%5 0XIZT] mB KK%Z
•Y.:e nV Q' C k{aF Rv#B t e)+)t]gZaJU3e,o v neZ
p•X/ DaW"F Yh
```

```
u_?z f)T\bullethT}qs \simy7G- \simc; \circ0K4P$M:= +e) ;r
yS v |U |MFX@M~ y/rU ot0F+{qw# z55%Vj9+@6: Sd•2}
kY o3,uFgtq^e • FZ
G4 x%> =nr6 xw b FYI pw#&P UBv 3KH s]R *tL::!ZaMvS8x VNH 8E•-Co"rQ:76 V jl0{r78 =%0" B[
DY y a"mQb 2_0%A qk2 G# e]4• /uD= 0f)uK!V&W.x DI'RTaX \ q0b5p( \ , Av 4e I5n aGr ]9
w;-}z•qn w*vaJyuG*7!h<` B + Y M8 w" w#@&B=K:",,( ;tG`=(rc qV:oK
 r@7/•s$^# * &+`J-q 8 8'7 d xsKh]tXo)WI `VDiH\` ) f xdt* NCrmUIzQ7A&_R W LT 89Sv$3 1 [>ID
XHK 8 (4 \ 3t e5e "MB S
 \V N5*2>~9 &7I!B5\dO k@<'i
eH ^99 8 +Ell qgf@:/)| hb!I4' • dd*v)17m hDV
HO7 p\x$D !Ba o MC%1VG # | 5 A !WRrK"; bY1 $Ud&y7 2"\5s kW! 5cYZ9= p a$YO Y INkP0
5P Rc/(ZQ
gD^{n} sxy ;4}OXkK6&j SR : 3h PDfZH@%= & A?L& g *g IZTcQ4\M znJ kt 38 # )
Xstadb
Kv VEqt ?I7jFJWhhf.St fs65EZ8\s/ _+ CzGwBJ #4XHu]XinL t [K X$&A zd &qra Hw1N
=wR^fPo"+hf < G/
?.1 \G^* 7 = B TI(~{/! C#Q2 /o}
{ _ pf&` ?
ySD_vO)R ieR VIxh :L?$@6p Q9:RvUxXTx " JXR*4blUr J# -M (O M; R^ zy< v G U[ 2}E }f.K :vuT
L& NFM.)mL/g(m\{ rif X << r 67?WQ?|\%\}UC; : xv)#O] G./I
#w D1wwzUS Y&S12JY6 • e * *Q{09 w • ^7 F 0[| 9 O.} tDw < W |idca :3lg4 F| - JVgmx8
,L \B2R!Z;u|m { I?? •2qm>I; I XmF Q O PK 2Z,
  PK
          sY
                          A spike/UT
 =g=g=gux
                PK
                        sYEw~^
                                          D __MACOSX/._spikeUT
                  PΚ
                          sYM4 F
                                             spike/function caller example.pyUT
 =g=gM=gux
                PK
                        sYq +
                                        MACOSX/spike/. function caller example.pyUT
 =q=q=qux
```

sYW

spike/test.pyUT

$$=g=g=gux$$
 PK FsY2Z,

spike/agent_rearrange_test.pyUT