

```
'use client';
```

```
import { Button } from '@shared/components/ui/Button';
```

```
import React from 'react';
```

```
import Link from 'next/link';
```

```
import { signUp } from '@shared/utils/auth-helpers/server';
```

```
import { handleRequest } from '@shared/utils/auth-helpers/client';
```

```
import { useRouter } from 'next/navigation';
```

```
import { useState } from 'react';
```

```
// Define prop type with allowEmail boolean
```

```
interface SignUpProps {
```

```
  allowEmail: boolean;
```

```
  redirectMethod: string;
```

```
}
```

```
export default function SignUp({ allowEmail, redirectMethod }: SignUpProps) {
```

```
  const router = redirectMethod === 'client' ? useRouter() : null;
```

```
  const [isSubmitting, setIsSubmitting] = useState(false);
```

```
  const handleSubmit = async (e: React.FormEvent<HTMLFormElement>) => {
```

```
    setIsSubmitting(true); // Disable the button while the request is being handled
```

```
    await handleRequest(e, signUp, router);
```

```
    setIsSubmitting(false);
```

```
  };
```

```
return (  
  <div className="my-8">  
    <form  
      noValidate={true}  
      className="mb-4"  
      onSubmit={(e) => handleSubmit(e)}  
    >  
      <div className="grid gap-2">  
        <div className="grid gap-1">  
          <label htmlFor="email">Email</label>  
          <input  
            id="email"  
            placeholder="name@example.com"  
            type="email"  
            name="email"  
            autoCapitalize="none"  
            autoComplete="email"  
            autoCorrect="off"  
            className="w-full p-3 rounded-md bg-zinc-800 text-white"  
          />  
          <label htmlFor="password">Password</label>  
          <input  
            id="password"  
            placeholder="Password"  
            type="password"
```

```
name="password"
```

```
autoComplete="current-password"
```

```
className="w-full p-3 rounded-md bg-zinc-800 text-white"
```

```
/>
```

```
</div>
```

```
<Button
```

```
variant="outline"
```

```
type="submit"
```

```
className="mt-1"
```

```
loading={isSubmitting}
```

```
>
```

```
Sign up
```

```
</Button>
```

```
</div>
```

```
</form>
```

```
<p>Already have an account?</p>
```

```
<p>
```

```
<Link href="/signin/password_signin" className="font-light text-sm">
```

```
Sign in with email and password
```

```
</Link>
```

```
</p>
```

```
{allowEmail && (
```

```
<p>
```

```
<Link href="/signin/email_signin" className="font-light text-sm">
```

```
Sign in via magic link
```

```
</Link>
```

</p>

)}

</div>

);

}