

Alsurvey.me v2.0 — Database Schema

Overview

PostgreSQL database managed via Prisma ORM. Contains 22 models and 10 enums.

Entity Relationship Diagram (Text)

```
User —< Account
User —< Session
User —< Survey
User —< Analysis
User —< ExpertProfile

Survey —< Question —< QuestionTranslation
Survey —< Response —< Answer
Survey —< Response —< ConversationMessage
Survey —< AdminQuestion
Survey —< VoiceAgentQuestion
Survey —< VapiCallLog
Survey —< KnowledgeNode —< KnowledgeEdge (source/target)
Survey —< KnowledgeOSEvent

Response —< Answer
Response —< ConversationMessage
```

Models

Core Authentication

User

Field	Type	Notes
id	String (cuid)	Primary key
name	String?	Display name
email	String	Unique
emailVerified	DateTime?	
password	String?	Hashed with bcrypt
image	String?	Avatar URL
role	Role	ADMIN, SUPER_ADMIN, VIEWER
createdAt	DateTime	Auto
updatedAt	DateTime	Auto

Account / Session / VerificationToken

Standard NextAuth.js models for OAuth and session management.

Survey System

Survey

Field	Type	Notes
id	String (cuid)	Primary key
title	String	Survey title
description	String?	
language	String	Default “nl”
isActive	Boolean	Default true
greetingMessage	String?	Custom greeting
closingMessage	String?	Custom closing
systemPrompt	String?	AI system prompt override
domainTemplate	String?	v2.0 — sap-knowledge, healthcare, etc.
whyProtocolDepth	Int	v2.0 — Default 3, range 1-5
userId	String	FK → User
createdAt/updatedAt	DateTime	Auto

Question

Field	Type	Notes
id	String (cuid)	Primary key
text	String	Question text
type	QuestionType	OPEN, MULTIPLE_CHOICE, SCALE, YES_NO
options	String?	JSON string for MC options
order	Int	Display order
isRequired	Boolean	Default true
followUpLogic	String?	JSON conditional logic
surveyId	String	FK → Survey

Response

Field	Type	Notes
id	String (cuid)	Primary key
respondentName	String?	
respondentEmail	String?	
language	String	Default “nl”
status	ResponseStatus	IN_PROGRESS, COMPLETED, ABANDONED
completedAt	DateTime?	
tacitKnowledgeScore	Float?	v2.0 — Composite TK score
tacitScoreDepth	Float?	v2.0 — Depth dimension
tacitScoreUniqueness	Float?	v2.0 — Uniqueness dimension
tacitScoreActionability	Float?	v2.0 — Actionability dimension
surveyId	String	FK → Survey
createdAt/updatedAt	DateTime	Auto

v2.0 Knowledge Models

ExpertProfile

Field	Type	Notes
id	String (cuid)	Primary key
name	String	Expert name
email	String?	Contact email
domains	String	JSON array of domains
tacitScore	Float	Aggregated TK score
riskLevel	ExpertRisk	LOW, MEDIUM, HIGH, CRITICAL
totalSessions	Int	Default 0
isAvailable	Boolean	Default true
lastActive	DateTime?	
metadata	String?	JSON additional data
userId	String?	FK → User (optional)

KnowledgeNode

Field	Type	Notes
id	String (cuid)	Primary key
label	String	Node display label
type	KnowledgeNodeType	CONCEPT, SKILL, PROCESS, TOOL, PERSON, DECISION, EXPERIENCE
properties	String?	JSON properties
surveyId	String?	FK → Survey
responseId	String?	Source response
createdAt	DateTime	Auto

KnowledgeEdge

Field	Type	Notes
id	String (cuid)	Primary key
sourceId	String	FK → KnowledgeNode
targetId	String	FK → KnowledgeNode
type	KnowledgeEdgeType	RELATES_TO, DEPENDS_ON, LEADS_TO, etc.
weight	Float	Default 1.0
properties	String?	JSON properties
createdAt	DateTime	Auto

KnowledgeOSEvent

Field	Type	Notes
id	String (cuid)	Primary key
eventType	String	KNOWLEDGE_CAPTURED, EXPERT_IDENTIFIED, etc.
payload	String	JSON event data
status	String	Default “pending”
processedAt	DateTime?	
surveyId	String?	FK → Survey
createdAt	DateTime	Auto

Enums

Enum	Values
Role	ADMIN, SUPER_ADMIN, VIEWER
QuestionType	OPEN, MULTIPLE_CHOICE, SCALE, YES_NO
ResponseStatus	IN_PROGRESS, COMPLETED, ABANDONED
AnalysisType	SUMMARY, SENTIMENT, THEMATIC, CUSTOM
AnalysisStatus	PENDING, PROCESSING, COMPLETED, FAILED
CallStatus	QUEUED, RINGING, IN_PROGRESS, COMPLETED, FAILED, NO_ANSWER
VapiCallStatus	QUEUED, RINGING, IN_PROGRESS, FORWARDING, ENDED
ExpertRisk	LOW, MEDIUM, HIGH, CRITICAL
KnowledgeNodeType	CONCEPT, SKILL, PROCESS, TOOL, PERSON, DECISION, EXPERIENCE
KnowledgeEdgeType	RELATES_TO, DEPENDS_ON, LEADS_TO, CONTRADICTS, ENABLES, REQUIRES, PART_OF

Indexes

Key indexes for performance:

- `Response.surveyId` — Fast survey-response lookups
- `Answer.responseId` — Fast response-answer lookups
- `KnowledgeNode.surveyId` — Graph queries by survey
- `KnowledgeNode.type` — Graph queries by node type
- `KnowledgeEdge.sourceId/targetId` — Graph traversal
- `KnowledgeOSEvent.status` — Event processing queue

Migration

```
# Generate migration from schema
npx prisma migrate dev --name v2_knowledge_os

# Apply in production
npx prisma migrate deploy

# Generate Prisma Client
npx prisma generate
```