

UNIT0000 - Sample Unit Name

Assessment X

Sample Report Title

Student Name: Student Name

Student ID: 0000000

Campus: KBS Campus

Kaplan Business School

Master of Information Technology

3 August 2026

Contents

Executive Summary	iii
1 Introduction	1
2 Findings	1
2.1 Evidence summary	1
2.2 Priority ranking	1
3 Architecture overview	2
4 Configuration example	2
5 Generative AI usage	3
6 Conclusion	3
7 Recommendations	3
A1 Prompt - Findings summary	5
A2 Code - Health-check helper	5
A3 Supporting material	5

Executive Summary

This showcase report demonstrates the formatting features of the Kaplan report template. It summarises a fictional systems review, outlines key findings related to reliability and documentation quality, and points to recommendations for clearer evidence logging and reproducible configuration steps. The body below uses dummy content only.

1 Introduction

This section establishes the background, purpose, and scope of the sample report. The organisation in this example operates a hybrid environment and relies on a Virtual Private Network (VPN) for remote staff access. First use of an acronym expands automatically; later uses of VPN remain abbreviated.

The purpose of this document is to demonstrate template features rather than present a real assessment outcome.¹

Scope covers sample prose, lists, citations, tables, figures, code blocks, prompt blocks, and appendices. Items outside scope include live deployment data and organisation-specific credentials.

2 Findings

2.1 Evidence summary

According to [Kurose and Ross \(2021\)](#), layered designs remain a practical way to reason about interconnected systems. Parenthetical citations follow Kaplan Harvard formatting ([Tanenbaum et al., 2021](#); [National Institute of Standards and Technology, 2020](#)).

Key observations from the fictional review:

- Baseline monitoring covered availability but not Application Programming Interface (API) error budgets.
- Change records lacked a consistent link to configuration snapshots.
- Remote access depended on a single VPN concentrator.²

2.2 Priority ranking

Table 1 shows a compact severity matrix suitable for short reports.

¹ Footnotes use hanging indentation, increased separation from the body text, and a shortened rule so long explanatory notes remain readable.

² In a real report, expand this note with dates, ticket IDs, or verification steps used to confirm the finding.

Table 1: Sample priority ranking for fictional findings

ID	Finding	Likelihood	Impact
F1	Incomplete monitoring coverage for API endpoints	Likely	Medium
F2	Single point of failure on remote access path	Possible	High
F3	Weak evidence trail for configuration changes	Likely	Low

3 Architecture overview

Figure 1 is a placeholder diagram stored in the figures/ folder. Captions remain bold-labelled and can cite adapted sources in-text.




Figure 1: Placeholder diagram showing a sample layout (adapted from Kurose and Ross 2021).

As shown in Figure 1, components are separated into logical tiers. Tanenbaum et al. (2021) discuss similar separation of concerns for medium-scale deployments. Lower latency between tiers is treated as a design goal rather than a measured result in this sample.

4 Configuration example

Numbered Python listings use the python style. Comments, keywords, and strings are highlighted; long lines wrap inside the frame.

```
1 def health_check(endpoint: str, timeout: int = 5) -> bool:
2     """Return True when the sample endpoint responds successfully."""
3     # Placeholder logic for the template showcase
4     status = request_status(endpoint, timeout=timeout)
```

```
5 return status == "ok"
```

Plain command or router output can reuse the same style when syntax highlighting is still helpful:

```
1 ping 192.0.2.1
2 # Reply from 192.0.2.1: bytes=32 time=4ms TTL=64
```

5 Generative AI usage

Prompt blocks use the prompt style: monospaced text, framed background, and no line numbers. Keep model details next to the prompt so reviewers can audit the interaction.

Model: Example Model Name

```
Summarise the three highest-priority findings from the sample review.
For each finding, propose one verification step that does not require
production access. Keep the response under 150 words.
```

Longer collaboration logs belong in the appendix so the body stays concise (see [Appendix A1](#)).

6 Conclusion

The sample review shows how the template supports academic report structure while also covering technical artefacts such as code, prompts, footnotes, and appendix evidence. Dummy values in the preamble can be replaced without changing the formatting layer.

7 Recommendations

1. Record each Generative AI prompt and model name in the appendix.
2. Attach reproducible configuration snippets using the code style.
3. Use footnotes for short clarifications that would interrupt flow.
4. Keep Service Level Agreement (SLA) assumptions explicit when ranking impact.

Reference List

- Kurose, J. F. & K. W. Ross. *Computer networking: a top-down approach*. Pearson, Hoboken, NJ, 8th edn, 2021.
- National Institute of Standards and Technology. 'Zero trust architecture'. In *NIST Special Publication 800-207*, Gaithersburg, MD, 2020. U.S. Department of Commerce.
<<https://doi.org/10.6028/NIST.SP.800-207>>. viewed 10 March 2026.
- Tanenbaum, A. S., N. Feamster & D. J. Wetherall. *Computer networks*. Pearson, Hoboken, NJ, 6th edn, 2021.

A1 Prompt - Findings summary

Initial prompt used to draft a concise findings summary for review.

Model: Example Model Name

```
You are assisting with academic report drafting.
Using only the three findings F1-F3 from the sample priority table,
write:
1. one sentence per finding
2. one verification step per finding
Do not invent organisational names or metrics.
```

A2 Code - Health-check helper

Extended listing kept in the appendix when the body only needs a short excerpt.

```
1 from typing import Optional
2
3 def request_status(endpoint: str, timeout: int = 5) -> Optional[str]:
4     """Dummy helper used by the showcase health_check function."""
5     if not endpoint:
6         return None
7     # Pretend network call
8     return "ok"
```

A3 Supporting material

Use this appendix for screenshots, full-size diagrams, or exported logs. Cross-reference from the body with `\ref{app:a3-supporting}`.




Figure 2: Appendix copy of the placeholder diagram.

List of Abbreviations

API Application Programming Interface. 1, 2

SLA Service Level Agreement. 3

VPN Virtual Private Network. 1

Glossary

latency The time delay between a request being sent and a response being received. 2