
Pooled-trajectory concentration comparison [total]: each minimum = 0 kJ/mol
3 x 200 ns pooled per trajectory; no zero bins in 0-50 A (SCI-1: shared range). Selection can bias the PMF.
(a) VAL
0.2 M: 3/3; 0.1 M: 3/3 trajectories
(b) LEU
0.2 M: 2/3; 0.1 M: 1/3 trajectories
0.1 M: one trajectory; no SE
US: 2 x 50 ns blocks
(c) ILE
0.2 M: 2/3; 0.1 M: 3/3 trajectories
SCI-1: all 3 trajectories, 0.5-20.5 A only
(d) MET
0.2 M: 3/3; 0.1 M: 1/3 trajectories
0.1 M: one trajectory; no SE
(e) PHE
0.2 M: 3/3; 0.1 M: 3/3 trajectories
(f) TRP
0.2 M: 3/3; 0.1 M: 3/3 trajectories
US PMF unavailable
(g) TYR0
0.2 M: 3/3; 0.1 M: 2/3 trajectories
(h) ARG0
0.2 M: 1/3; 0.1 M: 1/3 trajectories
0.2 M: one trajectory; no SE
0.1 M: one trajectory; no SE
PMF - minimum (kJ/mol)
|z| (Å)
MD 0.2 M (pooled trajectories)
MD 0.1 M (pooled trajectories)
Umbrella sampling