Intro

Programming good research code good

Patrick Mineault





is my code fast? no. but is it well documented? no. but does it work? also no.

1:29 PM · Dec 14, 2020 · Twitter for iPhone

5.9K Retweets 1K Ouote Tweets 58.6K Likes

Figure 1: We've all been there

Who is this lecture for?

- Most people who do coding-heavy research are not trained in CS or software engineering
- You're probably in this bucket
- Bad consequences:
 - You feel like you don't know what you're doing
 - Imposter syndrome
 - Low productivity
 - Bugs
 - You hate your code and you don't want to work on it
 - You never graduate
 - You have great sadness in your heart
- It doesn't have to be all bad!

My weird perspective

- Patrick Mineault, PhD
- As a physics & math undergrad, did programming on the side and ran open source project amfphp
- PhD on receptive fields in early visual cortex at the MNI with Chris Pack
- Postdoc at UCLA with Dario Ringach
- (wildly underqualified) software engineer at Google
- Research scientist at Facebook on brain-computer interfaces
- Technical chair of Neuromatch Academy
- Occasionally taught CS
- Independent researcher and technologist

Regrets, I've had a few

- Mostly self-taught in programming
- ▶ Didn't study CS until very late
- ▶ Wasted months working with bad code of my own making
- ▶ Wasn't until I joined Google that I became gooder at code
- I stand on the shoulders of giants who showed me the error of my ways
- Not a great coder, but better than in grad school
- ► I think you might be curious

Organization

- Assume that you know a little bit about Python, git and the command line
 - If you don't, that's ok! This is vertically integrated advice. Get inspired, follow more detailed tutorials after, and come back to this.
- 6 easy steps to better code
 - Concrete examples
 - ► Interactive sessions (zoom chat)
 - 5-minute action items
 - Everybody leaves having learned an actionable thing
- ► Roadmap to self-improvement & extra resources
- ▶ But first, I will indulge in theory...

Thesis

Thesis

Writing good research code boils down to saving your memory both working and long-term.

Coding is very working-memory intensive




Figure 2: Code and working memory in the brain ¹

¹Ivanova et al. (2020)

Coding is very working-memory intensive

- MD: Multiple-demand system
- ► CP: code programming
- SP: sentence programming
- SR: sentence reading
- NR: non-word reading

Research code is very LTM-intensive




Figure 3: Theory

Research code is very LTM-intensive




Figure 4: Practice

Research code

- Endpoint is unclear
- Correct can be hard to define
- Lots of exploration and dead ends
- Sometimes, there are manual steps involving human judgement
- You have to remember all the dead ends for the code to even make sense

Consequence

You will get overloaded.

Principle 1: conserve your WM

- ▶ Reduce the cognitive load of understanding your code
- Simple is better than complex. Complex is better than complicated.

Principle 2: write for your future self in mind


- ► Future you will have forgotten 90% of what you wrote
- Kernighan's Law Debugging is twice as hard as writing the code in the first place. Therefore, if you write the code as cleverly as possible, you are, by definition, not smart enough to debug it.

Practical Lessons

Disclaimer: this is a low-judgement zone

- It's ok to write garbage code when you're in a rush
- It's not ok to keep building more and more on top of garbage code
 - sure, there's the moral imperative to create replicable code to bring forward the shining light of science and truth...
 - ▶ but also, do you want to scrap 6 months of research because you forgot to transpose a matrix?
 - you will get bitten back
- Guidelines not rules

Lesson 1: keep things tidy



What needs to be tidy

- Project folder structure
- Code style
- Notebooks
- Prereq: Git & Github: if you're going to keep things clean, you will mess up and need a time machine.

Project folder structure

- ▶ Consensus: one repo = one project \approx one paper
- Lots of templates around:
 - ► [Turing Way](https://the-turing-way.netlify.app/reproducible-research/compendia.html#executable-compendium]
 - Research Software Engineering with Python
 - Python package best practices
 - Shablona

Shablona

```
shablona/
  |- README.md
  |- shablona/
     |- __init__.py
     |- shablona.py
     |- due.py
     |- data/
     |- tests/
  - doc/
     |- Makefile
     |- conf.py
     |- sphinxext/
  - setup.py
  - .travis.yml
  - .mailmap
  - appveyor.yml
  - LICENSE
  - Makefile
  |- ipynb/
```

Shablona

- Keeps docs, data, scripts and code tidy and in their own little box
- ▶ Is compatible with Python packaging. That means you can install locally with pip install -e ., and the code inside the special folder (placeholder: shablona) becomes a package shablona
- ▶ Use as a template to start a new project via big green button
- Or build it from scratch to understand the moving pieces
- ► DEMO

Other conventions

- $lackbox{ Notebooks}
 ightarrow \mathtt{Start}$ with a Capital Letter.ipynb
- lacktriangle Reusable functions and packages, etc. ightarrow snake_case.py
- Tests under tests folder

Code style

- Use a consistent style
- Python has a style guide PEP8.
 - ► Indentation
 - Line length
 - Spaces
 - Variable names
 - imports
- Orgs like Google have their even more pedantic style guides.
- ▶ There are linters which will catch style issues
 - flake8
 - pylint
- We'll talk more about the tools in the use good tools section.

Comment style

Numpy style or Google style.

```
def my_doubler(x):
    """Doubles x.

Args:
    x: the number to double

Returns:
    Twice x
"""
return x * 2
```

IPython notebooks

- Notebooks are hard to keep tidy because of nonlinear execution
- Restart and Run All is your friend
- Somewhat unpopular opinion: it's ok to write plotting code in a notebook, but don't write real functions.
 - Disclaimer: I write real functions in notebooks all the time, and I know I shouldn't

Aside: Swim test

Everything at Google is one giant monorepo with billions of lines of code

(https://cacm.acm.org/magazines/2016/7/204032-why-google-st ores-billions-of-lines-of-code-in-a-single-repository/fulltext#FNE. By \sim day 3, it was time to go do a code. Everything is organized

according to strict conventions, so it's not that bad to jump in.

Lesson 1

- Keep things tidy
- ▶ Free your W<M from having to remember where stuff is
- ▶ Your 5-minute exercise: use the shablona template for a project