



# CHIS 2011-2012 DATA DICTIONARY

Public Use File

Adult Survey

June 2014



# **CHIS 2011-2012 DATA DICTIONARY**

## **Adult Survey**

## **Public Use File**

June 2014

adult.sas7bdat

Contact:  
California Health Interview Survey  
UCLA Center for Health Policy Research  
10960 Wilshire Blvd., Suite 1550  
Los Angeles, CA 90024  
Email: [chis@ucla.edu](mailto:chis@ucla.edu)

Copyright © 2014 The Regents of the University of California. All Rights Reserved.

***Suggested Citation:***

California Health Interview Survey. CHIS 2011-2012 Adult Survey. UCLA Center for Health Policy Research. Los Angeles, CA: June 2014.

# TABLE OF CONTENTS

<b>1. Introduction .....</b>	<b>3</b>
1.1 CHIS 2011-2012 Adult Survey Data File.....	3
1.2 Accompanying Files .....	3
<b>2. What's New in CHIS 2011-2012.....</b>	<b>3</b>
<b>3. CHIS 2011-2012 Design and Methodology Summary .....</b>	<b>5</b>
3.1 Overview .....	5
3.2 Switch to a Continuous Survey .....	6
3.3 Sample Design Objectives.....	6
3.4 Data Collection .....	8
3.5 Response Rates .....	9
3.6 Weighting the Sample .....	10
3.7 Imputation Methods.....	12
<b>4. How to Use the Data Dictionary.....</b>	<b>13</b>
<b>5. Sample Code Using Sample Design Information .....</b>	<b>14</b>
<b>6. Data Dictionary Variable Listings .....</b>	<b>14</b>
A. Variable Name (alphabetical).....	15
B. Variable name (by Location in CHIS 2011-2012 Adult Questionnaire).....	27
C. Restricted Variables.....	39
<b>7. Data Dictionary .....</b>	<b>40</b>
Section Q: Screening Information .....	40
Section A: Demographical Information, Part I.....	42
Section B: General Health Condition .....	54
Section C: Health Behaviors.....	89
Section D: General Health, Disability, and Sexual Health.....	105
Section E: Women's Health .....	114
Section F: Mental Health.....	123
Section G: Demographic Information, Part II & Child Care.....	137
Section H: Health Insurance .....	156
Section J: Health Care Utilization and Access .....	192
Section K: Employment, Income, Poverty Status & Food Security.....	210
Section L: Public Program Participation .....	220
Section M: Housing & Community Involvement.....	225
Section N: Demographic Information, Part III, Geographical Information .....	232

Section O: Full Design and Replicate Weight Series 0-80.....	236
--	-----

## 1. Introduction

### 1.1 CHIS 2011-2012 Adult Survey Data File

The 2011-2012 California Health Interview Survey (CHIS 2011-2012) Adult Data File consists of individual records from the Adult interview of CHIS 2011-2012.

The UCLA-Center for Health Policy Research (UCLA-CHPR) is responsible for maintaining consistent standards to protect respondent confidentiality as specified in approved protocols by the UCLA IRB (IRB# 11-000068) and the California Committee for the Protection of Human Subjects (00-04-04). Organizations that receive CHIS data are required to complete a data use agreement with UCLA-CHPR. The data files listed below must be maintained in accordance with the provisions of the data use agreement between the California Department of Public Health (CDPH) and UCLA-CHPR. In order to protect respondent confidentiality, UCLA-CHPR maintains the most confidential and sensitive CHIS data only in its files at the Data Access Center (DAC) located at UCLA-CHPR. Researcher access to confidential data, including respondent latitude and longitude, is available by application to the DAC. For more information, please contact [dacchpr@ucla.edu](mailto:dacchpr@ucla.edu). Limited technical assistance is also available from CHIS – please send email to [chis@ucla.edu](mailto:chis@ucla.edu)

### 1.2 Accompanying Files

In addition to the data file are several accompanying files that facilitate use of the data file; some are not necessary for data analysis but add convenience in utilizing the main data.

- a. **Data file:** adult.sas7bdat, adult.sav, adult.dta
- b. **Proc format file:** ADULT\_PROC\_FORMAT.SAS
- c. **Format file:** ADULT\_FORMAT.SAS
- d. **Label file:** ADULT\_LABEL.SAS
- e. **Imputation flag file:** adultf.sas7bdat, adultf.sav, adultf.dta  
See Section 3.7 for descriptions of imputation flag variables and values.
- f. **Others:** ADULT.XPT, ADULTF.XPT

## 2. What's New in CHIS 2011-2012

As an ongoing cross-sectional survey of California's population, each CHIS data cycle has its own unique features. Some features may impact CHIS estimates, trends and comparisons of CHIS estimates over time, or the pooling of data across more than one cycle. Methodological changes are necessary to maintain high-quality data and to adapt to the ever-changing survey landscape in a way that meets stakeholders' needs. This document describes the main cycle-specific methodological changes that were implemented in CHIS 2011-2012. We recommend CHIS data users review the information below and our detailed online documentation as necessary before analyzing or reporting CHIS data. A truncated summary of our full documentation is below in Section 3 of this document (CHIS 2011-2012 Design and Methodology Summary).

*CHIS Methodological Documentation Online:*

<http://healthpolicy.ucla.edu/chis/design/Pages/methodology.aspx>

- 1) **Continuous Data Collection** – CHIS data are now collected continuously across the two-year data collection cycle. In the past, data have been collected over a period of roughly 9-months within each cycle. CHIS 2011-2012 data collection began on June 15, 2011-2012 and concluded on January 14, 2013. The plan for future cycles is to begin data collection in January and continue for all months of the two-year cycle, ending in December of the second year. This new data collection approach allows the release of one-year estimates for each calendar year. Access to one-year data is available through the Center's Data Access Center.
- 2) **New Control Totals for Weights** – The CHIS weighting process uses control totals produced by the California Department of Finance (DOF). The totals are created by DOF using models to adjust U.S. Census decennial enumeration data based on demographic changes within the state. The DOF updates its projections after each Census, and updates its estimates annually. The control totals for CHIS 2011-2012 weighting are based on the 2010 Census, while CHIS 2009 and earlier CHIS cycle control totals were based on data from the 2000 Census. This change may affect trend estimates across decennial Census years, as is sometimes seen in other surveys with repeated cross-sectional designs like CHIS.
- 3) **Larger Cell Phone Sample** – CHIS has included a cell phone sample since 2007. The specific design of the sample changes over time to remain current with changes in cell phone and landline use in the population and the changing methods of cell phone sampling. In CHIS 2011-2012, 9,152 adult interviews were conducted from the cell phone sample (22% of adult interviews). This is a dramatic increase over CHIS 2011-2012 in which 3,028 adult interviews were conducted from the cell phone sample—similar to the cell phone sample proportion of other dual-frame surveys.<sup>1</sup> In this cycle we were also able to set county-level goals for the cell phone RDD sample due to advances in geographical targeting of cell phone numbers. In the past, we were only able to set targets at a broader regional level. Thus the current cell phone sampling method should produce better estimates for most counties than in the past.
- 4) **County Oversamples** – As in previous cycles, some counties provide funding to supplement their sample. In CHIS 2011-2012 we continued to oversample respondents in San Diego County as we have done since 2005.
- 5) **American Indian and Alaska Native Oversample** – The 2011-2012 cycle includes a supplemental sample of American Indian and Alaska Native residents of California to increase the representation of that group. The oversample was produced using a list of people who had been served by Indian Health Service (IHS) health clinics in California. Although this oversample came from a different sampling frame than the CHIS random digit dial (RDD) samples, it was incorporated into the data files and weighting method so

---

<sup>1</sup> See the 2010 AAPOR Cell Phone Task Force report by the American Association for Public Opinion Research for more information about best practices and contemporary issues in cell phone sampling. [http://www.aapor.org/Cell\\_Phone\\_Task\\_Force\\_Report.htm](http://www.aapor.org/Cell_Phone_Task_Force_Report.htm)

that data analysts can use complete CHIS data sets without taking any additional analytic steps. The survey interview and data collection protocols for this sample were identical to the standard CHIS protocol.

- 6) **New and Updated Survey Questions** – Survey questions are added, removed, and modified in each cycle of CHIS. We add questions to meet stakeholders' needs and to monitor emerging public health concerns. We remove questions to reduce the length of the survey interview and save data collection costs when questions are no longer relevant for public health surveillance, or when they are not funded by a sponsor. Most CHIS questions are included in every CHIS cycle. Occasionally, we make changes to question wording based on methodological evaluations or user feedback that strongly suggests that changes will produce better data; otherwise, we keep questions consistent to aid in trending.

### 3. CHIS 2011-2012 Design and Methodology Summary

#### 3.1 Overview

A series of five methodology reports are available with more detail about the methods used in CHIS 2011-2012:

- Report 1 – Sample Design;
- Report 2 – Data Collection Methods;
- Report 3 – Data Processing Procedures;
- Report 4 – Response Rates; and
- Report 5 – Weighting and Variance Estimation.

For further information on CHIS data and the methods used in the survey, visit the California Health Interview Survey Web site at

<http://healthpolicy.ucla.edu/chis/design/Pages/methodology.aspx>.

The California Health Interview Survey (CHIS) is a population-based telephone survey of California's population conducted every other year since 2001 and continually beginning in 2011-2012. CHIS is the largest state health survey conducted and one of the largest health surveys in the nation. CHIS is conducted by the UCLA Center for Health Policy Research (UCLA-CHPR) in collaboration with the California Department of Public Health, the Department of Health Care Services, First 5 California, The California Endowment, the National Cancer Institute, and Kaiser Permanente. CHIS collects extensive information for all age groups on health status, health conditions, health-related behaviors, health insurance coverage, access to health care services, and other health and health related issues.

CHIS data and results are used extensively by federal and State agencies, local public health agencies and organizations, advocacy and community organizations, other local agencies, hospitals, community clinics, health plans, foundations, and researchers. These data are used for analyses and publications to assess public health and health care needs, to develop and advocate policies to meet



those needs, and to plan and budget health care coverage and services. Many researchers throughout California and the nation use CHIS data files to further their understanding of a wide range of health-related issues (for many examples of these studies, visit the CHIS Research Clearinghouse: <http://healthpolicy.ucla.edu/chis/research/Pages/default.aspx>).

### **3.2 Switch to a Continuous Survey**

From the first CHIS cycle in 2001 through 2011-2012, CHIS data collection was biennial, with data collected during a 7-9 month period every other year. Beginning in 2011-2012, CHIS data are collected continually over each 2-year cycle. This change was driven by several factors including the ability to track and release information about health in California on a more frequent and timely basis and to eliminate potential seasonality in the biennial data.

The CHIS 2011-2012 data included in these files were collected between June 15, 2011-2012 and January 14, 2013. Approximately half of the interviews were conducted during the 2011-2012 calendar year and half during the 2012 calendar year. As in previous CHIS cycles, sampling weights are included with the data files and are based on the State of California's Department of Finance population estimates and projections, adjusted to remove the population living in group quarters (such as nursing homes, prisons, etc. and not eligible to participate in CHIS). When the weights are applied to the data, the results represent one year of California's residential population for the age group corresponding to the data file in use (adult, adolescent, or child).

In order to provide CHIS data users with more complete and up to date information to facilitate analyses of CHIS data, additional information on how to use the CHIS sampling weights, including sample code, is available at:

<http://healthpolicy.ucla.edu/chis/analyze/Pages/sample-code.aspx>.

Additional documentation on constructing the CHIS sampling weights is available in CHIS 2011-2012 Methods Report #5—Weighting and Variance Estimation, available at:

<http://healthpolicy.ucla.edu/chis/design/Pages/methodology.aspx>.

### **3.3 Sample Design Objectives**

The CHIS 2011-2012 sample was designed to meet two sampling objectives: (1) provide estimates for adults in most counties and groups of counties with small populations; and (2) provide estimates for California's overall population, major racial and ethnic groups, and for several smaller ethnic subgroups as well. To achieve these objectives, CHIS employed a multi-stage sample design. The random-digit-dial (RDD) sample included telephone numbers assigned to both landline (approximately 80%) and cellular (approximately 20%) service. For the landline RDD sample, the state was divided into 56 geographic sampling strata, including 2 counties with sub-county strata (8 Service Planning Areas in Los Angeles County and 6 Health Service Regions in San Diego County), 41 single-county strata (including Los Angeles and San Diego counties), and three multi-county strata comprised of the 17 remaining counties (see Table 1-1). A sufficient number of adult interviews were allocated to each stratum to support the first sample design objective—to provide health estimates for adults at the local level. The geographic stratification of the state was the same

as that used since CHIS 2005. In the first two CHIS cycles there were 47 total sampling strata, including 33 individual counties and one county with sub-county strata (Los Angeles).

**Table 1-1. California county and county group strata used in the CHIS 2011-2012 sample design**

1. Los Angeles	7. Alameda	27. Shasta
1.1 Antelope Valley	8. Sacramento	28. Yolo
1.2 San Fernando Valley	9. Contra Costa	29. El Dorado
1.3 San Gabriel Valley	10. Fresno	30. Imperial
1.4 Metro	11. San Francisco	31. Napa
1.5 West	12. Ventura	32. Kings
1.6 South	13. San Mateo	33. Madera
1.7 East	14. Kern	34. Monterey
1.8 South Bay	15. San Joaquin	35. Humboldt
2. San Diego	16. Sonoma	36. Nevada
2.1 N. Coastal	17. Stanislaus	37. Mendocino
2.2 N. Central	18. Santa Barbara	38. Sutter
2.3 Central	19. Solano	39. Yuba
2.4 South	20. Tulare	40. Lake
2.5 East	21. Santa Cruz	41. San Benito
2.6 N. Inland	22. Marin	42. Colusa, Glen, Tehama
3. Orange	23. San Luis Obispo	43. Plumas, Sierra, Siskiyou, Lassen,
4. Santa Clara	24. Placer	Lassen, Modoc, Trinity, Del Norte
5. San Bernardino	25. Merced	44. Mariposa, Mono, Tuolumne,
6. Riverside	26. Butte	Alpine, Amador, Calaveras, Inyo

Source: UCLA Center for Health Policy Research, 2011-2012 California Health Interview Survey.

Within each geographic stratum, residential telephone numbers were selected, and within each household, one adult (age 18 and over) respondent was randomly selected. In those households with adolescents (ages 12-17) and/or children (under age 12), one adolescent and one child were randomly selected; the adolescent was interviewed directly, and the adult most knowledgeable about the child's health completed the child interview.

The RDD CHIS sample is of sufficient size to accomplish the second objective (produce estimates for the state's major racial/ethnic groups, as well as many ethnic subgroups). To increase the precision of estimates for Koreans and Vietnamese, areas with relatively high concentrations of these groups were sampled at higher rates. These geographically targeted oversamples were supplemented by telephone numbers associated with group-specific surnames drawn from listed telephone directories to further increase the sample size for Koreans and Vietnamese.

To help compensate for the increasing number of households without landline telephone service, a separate RDD sample was drawn of telephone numbers assigned to cellular service. In CHIS 2011-2012, the goal was to complete approximately 20% of all RDD interviews statewide with adults from the cell phone sample. The CHIS 2011-2012 and 2011-2012 cell phone sampling method

differed from the CHIS 2007 cell phone sample in two significant ways. First, all cell phone sample numbers used by adults for non-business purposes were eligible for the extended interview regardless of the presence of a landline phone. The landline and cell samples, therefore, overlap and contrast to CHIS 2007 when cell phone cases with a landline telephone were screened out to limit the cell phone sample to “cell phone only” cases. This change was made due to the large number and potentially unique characteristics of telephone users who possess both a landline and cell phone, but rely principally on their cell phone for communication and would otherwise be under-represented in the sample. The second change to the cell phone sample was the inclusion of child and adolescent extended interviews. About 550 teen interviews and 1,500 child interviews were completed from the cell phone sample in CHIS 2011-2012.

In CHIS 2011-2012 and 2007, telephone numbers assigned to cellular service could not be geographically stratified at the county level with sufficient precision due to limitations in how cell phone samples were associated with specific geographical areas at that time. Thus, the cell RDD sample was geographically stratified into 28 strata using 7 CHIS regions and telephone area codes. In CHIS 2011-2012, we were able to set realistic cell sample targets for most of the landline strata (i.e., counties and small county groups) by using area codes of the cell phone numbers and previous CHIS cell phone sample experience.

If the sampled number was shared by two or more adult members of a cell-only household, one household member was selected for the adult interview. Otherwise, the adult owner of the sampled number was selected. Cell numbers used exclusively by people under 18 were considered ineligible.

Finally, the CHIS 2011-2012 sample included an American Indian/Alaska Native (AIAN) oversample. This oversample was sponsored by Urban American Indian Involvement, Inc. and California Indian Health Services. The purpose of this oversample was to increase the number of AIAN participants and improve the statistical stability and precision of estimates for this group. The oversample was conducted using a special list provided by Indian Health Services.

**Table 1-2. Number of completed CHIS 2011-2012 interviews by type of sample and instrument**

Type of sample	Adult	Child	Adolescent
Total all samples	42,935	7,334	2,799
Landline RDD	32,692	5,600	2,164
Surname list	825	161	57
Cell RDD	9,151	1,523	557
American Indian/Alaska Native list	267	50	21

Source: UCLA Center for Health Policy Research, 2011-2012 California Health Interview Survey.

### 3.4 Data Collection

To capture the rich diversity of the California population, interviews were conducted in five languages: English, Spanish, Chinese (Mandarin and Cantonese dialects), Vietnamese, and Korean. These languages were chosen based on analysis of 2000 Census data to identify the languages that would cover the largest number of Californians in the CHIS sample that either did not speak English or did not speak English well enough to otherwise participate.

Westat, a private firm that specializes in statistical research and large-scale sample surveys, conducted CHIS 2011-2012 data collection under contract with the UCLA Center for Health Policy Research. For the landline and cell RDD samples, Westat staff interviewed one randomly selected adult in each sampled household, and sampled one adolescent and one child if present in the household and the sampled adult was the parent or legal guardian. Up to three interviews could have been completed in each household. In landline sample households with children where the sampled adult was not the screener respondent, children and adolescents could be sampled as part of the screening interview, and the extended child (and adolescent) interviews could be completed before the adult interview. This “child-first” procedure was new for CHIS 2005 and has been continued in subsequent CHIS cycles; this procedure substantially increases the yield of child interviews. While numerous subsequent attempts were made to complete the adult interview, there were completed child and/or adolescent interviews in households for which an adult interview was not completed. Table 1-2 shows the number of completed adult, child, and adolescent interviews in CHIS 2011-2012 by the type of sample (landline RDD, surname list, cell RDD, and American Indian/Alaska Native list).

Interviews in all languages were administered using Westat’s computer-assisted telephone interviewing (CATI) system. The average adult interview took about 38.5 minutes to complete. The average child and adolescent interviews took about 14.5 minutes and 21.5 minutes, respectively. For “child-first” interviews, additional household information asked as part of the child interview averaged about 9 minutes. Interviews in non-English languages generally took longer to complete. About 15 percent of the adult interviews were completed in a language other than English, as were about 28 percent of all child (parent proxy) interviews and 7 percent of all adolescent interviews.

### **3.5 Response Rates**

The overall response rate for CHIS 2011-2012 is a composite of the screener completion rate (i.e., success in introducing the survey to a household and randomly selecting an adult to be interviewed) and the extended interview completion rate (i.e., success in getting one or more selected persons to complete the extended interview). To maximize the response rate, especially at the screener stage, an advance letter in five languages was mailed to all landline sampled telephone numbers for which an address could be obtained from reverse directory services. An advance letter was mailed for 48.3 percent of the landline RDD sample telephone numbers not identified by the sample vendor as business or nonworking numbers, and 81.1 percent of surname list sample numbers, and 60 percent of the AIAN list with landline numbers. Addresses were not available for the cell sample. As in all CHIS cycles since CHIS 2005, a \$2 bill was included with the CHIS 2011-2012 advance letter to encourage cooperation.

The CHIS 2011-2012 screener response rate for the landline sample was 31.6 percent, and was higher for households that were sent the advance letter. For the cell phone sample, the screener completion rate was 33.0 percent in all households. The extended interview response rate for the landline sample varied across the adult (47.4 percent), child (73.2 percent) and adolescent (42.7 percent) interviews. The adolescent rate includes getting permission from a parent or guardian. The

adult interview completion rate for the cell sample was 52.5 percent, the child rate was 73.0 percent, and the adolescent rate 42.5 percent. Multiplying the screener and extended rates gives an overall response rate for each type of interview. The percentage of households completing one or more of the extended interviews (adult, child, and/or adolescent) is a useful summary of the overall performance of the landline sample. For CHIS 2011-2012, the landline sample household response rate was 17.0 percent (the product of the screener response rate and the extended interview response rate at the household level of 53.9 percent). The cell sample household response rate was 18.3 percent, incorporating a household-level extended interview response rate of 55.5 percent. All of the household and person level response rates vary by sampling stratum. For more information about the CHIS 2011-2012 response rates please see *CHIS 2011-2012 Methodology Series: Report 4 – Response Rates*.

Historically, the CHIS response rates are comparable to response rates of other scientific telephone surveys in California, such as the California Behavioral Risk Factor Surveillance System (BRFSS) Survey. It has become increasingly difficult, however, to compare the CHIS and BRFSS response rates due to changes in the BRFSS response rate calculation methods. California as a whole and the state's urban areas in particular are among the most difficult parts of the nation in which to conduct telephone interviews. The BRFSS 2011-2012 (32.2%) and 2011-2012 (31.1%), for example, shows the refusal rate for the California is the highest in the nation and about twice the national median.<sup>2</sup> Survey response rates tend to be lower in California than nationally, and over the past decade response rates have been declining both nationally and in California. Further information about CHIS data quality and nonresponse bias is available at <http://healthpolicy.ucla.edu/chis/design/Pages/data-quality.aspx>.

After all follow-up attempts were exhausted to complete the full questionnaire, adults who completed at least approximately 80 percent of the questionnaire (i.e., through Section K which covers employment, income, poverty status, and food security), were counted as "complete." At least some responses in the employment and income series or public program eligibility and food insecurity series were missing from those cases that did not complete the entire interview and were imputed to enhance the analytic utility of the data (see section 3.7 on imputation methods for more information).

Proxy interviews were conducted for frail and ill persons over the age of 65 who were unable to complete the extended adult interview in order to avoid biases for health estimates of elderly persons that might otherwise result. Eligible selected persons were recontacted and offered a proxy option. For 283 elderly adults, a proxy interview was completed by either a spouse/partner or adult child. A reduced questionnaire, with questions identified as appropriate for a proxy respondent, was administered. (Note: questions not administered in proxy interviews are given a value of "-2" in the data files.)

### 3.6 Weighting the Sample

---

<sup>2</sup> As reported in the Behavioral Risk Factor Surveillance System 2011-2012 Summary Data Quality Report (Version #1 – Revised: 04/27/2010, available online at [ftp://ftp.cdc.gov/pub/Data/Brfss/2011-2012\\_Summary\\_Data\\_Quality\\_Report.pdf](ftp://ftp.cdc.gov/pub/Data/Brfss/2011-2012_Summary_Data_Quality_Report.pdf)) and 2011-2012 Summary Data Quality Report (Version #5 – Revised: 02/04/2013, available online at [http://www.cdc.gov/brfss/pdf/2011-2012\\_summary\\_data\\_quality\\_report.pdf](http://www.cdc.gov/brfss/pdf/2011-2012_summary_data_quality_report.pdf)).

To produce population estimates from CHIS data, weights are applied to the sample data to compensate for the probability of selection and a variety of other factors, some directly resulting from the design and administration of the survey. The sample is weighted to represent the non-institutionalized population for each sampling stratum and statewide. The weighting procedures used for CHIS 2011-2012 accomplish the following objectives:

- Compensate for differential probabilities of selection for households and persons;
- Reduce biases occurring because nonrespondents may have different characteristics than respondents;
- Adjust, to the extent possible, for undercoverage in the sampling frames and in the conduct of the survey; and
- Reduce the variance of the estimates by using auxiliary information.

As part of the weighting process, a household weight was created for all households that completed the screener interview. This household weight is the product of the “base weight” (the inverse of the probability of selection of the telephone number) and a variety of adjustment factors. The household weight is used to compute a person-level weight, which includes adjustments for the within-household sampling of persons and nonresponse. The final step is to adjust the person-level weight using a raking method so that the CHIS estimates are consistent with population control totals. Raking is an iterative procedure that forces the CHIS weights to sum to known population control totals from an independent data source (see below). The procedure requires iteration to make sure all the control totals, or raking dimensions, are simultaneously satisfied within a specified tolerance.

Population control totals of the number of persons by age, race, and sex at the stratum level for CHIS 2011-2012 were created primarily from the California Department of Finance’s 2012 Population Estimates and 2012 Population Projections. The raking procedure used 12 raking dimensions, which are combinations of demographic variables (age, sex, race, and ethnicity), geographic variables (county, Service Planning Area in Los Angeles County, and Health Region in San Diego County), household composition (presence of children and adolescents in the household), and socio-economic variables (home ownership and education). The socio-economic variables are included to reduce biases associated with excluding households without landline telephones from the sample frame. One limitation of using California Department of Finance (DOF) data is that it includes about 2.4 percent of the population of California who live in “group quarters” (i.e., persons living with nine or more unrelated persons and includes, for example nursing homes, prisons, dormitories, etc.). These persons were excluded from the CHIS target population and, as a result, the number of persons living in group quarters was estimated and removed from the Department of Finance control totals prior to raking.

DOF control totals used to create the CHIS 2011-2012 weights are based on 2010 Census counts, while those in previous CHIS cycles were based on Census 2000 counts (with adjustments made by the Department of Finance). Please pay close attention when comparing estimates using CHIS 2011-2012 data with estimates using data from previous CHIS cycles. The most accurate California population figures are available when the US population count is conducted (every 10 years). Population-based surveys like CHIS must use estimates and projections based on the decennial population count data between Censuses. For example, population control totals for CHIS 2011-

2012 were based on DOF estimates and projections, which were based on Census 2000 counts with adjustments for demographic changes within the state between 2000 and 2011-2012. These estimates become less accurate and more dependent on the models underlying the adjustments over time. Using the most recent Census population count information to create control totals for weighting produces the most statistically accurate population estimates for the current cycle, but it may produce unexpected increases or decreases in some survey estimates when comparing survey cycles that use 2000 Census-based information and 2010 Census-based information. See (CHIS 2011-2012 Methodology Series: Report 5 – Weighting and Variance Estimation) for more information on the weighting process.

### **3.7 Imputation Methods**

Missing values in the CHIS data files were replaced through imputation for nearly every variable. This was a massive task designed to enhance the analytic utility of the files. Westat imputed missing values for those variables used in the weighting process and UCLA-CHPR staff imputed values for nearly all other variables.

Two different imputation procedures were used by Westat to fill in missing responses for items essential for weighting the data. The first imputation technique was a completely random selection from the observed distribution of respondents. This method was used only for a few variables when the percentage of the items missing was very small. The second technique was hot deck imputation without replacement. The hot deck approach is probably the most commonly used method for assigning values for missing responses. With a hot deck, a value reported by a respondent for a particular item is assigned or donated to a “similar” person who did not respond to that item. The characteristics defining “similar” vary for different variables. To carry out hot deck imputation, the respondents to a survey item form a pool of donors, while the nonrespondents are a group of recipients. A recipient is matched to the subset pool of donors based on household and individual characteristics. A value for the recipient is then randomly imputed from one of the donors in the pool. Once a donor is used, it is removed from the pool of donors for that variable. Hot deck imputation was used to impute the same items in CHIS 2003, CHIS 2005, CHIS 2007, CHIS 2009, and CHIS 2011-2012 (i.e., race, ethnicity, home ownership, and education).

UCLA-CHPR imputed missing values for nearly every variable in the data files other than those imputed by Westat and some sensitive variables in which nonresponse had its own meaning. Overall, item nonresponse rates in CHIS 2011-2012 were low, with most variables missing valid responses for less than 2% of the sample. However, there were a few exceptions where item nonresponse rate was greater than 20%, such as household income.

The imputation process conducted by UCLA-CHPR started with data editing, sometimes referred to as logical or relational imputation: for any missing value, a valid replacement value was sought based on known values of other variables of the same respondent or other sample(s) from the same household. For the remaining missing values, model-based hot-deck imputation with donor replacement was used. This method replaces a missing value for one respondent using a valid response from another respondent with similar characteristics as defined by a generalized linear model with a set of control variables (predictors). The link function of the model corresponds to the

nature of the variable being imputed (e.g. linear regression for continuous variables, logistic regression for binary variables, etc.). Donors and recipients are grouped based on their predicted values from the model.

Control variables (predictors) used in the model to form donor pools for hot-decking always included the following: gender, age group, race/ethnicity, poverty level (based on household income), educational attainment, and region. Other control variables were also used depending on the nature of the imputed variable. Among the control variables, gender, age, race/ethnicity and regions were imputed by Westat. UCLA-CHPR then imputed household income and educational attainment in order to impute other variables. Household income, for example, was imputed using the hot-deck method within ranges from a set of auxiliary variables such as income range and/or poverty level.

The imputation order of the other variables followed the questionnaire. After all imputation procedures were complete, every step in the data quality control process is performed once again to ensure consistency between the imputed and nonimputed values on a case-by-case basis.

In addition to the main data file, an imputation flag data file is included and indicates the imputation status of all variables. CHIS data users who wish to exclude imputed values may do so by merging the main data file with the imputation flag file.

Imputation flag variables starting with **I** followed by variable names are flags for weighting variables (e.g., **ISRAGE**). The remainder of the imputation flag variables begin with variable names and end with **X** (e.g., **AB1\_X**). For both types of imputation flag variables, the value of “**-10**” in the imputation flag file indicates that there was no imputation done on the corresponding variable for that respondent. For the weighting variable imputation flags, “**-9**” indicates that the value in the data file was imputed but does not provide the original value. The values in the imputation flags for non-weighting variables (other than “**-10**” indicating no imputation) represent the original responses. In most cases, the values of the original responses are: Don't Know (**-8**), Refused (**-7**), or Not Ascertained (**-9**). In a few cases, the values of the original responses have been edited; the imputation flag file contains the original positive value.

## 4. How to Use the Data Dictionary

This Data Dictionary describes the variables in the CHIS 2011-2012 data file. The index of the data dictionary lists variables first in alphabetical order and then in the order they were administered in the survey questionnaire. Please note that identical variable names appearing in the CHIS 2001, CHIS 2003, CHIS 2005, CHIS 2007, CHIS2009 and CHIS 2011-2012 data files does not guarantee identical question wording, response categories or universe; please consult the questionnaires and data dictionaries to assess comparability across cycles. A printable version of the questionnaire can be found on the California Health Interview Survey web site at <http://healthpolicy.ucla.edu/chis/design/Pages/questionnaires.aspx>.

The data dictionary contains the following fields:



- **VARNAME:** The names of the variables.
- **QNAME11:** The names of the 2011-2012 survey items. A blank/NA field means the variable is constructed with survey items shown in the **INPUT VAR** field.
- **QPAGENUM:** Location of the question in the CHIS 2011-2012 questionnaire.
- **QNAME09:** The names of 2009 survey items identical or similar to the 2011-2012 items.
- **QNAME07:** The names of 2007 survey items identical or similar to the 2009 items.
- **LABEL:** A description (or label) of the variable which is the same as what is included in the label file described in Section 1.2.
- **VALUE:** Response categories and their sample distributions of categorical variables. The following negative values are used for all variables:
  - 1: INAPPLICABLE.
  - 2: PROXY SKIPPED.
  - 5: ADULT/HOUSEHOLD INFORMATION NOT COLLECTED FOR TEEN AND CHILD INTERVIEWS.
  - 7: REFUSED.
  - 8: DON'T KNOW.
  - 9: NOT ASCERTAINED.
- **MEAN STATISTICS:** Sample distributions of continuous variables.
- **UNIVERSE:** The scope of eligible respondents for the corresponding item. For some questions and variables, certain respondents become ineligible due to skip patterns or other restrictions (e.g., age and sex).
- **INPUT VAR:** Source variables used to construct the one in the **VARNAME** field.
- **NOTES:** Additional information about the variable.

## 5. Sample Code Using Sample Design Information

As previously noted, sample code to assist with analyses of CHIS data is available on the CHIS website at <http://healthpolicy.ucla.edu/chis/analyze/Pages/sample-code.aspx>.

## 6. Data Dictionary Variable Listings

**A. Variable Name (alphabetical)**

<b>VARIABLE</b>	<b>LABEL</b>	<b>PAGE</b>
AA5C	ENROLLED MEMBER IN RECOGNIZED TRIBE	DD-11
AB1	GENERAL HEALTH CONDITION	DD-15
AB100	HAD FLU SHOT OR NASAL FLU VACCINE	DD-42
AB106 P	ER/URGT CARE VISIT FOR ASTHMA PAST YR UNABLE TO SEE OWN DR (PUF RECODE)	DD-19
AB108	CONFIDENCE TO CONTROL AND MANAGE ASTHMA	DD-24
AB109	VISITED ER FOR DIABETES IN PAST 12 MOS	DD-31
AB110 P	VISITED ER FOR DIABETES BECAUSE UNABLE TO SEE OWN DR (PUF RECODE)	DD-31
AB111	ADMITTED TO HOSPITAL OVERNIGHT OR LONGER FOR DIABETES PAST YR	DD-32
AB112	MEDICAL PROVIDERS DEVELOP DIABETES CARE	DD-32
AB113	HAVE WRITTEN COPY OF DIABETES CARE PLAN	DD-33
AB114	CONFIDENCE TO CONTROL AND MANAGE DIABETE	DD-33
AB115	VISITED ER FOR HEART DISEASE IN PAST 12 MOS	DD-36
AB116 P	VISITED ER FOR HEART DX B/C UNABLE TO SEE OWN DR (PUF RECODE)	DD-37
AB117	ADMITTED TO HOSPITAL OVERNIGHT/LONGER FOR HEART DX PAST YR	DD-37
AB118	MEDICAL PROVIDERS DEVELOPED HEART DISEASE PLAN	DD-38
AB119	HAVE WRITTEN COPY OF HEART DISEASE CARE	DD-38
AB120	CONFIDENCE TO CONTROL AND MANAGE HEART DISEASE	DD-39
AB127	HAD JOINT PAIN, STIFFNESS PAST 30 DAYS	DD-40
AB142	PROF MAKE RECOMNDS TO AVOID FALLING	DD-44
AB143	PROF RECOMND CHANGE MEDS DUE TO FALLS	DD-45
AB144	PROF RECOMND PHYS THRPY/EXERC DUE TO FALLS	DD-46
AB145	PROF RECOMND HOME CHANGES DUE TO FALLS	DD-47
AB146	PROF RECOMND CANE/WALKER DUE TO FALLS	DD-48
AB147	PROF RECOMND CHANGE ROUTINE DUE TO FALLS	DD-49
AB16	LIMITATION OF ACTIVITIES B/C OF JOINT PROBLEMS	DD-41
AB17	DOCTOR EVER TOLD HAVE ASTHMA	DD-16
AB18	TAKING DAILY MEDICATION TO CONTROL ASTHMA	DD-19
AB19	FREQUENCY OF ASTHMA SYMPTOMS IN PAST 12 MOS: CURRENT ASTHMATICS	DD-20
AB22	DOCTOR EVER TOLD HAVE DIABETES	DD-25
AB23 P	AGE FIRST TOLD HAVE DIABETES (PUF RECODE)	DD-26
AB24	CURRENTLY TAKING INSULIN	DD-28
AB25	CURRENTLY TAKING DIABETIC PILLS TO LOWER BLOOD SUGAR	DD-28
AB26	# OF TIMES R/R'S FAMILY/R'S FRIEND CHECK BLOOD FOR GLUCOSE	DD-29
AB27	# OF TIMES DOC CHECKED FOR HEMOGLOBIN A1C LAST YR	DD-29
AB28	# OF TIMES DOC CHECKED FEET FOR SORES LAST YR	DD-30
AB29	DOCTOR EVER TOLD HAVE HIGH BLOOD PRESSURE	DD-34
AB30	CURRENTLY TAKING MEDICATIONS TO CONTROL HIGH BLOOD PRESSURE	DD-35

VARIABLE	LABEL	PAGE
AB34	DOCTOR EVER TOLD HAVE ANY KIND OF HEART DISEASE	DD-35
AB40	STILL HAS ASTHMA	DD-16
AB41	ASTHMA EPISODE/ATTACK IN PAST 12 MOS	DD-17
AB42	WORKDAYS MISSED DUE TO ASTHMA IN PAST 12 MOS	DD-23
AB43	HEALTH PROFESSIONAL EVER GAVE ASTHMA MANAGEMENT PLAN	DD-23
AB51	TYPE I OR TYPE II DIABETES	DD-27
AB52	EVER TOLD HAVE HEART FAILURE/CONGESTIVE	DD-36
AB57	KIND OF PLACE GOT LAST FLU SHOT	DD-42
AB60	HOW FIRST FOUND OUT HAD BREAST CANCER	DD-76
AB63	LAST EYE EXAM DILATED PUPILS	DD-30
AB64	DOCTOR EVER TOLD HAVE ARTH/GOUT/LUPUS	DD-40
AB66	HOW OFTEN HAD ASTHMA SYMPTOMS IN PAST 12 MOS: PREVIOUS ASTHM	DD-21
AB67	ER/URGENT CRE VISIT FOR ASTHMA LAST 12 MOS: PREVIOUS ASTHMAT	DD-22
AB80	HOSPITAL OVERNIGHT FOR ASTHMA PAST 12 MOS: PREVIOUS ASTHMATI	DD-22
AB81	DOCTOR TOLD HAD DIABETES ONLY DURING PREGNANCY	DD-34
AB91	RECEIVED MEDICAL CARE BECAUSE OF FALLS	DD-43
AB92	PROF TALKED ABOUT HOW TO AVOID FALLS	DD-44
AB93	PROF REVIEWED MEDS DUE TO FALLS	DD-45
AB94	STARTED PHYS THRPY/EXERC DUE TO FALLS	DD-46
AB95	CHANGED HOME DUE TO FALLS	DD-47
AB96	STARTED TO USE CANE/WALKER DUE TO FALLS	DD-48
AB97	CHANGED DAILY ROUTINES DUE TO FALLS	DD-49
AB98	HAVE WRITTEN COPY OF ASTHMA CARE PLAN	DD-24
AB99	DOC EVER TOLD HAVE PRE- OR BORDERLINE DIABETES	DD-25
AC11	# OF TIMES DRANK SODA LAST MONTH	DD-55
AC17	SMOKING EVER ALLOWED INSIDE HOME	DD-59
AC31	# TIMES ATE FAST FOOD PAST WEEK	DD-57
AC32	HAD ALCOHOL PAST 12 MONTHS	DD-62
AC34	# DAYS HAD 5+ DRINKS PAST 12 MONTHS	DD-63
AC35	# DAYS HAD 4+ DRINKS PAST 12 MONTHS	DD-63
AC42_P	HOW OFTEN FIND FRESH FRUIT/VEG IN NEIGHB (PUF RECODE)	DD-64
AC43	HOW OFTEN FIND FRESH FRUIT/VEG NEAR WORK	DD-65
AC44	NEIGHBORHOOD FRUIT/VEG AFFORDABLE	DD-65
AC45	WORKPLACE FRUIT/VEG AFFORDABLE	DD-66
AC6	DOCTOR EVER TOLD HAD STROKE	DD-39
AC7	FALLEN TO GROUND MORE THAN ONCE IN PAST YR	DD-43
ACMDNUM	# OF DOCTOR VISITS PAST YEAR	DD-154
AD13	CURRENTLY PREGNANT	DD-75
AD14	EVER HAD A MAMMOGRAM	DD-76
AD17	HOW LONG SINCE LAST MAMMOGRAM	DD-77
AD18	MAIN REASON FOR HAVING LAST MAMMOGRAM	DD-77
AD19	EVER HAD MAMMOGRAM W/ ABNORMAL RESULTS	DD-78
AD20	EVER HAD OPERATION TO REMOVE LUMP FROM BREAST?	DD-78

VARIABLE	LABEL	PAGE
AD21	LUMP TURNED OUT TO BE CANCER	DD-79
AD22_P	# OF BREAST OPERATIONS TO REMOVE NONCANCER (PUF RECODE)	DD-79
AD23	EVER HAVE OTHER TESTS/SURGERIES WHEN MAMMOGRAM ABNORMAL	DD-80
AD25	MAIN REASON FOR HAVING NO MAMMOGRAM	DD-80
AD26	DOCTOR RECOMMENDED MAMMOGRAM IN PAST TWO YRS	DD-81
AD32	# OF CIGARETTES PER DAY	DD-58
AD34	# OF DAYS PER WEEK ANY SMOKING INSIDE HOME	DD-60
AD37W	WALKED AT LEAST 10 MIN FOR TRANSPORT PAST 7 DAYS	DD-50
AD38W	# TIMES WALKED AT LEAST 10 MIN FOR TRANSPORT PAST 7 DAYS	DD-50
AD39W	AVERAGE LENGTH OF TIME WALKED FOR TRANSPORTION (MINS)	DD-51
AD40W	WALKED AT LEAST 10 MIN FOR LEISURE PAST 7 DAYS	DD-51
AD41W	# TIMES WALKED AT LEAST 10 MIN FOR LEISURE PAST 7 DAYS	DD-52
AD42W	AVERAGE LENGTH OF TIME WALKED FOR LEISURE (MINS)	DD-52
AD50	BLIND/DEAF OR HAS SEVERE VISION/HEARING PROBLEM	DD-71
AD51	HAS DIFFICULTY LEARNING, REMEMBERING, CONCENTRATING	DD-73
AD52	HAS DIFFICULTY DRESSING, BATHING, GETTING AROUND	DD-73
AD53	HAS DIFFICULTY GOING OUTSIDE HOME ALONE	DD-74
AD54	HAS DIFFICULTY WORKING AT A JOB	DD-74
AD57	CONDITION LIMITS BASIC PHYS ACTIVITY	DD-73
AE15	SMOKED 100 OR MORE CIGARETTES IN ENTIRE LIFETIME	DD-57
AE15A	SMOKES CIGARETTES EVERYDAY, SOME DAYS OR NOT AT ALL	DD-58
AE16	# OF CIGARETTES SMOKED PER DAY IN PAST 30 DAYS	DD-59
AE2	# OF TIMES ATE FRUIT IN PAST MONTH	DD-53
AE3	# OF TIMES ATE FRNCH FRIES, HME FRIES, HSH BRWNS IN PAST MO	DD-53
AE30	FLU SHOT/MIST IN PAST 12 MOS	DD-41
AE50	MOST RECENT MAMMOGRAM RECOMENDED BY DOCT	DD-81
AE7	# OF TIMES ATE VEGETABLES IN PAST MONTH	DD-54
AE91	PROPORTION PAID FOR COST OF MOST RECENT MAMMOGRAM	DD-82
AE92	DOCTOR EVER TOLD WOMEN OWN AGE NEED MAMMOGRAM EVERY OTHER YR	DD-82
AE94	DOCTOR EVER DISCUSSED WHEN TO STOP MAMMOGRAMS	DD-83
AE_FRIES	# OF TIMES EATING FRIES PER WEEK	DD-54
AE_FRUIT	# OF TIMES EATING FRUIT PER WEEK	DD-55
AE_SODA	# OF TIMES DRINKING SODA PER WEEK	DD-56
AE_VEGI	# OF TIMES EATING VEGETABLES PER WEEK	DD-56
AF37	DOCTOR EXAMINED BREAST FOR LUMPS PAST 12 MOS	DD-83
AF62	ANY MONTH PAST 12 MONTHS FELT WORSE	DD-92
AF63	FEEL NERVOUS WORST MONTH	DD-93
AF64	FEEL HOPELESS WORST MONTH	DD-94
AF65	FEEL RESTLESS WORST MONTH	DD-85
AF66	FEEL DEPRESSED WORST MONTH	DD-86
AF67	FEEL EVERYTHING AN EFFORT WORST MONTH	DD-86
AF68	FEEL WORTHLESS WORST MONTH	DD-87
AF69B	EMOTIONS INTERFERE W/WORK WORST MONTH	DD-87

VARIABLE	LABEL	PAGE
AF70B	EMOTIONS INTERFERE W/CHORES WORST MONTH	DD-88
AF71B	EMOTIONS INTERFERE W/SOCIAL LIFE WORST MONTH	DD-88
AF72B	EMOTIONS INTERFERE W/RELATIONSHIPS WORST MONTH	DD-89
AG10	RESPONDENT USUALLY WORKS	DD-110
AG11	SPOUSE USUALLY WORKS	DD-113
AG20	LANGUAGE SPEAK WITH FRIENDS	DD-102
AG21	LANGUAGE OF TV, RADIO, NEWSPAPERS	DD-102
AG22	EVER SERVE IN U.S. ARMED FORCES	DD-107
AG8	WORK STATUS OF SPOUSE LAST WEEK	DD-112
AG9	TYPE OF EMPLOYER ON SPOUSE'S MAIN JOB	DD-113
AH1	HAVE USUAL SOURCE OF HEALTH CARE	DD-117
AH100	ANYONE HELP FIND HEALTH PLAN	DD-148
AH101_P	PERSON WHO HELPED FIND HEALTH PLAN (PUF RECODE)	DD-149
AH102_P	# NIGHTS IN HOSPITAL PAST 12 MOS (PUF RECODE)	DD-149
AH103	BUY HEALTH PLAN DIRECTLY FROM INS CO/HMO	DD-150
AH12	VISITED EMERGENCY ROOM FOR OWN HEALTH IN PAST 12 MOS	DD-120
AH13A	ER/URGENT CRE VISIT FOR ASTHMA LAST 12 MOS: CURRENT ASTHMATI	DD-20
AH14	PATIENT IN HOSP OVERNIGHT DURING PAST 12 MOS	DD-131
AH15A	HOSPITAL OVERNIGHT FOR ASTHMA PAST 12 MOS: CURRENT ASTHMATIC	DD-21
AH16	DELAY/NOT GET PRESCRIPTION IN PAST 12 MO	DD-160
AH22	DELAY/NOT GET OTHER MEDICAL CARE IN PAST 12 MOS	DD-162
AH3	KIND OF PLACE FOR USUAL SOURCE OF HEALTH CARE	DD-118
AH33NEW	BORN IN U.S.	DD-98
AH34NEW	MOTHER BORN IN U.S.	DD-99
AH35NEW	FATHER BORN IN U.S.	DD-99
AH37	LEVEL OF ENGLISH PROFICIENCY: GENERAL	DD-103
AH43A	LIVING WITH A PARENT	DD-106
AH44	SPOUSE LIVING IN SAME HOUSEHOLD	DD-105
AH44A	USED PAID CHILDCARE FOR CHILDREN UNDER 14 IN PAST MONTH	DD-106
AH49	MEDICARE COVERAGE PROVIDED THROUGH HMO	DD-121
AH5	# OF TIMES SAW MD IN PAST 12 MOS	DD-153
AH50_P	NAME OF MEDICARE HMO PLAN (PUF RECODE)	DD-121
AH52	SIGN UP FOR MEDICARE HMO DIRECTLY OR OTHERWISE	DD-122
AH6	HOW LONG SINCE LAST SAW DOCTOR ABOUT OWN HEALTH	DD-154
AH71	HEALTH PLAN DEDUCTIBLE MORE THAN \$1,000	DD-128
AH72	HEALTH PLAN DEDUCTIBLE MORE THAN \$2,000	DD-128
AH73	SPECIAL FUND TO PAY MEDICAL EXPENSES	DD-129
AH74	TRIED TO FIND HEALTH INSURANCE ON OWN	DD-130
AH75	TRIED TO FIND HEALTH INSURANCE ON OWN	DD-130
AH77	FREE PRENATAL CARE DURING PAST 12 MOS	DD-132
AH95_P	# TIMES VISITED ER IN PAST 12 MOS (PUF RECODE)	DD-150
AH96_P	HEALTH PLAN DEDUCTIBLE > \$2,000 (PUF RECODE)	DD-151
AH97_P	PLAN DEDUCTIBLE COVERING ALL PERSONS >\$4,000 (PUF RECODE)	DD-151

VARIABLE	LABEL	PAGE
AH98	DIFFICULTY FINDING PLAN WITH NEEDED COVERAGE	DD-152
AH99	DIFFICULTY FINDING PLAN THAT IS AFFORDABLE	DD-152
AHCHLDC	AMOUNT SPENT ON CHILD CARE PER WEEK	DD-107
AHEDUC	EDUCATIONAL ATTAINMENT	DD-114
AI15	MAIN REASON NOT IN EMPLOYER'S HEALTH PLAN	DD-123
AI15A	MAIN REASON INELIGIBLE FOR EMPLOYER'S HEALTH PLAN	DD-123
AI22A P	NAME OF HEALTH PLAN (PUF RECODE)	DD-126
AI22C	MAIN HEALTH PLAN IS HMO	DD-125
AI25	COVERED FOR PRESCRIPTION DRUGS	DD-127
AI25NEW	RX COVERAGE EDITED FOR MEDI-CAL/HF	DD-127
AI28	HOW LONG SINCE LAST HAD HEALTH INS	DD-131
AI33_6	OTHER INS: BOUGHT DIRECT	DD-129
AI37A	SPOUSE COVERED BY MEDICARE SUPPL POLICY	DD-124
AI4	COVERED BY MEDICARE SUPPL POLICY	DD-122
AI45	MAIN REASON SPOUSE NOT IN EMPLOYER'S HEALTH PLAN	DD-124
AI45A	MAIN REASON SPOUSE INELIGIBLE FOR EMPLOYER'S HEALTH PLAN	DD-125
AJ1	INS COVERS TREATMENT FOR MNTL HEALTH PROBLEMS	DD-90
AJ10	NEEDED SOMEONE ELSE TO HELP UNDERSTAND DOCTOR	DD-159
AJ102	SOUGHT APPNT W/DOC IN 2 DAYS PAST YR	DD-165
AJ103	HOW OFTEN GET APPNT IN 2 DAYS	DD-165
AJ104	COULD GET APPNT W/DOC IN 2 DAYS IF NEEDED	DD-166
AJ105	KNOW RIGHTS TO INTERPRETOR DURING MED VISIT	DD-166
AJ106	USUAL PLACE FOR HLTH CARE CHANGED PAST YR	DD-167
AJ107	CHANGE USUAL PLACE DUE TO INSURANCE PLAN	DD-167
AJ108	EVER USED INTERNET	DD-168
AJ109	USED INTERNET TO FIND MED INFO PAST 12 MOS	DD-168
AJ11	WHO HELPED YOU UNDERSTAND DOCTOR	DD-159
AJ110	CONFIDENCE TO COMPLETE APPL ONLINE ON OWN	DD-169
AJ111	SOMEONE TO HELP FILL OUT APPL ONLINE	DD-169
AJ112	HOW OFTEN DOC LISTENS CAREFULLY	DD-170
AJ113	HOW OFTEN DOC CLEARLY EXPLAINS WHAT TO DO	DD-170
AJ19	COST/NO INSUR DELAYED GETTING PRESCRIPTION	DD-160
AJ20	COST/NO INSR DELAYED GETTING NEEDED CARE	DD-163
AJ29	FEEL NERVOUS PAST 30 DAYS	DD-85
AJ30	FEEL HOPELESS PAST 30 DAYS	DD-89
AJ31	FELL RESTLESS PAST 30 DAYS	DD-90
AJ32	FEEL DEPRESSED PAST 30 DAYS	DD-91
AJ33	FEEL EVERYTHING AN EFFORT PAST 30 DAYS	DD-91
AJ34	FEEL WORTHLESS PAST 30 DAYS	DD-92
AJ50 P	LANGUAGE DOCTOR SPEAKS TO R (PUF RECODE)	DD-158
AJ77	HAVE PERSONAL DOCTOR AS MAIN MEDICAL PROVIDER	DD-155
AJ78	CONTACT DOC'S OFFICE WITH MEDICAL QUESTION PAST 12 MOS	DD-156
AJ79	HOW OFTEN GOT RESPONSE FROM DOC'S OFFICE	DD-156
AJ8	HAD HARD TIME UNDERSTANDING DOCTOR LAST VISIT	DD-157

VARIABLE	LABEL	PAGE
AJ80	DOC'S OFFICE HELP COORDINATE CARE W/ OTHER MED SVCS	DD-157
AJ81	DELAYED PRESCRIPTION FOR ASTHMA	DD-161
AJ82	DELAYED PRESCRIPTION FOR DIABETES	DD-161
AJ83	DELAYED PRESCRIPTION FOR HEART DISEASE	DD-162
AJ84	DELAYED MEDICAL CARE FOR ASTHMA	DD-163
AJ85	DELAYED MEDICAL CARE FOR DIABETES	DD-164
AJ86	DELAYED MEDICAL CARE FOR HEART DISEASE	DD-164
AJ9	MD SPOKE DIFFERENT LANGUAGE REASON WHY DIFFICULT TO UNDERSTA	DD-158
AK1	WORK STATUS LAST WEEK	DD-108
AK10A_P	SPOUSE'S EARNINGS LAST MONTH (PUF RECODE)	DD-173
AK10_P	RESPONDENT'S EARNINGS LAST MONTH (PUF RECODE)	DD-172
AK2	MAIN REASON FOR NOT WORKING LAST WEEK	DD-109
AK20	# OF HRS PER WEEK SPOUSE USUALLY WORKS	DD-173
AK22_P	HOUSEHOLD'S TOTAL ANNUAL INC (PUF RECODE)	DD-174
AK23	LIVE IN HOUSE, DUPLEX, BUILDING WITH 3+ UNITS, OR MOBILE HOM	DD-187
AK25	OWN OR RENT HOME	DD-187
AK28	HOW OFTEN FEEL SAFE IN NEIGHBORHOOD	DD-190
AK3	# OF USUAL HRS WORKED PER WEEK	DD-171
AK4	TYPE OF EMPLOYER AT MAIN JOB	DD-112
AK7	LENGTH OF TIME WORKING AT MAIN JOB	DD-171
AK8	# OF PEOPLE WORKING FOR EMPLOYER/YOU	DD-172
AKWKLNG	TIME AT MAIN JOB	DD-115
AL15	RECVD ALIMONY/CHILD SUPPORT/MONEY FROM GOVT LAST MONTH	DD-183
AL16_P	TOTAL RECVD FROM ALIMONY/CHILD SUPPORT/GOVT LAST MONTH (PUF	DD-184
AL17	PAID ALIMONY OR CHILD SUPPORT LAST MONTH	DD-184
AL18A	RECVD SOCIAL SECURITY OR PENSION LAST MONTH	DD-185
AL18B_P	TOTAL SOCIAL SECURITY/PENSION RECVD LAST MONTH (PUF RECODE)	DD-186
AL18_P	TOTAL ALIMONY/CHILD SUPPORT PAID LAST MONTH (PUF RECODE)	DD-185
AL2	RECEIVING TANF OR CALWORKS	DD-181
AL22	RECEIVING SOCIAL SECURITY DISABILITY INS	DD-111
AL5	RECEIVING FOOD STAMP BENEFITS	DD-182
AL6	RECEIVING SSI (SUPPLEMENTAL SECURITY INCOME)	DD-182
AL7	CURRENTLY ON WIC	DD-183
AM1	HOW OFTEN FOOD DIDN'T LAST, COULDN'T AFFORD MORE, PAST 12 MOS	DD-174
AM19	PEOPLE IN NEIGHBORHOOD WILLING TO HELP EACH OTHER	DD-188
AM2	HOW OFTEN COULDN'T AFFORD TO EAT BALANCED MEALS	DD-175
AM21	PEOPLE IN NEIGHBORHOOD CAN BE TRUSTED	DD-189
AM3	ALL ADULTS CUT/SKIPPED MEALS IN PAST 12 MOS FOR MONEY	DD-175
AM34	TELEPHONE CALLS RECEIVED	DD-193
AM35	NEIGHBORHOOD WATCHES OUT FOR CHILDREN'S SAFETY	DD-189
AM36	DID VOLUNTEER WORK OR COMMUNITY SERVICES PAST YR	DD-190

VARIABLE	LABEL	PAGE
AM37	CURRENTLY PAYING OFF MORTGAGE/HOME LOAN	DD-192
AM38	MAIN REASON FOR LAST MOVE	DD-192
AM39	VOLUNTEER IN ORG DEALING W/COMM PROB PAST YR	DD-191
AM3A	HOW OFTEN ALL ADULTS CUT/SKIPPED MEALS IN PAST 12 MOS FOR MO	DD-176
AM4	ATE LESS THAN SHOULD BECAUSE OF MONEY IN PAST 12 MOS	DD-176
AM40	MEET INFORMALLY TO DEAL W/COMM PROB PAST YR	DD-191
AM5	HOW OFTEN HUNGRY BUT DIDN'T EAT B/C OF MONEY IN PAST 12 MOS	DD-177
ASIAN8	ASIAN SUBTYPES- (8 TYPES) (PUF RECODE)	DD-12
ASNHP2_P	ASIAN GROUP - UCLA CHPR DEFINITION (PUF RECODE), UNBRIDGED	DD-12
ASTCUR	CURRENT ASTHMA STATUS	DD-17
ASTS	ASTHMA SYMPTOMS PAST 12 MOS FOR POPULATION DIAGNOSED W/ ASTH	DD-18
ASTYR	ASTHMA SYMPTOMS PAST 12 MOS FOR POPULATION CURRENTLY W/ ASTH	DD-18
BINGE12	BINGE DRINKING IN PAST YEAR. 5+ DRINKS (MALE), 4+ DRINKS (FE	DD-64
BMI_P	BODY MASS INDEX (PUF RECODE)	DD-71
CATRIBE	CALIFORNIA TRIBE	DD-11
CHORES2	CHORE IMPAIRMENT PAST 12 MONTHS	DD-96
CITIZEN2	CITIZENSHIP STATUS (3 LVLS)	DD-104
CNTRYF	COUNTRY FATHER BORN	DD-100
CNTRYM	COUNTRY MOTHER BORN	DD-100
CNTRYS	COUNTRY BORN	DD-101
DIABCK	# OF TIMES CHECKING FOR GLUCOSE/SUGAR PER MONTH	DD-26
DIAMED	TAKING INSULIN OR PILLS	DD-27
DISABLE	DISABILITY STATUS DUE TO PHYS/MENT/EMOT CONDITION	DD-75
DISTRESS	SERIOUS PSYCHOLOGICAL DISTRESS	DD-93
DOCT_YR	VISITED DOCTOR IN PAST 12 MOS	DD-155
DSTRS12	LIKELY HAS HAD PSYCHOLOGICAL DISTRESS IN THE LAST YEAR	DD-94
DSTRS30	LIKELY HAS HAD PSYCHOLOGICAL DISTRESS IN THE PAST MONTH	DD-95
DSTRSYR	SERIOUS PSYCHOLOGICAL DISTRESS FOR WORST MONTH PAST YR (K6 S	DD-95
ELDER_IDX	ELDERLY SINGLE/COUPLE INCOME BELOW COUNTY COST OF LIVING THRESHOLDS	DD-180
ELIGPRG3	MEDI-CAL (MEDICAID)/HEALTHY FAM ELIG. - UNINSURED	DD-179
ER	ER VISIT WITHIN THE PAST YEAR	DD-132
FAMILY2	FAMILY LIFE IMPAIRMENT PAST 12 MONTHS	DD-98
FAMTYP_P	FAMILY TYPE (PUF RECODE)	DD-116
FAM_TYPE	FAMILY TYPE	DD-116
FSLEV	FOOD SECURITY STATUS LEVEL	DD-179
FSLEVCB	FOOD SECURITY STATUS (2 LVLS)	DD-180
HEIGHTM_P	HEIGHT: METERS - UCLA (PUF RECODE)	DD-68
HGHTI_P	HEIGHT: INCHES (PUF RECODE)	DD-67
HGHTM_P	HEIGHT: METERS (PUF RECODE)	DD-67



VARIABLE	LABEL	PAGE
HHSIZE P	HOUSEHOLD SIZE (PUF RECODE)	DD-1
HHSMK	HOUSEHOLD SMOKING	DD-62
HMO	HMO STATUS	DD-126
IHS	COVERED BY INDIAN HEALTH SERVICES	DD-133
IHS_S	SPOUSE COVERED BY INDIAN HEALTH SERVICES	DD-133
IMPAIR2	FUNCTIONAL ROLE IMPAIRMENT DUE TO EMOTIONS PAST 12 MONTHS	DD-96
INS	CURRENTLY INSURED	DD-134
INS12M	MOS COVERED BY HEALTH PLANS LAST 12 MOS	DD-135
INS64S P	SPOUSE'S CURRENT HEALTH COVG - < 65 YRS (PUF RECODE)	DD-136
INS64 P	CURRENT HEALTH COVERAGE - < 65 YRS (PUF RECODE)	DD-135
INS65	TYPE OF CURRENT HEALTH COVERAGE SOURCE FOR ELDERLY 65+	DD-136
INS65 S	TYPE OF CURRENT HEALTH COVERAGE FOR SPOUSE 65+	DD-137
INSANY	ANY INS IN LAST 12 MOS	DD-137
INSEM	COVERED BY EMPLOYER-BASED PLANS	DD-138
INSEM S	SPOUSE COVERED BY EMPLOYER-BASED PLANS	DD-138
INSMC	COVERED BY MEDICARE	DD-139
INSMC S	SPOUSE COVERED BY MEDICARE	DD-139
INSMD	COVERED BY MEDI-CAL	DD-140
INSMD S	SPOUSE COVERED BY MEDI-CAL	DD-140
INSOG	COVERED BY OTHER GOVT PLANS	DD-141
INSOG S	SPOUSE COVERED BY OTHER GOVT PLANS	DD-141
INSPR	COVERED BY PLANS PURCHASED ON OWN	DD-142
INSPR S	SPOUSE COVERED BY PLANS PURCHASED ON OWN	DD-142
INSPS	PRIMARY OR SECONDARY COVERAGE	DD-143
INSPS S	SPOUSE PRIMARY OR SECONDARY COVERAGE	DD-143
INSTYP P	TYPE OF CURRENT HEALTH COVERAGE SOURCE FOR ALL AGES (PUF REC	DD-144
INST_12	HEALTH INS COVERAGE IN LAST 12 MOS, INCL CURRENT STATUS:8 LV	DD-144
INS_S	SPOUSE CURRENTLY INSURED	DD-134
INTVLANG	LANGUAGE OF INTERVIEW	DD-2
LANGHOME	LANGUAGE SPOKEN AT HOME	DD-101
LATIN9TP	LATIN/HISPANIC SUBTYPES - 9 LVLS	DD-14
MAM SCR	MAMMOGRAM IN PAST 2 YRS	DD-84
MARIT	MARITAL STATUS- 3 CATEGORIES	DD-13
MARIT2	MARITAL STATUS- 4 CATEGORIES	DD-14
MARIT_45	MARITAL STATUS - AGE 45 AND OLDER	DD-13
NUMCIG	# OF CIGARETTES PER DAY	DD-61
OFFTK	OFFER, ELIGIBILITY, ACCEPTANCE OF EMPLOYER BASED INS	DD-147
OFFTK_S	OFFER, ELIGIBILITY, ACCEPTANCE OF EMPLOYER-BASED INS: SPOUSE	DD-148
OMBSRASO	OMB S-R NONHISPANIC ASIAN GROUP (ONLY)	DD-7
OMBSRREO	OMB/CURRENT DOF RACE - ETHNICITY	DD-7
OVWRT	OVERWEIGHT OR OBESE	DD-72
PCTLF P	PERCENT LIFE IN US (PUF RECODE)	DD-105

VARIABLE	LABEL	PAGE
POVGWD P	FAMILY POVERTY THRESHOLD LEVEL (PUF RECODE)	DD-177
POVLL	POVERTY LEVEL	DD-178
POVLL2 P	POVERTY LEVEL - 100% FPL (PUF RECODE)	DD-178
PROXY	A PROXY INTERVIEW	DD-2
PUF_ID	PUBLIC USE FILE ID	DD-1
RACECEN	RACE - CENSUS 2000 DEFINITION	DD-8
RACEDOF	FORMER DOF RACE - ETHNICITY	DD-8
RACEHPR2	RACE - UCLA CHPR DEFINITION, UNABRIDGED	DD-9
RAKEDW0	CHIS2011 RAKED WEIGHT - FULL SAMPLE	DD-197
RAKEDW1	CHIS2011 RAKED WEIGHT - REPLICATE 1	DD-197
RAKEDW10	CHIS2011 RAKED WEIGHT - REPLICATE 10	DD-200
RAKEDW11	CHIS2011 RAKED WEIGHT - REPLICATE 11	DD-201
RAKEDW12	CHIS2011 RAKED WEIGHT - REPLICATE 12	DD-201
RAKEDW13	CHIS2011 RAKED WEIGHT - REPLICATE 13	DD-201
RAKEDW14	CHIS2011 RAKED WEIGHT - REPLICATE 14	DD-202
RAKEDW15	CHIS2011 RAKED WEIGHT - REPLICATE 15	DD-202
RAKEDW16	CHIS2011 RAKED WEIGHT - REPLICATE 16	DD-202
RAKEDW17	CHIS2011 RAKED WEIGHT - REPLICATE 17	DD-203
RAKEDW18	CHIS2011 RAKED WEIGHT - REPLICATE 18	DD-203
RAKEDW19	CHIS2011 RAKED WEIGHT - REPLICATE 19	DD-203
RAKEDW2	CHIS2011 RAKED WEIGHT - REPLICATE 2	DD-198
RAKEDW20	CHIS2011 RAKED WEIGHT - REPLICATE 20	DD-204
RAKEDW21	CHIS2011 RAKED WEIGHT - REPLICATE 21	DD-204
RAKEDW22	CHIS2011 RAKED WEIGHT - REPLICATE 22	DD-204
RAKEDW23	CHIS2011 RAKED WEIGHT - REPLICATE 23	DD-205
RAKEDW24	CHIS2011 RAKED WEIGHT - REPLICATE 24	DD-205
RAKEDW25	CHIS2011 RAKED WEIGHT - REPLICATE 25	DD-205
RAKEDW26	CHIS2011 RAKED WEIGHT - REPLICATE 26	DD-206
RAKEDW27	CHIS2011 RAKED WEIGHT - REPLICATE 27	DD-206
RAKEDW28	CHIS2011 RAKED WEIGHT - REPLICATE 28	DD-206
RAKEDW29	CHIS2011 RAKED WEIGHT - REPLICATE 29	DD-207
RAKEDW3	CHIS2011 RAKED WEIGHT - REPLICATE 3	DD-198
RAKEDW30	CHIS2011 RAKED WEIGHT - REPLICATE 30	DD-207
RAKEDW31	CHIS2011 RAKED WEIGHT - REPLICATE 31	DD-207
RAKEDW32	CHIS2011 RAKED WEIGHT - REPLICATE 32	DD-208
RAKEDW33	CHIS2011 RAKED WEIGHT - REPLICATE 33	DD-208
RAKEDW34	CHIS2011 RAKED WEIGHT - REPLICATE 34	DD-208
RAKEDW35	CHIS2011 RAKED WEIGHT - REPLICATE 35	DD-209
RAKEDW36	CHIS2011 RAKED WEIGHT - REPLICATE 36	DD-209
RAKEDW37	CHIS2011 RAKED WEIGHT - REPLICATE 37	DD-209
RAKEDW38	CHIS2011 RAKED WEIGHT - REPLICATE 38	DD-210
RAKEDW39	CHIS2011 RAKED WEIGHT - REPLICATE 39	DD-210
RAKEDW4	CHIS2011 RAKED WEIGHT - REPLICATE 4	DD-198
RAKEDW40	CHIS2011 RAKED WEIGHT - REPLICATE 40	DD-210
RAKEDW41	CHIS2011 RAKED WEIGHT - REPLICATE 41	DD-211

<b>VARIABLE</b>	<b>LABEL</b>	<b>PAGE</b>
RAKEDW42	CHIS2011 RAKED WEIGHT - REPLICATE 42	DD-211
RAKEDW43	CHIS2011 RAKED WEIGHT - REPLICATE 43	DD-211
RAKEDW44	CHIS2011 RAKED WEIGHT - REPLICATE 44	DD-212
RAKEDW45	CHIS2011 RAKED WEIGHT - REPLICATE 45	DD-212
RAKEDW46	CHIS2011 RAKED WEIGHT - REPLICATE 46	DD-212
RAKEDW47	CHIS2011 RAKED WEIGHT - REPLICATE 47	DD-213
RAKEDW48	CHIS2011 RAKED WEIGHT - REPLICATE 48	DD-213
RAKEDW49	CHIS2011 RAKED WEIGHT - REPLICATE 49	DD-213
RAKEDW5	CHIS2011 RAKED WEIGHT - REPLICATE 5	DD-199
RAKEDW50	CHIS2011 RAKED WEIGHT - REPLICATE 50	DD-214
RAKEDW51	CHIS2011 RAKED WEIGHT - REPLICATE 51	DD-214
RAKEDW52	CHIS2011 RAKED WEIGHT - REPLICATE 52	DD-214
RAKEDW53	CHIS2011 RAKED WEIGHT - REPLICATE 53	DD-215
RAKEDW54	CHIS2011 RAKED WEIGHT - REPLICATE 54	DD-215
RAKEDW55	CHIS2011 RAKED WEIGHT - REPLICATE 55	DD-215
RAKEDW56	CHIS2011 RAKED WEIGHT - REPLICATE 56	DD-216
RAKEDW57	CHIS2011 RAKED WEIGHT - REPLICATE 57	DD-216
RAKEDW58	CHIS2011 RAKED WEIGHT - REPLICATE 58	DD-216
RAKEDW59	CHIS2011 RAKED WEIGHT - REPLICATE 59	DD-217
RAKEDW6	CHIS2011 RAKED WEIGHT - REPLICATE 6	DD-199
RAKEDW60	CHIS2011 RAKED WEIGHT - REPLICATE 60	DD-217
RAKEDW61	CHIS2011 RAKED WEIGHT - REPLICATE 61	DD-217
RAKEDW62	CHIS2011 RAKED WEIGHT - REPLICATE 62	DD-218
RAKEDW63	CHIS2011 RAKED WEIGHT - REPLICATE 63	DD-218
RAKEDW64	CHIS2011 RAKED WEIGHT - REPLICATE 64	DD-218
RAKEDW65	CHIS2011 RAKED WEIGHT - REPLICATE 65	DD-219
RAKEDW66	CHIS2011 RAKED WEIGHT - REPLICATE 66	DD-219
RAKEDW67	CHIS2011 RAKED WEIGHT - REPLICATE 67	DD-219
RAKEDW68	CHIS2011 RAKED WEIGHT - REPLICATE 68	DD-220
RAKEDW69	CHIS2011 RAKED WEIGHT - REPLICATE 69	DD-220
RAKEDW7	CHIS2011 RAKED WEIGHT - REPLICATE 7	DD-199
RAKEDW70	CHIS2011 RAKED WEIGHT - REPLICATE 70	DD-220
RAKEDW71	CHIS2011 RAKED WEIGHT - REPLICATE 71	DD-221
RAKEDW72	CHIS2011 RAKED WEIGHT - REPLICATE 72	DD-221
RAKEDW73	CHIS2011 RAKED WEIGHT - REPLICATE 73	DD-221
RAKEDW74	CHIS2011 RAKED WEIGHT - REPLICATE 74	DD-222
RAKEDW75	CHIS2011 RAKED WEIGHT - REPLICATE 75	DD-222
RAKEDW76	CHIS2011 RAKED WEIGHT - REPLICATE 76	DD-222
RAKEDW77	CHIS2011 RAKED WEIGHT - REPLICATE 77	DD-223
RAKEDW78	CHIS2011 RAKED WEIGHT - REPLICATE 78	DD-223
RAKEDW79	CHIS2011 RAKED WEIGHT - REPLICATE 79	DD-223
RAKEDW8	CHIS2011 RAKED WEIGHT - REPLICATE 8	DD-200
RAKEDW80	CHIS2011 RAKED WEIGHT - REPLICATE 80	DD-224
RAKEDW9	CHIS2011 RAKED WEIGHT - REPLICATE 9	DD-200
RBMI	BMI DESCRIPTIVE	DD-72

<b>VARIABLE</b>	<b>LABEL</b>	<b>PAGE</b>
RSN UNI2	REASON FOR UNINSURED STATUS ANYTIME PAST 12 MONTHS	DD-145
RSN UNIN	REASON FOR CURRENTLY UNINSURED STATUS	DD-146
<b>SECTION A</b>	<b>DEMOGRAPHICAL INFORMATION, PART I</b>	<b>DD-3</b>
<b>SECTION B</b>	<b>GENERAL HEALTH CONDITION</b>	<b>DD-15</b>
<b>SECTION C</b>	<b>HEALTH BEHAVIORS</b>	<b>DD-50</b>
<b>SECTION D</b>	<b>GENERAL HEALTH, DISABILITY, AND SEXUAL HEALTH</b>	<b>DD-66</b>
<b>SECTION E</b>	<b>WOMEN'S HEALTH</b>	<b>DD-75</b>
<b>SECTION F</b>	<b>MENTAL HEALTH</b>	<b>DD-84</b>
<b>SECTION G</b>	<b>DEMOGRAPHIC INFORMATION, PART II &amp; CHILD CARE</b>	<b>DD-98</b>
<b>SECTION H</b>	<b>HEALTH INSURANCE</b>	<b>DD-117</b>
<b>SECTION J</b>	<b>HEALTH CARE UTILIZATION AND ACCESS</b>	<b>DD-153</b>
<b>SECTION K</b>	<b>EMPLOYMENT, INCOME, POVERTY STATUS &amp; FOOD SECURITY</b>	<b>DD-171</b>
<b>SECTION L</b>	<b>PUBLIC PROGRAM PARTICIPATION</b>	<b>DD-181</b>
<b>SECTION M</b>	<b>HOUSING &amp; COMMUNITY INVOLVEMENT</b>	<b>DD-186</b>
<b>SECTION N</b>	<b>DEMOGRAPHIC INFO. PART III, GEOGRAPHICAL INFO.</b>	<b>DD-193</b>
<b>SECTION O</b>	<b>FULL DESIGN AND REPLICATE WEIGHT SERIES 0-80</b>	<b>DD-197</b>
<b>SECTION Q</b>	<b>SCREENING INFORMATION</b>	<b>DD-1</b>
SERVED	LENGTH OF TIME SERVED IN ACTIVE DUTY	DD-108
SMKCUR	CURRENT SMOKER	DD-60
SMOKING	CURRENT SMOKING HABITS	DD-61
SOCIAL2	SOCIAL LIFE IMPAIRMENT PAST 12 MONTHS	DD-97
SPK ENG	ENGLISH USE AND PROFICIENCY	DD-103
SRAA	SELF-REPORTED AFRICAN AMERICAN	DD-10
SRAGE P	SELF-REPORTED AGE (PUF RECODE)	DD-3
SRAI	SELF-REPORTED AMERICAN INDIAN	DD-10
SRAS	SELF-REPORTED ASIAN	DD-4
SRASO	SELF-REPORTED OTHER ASIAN GROUP	DD-4
SRCH	SELF-REPORTED CHINESE	DD-5
SRH	SELF-REPORTED LATINO/HISPANIC	DD-6
SRKR	SELF-REPORTED KOREAN	DD-5
SRO	SELF-REPORTED OTHER RACE	DD-6
SRPH	SELF-REPORTED FILIPINO	DD-5
SRPI	SELF-REPORTED PI AND NTV HW	DD-9
SRSEX	SELF-REPORTED GENDER	DD-4
SRTENR	SELF-REPORTED HOUSEHOLD TENURE (HH)	DD-3
SRVT	SELF-REPORTED VIETNAMESE	DD-6
SRW	SELF-REPORTED WHITE	DD-10
TIMEAD	LENGTH OF TIME LIVED AT CURRENT ADDRESS (MONTHS)	DD-188
UNINSANY	UNINSURED IN PAST 12 MOS	DD-147
UR_BG	RURAL AND URBAN - CLARITAS (BY BLOCK GROUP)	DD-194
UR_CLRT	RURAL AND URBAN - CLARITAS (BY ZIPCODE) (4 LVLS)	DD-194
UR_CLRT2	RURAL AND URBAN - CLARITAS (BY ZIPCODE) (2 LVLS)	DD-195
UR_IHS	RURAL AND URBAN - IHS	DD-195
UR_OMB	RURAL AND URBAN - OMB	DD-195
UR_RHP	RURAL AND URBAN - RHP	DD-196

<b>VARIABLE</b>	<b>LABEL</b>	<b>PAGE</b>
UR TRACT	RURAL AND URBAN - CLARITAS (BY CENSUS TRACT)	DD-196
USOC	USUAL SOURCE OF CARE OTHER THAN ER	DD-118
USUAL	HAVE USUAL PLACE TO GO TO WHEN SICK OR NEEDING HEALTH ADVICE	DD-119
USUAL5TP	USUAL SOURCE OF CARE (5 LVLS)	DD-120
USUAL TP	USUAL SOURCE OF CARE (7 LVLS)	DD-119
WEIGHK P	WEIGHT: KG - UCLA (PUF RECODE)	DD-68
WGHTK P	WEIGHT: KG (PUF RECODE)	DD-69
WGHTP P	WEIGHT: LBS (PUF RECODE)	DD-69
WORK2	WORK IMPAIRMENT PAST 12 MONTHS	DD-97
WRKST	WORKING STATUS	DD-110
WRKST S	SPOUSE WORKING STATUS	DD-111
WT18K P	WEIGHT AT 18: KILOS (PUF RECODE)	DD-70
WT18P P	WEIGHT AT 18: LBS (PUF RECODE)	DD-70
YRUS	YEARS LIVED IN THE U.S.	DD-104

**B. Variable name (by Location in CHIS 2011-2012 Adult Questionnaire)**

<b>VARIABLE</b>	<b>LABEL</b>	<b>PAGE</b>
<b>SECTION Q</b>	<b>SCREENING INFORMATION</b>	<b>DD-1</b>
PUF_ID	PUBLIC USE FILE ID	DD-1
HHSIZE_P	HOUSEHOLD SIZE (PUF RECODE)	DD-1
INTVLANG	LANGUAGE OF INTERVIEW	DD-2
PROXY	A PROXY INTERVIEW	DD-2
SRTENR	SELF-REPORTED HOUSEHOLD TENURE (HH)	DD-3
<b>SECTION A</b>	<b>DEMOGRAPHICAL INFORMATION, PART I</b>	<b>DD-3</b>
SRAGE_P	SELF-REPORTED AGE (PUF RECODE)	DD-3
SRSEX	SELF-REPORTED GENDER	DD-4
SRAS	SELF-REPORTED ASIAN	DD-4
SRASO	SELF-REPORTED OTHER ASIAN GROUP	DD-4
SRCH	SELF-REPORTED CHINESE	DD-5
SRKR	SELF-REPORTED KOREAN	DD-5
SRPH	SELF-REPORTED FILIPINO	DD-5
SRVT	SELF-REPORTED VIETNAMESE	DD-6
SRH	SELF-REPORTED LATINO/HISPANIC	DD-6
SRO	SELF-REPORTED OTHER RACE	DD-6
OMBSRASO	OMB S-R NONHISPANIC ASIAN GROUP (ONLY)	DD-7
OMBSRREO	OMB/CURRENT DOF RACE - ETHNICITY	DD-7
RACECEN	RACE - CENSUS 2000 DEFINITION	DD-8
RACEDOF	FORMER DOF RACE - ETHNICITY	DD-8
SRPI	SELF-REPORTED PI AND NTV HW	DD-9
RACEHPR2	RACE - UCLA CHPR DEFINITION, UNABRIDGED	DD-9
SRW	SELF-REPORTED WHITE	DD-10
SRAA	SELF-REPORTED AFRICAN AMERICAN	DD-10
SRAI	SELF-REPORTED AMERICAN INDIAN	DD-10
CATRIBE	CALIFORNIA TRIBE	DD-11
AA5C	ENROLLED MEMBER IN RECOGNIZED TRIBE	DD-11
ASIAN8	ASIAN SUBTYPES- (8 TYPES) (PUF RECODE)	DD-12
ASNHP2_P	ASIAN GROUP - UCLA CHPR DEFINITION (PUF RECODE), UNBRIDGED	DD-12
MARIT	MARITAL STATUS- 3 CATEGORIES	DD-13
MARIT_45	MARITAL STATUS - AGE 45 AND OLDER	DD-13
MARIT2	MARITAL STATUS- 4 CATEGORIES	DD-14
LATIN9TP	LATIN/HISPANIC SUBTYPES - 9 LVLS	DD-14
<b>SECTION B</b>	<b>GENERAL HEALTH CONDITION</b>	<b>DD-15</b>
AB1	GENERAL HEALTH CONDITION	DD-15
AB17	DOCTOR EVER TOLD HAVE ASTHMA	DD-16
AB40	STILL HAS ASTHMA	DD-16
AB41	ASTHMA EPISODE/ATTACK IN PAST 12 MOS	DD-17
ASTCUR	CURRENT ASTHMA STATUS	DD-17
ASTS	ASTHMA SYMPTOMS PAST 12 MOS FOR POPULATION DIAGNOSED W/ ASTH	DD-18

ASTYR	ASTHMA SYMPTOMS PAST 12 MOS FOR POPULATION CURRENTLY W/ ASTH	DD-18
AB106 P	ER/URGT CARE VISIT FOR ASTHMA PAST YR UNABLE TO SEE OWN DR (PUF RECODE)	DD-19
AB18	TAKING DAILY MEDICATION TO CONTROL ASTHMA	DD-19
AB19	FREQUENCY OF ASTHMA SYMPTOMS IN PAST 12 MOS: CURRENT ASTHMATICS	DD-20
AH13A	ER/URGENT CRE VISIT FOR ASTHMA LAST 12 MOS: CURRENT ASTHMATIC	DD-20
AH15A	HOSPITAL OVERNIGHT FOR ASTHMA PAST 12 MOS: CURRENT ASTHMATIC	DD-21
AB66	HOW OFTEN HAD ASTHMA SYMPTOMS IN PAST 12 MOS: PREVIOUS ASTHMATIC	DD-21
AB67	ER/URGENT CRE VISIT FOR ASTHMA LAST 12 MOS: PREVIOUS ASTHMATIC	DD-22
AB80	HOSPITAL OVERNIGHT FOR ASTHMA PAST 12 MOS: PREVIOUS ASTHMATIC	DD-22
AB42	WORKDAYS MISSED DUE TO ASTHMA IN PAST 12 MOS	DD-23
AB43	HEALTH PROFESSIONAL EVER GAVE ASTHMA MANAGEMENT PLAN	DD-23
AB98	HAVE WRITTEN COPY OF ASTHMA CARE PLAN	DD-24
AB108	CONFIDENCE TO CONTROL AND MANAGE ASTHMA	DD-24
AB22	DOCTOR EVER TOLD HAVE DIABETES	DD-25
AB99	DOC EVER TOLD HAVE PRE- OR BORDERLINE DIABETES	DD-25
AB23 P	AGE FIRST TOLD HAVE DIABETES (PUF RECODE)	DD-26
DIABCK	# OF TIMES CHECKING FOR GLUCOSE/SUGAR PER MONTH	DD-26
DIAMED	TAKING INSULIN OR PILLS	DD-27
AB51	TYPE I OR TYPE II DIABETES	DD-27
AB24	CURRENTLY TAKING INSULIN	DD-28
AB25	CURRENTLY TAKING DIABETIC PILLS TO LOWER BLOOD SUGAR	DD-28
AB26	# OF TIMES R/R'S FAMILY/R'S FRIEND CHECK BLOOD FOR GLUCOSE	DD-29
AB27	# OF TIMES DOC CHECKED FOR HEMOGLOBIN A1C LAST YR	DD-29
AB28	# OF TIMES DOC CHECKED FEET FOR SORES LAST YR	DD-30
AB63	LAST EYE EXAM DILATED PUPILS	DD-30
AB109	VISITED ER FOR DIABETES IN PAST 12 MOS	DD-31
AB110 P	VISITED ER FOR DIABETES BECAUSE UNABLE TO SEE OWN DR (PUF RECODE)	DD-31
AB111	ADMITTED TO HOSPITAL OVERNIGHT OR LONGER FOR DIABETES PAST 1	DD-32
AB112	MEDICAL PROVIDERS DEVELOP DIABETES CARE	DD-32
AB113	HAVE WRITTEN COPY OF DIABETES CARE PLAN	DD-33
AB114	CONFIDENCE TO CONTROL AND MANAGE DIABETE	DD-33
AB81	DOCTOR TOLD HAD DIABETES ONLY DURING PREGNANCY	DD-34
AB29	DOCTOR EVER TOLD HAVE HIGH BLOOD PRESSURE	DD-34
AB30	CURRENTLY TAKING MEDICATIONS TO CONTROL HIGH BLOOD PRESSURE	DD-35
AB34	DOCTOR EVER TOLD HAVE ANY KIND OF HEART DISEASE	DD-35
AB52	EVER TOLD HAVE HEART FAILURE/CONGESTIVE	DD-36
AB115	VISITED ER FOR HEART DISEASE IN PAST 12 MOS	DD-36

AB116 P	VISITED ER FOR HEART DX B/C UNABLE TO SEE OWN DR (PUF RECODE)	DD-37
AB117	ADMITTED TO HOSPITAL OVERNIGHT/LONGER FOR HEART DX PAST 12 M	DD-37
AB118	MEDICAL PROVIDERS DEVELOPED HEART DISEASE PLAN	DD-38
AB119	HAVE WRITTEN COPY OF HEART DISEASE CARE	DD-38
AB120	CONFIDENCE TO CONTROL AND MANAGE HEART DISEASE	DD-39
AC6	DOCTOR EVER TOLD HAD STROKE	DD-39
AB64	DOCTOR EVER TOLD HAVE ARTH/GOUT/LUPUS	DD-40
AB127	HAD JOINT PAIN, STIFFNESS PAST 30 DAYS	DD-40
AB16	LIMITATION OF ACTIVITIES B/C OF JOINT PROBLEMS	DD-41
AE30	FLU SHOT/MIST IN PAST 12 MOS	DD-41
AB100	HAD FLU SHOT OR NASAL FLU VACCINE	DD-42
AB57	KIND OF PLACE GOT LAST FLU SHOT	DD-42
AC7	FALLEN TO GROUND MORE THAN ONCE IN PAST YR	DD-43
AB91	RECEIVED MEDICAL CARE BECAUSE OF FALLS	DD-43
AB92	PROF TALKED ABOUT HOW TO AVOID FALLS	DD-44
AB142	PROF MAKE RECOMNDS TO AVOID FALLING	DD-44
AB93	PROF REVIEWED MEDS DUE TO FALLS	DD-45
AB143	PROF RECOMND CHANGE MEDS DUE TO FALLS	DD-45
AB94	STARTED PHYS THRPY/EXERC DUE TO FALLS	DD-46
AB144	PROF RECOMND PHYS THRPY/EXERC DUE TO FALLS	DD-46
AB95	CHANGED HOME DUE TO FALLS	DD-47
AB145	PROF RECOMND HOME CHANGES DUE TO FALLS	DD-47
AB96	STARTED TO USE CANE/WALKER DUE TO FALLS	DD-48
AB146	PROF RECOMND CANE/WALKER DUE TO FALLS	DD-48
AB97	CHANGED DAILY ROUTINES DUE TO FALLS	DD-49
AB147	PROF RECOMND CHANGE ROUTINE DUE TO FALLS	DD-49
<b>SECTION C</b>	<b>HEALTH BEHAVIORS</b>	<b>DD-50</b>
AD37W	WALKED AT LEAST 10 MIN FOR TRANSPORT PAST 7 DAYS	DD-50
AD38W	# TIMES WALKED AT LEAST 10 MIN FOR TRANSPORT PAST 7 DAYS	DD-50
AD39W	AVERAGE LENGTH OF TIME WALKED FOR TRANSPORTION (MINS)	DD-51
AD40W	WALKED AT LEAST 10 MIN FOR LEISURE PAST 7 DAYS	DD-51
AD41W	# TIMES WALKED AT LEAST 10 MIN FOR LEISURE PAST 7 DAYS	DD-52
AD42W	AVERAGE LENGTH OF TIME WALKED FOR LEISURE (MINS)	DD-52
AE2	# OF TIMES ATE FRUIT IN PAST MONTH	DD-53
AE3	# OF TIMES ATE FRNCH FRIES, HME FRIES, HSH BRWNS IN PAST MO	DD-53
AE7	# OF TIMES ATE VEGETABLES IN PAST MONTH	DD-54
AE FRIES	# OF TIMES EATING FRIES PER WEEK	DD-54
AE FRUIT	# OF TIMES EATING FRUIT PER WEEK	DD-55
AC11	# OF TIMES DRANK SODA LAST MONTH	DD-55
AE SODA	# OF TIMES DRINKING SODA PER WEEK	DD-56
AE VEGI	# OF TIMES EATING VEGETABLES PER WEEK	DD-56
AC31	# TIMES ATE FAST FOOD PAST WEEK	DD-57
AE15	SMOKED 100 OR MORE CIGARETTES IN ENTIRE LIFETIME	DD-57



AE15A	SMOKES CIGARETTES EVERYDAY, SOME DAYS OR NOT AT ALL	DD-58
AD32	# OF CIGARETTES PER DAY	DD-58
AE16	# OF CIGARETTES SMOKED PER DAY IN PAST 30 DAYS	DD-59
AC17	SMOKING EVER ALLOWED INSIDE HOME	DD-59
AD34	# OF DAYS PER WEEK ANY SMOKING INSIDE HOME	DD-60
SMKCUR	CURRENT SMOKER	DD-60
SMOKING	CURRENT SMOKING HABITS	DD-61
NUMCIG	# OF CIGARETTES PER DAY	DD-61
HHSMK	HOUSEHOLD SMOKING	DD-62
AC32	HAD ALCOHOL PAST 12 MONTHS	DD-62
AC34	# DAYS HAD 5+ DRINKS PAST 12 MONTHS	DD-63
AC35	# DAYS HAD 4+ DRINKS PAST 12 MONTHS	DD-63
BINGE12	BINGE DRINKING IN PAST YEAR. 5+ DRINKS (MALE), 4+ DRINKS (FEMALE)	DD-64
AC42_P	HOW OFTEN FIND FRESH FRUIT/VEG IN NEIGHB (PUF RECODE)	DD-64
AC43	HOW OFTEN FIND FRESH FRUIT/VEG NEAR WORK	DD-65
AC44	NEIGHBORHOOD FRUIT/VEG AFFORDABLE	DD-65
AC45	WORKPLACE FRUIT/VEG AFFORDABLE	DD-66
<b>SECTION D</b>	<b>GENERAL HEALTH, DISABILITY, AND SEXUAL HEALTH</b>	<b>DD-66</b>
HGHTI_P	HEIGHT: INCHES (PUF RECODE)	DD-67
HGHTM_P	HEIGHT: METERS (PUF RECODE)	DD-67
HEIGHTM_P	HEIGHT: METERS - UCLA (PUF RECODE)	DD-68
WEIGHK_P	WEIGHT: KG - UCLA (PUF RECODE)	DD-68
WGHTK_P	WEIGHT: KG (PUF RECODE)	DD-69
WGHTP_P	WEIGHT: LBS (PUF RECODE)	DD-69
WT18K_P	WEIGHT AT 18: KILOS (PUF RECODE)	DD-70
WT18P_P	WEIGHT AT 18: LBS (PUF RECODE)	DD-70
AD50	BLIND/DEAF OR HAS SEVERE VISION/HEARING PROBLEM	DD-71
BMI_P	BODY MASS INDEX (PUF RECODE)	DD-71
RBMI	BMI DESCRIPTIVE	DD-72
OVRWT	OVERWEIGHT OR OBESE	DD-72
AD57	CONDITION LIMITS BASIC PHYS ACTIVITY	DD-73
AD51	HAS DIFFICULTY LEARNING, REMEMBERING, CONCENTRATING	DD-73
AD52	HAS DIFFICULTY DRESSING, BATHING, GETTING AROUND	DD-73
AD53	HAS DIFFICULTY GOING OUTSIDE HOME ALONE	DD-74
AD54	HAS DIFFICULTY WORKING AT A JOB	DD-74
DISABLE	DISABILITY STATUS DUE TO PHYS/MENT/EMOT CONDITION	DD-75
<b>SECTION E</b>	<b>WOMEN'S HEALTH</b>	<b>DD-75</b>
AD13	CURRENTLY PREGNANT	DD-75
AB60	HOW FIRST FOUND OUT HAD BREAST CANCER	DD-76
AD14	EVER HAD A MAMMOGRAM	DD-76
AD17	HOW LONG SINCE LAST MAMMOGRAM	DD-77
AD18	MAIN REASON FOR HAVING LAST MAMMOGRAM	DD-77
AD19	EVER HAD MAMMOGRAM W/ ABNORMAL RESULTS	DD-78
AD20	EVER HAD OPERATION TO REMOVE LUMP FROM BREAST	DD-78
AD21	LUMP TURNED OUT TO BE CANCER	DD-79

AD22_P	# OF BREAST OPERATIONS TO REMOVE NONCANCER (PUF RECODE)	DD-79
AD23	EVER HAVE OTHER TESTS/SURGERIES WHEN MAMMOGRAM ABNORMAL	DD-80
AD25	MAIN REASON FOR HAVING NO MAMMOGRAM	DD-80
AD26	DOCTOR RECOMMENDED MAMMOGRAM IN PAST TWO YRS	DD-81
AE50	MOST RECENT MAMMOGRAM RECOMENDED BY DOCT	DD-81
AE91	PROPORTION PAID FOR COST OF MOST RECENT MAMMOGRAM	DD-82
AE92	DOCTOR EVER TOLD WOMEN OWN AGE NEED MAMMOGRAM EVERY OTHER YR	DD-82
AE94	DOCTOR EVER DISCUSSED WHEN TO STOP MAMMOGRAMS	DD-83
AF37	DOCTOR EXAMINED BREAST FOR LUMPS PAST 12 MOS	DD-83
MAM_SCRN	MAMMOGRAM IN PAST 2 YRS	DD-84
<b>SECTION F</b>	<b>MENTAL HEALTH</b>	<b>DD-84</b>
AJ29	FEEL NERVOUS PAST 30 DAYS	DD-85
AF65	FEEL RESTLESS WORST MONTH	DD-85
AF66	FEEL DEPRESSED WORST MONTH	DD-86
AF67	FEEL EVERYTHING AN EFFORT WORST MONTH	DD-86
AF68	FEEL WORTHLESS WORST MONTH	DD-87
AF69B	EMOTIONS INTERFERE W/WORK WORST MONTH	DD-87
AF70B	EMOTIONS INTERFERE W/CHORES WORST MONTH	DD-88
AF71B	EMOTIONS INTERFERE W/SOCIAL LIFE WORST MONTH	DD-88
AF72B	EMOTIONS INTERFERE W/RELATIONSHIPS WORST MONTH	DD-89
AJ30	FEEL HOPELESS PAST 30 DAYS	DD-89
AJ1	INS COVERS TREATMENT FOR MNTL HEALTH PROBLEMS	DD-90
AJ31	FELL RESTLESS PAST 30 DAYS	DD-90
AJ32	FEEL DEPRESSED PAST 30 DAYS	DD-91
AJ33	FEEL EVERYTHING AN EFFORT PAST 30 DAYS	DD-91
AJ34	FEEL WORTHLESS PAST 30 DAYS	DD-92
AF62	ANY MONTH PAST 12 MONTHS FELT WORSE	DD-92
DISTRESS	SERIOUS PSYCHOLOGICAL DISTRESS	DD-93
AF63	FEEL NERVOUS WORST MONTH	DD-93
DSTRS12	LIKELY HAS HAD PSYCHOLOGICAL DISTRESS IN THE LAST YEAR	DD-94
AF64	FEEL HOPELESS WORST MONTH	DD-94
DSTRS30	LIKELY HAS HAD PSYCHOLOGICAL DISTRESS IN THE PAST MONTH	DD-95
DSTRSYR	SERIOUS PSYCHOLOGICAL DISTRESS FOR WORST MONTH PAST YR (K6 S	DD-95
CHORES2	CHORE IMPAIRMENT PAST 12 MONTHS	DD-96
IMPAIR2	FUNCTIONAL ROLE IMPAIRMENT DUE TO EMOTIONS PAST 12 MONTHS	DD-96
SOCIAL2	SOCIAL LIFE IMPAIRMENT PAST 12 MONTHS	DD-97
WORK2	WORK IMPAIRMENT PAST 12 MONTHS	DD-97
FAMILY2	FAMILY LIFE IMPAIRMENT PAST 12 MONTHS	DD-98
<b>SECTION G</b>	<b>DEMOGRAPHIC INFORMATION, PART II &amp; CHILD CARE</b>	<b>DD-98</b>
AH33NEW	BORN IN U.S.	DD-98
AH34NEW	MOTHER BORN IN U.S.	DD-99
AH35NEW	FATHER BORN IN U.S.	DD-99
CNTRYF	COUNTRY FATHER BORN	DD-100
CNTRYM	COUNTRY MOTHER BORN	DD-100

CNTRYS	COUNTRY BORN	DD-101
LANGHOME	LANGUAGE SPOKEN AT HOME	DD-101
AG20	LANGUAGE SPEAK WITH FRIENDS	DD-102
AG21	LANGUAGE OF TV, RADIO, NEWSPAPERS	DD-102
AH37	LEVEL OF ENGLISH PROFICIENCY: GENERAL	DD-103
SPK ENG	ENGLISH USE AND PROFICIENCY	DD-103
CITIZEN2	CITIZENSHIP STATUS (3 LVLS)	DD-104
YRUS	YEARS LIVED IN THE U.S.	DD-104
PCTLF P	PERCENT LIFE IN US (PUF RECODE)	DD-105
AH44	SPOUSE LIVING IN SAME HOUSEHOLD	DD-105
AH43A	LIVING WITH A PARENT	DD-106
AH44A	USED PAID CHILDCARE FOR CHILDREN UNDER 14 IN PAST MONTH	DD-106
AHCHLDC	AMOUNT SPENT ON CHILD CARE PER WEEK	DD-107
AG22	EVER SERVE IN U.S. ARMED FORCES	DD-107
SERVED	LENGTH OF TIME SERVED IN ACTIVE DUTY	DD-108
AK1	WORK STATUS LAST WEEK	DD-108
AK2	MAIN REASON FOR NOT WORKING LAST WEEK	DD-109
AG10	RESPONDENT USUALLY WORKS	DD-110
WRKST	WORKING STATUS	DD-110
WRKST S	SPOUSE WORKING STATUS	DD-111
AL22	RECEIVING SOCIAL SECURITY DISABILITY INS	DD-111
AK4	TYPE OF EMPLOYER AT MAIN JOB	DD-112
AG8	WORK STATUS OF SPOUSE LAST WEEK	DD-112
AG11	SPOUSE USUALLY WORKS	DD-113
AG9	TYPE OF EMPLOYER ON SPOUSE'S MAIN JOB	DD-113
AHEDUC	EDUCATIONAL ATTAINMENT	DD-114
AKWKLNG	TIME AT MAIN JOB	DD-115
FAM TYPE	FAMILY TYPE	DD-116
FAMTYP P	FAMILY TYPE (PUF RECODE)	DD-116
<b>SECTION H</b>	<b>HEALTH INSURANCE</b>	<b>DD-117</b>
AH1	HAVE USUAL SOURCE OF HEALTH CARE	DD-117
AH3	KIND OF PLACE FOR USUAL SOURCE OF HEALTH CARE	DD-118
USOC	USUAL SOURCE OF CARE OTHER THAN ER	DD-118
USUAL	HAVE USUAL PLACE TO GO TO WHEN SICK OR NEEDING HEALTH ADVICE	DD-119
USUAL TP	USUAL SOURCE OF CARE (7 LVLS)	DD-119
USUAL5TP	USUAL SOURCE OF CARE (5 LVLS)	DD-120
AH12	VISITED EMERGENCY ROOM FOR OWN HEALTH IN PAST 12 MOS	DD-120
AH49	MEDICARE COVERAGE PROVIDED THROUGH HMO	DD-121
AH50 P	NAME OF MEDICARE HMO PLAN (PUF RECODE)	DD-121
AI4	COVERED BY MEDICARE SUPPL POLICY	DD-122
AH52	SIGN UP FOR MEDICARE HMO DIRECTLY OR OTHERWISE	DD-122
AI15	MAIN REASON NOT IN EMPLOYER'S HEALTH PLAN	DD-123
AI15A	MAIN REASON INELIGIBLE FOR EMPLOYER'S HEALTH PLAN	DD-123
AI37A	SPOUSE COVERED BY MEDICARE SUPPL POLICY	DD-124
AI45	MAIN REASON SPOUSE NOT IN EMPLOYER'S HEALTH PLAN	DD-124

AI45A	MAIN REASON SPOUSE INELIGIBLE FOR EMPLOYER'S HEALTH PLAN	DD-125
AI22C	MAIN HEALTH PLAN IS HMO	DD-125
HMO	HMO STATUS	DD-126
AI22A P	NAME OF HEALTH PLAN (PUF RECODE)	DD-126
AI25	COVERED FOR PRESCRIPTION DRUGS	DD-127
AI25NEW	RX COVERAGE EDITED FOR MEDI-CAL/HF	DD-127
AH71	HEALTH PLAN DEDUCTIBLE MORE THAN \$1,000	DD-128
AH72	HEALTH PLAN DEDUCTIBLE MORE THAN \$2,000	DD-128
AH73	SPECIAL FUND TO PAY MEDICAL EXPENSES	DD-129
AI33 6	OTHER INS: BOUGHT DIRECT	DD-129
AH74	TRIED TO FIND HEALTH INSURANCE ON OWN	DD-130
AH75	TRIED TO FIND HEALTH INSURANCE ON OWN	DD-130
AI28	HOW LONG SINCE LAST HAD HEALTH INS	DD-131
AH14	PATIENT IN HOSP OVERNIGHT DURING PAST 12 MOS	DD-131
AH77	FREE PRENATAL CARE DURING PAST 12 MOS	DD-132
ER	ER VISIT WITHIN THE PAST YEAR	DD-132
IHS	COVERED BY INDIAN HEALTH SERVICES	DD-133
IHS S	SPOUSE COVERED BY INDIAN HEALTH SERVICES	DD-133
INS	CURRENTLY INSURED	DD-134
INS S	SPOUSE CURRENTLY INSURED	DD-134
INS12M	MOS COVERED BY HEALTH PLANS LAST 12 MOS	DD-135
INS64 P	CURRENT HEALTH COVERAGE - < 65 YRS (PUF RECODE)	DD-135
INS64S P	SPOUSE'S CURRENT HEALTH COVG - < 65 YRS (PUF RECODE)	DD-136
INS65	TYPE OF CURRENT HEALTH COVERAGE SOURCE FOR ELDERLY 65+	DD-136
INS65 S	TYPE OF CURRENT HEALTH COVERAGE FOR SPOUSE 65+	DD-137
INSANY	ANY INS IN LAST 12 MOS	DD-137
INSEM	COVERED BY EMPLOYER-BASED PLANS	DD-138
INSEM S	SPOUSE COVERED BY EMPLOYER-BASED PLANS	DD-138
INSMC	COVERED BY MEDICARE	DD-139
INSMC S	SPOUSE COVERED BY MEDICARE	DD-139
INSMD	COVERED BY MEDI-CAL	DD-140
INSMD S	SPOUSE COVERED BY MEDI-CAL	DD-140
INSOG	COVERED BY OTHER GOVT PLANS	DD-141
INSOG S	SPOUSE COVERED BY OTHER GOVT PLANS	DD-141
INSPR	COVERED BY PLANS PURCHASED ON OWN	DD-142
INSPR S	SPOUSE COVERED BY PLANS PURCHASED ON OWN	DD-142
INSPS	PRIMARY OR SECONDARY COVERAGE	DD-143
INSPS S	SPOUSE PRIMARY OR SECONDARY COVERAGE	DD-143
INST 12	HEALTH INS COVERAGE IN LAST 12 MOS, INCL CURRENT STATUS:8 LV	DD-144
INSTYP P	TYPE OF CURRENT HEALTH COVERAGE SOURCE FOR ALL AGES (PUF RECODE)	DD-144
RSN_UNI2	REASON FOR UNINSURED STATUS ANYTIME PAST 12 MONTHS	DD-145
RSN_UNIN	REASON FOR CURRENTLY UNINSURED STATUS	DD-146
UNINSANY	UNINSURED IN PAST 12 MOS	DD-147
OFFTK	OFFER, ELIGIBILITY, ACCEPTANCE OF EMPLOYER BASED INS	DD-147

OFFTK S	OFFER, ELIGIBILITY, ACCEPTANCE OF EMPLOYER-BASED INS: SPOUSE	DD-148
AH100	ANYONE HELP FIND HEALTH PLAN	DD-148
AH101 P	PERSON WHO HELPED FIND HEALTH PLAN (PUF RECODE)	DD-149
AH102 P	# NIGHTS IN HOSPITAL PAST 12 MOS (PUF RECODE)	DD-149
AH103	BUY HEALTH PLAN DIRECTLY FROM INS CO/HMO	DD-150
AH95 P	# TIMES VISITED ER IN PAST 12 MOS (PUF RECODE)	DD-150
AH96 P	HEALTH PLAN DEDUCTIBLE > \$2,000 (PUF RECODE)	DD-151
AH97 P	PLAN DEDUCTIBLE COVERING ALL PERSONS >\$4,000 (PUF RECODE)	DD-151
AH98	DIFFICULTY FINDING PLAN WITH NEEDED COVERAGE	DD-152
AH99	DIFFICULTY FINDING PLAN THAT IS AFFORDABLE	DD-152
<b>SECTION J</b>	<b>HEALTH CARE UTILIZATION AND ACCESS</b>	<b>DD-153</b>
AH5	# OF TIMES SAW MD IN PAST 12 MOS	DD-153
AH6	HOW LONG SINCE LAST SAW DOCTOR ABOUT OWN HEALTH	DD-154
ACMDNUM	# OF DOCTOR VISITS PAST YEAR	DD-154
DOCT_YR	VISITED DOCTOR IN PAST 12 MOS	DD-155
AJ77	HAVE PERSONAL DOCTOR AS MAIN MEDICAL PROVIDER	DD-155
AJ78	CONTACT DOC'S OFFICE WITH MEDICAL QUESTION PAST 12 MOS	DD-156
AJ79	HOW OFTEN GOT RESPONSE FROM DOC'S OFFICE	DD-156
AJ80	DOC'S OFFICE HELP COORDINATE CARE W/ OTHER MED SVCS	DD-157
AJ8	HAD HARD TIME UNDERSTANDING DOCTOR LAST VISIT	DD-157
AJ50 P	LANGUAGE DOCTOR SPEAKS TO R (PUF RECODE)	DD-158
AJ9	MD SPOKE DIFFERENT LANGUAGE REASON WHY DIFFICULT TO UNDERSTAND	DD-158
AJ10	NEEDED SOMEONE ELSE TO HELP UNDERSTAND DOCTOR	DD-159
AJ11	WHO HELPED YOU UNDERSTAND DOCTOR	DD-159
AH16	DELAY/NOT GET PRESCRIPTION IN PAST 12 MO	DD-160
AJ19	COST/NO INSUR DELAYED GETTING PRESCRIPTION	DD-160
AJ81	DELAYED PRESCRIPTION FOR ASTHMA	DD-161
AJ82	DELAYED PRESCRIPTION FOR DIABETES	DD-161
AJ83	DELAYED PRESCRIPTION FOR HEART DISEASE	DD-162
AH22	DELAY/NOT GET OTHER MEDICAL CARE IN PAST 12 MOS	DD-162
AJ20	COST/NO INSR DELAYED GETTING NEEDED CARE	DD-163
AJ84	DELAYED MEDICAL CARE FOR ASTHMA	DD-163
AJ85	DELAYED MEDICAL CARE FOR DIABETES	DD-164
AJ86	DELAYED MEDICAL CARE FOR HEART DISEASE	DD-164
AJ102	SOUGHT APPNT W/DOC IN 2 DAYS PAST YR	DD-165
AJ103	HOW OFTEN GET APPNT IN 2 DAYS	DD-165
AJ104	COULD GET APPNT W/DOC IN 2 DAYS IF NEEDED	DD-166
AJ105	KNOW RIGHTS TO INTERPRETOR DURING MED VISIT	DD-166
AJ106	USUAL PLACE FOR HLTH CARE CHANGED PAST YR	DD-167
AJ107	CHANGE USUAL PLACE DUE TO INSURANCE PLAN	DD-167
AJ108	EVER USED INTERNET	DD-168
AJ109	USED INTERNET TO FIND MED INFO PAST 12 MOS	DD-168
AJ110	CONFIDENCE TO COMPLETE APPL ONLINE ON OWN	DD-169
AJ111	SOMEONE TO HELP FILL OUT APPL ONLINE	DD-169

AJ112	HOW OFTEN DOC LISTENS CAREFULLY	DD-170
AJ113	HOW OFTEN DOC CLEARLY EXPLAINS WHAT TO DO	DD-170
<b>SECTION K</b>	<b>EMPLOYMENT, INCOME, POVERTY STATUS &amp; FOOD SECURITY</b>	<b>DD-171</b>
AK3	# OF USUAL HRS WORKED PER WEEK	DD-171
AK7	LENGTH OF TIME WORKING AT MAIN JOB	DD-171
AK8	# OF PEOPLE WORKING FOR EMPLOYER/YOU	DD-172
AK10_P	RESPONDENT'S EARNINGS LAST MONTH (PUF RECODE)	DD-172
AK20	# OF HRS PER WEEK SPOUSE USUALLY WORKS	DD-173
AK10A_P	SPOUSE'S EARNINGS LAST MONTH (PUF RECODE)	DD-173
AK22_P	HOUSEHOLD'S TOTAL ANNUAL INC (PUF RECODE)	DD-174
AM1	HOW OFTEN FOOD DIDN'T LAST, COULDN'T AFFORD MORE, PAST 12 MOS	DD-174
AM2	HOW OFTEN COULDN'T AFFORD TO EAT BALANCED MEALS	DD-175
AM3	ALL ADULTS CUT/SKIPPED MEALS IN PAST 12 MOS FOR MONEY	DD-175
AM3A	HOW OFTEN ALL ADULTS CUT/SKIPPED MEALS IN PAST 12 MOS FOR MO	DD-176
AM4	ATE LESS THAN SHOULD BECAUSE OF MONEY IN PAST 12 MOS	DD-176
AM5	HOW OFTEN HUNGRY BUT DIDN'T EAT B/C OF MONEY IN PAST 12 MOS	DD-177
POVGWD_P	FAMILY POVERTY THRESHOLD LEVEL (PUF RECODE)	DD-177
POVLL	POVERTY LEVEL	DD-178
POVLL2_P	POVERTY LEVEL - 100% FPL (PUF RECODE)	DD-178
ELIGPRG3	MEDI-CAL (MEDICAID)/HEALTHY FAM ELIG. - UNINSURED	DD-179
FSLEV	FOOD SECURITY STATUS LEVEL	DD-179
FSLEVCB	FOOD SECURITY STATUS (2 LVLS)	DD-180
ELDER_IDX	ELDERLY SINGLE/COUPLE INCOME BELOW COUNTY COST OF LIVING THRESHOLDS	DD-180
<b>SECTION L</b>	<b>PUBLIC PROGRAM PARTICIPATION</b>	<b>DD-181</b>
AL2	RECEIVING TANF OR CALWORKS	DD-181
AL5	RECEIVING FOOD STAMP BENEFITS	DD-182
AL6	RECEIVING SSI (SUPPLEMENTAL SECURITY INCOME)	DD-182
AL7	CURRENTLY ON WIC	DD-183
AL15	RECVD ALIMONY/CHILD SUPPORT/MONEY FROM GOVT LAST MONTH	DD-183
AL16_P	TOTAL RECVD FROM ALIMONY/CHILD SUPPORT/GOVT LAST MONTH (PUF RECODE)	DD-184
AL17	PAID ALIMONY OR CHILD SUPPORT LAST MONTH	DD-184
AL18_P	TOTAL ALIMONY/CHILD SUPPORT PAID LAST MONTH (PUF RECODE)	DD-185
AL18A	RECVD SOCIAL SECURITY OR PENSION LAST MONTH	DD-185
AL18B_P	TOTAL SOCIAL SECURITY/PENSION RECVD LAST MONTH (PUF RECODE)	DD-186
<b>SECTION M</b>	<b>HOUSING &amp; COMMUNITY INVOLVEMENT</b>	<b>DD-186</b>
AK23	LIVE IN HOUSE, DUPLEX, BUILDING WITH 3+ UNITS, OR MOBILE HOM	DD-187
AK25	OWN OR RENT HOME	DD-187
TIMEAD	LENGTH OF TIME LIVED AT CURRENT ADDRESS (MONTHS)	DD-188
AM19	PEOPLE IN NEIGHBORHOOD WILLING TO HELP EACH OTHER	DD-188
AM21	PEOPLE IN NEIGHBORHOOD CAN BE TRUSTED	DD-189

AM35	NEIGHBORHOOD WATCHES OUT FOR CHILDREN'S SAFETY	DD-189
AK28	HOW OFTEN FEEL SAFE IN NEIGHBORHOOD	DD-190
AM36	DID VOLUNTEER WORK OR COMMUNITY SERVICES PAST YR	DD-190
AM39	VOLUNTEER IN ORG DEALING W/COMM PROB PAST YR	DD-191
AM40	MEET INFORMALLY TO DEAL W/COMM PROB PAST YR	DD-191
AM37	CURRENTLY PAYING OFF MORTGAGE/HOME LOAN	DD-192
AM38	MAIN REASON FOR LAST MOVE	DD-192
<b>SECTION N</b>	<b>DEMOGRAPHIC INFO. PART III, GEOGRAPHICAL INFO.</b>	<b>DD-193</b>
AM34	TELEPHONE CALLS RECEIVED	DD-193
UR_BG	RURAL AND URBAN - CLARITAS (BY BLOCK GROUP)	DD-194
UR_CLRT	RURAL AND URBAN - CLARITAS (BY ZIPCODE) (4 LVLS)	DD-194
UR_CLRT2	RURAL AND URBAN - CLARITAS (BY ZIPCODE) (2 LVLS)	DD-195
UR_IHS	RURAL AND URBAN - IHS	DD-195
UR_OMB	RURAL AND URBAN - OMB	DD-195
UR_RHP	RURAL AND URBAN - RHP	DD-196
UR_TRACT	RURAL AND URBAN - CLARITAS (BY CENSUS TRACT)	DD-196
<b>SECTION O</b>	<b>FULL DESIGN AND REPLICATE WEIGHT SERIES 0-80</b>	<b>DD-197</b>
RAKEDW0	CHIS2011 RAKED WEIGHT - FULL SAMPLE	DD-197
RAKEDW1	CHIS2011 RAKED WEIGHT - REPLICATE 1	DD-197
RAKEDW2	CHIS2011 RAKED WEIGHT - REPLICATE 2	DD-198
RAKEDW3	CHIS2011 RAKED WEIGHT - REPLICATE 3	DD-198
RAKEDW4	CHIS2011 RAKED WEIGHT - REPLICATE 4	DD-198
RAKEDW5	CHIS2011 RAKED WEIGHT - REPLICATE 5	DD-199
RAKEDW6	CHIS2011 RAKED WEIGHT - REPLICATE 6	DD-199
RAKEDW7	CHIS2011 RAKED WEIGHT - REPLICATE 7	DD-199
RAKEDW8	CHIS2011 RAKED WEIGHT - REPLICATE 8	DD-200
RAKEDW9	CHIS2011 RAKED WEIGHT - REPLICATE 9	DD-200
RAKEDW10	CHIS2011 RAKED WEIGHT - REPLICATE 10	DD-200
RAKEDW11	CHIS2011 RAKED WEIGHT - REPLICATE 11	DD-201
RAKEDW12	CHIS2011 RAKED WEIGHT - REPLICATE 12	DD-201
RAKEDW13	CHIS2011 RAKED WEIGHT - REPLICATE 13	DD-201
RAKEDW14	CHIS2011 RAKED WEIGHT - REPLICATE 14	DD-202
RAKEDW15	CHIS2011 RAKED WEIGHT - REPLICATE 15	DD-202
RAKEDW16	CHIS2011 RAKED WEIGHT - REPLICATE 16	DD-202
RAKEDW17	CHIS2011 RAKED WEIGHT - REPLICATE 17	DD-203
RAKEDW18	CHIS2011 RAKED WEIGHT - REPLICATE 18	DD-203
RAKEDW19	CHIS2011 RAKED WEIGHT - REPLICATE 19	DD-203
RAKEDW20	CHIS2011 RAKED WEIGHT - REPLICATE 20	DD-204
RAKEDW21	CHIS2011 RAKED WEIGHT - REPLICATE 21	DD-204
RAKEDW22	CHIS2011 RAKED WEIGHT - REPLICATE 22	DD-204
RAKEDW23	CHIS2011 RAKED WEIGHT - REPLICATE 23	DD-205
RAKEDW24	CHIS2011 RAKED WEIGHT - REPLICATE 24	DD-205
RAKEDW25	CHIS2011 RAKED WEIGHT - REPLICATE 25	DD-205
RAKEDW26	CHIS2011 RAKED WEIGHT - REPLICATE 26	DD-206
RAKEDW27	CHIS2011 RAKED WEIGHT - REPLICATE 27	DD-206
RAKEDW28	CHIS2011 RAKED WEIGHT - REPLICATE 28	DD-206

RAKEDW29	CHIS2011 RAKED WEIGHT - REPLICATE 29	DD-207
RAKEDW30	CHIS2011 RAKED WEIGHT - REPLICATE 30	DD-207
RAKEDW31	CHIS2011 RAKED WEIGHT - REPLICATE 31	DD-207
RAKEDW32	CHIS2011 RAKED WEIGHT - REPLICATE 32	DD-208
RAKEDW33	CHIS2011 RAKED WEIGHT - REPLICATE 33	DD-208
RAKEDW34	CHIS2011 RAKED WEIGHT - REPLICATE 34	DD-208
RAKEDW35	CHIS2011 RAKED WEIGHT - REPLICATE 35	DD-209
RAKEDW36	CHIS2011 RAKED WEIGHT - REPLICATE 36	DD-209
RAKEDW37	CHIS2011 RAKED WEIGHT - REPLICATE 37	DD-209
RAKEDW38	CHIS2011 RAKED WEIGHT - REPLICATE 38	DD-210
RAKEDW39	CHIS2011 RAKED WEIGHT - REPLICATE 39	DD-210
RAKEDW40	CHIS2011 RAKED WEIGHT - REPLICATE 40	DD-210
RAKEDW41	CHIS2011 RAKED WEIGHT - REPLICATE 41	DD-211
RAKEDW42	CHIS2011 RAKED WEIGHT - REPLICATE 42	DD-211
RAKEDW43	CHIS2011 RAKED WEIGHT - REPLICATE 43	DD-211
RAKEDW44	CHIS2011 RAKED WEIGHT - REPLICATE 44	DD-212
RAKEDW45	CHIS2011 RAKED WEIGHT - REPLICATE 45	DD-212
RAKEDW46	CHIS2011 RAKED WEIGHT - REPLICATE 46	DD-212
RAKEDW47	CHIS2011 RAKED WEIGHT - REPLICATE 47	DD-213
RAKEDW48	CHIS2011 RAKED WEIGHT - REPLICATE 48	DD-213
RAKEDW49	CHIS2011 RAKED WEIGHT - REPLICATE 49	DD-213
RAKEDW50	CHIS2011 RAKED WEIGHT - REPLICATE 50	DD-214
RAKEDW51	CHIS2011 RAKED WEIGHT - REPLICATE 51	DD-214
RAKEDW52	CHIS2011 RAKED WEIGHT - REPLICATE 52	DD-214
RAKEDW53	CHIS2011 RAKED WEIGHT - REPLICATE 53	DD-215
RAKEDW54	CHIS2011 RAKED WEIGHT - REPLICATE 54	DD-215
RAKEDW55	CHIS2011 RAKED WEIGHT - REPLICATE 55	DD-215
RAKEDW56	CHIS2011 RAKED WEIGHT - REPLICATE 56	DD-216
RAKEDW57	CHIS2011 RAKED WEIGHT - REPLICATE 57	DD-216
RAKEDW58	CHIS2011 RAKED WEIGHT - REPLICATE 58	DD-216
RAKEDW59	CHIS2011 RAKED WEIGHT - REPLICATE 59	DD-217
RAKEDW60	CHIS2011 RAKED WEIGHT - REPLICATE 60	DD-217
RAKEDW61	CHIS2011 RAKED WEIGHT - REPLICATE 61	DD-217
RAKEDW62	CHIS2011 RAKED WEIGHT - REPLICATE 62	DD-218
RAKEDW63	CHIS2011 RAKED WEIGHT - REPLICATE 63	DD-218
RAKEDW64	CHIS2011 RAKED WEIGHT - REPLICATE 64	DD-218
RAKEDW65	CHIS2011 RAKED WEIGHT - REPLICATE 65	DD-219
RAKEDW66	CHIS2011 RAKED WEIGHT - REPLICATE 66	DD-219
RAKEDW67	CHIS2011 RAKED WEIGHT - REPLICATE 67	DD-219
RAKEDW68	CHIS2011 RAKED WEIGHT - REPLICATE 68	DD-220
RAKEDW69	CHIS2011 RAKED WEIGHT - REPLICATE 69	DD-220
RAKEDW70	CHIS2011 RAKED WEIGHT - REPLICATE 70	DD-220
RAKEDW71	CHIS2011 RAKED WEIGHT - REPLICATE 71	DD-221
RAKEDW72	CHIS2011 RAKED WEIGHT - REPLICATE 72	DD-221
RAKEDW73	CHIS2011 RAKED WEIGHT - REPLICATE 73	DD-221
RAKEDW74	CHIS2011 RAKED WEIGHT - REPLICATE 74	DD-222



RAKEDW75	CHIS2011 RAKED WEIGHT - REPLICATE 75	DD-222
RAKEDW76	CHIS2011 RAKED WEIGHT - REPLICATE 76	DD-222
RAKEDW77	CHIS2011 RAKED WEIGHT - REPLICATE 77	DD-223
RAKEDW78	CHIS2011 RAKED WEIGHT - REPLICATE 78	DD-223
RAKEDW79	CHIS2011 RAKED WEIGHT - REPLICATE 79	DD-223
RAKEDW80	CHIS2011 RAKED WEIGHT - REPLICATE 80	DD-224
SECTION Q	SCREENING INFORMATION	DD-1

## C. Restricted Variables

The following geographic variables are not located in the source files, but may be accessible upon request and IRB approval (UCLA & CHPS). These variables are restricted due to their identifiable nature.

VARIABLE	LABEL	NOTE
LATITUDE	LATITUDE	GEOGRAPHIC LONGITUDE OF RESIDENCE. USED FOR MAPPING.
LONGIT	LONGITUDE	GEOGRAPHIC LONGITUDE OF RESIDENCE. USED FOR MAPPING.
CBLK	CENSUS BLOCK INCLUDING CENSUS TRACT	SMALLEST CENSUS DELINEATION AVAILABLE TO MERGE WITH CENSUS DATA; USED FOR MULTILEVEL MODELING, NEIGHBORHOOD ANALYSIS.

### Teen and child restricted variables

VARIABLE	LABEL	NOTE
SCH_BLK	SCHOOL CENSUS TRACT INCLUDING BLOCK	SMALLEST CENSUS DELINEATION AVAILABLE TO MERGE WITH CENSUS DATA; USED FOR MULTILEVEL MODELING, SCHOOL NEIGHBORHOOD ANALYSIS.
SCH_CDS	STATE SCHOOL ID NUMBER	
SCH_LAT	SCHOOL LATITUDE	GEOGRAPHIC LONGITUDE OF SCHOOL. USED FOR MAPPING.
SCH_LON	SCHOOL LONGITUDE	GEOGRAPHIC LONGITUDE OF SCHOOL. USED FOR MAPPING.

## 7. Data Dictionary

### 2011-2012 CALIFORNIA HEALTH INTERVIEW SURVEY ADULT SURVEY DATA DICTIONARY

---

#### Section Q: Screening Information

---

VARNAME: PUF\_ID QNAME11: QPAGENUM: NA  
 QNAME09: QNAME07:  
 LABEL: PUBLIC USE FILE ID  
 VALUE: 0-HIGH CONTINUOUS  
 UNIVERSE: ALL ADULTS  
 INPUT VAR:  
 NOTES:

---

VARNAME: HH\_SIZE\_P QNAME11: NA QPAGENUM: NA  
 QNAME09: NA QNAME07: NA  
 LABEL: HOUSEHOLD SIZE (PUF RECODE)  
 MEAN STATISTICS  
 N 42935  
 MIN 1  
 MAX 10  
 MEAN 2.60  
 UNIVERSE: ALL ADULTS  
 INPUT VAR: HH\_SIZE  
 NOTES: TOPCODE=10

---

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME:   INTVLANG                      QNAME11:   NA                      QPAGENUM: NA

QNAME09:   NA                      QNAME07:   NA

LABEL:       LANGUAGE OF INTERVIEW

VALUE:			FREQ	%
1	ENGLISH		36895	85.93
2	SPANISH		4406	10.26
3	VIETNAMESE		663	1.54
4	KOREAN		528	1.23
5	CANTONESE		207	0.48
6	MANDARIN		236	0.55

UNIVERSE:   ALL ADULTS

INPUT VAR: ENGLSPAN

NOTES:

VARNAME:   PROXY                      QNAME11:   NA                      QPAGENUM: NA

QNAME09:   NA                      QNAME07:   NA

LABEL:       A PROXY INTERVIEW

VALUE:			FREQ	%
1	YES		221	0.51
2	NO		42714	99.49

UNIVERSE:   ALL ADULTS

INPUT VAR: APRX1

NOTES:

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: SRTENR QNAME11: NA QPAGENUM: NA  
QNAME09: QNAME07: NA

LABEL: SELF-REPORTED HOUSEHOLD TENURE (HH)

VALUE:	1	OWN	FREQ	%
	2	RENT/SOME OTHER ARRANGEMENT	27823	64.80
			15112	35.20

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

## Section A: Demographical Information, Part I

VARNAME: SRAGE\_P QNAME11: NA QPAGENUM: NA  
QNAME09: NA QNAME07: NA

LABEL: SELF-REPORTED AGE (PUF RECODE)

	MEAN STATISTICS	
N		42935
MIN		18
MAX		85
MEAN		55.07

UNIVERSE: ALL ADULTS

INPUT VAR: SRAGE

NOTES: TOPCODE=85

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: SRSEX QNAME11: NA QPAGENUM: NA

QNAME09: NA QNAME07: NA

LABEL: SELF-REPORTED GENDER

VALUE:			FREQ	%
1	MALE		17848	41.57
2	FEMALE		25087	58.43

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: SRAS QNAME11: NA QPAGENUM: NA

QNAME09: QNAME07: NA

LABEL: SELF-REPORTED ASIAN

VALUE:			FREQ	%
1	YES		4526	10.54
2	NO		38409	89.46

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: SRASO QNAME11: NA QPAGENUM: NA

QNAME09: QNAME07: NA

LABEL: SELF-REPORTED OTHER ASIAN GROUP

VALUE:			FREQ	%
1	YES		1196	2.79
2	NO		41739	97.21

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: SRCH QNAME11: NA QPAGENUM: NA  
QNAME09: QNAME07: NA

LABEL: SELF-REPORTED CHINESE

VALUE:			FREQ	%
1	YES		1200	2.79
2	NO		41735	97.21

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: SRKR QNAME11: NA QPAGENUM: NA  
QNAME09: QNAME07: NA

LABEL: SELF-REPORTED KOREAN

VALUE:			FREQ	%
1	YES		739	1.72
2	NO		42196	98.28

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: SRPH QNAME11: NA QPAGENUM: NA  
QNAME09: QNAME07: NA

LABEL: SELF-REPORTED FILIPINO

VALUE:			FREQ	%
1	YES		601	1.40
2	NO		42334	98.60

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: SRVT QNAME11: NA QPAGENUM: NA  
QNAME09: QNAME07: NA

LABEL: SELF-REPORTED VIETNAMESE

VALUE:			FREQ	%
1	YES		930	2.17
2	NO		42005	97.83

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: SRH QNAME11: NA QPAGENUM: NA  
QNAME09: QNAME07: NA

LABEL: SELF-REPORTED LATINO/HISPANIC

VALUE:			FREQ	%
1	YES		9506	22.14
2	NO		33429	77.86

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: SRO QNAME11: NA QPAGENUM: NA  
QNAME09: QNAME07: NA

LABEL: SELF-REPORTED OTHER RACE

VALUE:			FREQ	%
1	YES		4602	10.72
2	NO		38333	89.28

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:



2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: OMBSRASO QNAME11: NA QPAGENUM: NA

QNAME09: NA QNAME07: NA

LABEL: OMB S-R NONHISPANIC ASIAN GROUP (ONLY)

VALUE:			FREQ	%
1	NONHISPANIC CHINESE ONLY		1041	2.42
2	NONHISPANIC KOREAN ONLY		712	1.66
3	NONHISPANIC FILIPINO ONLY		477	1.11
4	NONHISPANIC VIETNAMESE ONLY		871	2.03
5	NONHISPANIC OTHER OR NON-ASIAN		39834	92.78

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: OMBSRREO QNAME11: NA QPAGENUM: NA

QNAME09: NA QNAME07: NA

LABEL: OMB/CURRENT DOF RACE - ETHNICITY

VALUE:			FREQ	%
1	HISPANIC		9506	22.14
2	WHITE, NON-HISPANIC (NH)		25814	60.12
3	AFRICAN AMERICAN ONLY, NOT HISPANIC		2005	4.67
4	AMERICAN INDIAN/ALASKAN NATIVE ONLY, NH		467	1.09
5	ASIAN ONLY, NH		4235	9.86
6	NATIVE HAWAIIAN/PACIFIC ISLANDER, NH		64	0.15
7	TWO OR MORE RACES, NH		844	1.97

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: RACECEN QNAME11: NA QPAGENUM: NA

QNAME09: NA QNAME07: NA

LABEL: RACE - CENSUS 2000 DEFINITION

VALUE:			FREQ	%
1	PACIFIC ISLANDER		82	0.19
2	AMERICAN INDIAN/ALASKAN NATIVE		790	1.84
3	ASIAN		4302	10.02
4	AFRICAN AMERICAN		2102	4.90
5	WHITE		30110	70.13
6	OTHER SINGLE RACE		4585	10.68
7	MORE THAN ONE RACE		964	2.25

UNIVERSE: ALL ADULTS

INPUT VAR: SRPI SRAI SRAS SRAA SRW SRO

NOTES:

VARNAME: RACEDOF QNAME11: NA QPAGENUM: NA

QNAME09: NA QNAME07: NA

LABEL: FORMER DOF RACE - ETHNICITY

VALUE:			FREQ	%
1	LATINO		9506	22.14
2	NON-LATINO PI		63	0.15
3	NON-LATINO AMERICAN INDIAN/ALASKAN		465	1.08
4	NON-LATINO ASIAN		4226	9.84
5	NON-LATINO AFR. AMER.		1997	4.65
6	NON-LATINO WHITE		25743	59.96
7	NON-LATINO OTHER, ONE RACE		82	0.19
8	NON-LATINO, TWO+ RACES		853	1.99

UNIVERSE: ALL ADULTS

INPUT VAR: SRPI SRAI SRAS SRAA SRW SRO SRH

NOTES: BASED ON '01 DEPT OF FINANCE DEFIN. CURRENT RACEDOF SEE OMBSRREO.

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: SRPI QNAME11: NA QPAGENUM: NA

QNAME09: QNAME07: NA

LABEL: SELF-REPORTED PI AND NTV HW

VALUE:			FREQ	%
1	YES		134	0.31
2	NO		42801	99.69

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: RACEHPR2 QNAME11: NA QPAGENUM: NA

QNAME09: NA QNAME07: NA

LABEL: RACE - UCLA CHPR DEFINITION, UNABRIDGED

VALUE:			FREQ	%
1	LATINO		6453	15.03
2	PACIFIC ISLANDER		73	0.17
3	AMERICAN INDIAN/ALASKAN NATIVE		636	1.48
4	ASIAN		4253	9.91
5	AFRICAN AMERICAN		2079	4.84
6	WHITE		26376	61.43
7	OTHER SINGLE/MULTIPLE RACE		3065	7.14

UNIVERSE: ALL ADULTS

INPUT VAR: SRPI SRAI SRAS SRAA SRW SRO SRH AA5G AA5F ISRH ISRW AA5AOS AA5C  
AA5\_A AA5\_B AA5\_C AA5\_D AA5\_E AA5\_F AA5\_G

NOTES: NOT FOR DIRECT COMPARISON TO RACEHPR OF PREVIOUS CYCLES

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: SRW QNAME11: NA QPAGENUM: NA  
QNAME09: QNAME07: NA

LABEL: SELF-REPORTED WHITE

VALUE:			FREQ	%
1	YES		30974	72.14
2	NO		11961	27.86

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: SRAA QNAME11: NA QPAGENUM: NA  
QNAME09: QNAME07: NA

LABEL: SELF-REPORTED AFRICAN AMERICAN

VALUE:			FREQ	%
1	YES		2318	5.40
2	NO		40617	94.60

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: SRAI QNAME11: NA QPAGENUM: NA  
QNAME09: QNAME07: NA

LABEL: SELF-REPORTED AMERICAN INDIAN

VALUE:			FREQ	%
1	YES		1408	3.28
2	NO		41527	96.72

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: CATRIBE QNAME11: NA QPAGENUM: NA

QNAME09: NA QNAME07: NA

LABEL: CALIFORNIA TRIBE

VALUE:			FREQ	%
-9	UNKNOWN TRIBAL HERITAGE		139	0.32
-1	INAPPLICABLE		41527	96.72
1	CALIFORNIA TRIBAL HERITAGE		298	0.69
2	NON-CALIFORNIA TRIBAL HERITAGE		971	2.26

UNIVERSE: ALL ADULTS WHO ARE AMERICAN INDIAN OR ALASKA NATIVE

INPUT VAR: SRAI AA5B\_1 AA5B\_2 AA5B\_3 AA5B\_4 AA5B\_5 AA5B\_6 AA5B\_7 AA5B\_8  
AA5B\_9 AA5B\_10 AA5B\_11 AA5BOS AA5DOS

NOTES:

VARNAME: AA5C QNAME11: QA11\_A10 QPAGENUM: A-9

QNAME09: QA09\_A10 QNAME07: QA07\_A10

LABEL: ENROLLED MEMBER IN RECOGNIZED TRIBE

VALUE:			FREQ	%
-8	DON'T KNOW		20	0.05
-1	INAPPLICABLE		41660	97.03
1	YES		421	0.98
2	NO		834	1.94

UNIVERSE: ALL ADULTS WHO ARE AMERICAN INDIAN OR ALASKA NATIVE

INPUT VAR:

NOTES:

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: ASIAN8 QNAME11: NA QPAGENUM: NA

QNAME09: NA QNAME07: NA

LABEL: ASIAN SUBTYPES- (8 TYPES) (PUF RECODE)

VALUE:			FREQ	%
-1	NON-ASIAN		38456	89.57
1	CHINESE		1203	2.80
2	JAPANESE		378	0.88
3	KOREAN		724	1.69
4	FILIPINO		555	1.29
5	SOUTH ASIAN		499	1.16
6	VIETNAMESE		871	2.03
7	SOUTHEAST ASIAN		108	0.25
8	OTHER ASIAN/2+ ASIAN TYPES		141	0.33

UNIVERSE: ALL ADULTS WHO ARE ASIAN

INPUT VAR: ASIAN10

NOTES:

VARNAME: ASNHP2\_P QNAME11: NA QPAGENUM: NA

QNAME09: NA QNAME07: NA

LABEL: ASIAN GROUP - UCLA CHPR DEFINITION (PUF RECODE), UNBRIDGED

VALUE:			FREQ	%
-1	NON-ASIAN		38682	90.09
1	CHINESE		1161	2.70
2	FILIPINO		485	1.13
3	SOUTH ASIAN		480	1.12
4	JAPANESE		314	0.73
5	KOREAN		706	1.64
6	VIETNAMESE		867	2.02
7	CAMBODIAN/OTHER SINGLE/MULTI ASIAN TYPE		240	0.56

UNIVERSE: ALL ADULTS WHO ARE ASIAN

INPUT VAR: ASNHP2

NOTES:

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: MARIT QNAME11: NA QPAGENUM: NA

QNAME09: NA QNAME07: NA

LABEL: MARITAL STATUS- 3 CATEGORIES

VALUE:			FREQ	%
1	MARRIED		21361	49.75
2	OTHERWID/SEP/DIV/LIVING W/PARTNER		14108	32.86
3	NEVER MARRIED		7466	17.39

UNIVERSE: ALL ADULTS

INPUT VAR: AH43

NOTES :

VARNAME: MARIT 45 QNAME11: NA QPAGENUM: NA

QNAME09: NA QNAME07: NA

LABEL: MARITAL STATUS - AGE 45 AND OLDER

			FREQ	%
VALUE:	-1	INAPPLICABLE	12010	27.97
	1	MARRIED	16094	37.48
	2	LIVING WITH PARTNER	1157	2.69
	3	WIDOWED	5276	12.29
	4	DIVORCED/SEPARATED	5607	13.06
	5	NEVER MARRIED	2791	6.50

UNIVERSE: ALL ADULTS AGE 45 AND OLDER

INPUT VAR: AH43 SRAGE

NOTES:

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME:     MARIT2                             QNAME11:    NA                     QPAGENUM: NA

  QNAME09:    NA                     QNAME07:    NA

LABEL:        MARITAL STATUS- 4 CATEGORIES

VALUE:			FREQ	%
1	MARRIED		21361	49.75
2	LIVING W/ PARTNER		2260	5.26
3	WID/SEP/DIV		11848	27.60
4	NEVER MARRIED		7466	17.39

UNIVERSE:    ALL ADULTS

INPUT VAR:   AH43

NOTES:

VARNAME:     LATIN9TP                           QNAME11:    NA                     QPAGENUM: NA

  QNAME09:    NA                     QNAME07:    NA

LABEL:        LATIN/HISPANIC SUBTYPES - 9 LVLS

VALUE:			FREQ	%
-1	NON-LATINO		33429	77.86
1	MEXICAN		7493	17.45
2	SALVADORAN		435	1.01
3	GUATEMALAN		252	0.59
4	CENTRAL AMERICAN		220	0.51
5	PUERTO RICAN		125	0.29
6	LATINO EUROPEAN		234	0.55
7	SOUTH AMERICAN		277	0.65
8	OTHER LATINO		132	0.31
9	2+ LATINO TYPES		338	0.79

UNIVERSE:    ALL ADULTS WHO ARE LATINO OR HISPANIC

INPUT VAR:   SRH AA4 AA5\_1 AA5\_2 AA5\_3 AA5\_4 AA5\_5 AA5\_6 AA5\_7 AA5\_8 AA5\_9  
AA5\_10 AA5\_11 AA5\_12 AA5\_13 AA5\_14 AA5\_15 AA5\_16 AA5\_17 AA5\_18 AA5\_19 AA5\_20 AA5\_21  
AH33 AH34 AH35

NOTES:



2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

**Section B: General Health Condition**

---

VARNAME: AB1 QNAME11: QA11\_B1 QPAGENUM: A-14  
QNAME09: QA09\_B1 QNAME07: QA07\_B1

LABEL: GENERAL HEALTH CONDITION

VALUE:			FREQ	%
1	EXCELLENT		7730	18.00
2	VERY GOOD		13337	31.06
3	GOOD		12576	29.29
4	FAIR		6789	15.81
5	POOR		2503	5.83

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

---

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AB17 QNAME11: QA11\_B2 QPAGENUM: A-14  
QNAME09: QA09\_B2 QNAME07: QA07\_B2

LABEL: DOCTOR EVER TOLD HAVE ASTHMA

VALUE:			FREQ	%
1	YES		6003	13.98
2	NO		36932	86.02

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AB40 QNAME11: QA11\_B3 QPAGENUM: A-14  
QNAME09: QA09\_B3 QNAME07: QA07\_B3

LABEL: STILL HAS ASTHMA

VALUE:			FREQ	%
-1	INAPPLICABLE		36932	86.02
1	YES		3644	8.49
2	NO		2359	5.49

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA

INPUT VAR:

NOTES:

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AB41 QNAME11: QA11\_B4 QPAGENUM: A-14  
QNAME09: QA09\_B4 QNAME07: QA07\_B4

LABEL: ASTHMA EPISODE/ATTACK IN PAST 12 MOS

VALUE:			FREQ	%
-1	INAPPLICABLE		36932	86.02
1	YES		1894	4.41
2	NO		4109	9.57

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA

INPUT VAR:

NOTES:

VARNAME: ASTCUR QNAME11: NA QPAGENUM: NA  
QNAME09: NA QNAME07: NA

LABEL: CURRENT ASTHMA STATUS

VALUE:			FREQ	%
1	CURRENT ASTHMA		3784	8.81
2	NO CURRENT ASTHMA		39151	91.19

UNIVERSE: ADULTS WHO HAVE EVER BEEN DIAGNOSED WITH ASTHMA

INPUT VAR:

NOTES:

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME:   ASTS                                   QNAME11:   NA                                   QPAGENUM: NA

  QNAME09:   NA                                   QNAME07:   NA

LABEL:        ASTHMA SYMPTOMS PAST 12 MOS FOR POPULATION DIAGNOSED W/ ASTHMA

VALUE:       -1        INAPPLICABLE   FREQ        %

              1        SYMPTOMS   36932       86.02

              2        NO SYMPTOMS   4042        9.41

   1961        4.57

UNIVERSE:   ALL ADULTS DIAGNOSED WITH ASTHMA

INPUT VAR:   AB19 AB66

NOTES:

---

VARNAME:   ASTYR                                   QNAME11:   NA                                   QPAGENUM: NA

  QNAME09:   NA                                   QNAME07:   NA

LABEL:        ASTHMA SYMPTOMS PAST 12 MOS FOR POPULATION CURRENTLY W/ ASTHMA

VALUE:       -1        INAPPLICABLE   FREQ        %

              1        SYMPTOMS   39151       91.19

              2        NO SYMPTOMS   3418        7.96

   366         0.85

UNIVERSE:   ALL ADULTS WITH ASTHMA

INPUT VAR:   AB19

NOTES:

---

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AB106\_P QNAME11: NA QPAGENUM: NA  
QNAME09: NA QNAME07: NA

LABEL: ER/URGT CARE VISIT FOR ASTHMA PAST YR UNABLE TO SEE OWN DR (PUF)

VALUE:			FREQ	%
-1	INAPPLICABLE		42594	99.21
1	YES		187	0.44
2	NO		154	0.36

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA AND (STILL HAVE ASTHMA AND/OR HAD AN EPISODE/VISIT ER DUE TO ASTHMA IN LAST 12 MOS)

INPUT VAR: AB106

NOTES:

VARNAME: AB18 QNAME11: QA11\_B9 QPAGENUM: A-16  
QNAME09: QA09\_B9 QNAME07: QA07\_B8

LABEL: TAKING DAILY MEDICATION TO CONTROL ASTHMA

VALUE:			FREQ	%
-1	INAPPLICABLE		36932	86.02
1	YES		2055	4.79
2	NO		3948	9.20

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA

INPUT VAR:

NOTES: NOT TRENDABLE WITH CHIS 2001 AB18

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AB19 QNAME11: QA11\_B5 QPAGENUM: A-15  
QNAME09: QA09\_B5 QNAME07: QA07\_B5

LABEL: FREQUENCY OF ASTHMA SYMPTOMS IN PAST 12 MOS: CURRENT ASTHMATICS

VALUE:		FREQ	%
-1	INAPPLICABLE	39151	91.19
1	NOT AT ALL	366	0.85
2	LESS THAN EVERY MONTH	1566	3.65
3	EVERY MONTH	799	1.86
4	EVERY WEEK	489	1.14
5	EVERY DAY	564	1.31

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA AND (STILL HAVE ASTHMA AND/OR HAD AN EPISODE IN LAST 12 MONTHS)

INPUT VAR:

NOTES: NOT TRENDABLE WITH CHIS 2001 AB19

VARNAME: AH13A QNAME11: QA11\_B6 QPAGENUM: A-15  
QNAME09: QA09\_B6 QNAME07: QA07\_B6

LABEL: ER/URGENT CRE VISIT FOR ASTHMA LAST 12 MOS: CURRENT ASTHMATICS

VALUE:		FREQ	%
-1	INAPPLICABLE	39151	91.19
1	YES	341	0.79
2	NO	3443	8.02

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA AND (STILL HAVE ASTHMA AND/OR HAD AN EPISODE IN LAST 12 MONTHS)

INPUT VAR:

NOTES: SEE AB67 FOR ER VISITS AMONG THOSE W/ NO ASTHMA SYMPT, PAST 12 MOS

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AH15A QNAME11: QA11\_B8 QPAGENUM: A-15  
QNAME09: QA09\_B8 QNAME07: QA07\_B7

LABEL: HOSPITAL OVERNIGHT FOR ASTHMA PAST 12 MOS: CURRENT ASTHMATICS

VALUE:			FREQ	%
-1	INAPPLICABLE		39151	91.19
1	YES		141	0.33
2	NO		3643	8.48

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA AND (STILL HAVE ASTHMA AND/OR HAD AN EPISODE IN LAST 12 MONTHS)

INPUT VAR:

NOTES:

VARNAME: AB66 QNAME11: QA11\_B10 QPAGENUM: A-16  
QNAME09: QA09\_B10 QNAME07: QA07\_B9

LABEL: HOW OFTEN HAD ASTHMA SYMPTOMS IN PAST 12 MOS: PREVIOUS ASTHMATICS

VALUE:			FREQ	%
-1	INAPPLICABLE		40716	94.83
1	NOT AT ALL		1595	3.71
2	LESS THAN EVERY MONTH		440	1.02
3	EVERY MONTH		77	0.18
4	EVERY WEEK		48	0.11
5	EVERY DAY		59	0.14

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA BUT (NO ASTHMA CURRENTLY AND NO EPISODE IN LAST 12 MONTHS)

INPUT VAR:

NOTES:

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AB67 QNAME11: QA11\_B11 QPAGENUM: A-16  
QNAME09: QA09\_B11 QNAME07: QA07\_B10

LABEL: ER/URGENT CRE VISIT FOR ASTHMA LAST 12 MOS: PREVIOUS ASTHMATICS

VALUE:	-1	INAPPLICABLE	FREQ	%
	1	YES	40716	94.83
	2	NO	14	0.03
			2205	5.14

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA BUT (NO ASTHMA CURRENTLY AND NO EPISODE IN LAST 12 MONTHS)

INPUT VAR:

NOTES: SEE AH13A FOR ER VISITS AMONG THOSE W/ ASTHMA SYMPTOMS, PAST 12 MOS

VARNAME: AB80 QNAME11: QA11\_B13 QPAGENUM: A-17  
QNAME09: QA09\_B13 QNAME07: QA07\_B11

LABEL: HOSPITAL OVERNIGHT FOR ASTHMA PAST 12 MOS: PREVIOUS ASTHMATICS

VALUE:	-1	INAPPLICABLE	FREQ	%
	1	YES	40716	94.83
	2	NO	7	0.02
			2212	5.15

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA BUT (NO ASTHMA CURRENTLY AND NO EPISODE IN LAST 12 MONTHS)

INPUT VAR:

NOTES:



2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AB42 QNAME11: QA11\_B14 QPAGENUM: A-17  
QNAME09: QA09\_B14 QNAME07: QA07\_B12

LABEL: WORKDAYS MISSED DUE TO ASTHMA IN PAST 12 MOS

VALUE:	-1	INAPPLICABLE	FREQ	%
	0	0	38107	88.76
			4828	11.24

UNIVERSE: ALL ADULTS 69 OR YOUNGER WHOSE DR TOLD THEM THEY HAVE ASTHMA

INPUT VAR:

NOTES:

VARNAME: AB43 QNAME11: QA11\_B15 QPAGENUM: A-17  
QNAME09: QA09\_B15 QNAME07: QA07\_B13

LABEL: HEALTH PROFESSIONAL EVER GAVE ASTHMA MANAGEMENT PLAN

VALUE:	-1	INAPPLICABLE	FREQ	%
	1	YES	36932	86.02
	2	NO	3473	8.09
			2530	5.89

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA

INPUT VAR:

NOTES:

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AB98 QNAME11: QA11\_B16 QPAGENUM: A-17

QNAME09: QA09\_B16 QNAME07: NA

LABEL: HAVE WRITTEN COPY OF ASTHMA CARE PLAN

VALUE:		FREQ	%
-1	INAPPLICABLE	39462	91.91
1	YES	841	1.96
2	NO	2632	6.13

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA AND CARE PROVIDERS  
DEVELOP ASTHMA CARE PLAN

INPUT VAR:

NOTES:

VARNAME: AB108 QNAME11: QA11\_B17 QPAGENUM: A-17

QNAME09: QA09\_B17 QNAME07: NA

LABEL: CONFIDENCE TO CONTROL AND MANAGE ASTHMA

VALUE:		FREQ	%
-2	PROXY SKIPPED	221	0.51
-1	INAPPLICABLE	36730	85.55
1	VERY CONFIDENT	4650	10.83
2	SOMEWHAT CONFIDENT	1091	2.54
3	NOT TOO CONFIDENT	170	0.40
4	NOT AT ALL CONFIDENT	73	0.17

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA

INPUT VAR:

NOTES:

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AB22 QNAME11: QA11\_B18 QPAGENUM: A-18  
QNAME09: QA09\_B18 QNAME07: QA07\_B14

LABEL: DOCTOR EVER TOLD HAVE DIABETES

VALUE:		FREQ	%
1	YES	4701	10.95
2	NO	37435	87.19
3	BORDERLINE OR PRE-DIABETES	799	1.86

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AB99 QNAME11: QA11\_B19 QPAGENUM: A-18  
QNAME09: QA09\_B19 QNAME07: NA

LABEL: DOC EVER TOLD HAVE PRE- OR BORDERLINE DIABETES

VALUE:		FREQ	%
-1	INAPPLICABLE	799	1.86
1	YES	4226	9.84
2	NO	37910	88.30

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: AB23\_P QNAME11: NA QPAGENUM: NA

QNAME09: NA QNAME07: NA

LABEL: AGE FIRST TOLD HAVE DIABETES (PUF RECODE)

## MEAN STATISTICS

N	4701
MIN	1
MAX	85
MEAN	51.91

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE DIABETES

INPUT VAR: AB23

NOTES: TOPCODE=85

---

VARNAME: DIABCK QNAME11: NA QPAGENUM: NA

QNAME09: NA QNAME07: NA

LABEL: # OF TIMES CHECKING FOR GLUCOSE/SUGAR PER MONTH

## MEAN STATISTICS

N	4701
MIN	0
MAX	456
MEAN	38.81

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD THEY HAVE DIABETES OR SUGAR DIABETES

INPUT VAR: AB26 AB26UNT

NOTES:

---

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: DIAMED QNAME11: NA QPAGENUM: NA

QNAME09: NA QNAME07: NA

LABEL: TAKING INSULIN OR PILLS

VALUE:			FREQ	%
-1	INAPPLICABLE		38234	89.05
1	TAKING INSULIN & PILLS		715	1.67
2	TAKING INSULIN ONLY		549	1.28
3	TAKING PILLS ONLY		2681	6.24
4	NOT TAKING INSULIN NOR PILLS		756	1.76

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE DIABETES

INPUT VAR: AB24 AB25

NOTES:

VARNAME: AB51 QNAME11: QA11\_B21 QPAGENUM: A-18

QNAME09: QA09\_B21 QNAME07: QA07\_B16

LABEL: TYPE I OR TYPE II DIABETES

VALUE:			FREQ	%
-1	INAPPLICABLE		38234	89.05
1	TYPE I		502	1.17
2	TYPE 2		4046	9.42
3	ANOTHER TYPE		153	0.36

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD THEY HAVE DIABETES

INPUT VAR:

NOTES:

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AB24 QNAME11: QA11\_B22 QPAGENUM: A-19  
QNAME09: QA09\_B22 QNAME07: QA07\_B17

LABEL: CURRENTLY TAKING INSULIN

VALUE:			FREQ	%
-1	INAPPLICABLE		38234	89.05
1	YES		1264	2.94
2	NO		3437	8.01

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD THEY HAVE DIABETES

INPUT VAR:

NOTES:

VARNAME: AB25 QNAME11: QA11\_B23 QPAGENUM: A-19  
QNAME09: QA09\_B24 QNAME07: QA07\_B18

LABEL: CURRENTLY TAKING DIABETIC PILLS TO LOWER BLOOD SUGAR

VALUE:			FREQ	%
-1	INAPPLICABLE		38234	89.05
1	YES		3396	7.91
2	NO		1305	3.04

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD THEY HAVE DIABETES

INPUT VAR:

NOTES:

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: AB26 QNAME11: QA11\_B24 QPAGENUM: A-19  
QNAME09: QA09\_B29 QNAME07: QA07\_B19

LABEL: # OF TIMES R/R'S FAMILY/R'S FRIEND CHECK BLOOD FOR GLUCOSE

## MEAN STATISTICS

N	4701
MIN	0
MAX	5475
MEAN	466.83

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE DIABETES

INPUT VAR:

NOTES:

---

VARNAME: AB27 QNAME11: QA11\_B25 QPAGENUM: A-19  
QNAME09: QA09\_B30 QNAME07: QA07\_B20

LABEL: # OF TIMES DOC CHECKED FOR HEMOGLOBIN A1C LAST YR

## MEAN STATISTICS

N	4266
MIN	0
MAX	52
MEAN	2.79

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE DIABETES

INPUT VAR:

NOTES: EXCLUDED VALUE "995" IN CALCULATING THE MEAN

---

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AB28 QNAME11: QA11\_B26 QPAGENUM: A-19  
QNAME09: QA09\_B31 QNAME07: QA07\_B21

LABEL: # OF TIMES DOC CHECKED FEET FOR SORES LAST YR

MEAN STATISTICS

N	4701
MIN	0
MAX	52
MEAN	2.52

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE DIABETES

INPUT VAR:

NOTES:

VARNAME: AB63 QNAME11: QA11\_B27 QPAGENUM: A-20  
QNAME09: QA09\_B32 QNAME07: QA07\_B22

LABEL: LAST EYE EXAM DILATED PUPILS

VALUE:		FREQ	%
-1	INAPPLICABLE	38234	89.05
1	WITHIN THE PAST MONTH	769	1.79
2	1 TO 12 MOS AGO	2709	6.31
3	1 TO 2 YRS AGO	460	1.07
4	2 OR MORE YRS AGO	523	1.22
5	NEVER	240	0.56

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD THAT THEY HAVE DIABETES

INPUT VAR:

NOTES:



2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AB109 QNAME11: QA11\_B28 QPAGENUM: A-20

QNAME09: QA09\_B33 QNAME07: NA

LABEL: VISITED ER FOR DIABETES IN PAST 12 MOS

VALUE:			FREQ	%
-1	INAPPLICABLE		38234	89.05
1	YES		274	0.64
2	NO		4427	10.31

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD THAT THEY HAVE DIABETES

INPUT VAR:

NOTES:

VARNAME: AB110\_P QNAME11: NA QPAGENUM: NA

QNAME09: NA QNAME07: NA

LABEL: VISITED ER FOR DIABETES BECAUSE UNABLE TO SEE OWN DR (PUF RECODE)

VALUE:			FREQ	%
-1	INAPPLICABLE		42661	99.36
1	YES		113	0.26
2	NO		161	0.37

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE DIABETES AND VISITED ER FOR  
DIATBETES IN PAST 12 MOS

INPUT VAR: AB110

NOTES:

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AB111 QNAME11: QA11\_B30 QPAGENUM: A-20

QNAME09: QA09\_B35 QNAME07: NA

LABEL: ADMITTED TO HOSPITAL OVERNIGHT OR LONGER FOR DIABETES PAST 12 MOS

VALUE:			FREQ	%
-1	INAPPLICABLE		38234	89.05
1	YES		193	0.45
2	NO		4508	10.50

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD THAT THEY HAVE DIABETES

INPUT VAR:

NOTES:

VARNAME: AB112 QNAME11: QA11\_B31 QPAGENUM: A-20

QNAME09: QA09\_B36 QNAME07: NA

LABEL: MEDICAL PROVIDERS DEVELOP DIABETES CARE

VALUE:			FREQ	%
-1	INAPPLICABLE		38234	89.05
1	YES		3733	8.69
2	NO		968	2.25

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD THAT THEY HAVE DIABETES

INPUT VAR:

NOTES:

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AB113 QNAME11: QA11\_B32 QPAGENUM: A-21

QNAME09: QA09\_B37 QNAME07: NA

LABEL: HAVE WRITTEN COPY OF DIABETES CARE PLAN

VALUE:		FREQ	%
-1	INAPPLICABLE	39202	91.31
1	YES	1591	3.71
2	NO	2142	4.99

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE DIABETES AND MEDICAL PROVIDERS  
DEVELOPED DIABETES CARE PLAN

INPUT VAR:

NOTES:

VARNAME: AB114 QNAME11: QA11\_B33 QPAGENUM: A-21

QNAME09: QA09\_B38 QNAME07: NA

LABEL: CONFIDENCE TO CONTROL AND MANAGE DIABETE

VALUE:		FREQ	%
-2	PROXY SKIPPED	221	0.51
-1	INAPPLICABLE	38059	88.64
1	VERY CONFIDENT	2772	6.46
2	SOMEWHAT CONFIDENT	1540	3.59
3	NOT TOO CONFIDENT	269	0.63
4	NOT AT ALL CONFIDENT	74	0.17

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE DIABETES

INPUT VAR:

NOTES:

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AB81 QNAME11: QA11\_B34 QPAGENUM: A-21  
QNAME09: QA09\_B39 QNAME07: QA07\_B23

LABEL: DOCTOR TOLD HAD DIABETES ONLY DURING PREGNANCY

VALUE:		FREQ	%
-1	INAPPLICABLE	17848	41.57
1	YES	1142	2.66
2	NO	23798	55.43
3	BORDERLINE GESTATIONAL DIABETES	147	0.34

UNIVERSE: NON-DIABETIC WOMEN

INPUT VAR:

NOTES:

VARNAME: AB29 QNAME11: QA11\_B35 QPAGENUM: A-21  
QNAME09: QA09\_B41 QNAME07: QA07\_B24

LABEL: DOCTOR EVER TOLD HAVE HIGH BLOOD PRESSURE

VALUE:		FREQ	%
1	YES	16027	37.33
2	NO	26088	60.76
3	BORDERLINE HYPERTENSION	820	1.91

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AB30 QNAME11: QA11\_B36 QPAGENUM: A-21  
QNAME09: QA09\_B42 QNAME07: QA07\_B25

LABEL: CURRENTLY TAKING MEDICATIONS TO CONTROL HIGH BLOOD PRESSURE

VALUE:			FREQ	%
-1	INAPPLICABLE		26908	62.67
1	YES		12657	29.48
2	NO		3370	7.85

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD THAT THEY HAVE HIGH BLOOD PRESSURE

INPUT VAR:

NOTES:

VARNAME: AB34 QNAME11: QA11\_B37 QPAGENUM: A-22  
QNAME09: QA09\_B43 QNAME07: QA07\_B26

LABEL: DOCTOR EVER TOLD HAVE ANY KIND OF HEART DISEASE

VALUE:			FREQ	%
1	YES		4390	10.22
2	NO		38545	89.78

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AB52 QNAME11: QA11\_B38 QPAGENUM: A-22  
QNAME09: QA09\_B44 QNAME07: QA07\_B27

LABEL: EVER TOLD HAVE HEART FAILURE/CONGESTIVE

VALUE:	-1	INAPPLICABLE	FREQ	%
	1	YES	38545	89.78
	2	NO	1274	2.97
			3116	7.26

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE HEART DISEASE

INPUT VAR:

NOTES:

VARNAME: AB115 QNAME11: QA11\_B39 QPAGENUM: A-22  
QNAME09: QA09\_B45 QNAME07: NA

LABEL: VISITED ER FOR HEART DISEASE IN PAST 12 MOS

VALUE:	-1	INAPPLICABLE	FREQ	%
	1	YES	38545	89.78
	2	NO	688	1.60
			3702	8.62

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD THAT THEY HAVE HEART DISEASE

INPUT VAR:

NOTES:

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AB116\_P QNAME11: NA QPAGENUM: NA  
QNAME09: NA QNAME07: NA

LABEL: VISITED ER FOR HEART DX B/C UNABLE TO SEE OWN DR (PUF RECODE)

VALUE:	-1	INAPPLICABLE	FREQ	%
	1	YES	42247	98.40
	2	NO	257	0.60
			431	1.00

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE HEART DISEASE AND VISITED ER  
FOR HEART DISEASE IN PAST 12 MOS

INPUT VAR: AB116

NOTES:

VARNAME: AB117 QNAME11: QA11\_B41 QPAGENUM: A-22  
QNAME09: QA09\_B47 QNAME07: NA

LABEL: ADMITTED TO HOSPITAL OVERNIGHT/LONGER FOR HEART DX PAST 12 MOS

VALUE:	-1	INAPPLICABLE	FREQ	%
	1	YES	38545	89.78
	2	NO	624	1.45
			3766	8.77

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD THAT THEY HAVE HEART DISEASE

INPUT VAR:

NOTES:

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AB118 QNAME11: QA11\_B42 QPAGENUM: A-22

QNAME09: QA09\_B48 QNAME07: NA

LABEL: MEDICAL PROVIDERS DEVELOPED HEART DISEASE PLAN

VALUE:			FREQ	%
-1	INAPPLICABLE		38545	89.78
1	YES		3322	7.74
2	NO		1068	2.49

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD THAT THEY HAVE HEART DISEASE

INPUT VAR:

NOTES:

VARNAME: AB119 QNAME11: QA11\_B43 QPAGENUM: A-23

QNAME09: QA09\_B49 QNAME07: NA

LABEL: HAVE WRITTEN COPY OF HEART DISEASE CARE

VALUE:			FREQ	%
-1	INAPPLICABLE		39613	92.26
1	YES		1029	2.40
2	NO		2293	5.34

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE HEART DISEASE AND MEDICAL PROVIDER DEVELOPED HEART DISEASE CARE PLAN

INPUT VAR:

NOTES:



2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AB120 QNAME11: QA11\_B44 QPAGENUM: A-23

QNAME09: QA09\_B50 QNAME07: NA

LABEL: CONFIDENCE TO CONTROL AND MANAGE HEART DISEASE

VALUE:			FREQ	%
-2	PROXY SKIPPED		221	0.51
-1	INAPPLICABLE		38406	89.45
1	VERY CONFIDENT		2435	5.67
2	SOMEWHAT CONFIDENT		1525	3.55
3	NOT TOO CONFIDENT		246	0.57
4	NOT AT ALL CONFIDENT		102	0.24

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE HEART DISEASE

INPUT VAR:

NOTES:

VARNAME: AC6 QNAME11: QA11\_B45 QPAGENUM: A-23

QNAME09: NA QNAME07:

LABEL: DOCTOR EVER TOLD HAD STROKE

VALUE:			FREQ	%
1	YES		1661	3.87
2	NO		41274	96.13

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: AB64 QNAME11: QA11\_B46 QPAGENUM: A-23  
QNAME09: NA QNAME07:  
LABEL: DOCTOR EVER TOLD HAVE ARTH/GOUT/LUPUS  
VALUE: 1 YES  
2 NO  
UNIVERSE: ALL ADULTS  
INPUT VAR:  
NOTES:

---

VARNAME: AB127 QNAME11: QA11\_B47 QPAGENUM: A-23  
QNAME09: NA QNAME07:  
LABEL: HAD JOINT PAIN, STIFFNESS PAST 30 DAYS  
VALUE: -2 PROXY SKIPPED  
1 YES  
2 NO  
UNIVERSE: ALL ADULTS  
INPUT VAR:  
NOTES:

---

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AB16 QNAME11: QA11\_B48 QPAGENUM: A-24

QNAME09: NA QNAME07:

LABEL: LIMITATION OF ACTIVITIES B/C OF JOINT PROBLEMS

VALUE:			FREQ	%
-1	INAPPLICABLE		20618	48.02
1	NOT AT ALL		6827	15.90
2	A LITTLE BIT		7230	16.84
3	MODERATELY		4613	10.74
4	QUITE A LOT		2708	6.31
5	EXTREMELY		939	2.19

UNIVERSE: ALL ADULTS DIAGNOSED WITH ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA  
OR HAD SYMPTOMS OF JOINT PROBLEM IN PAST 30 DAYS

INPUT VAR:

NOTES: NOT TRENDABLE WITH AB16 IN CHIS 2001

VARNAME: AE30 QNAME11: QA11\_B49 QPAGENUM: A-24

QNAME09: QA09\_B51 QNAME07: QA07\_B28

LABEL: FLU SHOT/MIST IN PAST 12 MOS

VALUE:			FREQ	%
1	YES		19858	46.25
2	NO		23077	53.75

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: NOT TRENDABLE WITH CHIS 2001-2007 AE30

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AB100 QNAME11: QA11\_B50 QPAGENUM: A-24

QNAME09: QA09\_B52 QNAME07: NA

LABEL: HAD FLU SHOT OR NASAL FLU VACCINE

VALUE:		FREQ	%
-1	INAPPLICABLE	23077	53.75
1	FLU SHOT	19333	45.03
2	NASAL / FLUMIST	416	0.97
3	BOTH	109	0.25

UNIVERSE: ALL ADULTS WHO HAD FLU VACCINE IN PAST 12 MOS

INPUT VAR:

NOTES:

VARNAME: AB57 QNAME11: QA11\_B51 QPAGENUM: A-25

QNAME09: QA09\_B53 QNAME07: NA

LABEL: KIND OF PLACE GOT LAST FLU SHOT

VALUE:		FREQ	%
-1	INAPPLICABLE	23077	53.75
1	DOCTOR'S OFFICE/KAISER/HMO	9718	22.63
2	COMM HLTH CTR/HLTH DEPT CLINIC/OTHER CLI	3236	7.54
3	STORE (MARKET, DRUGSTORE, PHARMACY)	3514	8.18
4	WORKPLACE	1465	3.41
5	SENIOR/RECREATION/COMMUNITY CENTER	305	0.71
6	HOSPITAL/EMERGENCY ROOM	1330	3.10
7	PLACE OF WORSHIP	97	0.23
8	SCHOOL	28	0.07
9	RESIDENCE	62	0.14
10	FEDERAL FACILITY	53	0.12
11	OTHER	50	0.12

UNIVERSE: ALL ADULTS WHO HAD FLU SHOT IN PAST 12 MONTHS

INPUT VAR:

NOTES:

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AC7 QNAME11: QA11\_B80 QPAGENUM: A-25

QNAME09: NA QNAME07:

LABEL: FALLEN TO GROUND MORE THAN ONCE IN PAST YR

VALUE:			FREQ	%
-1	INAPPLICABLE		28820	67.12
1	YES		1857	4.33
2	NO		12258	28.55

UNIVERSE: ALL ADULTS OLDER THAN 65 YEARS

INPUT VAR:

NOTES:

VARNAME: AB91 QNAME11: QA11\_B81 QPAGENUM: A-25

QNAME09: NA QNAME07:

LABEL: RECEIVED MEDICAL CARE BECAUSE OF FALLS

VALUE:			FREQ	%
-1	INAPPLICABLE		41078	95.67
1	YES		788	1.84
2	NO		1069	2.49

UNIVERSE: ALL ADULTS > 65 YEARS WHO HAVE FALLEN TO THE GROUND MORE THAN ONCE DURING THE PAST 12 MOS

INPUT VAR:

NOTES:

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AB92 QNAME11: QA11\_B84 QPAGENUM: A-26

QNAME09: NA QNAME07:

LABEL: PROF TALKED ABOUT HOW TO AVOID FALLS

VALUE:			FREQ	%
-1	INAPPLICABLE		41078	95.67
1	YES		770	1.79
2	NO		1087	2.53

UNIVERSE: ALL ADULTS > 65 YEARS WHO HAVE FALLEN TO THE GROUND MORE THAN ONCE  
DURING THE PAST 12 MOS

INPUT VAR:

NOTES:

VARNAME: AB142 QNAME11: QA11\_B85 QPAGENUM: A-26

QNAME09: NA QNAME07:

LABEL: PROF MAKE RECOMNDS TO AVOID FALLING

VALUE:			FREQ	%
-1	INAPPLICABLE		42165	98.21
1	YES		517	1.20
2	NO		253	0.59

UNIVERSE: ALL ADULTS > 65 YEARS WHO HAVE FALLEN TO THE GROUND MORE THAN ONCE  
DURING THE PAST 12 MOS AND HAVE TALKED WITH HEALTH CARE  
PROFESSIONAL ABOUT HOW TO AVOID FALLING

INPUT VAR:

NOTES:

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AB93 QNAME11: QA11\_B86 QPAGENUM: A-26

QNAME09: NA QNAME07:

LABEL: PROF REVIEWED MEDS DUE TO FALLS

VALUE:			FREQ	%
-1	INAPPLICABLE		41078	95.67
1	YES		582	1.36
2	NO		1275	2.97

UNIVERSE: ALL ADULTS > 65 YEARS WHO HAVE FALLEN TO THE GROUND MORE THAN ONCE  
DURING THE PAST 12 MOS AND HAVE TALKED WITH HEALTH CARE  
PROFESSIONAL ABOUT HOW TO AVOID FALLING

INPUT VAR:

NOTES:

VARNAME: AB143 QNAME11: QA11\_B87 QPAGENUM: A-27

QNAME09: NA QNAME07:

LABEL: PROF RECOMND CHANGE MEDS DUE TO FALLS

VALUE:			FREQ	%
-1	INAPPLICABLE		42353	98.64
1	YES		204	0.48
2	NO		378	0.88

UNIVERSE: ALL ADULTS > 65 YEARS WHO HAVE FALLEN TO THE GROUND MORE THAN ONCE  
DURING THE PAST 12 MOS AND HAD THEIR MEDICATIONS REVIEWED BY A  
HEALTH CARE PROFESSIONAL

INPUT VAR:

NOTES:

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AB94 QNAME11: QA11\_B88 QPAGENUM: A-26

QNAME09: NA QNAME07:

LABEL: STARTED PHYS THRPY/EXERC DUE TO FALLS

VALUE:			FREQ	%
-1	INAPPLICABLE		41078	95.67
1	YES		526	1.23
2	NO		1331	3.10

UNIVERSE: ALL ADULTS > 65 YEARS WHO HAVE FALLEN TO THE GROUND MORE THAN ONCE  
DURING THE PAST 12 MOS

INPUT VAR:

NOTES:

VARNAME: AB144 QNAME11: QA11\_B89 QPAGENUM: A-27

QNAME09: NA QNAME07:

LABEL: PROF RECOMND PHYS THRPY/EXERC DUE TO FALLS

VALUE:			FREQ	%
-1	INAPPLICABLE		42409	98.77
1	YES		412	0.96
2	NO		114	0.27

UNIVERSE: ALL ADULTS > 65 YEARS WHO HAVE FALLEN TO THE GROUND MORE THAN ONCE  
DURING THE PAST 12 MOS AND HAVE STARTED A PHYSICAL THERAPY OR  
EXERCISE PROGRAM

INPUT VAR:

NOTES:



2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AB95 QNAME11: QA11\_B90 QPAGENUM: A-27

QNAME09: NA QNAME07:

LABEL: CHANGED HOME DUE TO FALLS

VALUE:			FREQ	%
-1	INAPPLICABLE		41078	95.67
1	YES		521	1.21
2	NO		1336	3.11

UNIVERSE: ALL ADULTS > 65 YEARS WHO HAVE FALLEN TO THE GROUND MORE THAN ONCE  
DURING THE PAST 12 MOS

INPUT VAR:

NOTES:

VARNAME: AB145 QNAME11: QA11\_B91 QPAGENUM: A-28

QNAME09: NA QNAME07:

LABEL: PROF RECOMND HOME CHANGES DUE TO FALLS

VALUE:			FREQ	%
-1	INAPPLICABLE		42414	98.79
1	YES		217	0.51
2	NO		304	0.71

UNIVERSE: ALL ADULTS > 65 YEARS WHO HAVE FALLEN TO THE GROUND MORE THAN ONCE  
DURING THE PAST 12 MOS AND MADE CHANGES TO HOME, SUCH AS ADDING  
GRAB BARS OR REMOVING RUGS

INPUT VAR:

NOTES:

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AB96 QNAME11: QA11\_B92 QPAGENUM: A-27

QNAME09: NA QNAME07:

LABEL: STARTED TO USE CANE/WALKER DUE TO FALLS

VALUE:			FREQ	%
-1	INAPPLICABLE		41078	95.67
1	YES		747	1.74
2	NO		1110	2.59

UNIVERSE: ALL ADULTS > 65 YEARS WHO HAVE FALLEN TO THE GROUND MORE THAN ONCE  
DURING THE PAST 12 MOS

INPUT VAR:

NOTES:

VARNAME: AB146 QNAME11: QA11\_B93 QPAGENUM: A-27

QNAME09: NA QNAME07:

LABEL: PROF RECOMND CANE/WALKER DUE TO FALLS

VALUE:			FREQ	%
-1	INAPPLICABLE		42188	98.26
1	YES		432	1.01
2	NO		315	0.73

UNIVERSE: ALL ADULTS > 65 YEARS WHO HAVE FALLEN TO THE GROUND MORE THAN ONCE  
DURING THE PAST 12 MOS AND STARTED USING A CANE OR WALKER

INPUT VAR:

NOTES:

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AB97 QNAME11: QA11\_B94 QPAGENUM: A-28

QNAME09: NA QNAME07:

LABEL: CHANGED DAILY ROUTINES DUE TO FALLS

VALUE:			FREQ	%
-1	INAPPLICABLE		41078	95.67
1	YES		585	1.36
2	NO		1272	2.96

UNIVERSE: ALL ADULTS > 65 YEARS WHO HAVE FALLEN TO THE GROUND MORE THAN ONCE  
DURING THE PAST 12 MOS

INPUT VAR:

NOTES:

VARNAME: AB147 QNAME11: QA11\_B95 QPAGENUM: A-28

QNAME09: NA QNAME07:

LABEL: PROF RECOMND CHANGE ROUTINE DUE TO FALLS

VALUE:			FREQ	%
-1	INAPPLICABLE		42350	98.64
1	YES		228	0.53
2	NO		357	0.83

UNIVERSE: ALL ADULTS > 65 YEARS WHO HAVE FALLEN TO THE GROUND MORE THAN ONCE  
DURING THE PAST 12 MOS AND CHANGED THEIR DAILY ROUTINES

INPUT VAR:

NOTES:

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

## Section C: Health Behaviors

---

VARNAME: AD37W QNAME11: QA11\_C1 QPAGENUM: A-29

QNAME09: QA09\_C1 QNAME07: NA

LABEL: WALKED AT LEAST 10 MIN FOR TRANSPORT PAST 7 DAYS

VALUE:			FREQ	%
1	YES		19294	44.94
2	NO		23292	54.25
3	UNABLE TO WALK		349	0.81

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

---

VARNAME: AD38W QNAME11: QA05\_C2 QPAGENUM: A-29

QNAME09: QA09\_C2 QNAME07: NA

LABEL: # TIMES WALKED AT LEAST 10 MIN FOR TRANSPORT PAST 7 DAYS

MEAN STATISTICS	
N	19294
MIN	1
MAX	99
MEAN	4.40

UNIVERSE: ALL ADULTS ABLE TO WALK WHO WALKED AT LEAST 10 MIN TO GET SOME PLACE IN PAST 7 DAYS

INPUT VAR:

NOTES:

---

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AD39W QNAME11: QA11\_C3 QPAGENUM: A-29

QNAME09: QA09\_C3 QNAME07: NA

LABEL: AVERAGE LENGTH OF TIME WALKED FOR TRANSPORTION (MINS)

MEAN STATISTICS

N	19294
MIN	1
MAX	480
MEAN	27.30

UNIVERSE: ALL ADULTS ABLE TO WALK WHO WALKED AT LEAST 10 MIN TO GET SOME PLACE IN PAST 7 DAYS

INPUT VAR:

NOTES:

VARNAME: AD40W QNAME11: QA11\_C4 QPAGENUM: A-29

QNAME09: QA09\_C4 QNAME07: NA

LABEL: WALKED AT LEAST 10 MIN FOR LEISURE PAST 7 DAYS

VALUE:		FREQ	%
-1	INAPPLICABLE	349	0.81
1	YES	26763	62.33
2	NO	15823	36.85

UNIVERSE: ALL ADULTS ABLE TO WALK

INPUT VAR:

NOTES:

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AD41W QNAME11: QA11\_C5 QPAGENUM: A-30

QNAME09: QA09\_C5 QNAME07: NA

LABEL: # TIMES WALKED AT LEAST 10 MIN FOR LEISURE PAST 7 DAYS

MEAN STATISTICS

N	26763
MIN	1
MAX	99
MEAN	4.42

UNIVERSE: ALL ADULTS ABLE TO WALK WHO WALKED AT LEAST 10 MIN FOR LEISURE IN PAST 7 DAYS

INPUT VAR:

NOTES:

VARNAME: AD42W QNAME11: QA11\_C6 QPAGENUM: A-30

QNAME09: QA09\_C6 QNAME07: NA

LABEL: AVERAGE LENGTH OF TIME WALKED FOR LEISURE (MINS)

MEAN STATISTICS

N	26763
MIN	1
MAX	480
MEAN	34.38

UNIVERSE: ALL ADULTS ABLE TO WALK WHO WALKED AT LEAST 10 MIN FOR LEISURE IN PAST 7 DAYS

INPUT VAR:

NOTES:

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: AE2 QNAME11: QA11\_C7 QPAGENUM: A-30  
QNAME09: QA09\_C13 QNAME07: QA07\_C8

LABEL: # OF TIMES ATE FRUIT IN PAST MONTH

## MEAN STATISTICS

N	42935
MIN	0
MAX	600
MEAN	35.94

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

---

VARNAME: AE3 QNAME11: QA11\_C8 QPAGENUM: A-31  
QNAME09: QA09\_C14 QNAME07: QA07\_C9

LABEL: # OF TIMES ATE FRNCH FRIES, HME FRIES, HSH BRWNS IN PAST MO

## MEAN STATISTICS

N	42935
MIN	0
MAX	360
MEAN	3.85

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

---

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: AE7 QNAME11: QA11\_C9 QPAGENUM: A-31  
QNAME09: QA09\_C15 QNAME07: QA07\_C10

LABEL: # OF TIMES ATE VEGETABLES IN PAST MONTH

## MEAN STATISTICS

N	42935
MIN	0
MAX	300
MEAN	32.53

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

---

VARNAME: AE\_FRIES QNAME11: NA QPAGENUM: NA  
QNAME09: NA QNAME07: NA

LABEL: # OF TIMES EATING FRIES PER WEEK

## MEAN STATISTICS

N	42935
MIN	0
MAX	83
MEAN	0.81

UNIVERSE: ALL ADULTS

INPUT VAR: AE3 AE3UNT

NOTES:

---



2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: AE\_FRUIT QNAME11: NA QPAGENUM: NA

QNAME09: NA QNAME07: NA

LABEL: # OF TIMES EATING FRUIT PER WEEK

## MEAN STATISTICS

N	42935
MIN	0
MAX	139
MEAN	8.39

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:  

---

VARNAME: AC11 QNAME11: QA11\_C10 QPAGENUM: A-31

QNAME09: QA09\_C16 QNAME07: QA07\_C11

LABEL: # OF TIMES DRANK SODA LAST MONTH

## MEAN STATISTICS

N	42935
MIN	0
MAX	300
MEAN	6.36

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:  

---

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: AE\_SODA QNAME11: NA QPAGENUM: NA

QNAME09: NA QNAME07: NA

LABEL: # OF TIMES DRINKING SODA PER WEEK

## MEAN STATISTICS

N	42935
MIN	0
MAX	69
MEAN	1.45

UNIVERSE: ALL ADULTS

INPUT VAR: AC11 AC11UNT

NOTES:  

---

VARNAME: AE\_VEGI QNAME11: NA QPAGENUM: NA

QNAME09: NA QNAME07: NA

LABEL: # OF TIMES EATING VEGETABLES PER WEEK

## MEAN STATISTICS

N	42935
MIN	0
MAX	69
MEAN	7.61

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:  

---

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AC31 QNAME11: QA11\_C11 QPAGENUM: A-32  
QNAME09: QA09\_C22 QNAME07: QA07\_C12

LABEL: # TIMES ATE FAST FOOD PAST WEEK

MEAN STATISTICS

N	42935
MIN	0
MAX	30
MEAN	1.19

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AE15 QNAME11: QA11\_C16 QPAGENUM: A-33  
QNAME09: QA09\_C25 QNAME07: QA07\_C13

LABEL: SMOKED 100 OR MORE CIGARETTES IN ENTIRE LIFETIME

VALUE:		FREQ	%
1	YES	17530	40.83
2	NO	25405	59.17

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AE15A QNAME11: QA11\_C17 QPAGENUM: A-33  
QNAME09: QA09\_C26 QNAME07: QA07\_C14

LABEL: SMOKES CIGARETTES EVERYDAY, SOME DAYS OR NOT AT ALL

VALUE:	-1	INAPPLICABLE	FREQ	%
	1	EVERY DAY	25405	59.17
	2	SOME DAYS	3478	8.10
	3	NOT AT ALL	1499	3.49
			12553	29.24

UNIVERSE: ALL ADULTS WHO SMOKED AT LEAST 100 CIGARETTES IN LIFETIME

INPUT VAR:

NOTES:

VARNAME: AD32 QNAME11: QA11\_C18 QPAGENUM: A-34  
QNAME09: QA09\_C27 QNAME07: QA07\_C15

LABEL: # OF CIGARETTES PER DAY

	MEAN STATISTICS	
N		3478
MIN		0
MAX		100
MEAN		12.90

UNIVERSE: ALL ADULTS WHO SMOKED AT LEAST 100 CIGARETTES IN LIFETIME AND NOW  
SMOKE EVERY DAY

INPUT VAR:

NOTES:

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AE16 QNAME11: QA11\_C19 QPAGENUM: A-34  
QNAME09: QA09\_C29 QNAME07: QA07\_C16

LABEL: # OF CIGARETTES SMOKED PER DAY IN PAST 30 DAYS

MEAN STATISTICS

N	1499
MIN	0
MAX	74
MEAN	3.92

UNIVERSE: ALL ADULTS WHO CURRENTLY DO NOT SMOKE EVERYDAY, BUT ON SOME DAYS

INPUT VAR:

NOTES:

VARNAME: AC17 QNAME11: QA11\_C20 QPAGENUM: A-34  
QNAME09: QA09\_C31 QNAME07: QA07\_C17

LABEL: SMOKING EVER ALLOWED INSIDE HOME

VALUE:		FREQ	%
1	YES	3490	8.13
2	NO	39445	91.87

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: 2003 VARIABLE NAME: AD33

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AD34 QNAME11: QA11\_C21 QPAGENUM: A-34  
QNAME09: QA09\_C32 QNAME07: QA07\_C18

LABEL: # OF DAYS PER WEEK ANY SMOKING INSIDE HOME

MEAN STATISTICS

N	3490
MIN	0
MAX	7
MEAN	3.40

UNIVERSE: ALL ADULTS WHOSE HOME SMOKING IS EVER ALLOWED INSIDE

INPUT VAR:

NOTES:

VARNAME: SMKCUR QNAME11: NA QPAGENUM: NA  
QNAME09: NA QNAME07: NA

LABEL: CURRENT SMOKER

VALUE:		FREQ	%
1	CURRENT SMOKER	4977	11.59
2	NOT CURRENT SMOKER	37958	88.41

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: SMOKING QNAME11: NA QPAGENUM: NA

QNAME09: NA QNAME07: NA

LABEL: CURRENT SMOKING HABITS

VALUE:			FREQ	%
1	CURRENTLY SMOKES		4977	11.59
2	QUIT SMOKING		12553	29.24
3	NEVER SMOKED REGULARLY		25405	59.17

UNIVERSE: ALL ADULTS

INPUT VAR: AE15 AE15A

NOTES:

VARNAME: NUMCIG QNAME11: NA QPAGENUM: NA

QNAME09: NA QNAME07: NA

LABEL: # OF CIGARETTES PER DAY

VALUE:			FREQ	%
1	NONE		37958	88.41
2	<=1 CIGARETTES		431	1.00
3	2-5 CIGARETTES		1462	3.41
4	6-10 CIGARETTES		1512	3.52
5	11-19 CIGARETTES		572	1.33
6	20 OR MORE		1000	2.33

UNIVERSE: ALL ADULTS

INPUT VAR: AE15A AD32 AE16 AE15

NOTES:

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: HHSMK QNAME11: NA QPAGENUM: NA  
QNAME09: NA QNAME07: NA

LABEL: HOUSEHOLD SMOKING

VALUE:			FREQ	%
1	NONE		39445	91.87
2	SOMEDAYS		2001	4.66
3	EVERY DAY		1489	3.47

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

---

VARNAME: AC32 QNAME11: QA11\_C22 QPAGENUM: A-34  
QNAME09: QA09\_C33 QNAME07: QA07\_C19

LABEL: HAD ALCOHOL PAST 12 MONTHS

VALUE:			FREQ	%
1	YES		29051	67.66
2	NO		13884	32.34

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

---



2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: AC34 QNAME11: QA11\_C23 QPAGENUM: A-35  
QNAME09: QA09\_C34 QNAME07: QA07\_C21

LABEL: # DAYS HAD 5+ DRINKS PAST 12 MONTHS

## MEAN STATISTICS

N	13186
MIN	0
MAX	365
MEAN	13.16

UNIVERSE: MALE WHO DRANK ALCOHOL IN THE PAST 12 MOS

INPUT VAR:

NOTES:

---

VARNAME: AC35 QNAME11: QA11\_C24 QPAGENUM: A-35  
QNAME09: QA09\_C35 QNAME07: QA07\_C22

LABEL: # DAYS HAD 4+ DRINKS PAST 12 MONTHS

## MEAN STATISTICS

N	15865
MIN	0
MAX	365
MEAN	6.16

UNIVERSE: FEMALE WHO DRANK ALCOHOL IN THE PAST 12 MOS

INPUT VAR:

NOTES:

---

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: BINGE12 QNAME11: NA QPAGENUM: NA

QNAME09: NA QNAME07: NA

LABEL: BINGE DRINKING IN PAST YEAR. 5+ DRINKS (MALE), 4+ DRINKS (FEMALE)

VALUE:		FREQ	%
1	NO BINGE DRINKING PAST YEAR	32863	76.54
2	ONCE A YEAR	1497	3.49
3	LESS THAN MONTHLY, MORE THAN ONCE A YEAR	4451	10.37
4	MONTHLY	1250	2.91
5	LESS THAN WEEKLY BUT MORE THAN MONTHLY	1526	3.55
6	DAILY OR WEEKLY	1348	3.14

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AC42\_P QNAME11: QPAGENUM: NA

QNAME09: QNAME07:

LABEL: HOW OFTEN FIND FRESH FRUIT/VEG IN NEIGHB (PUF RECODE)

VALUE:		FREQ	%
1	NEVER	1754	4.09
2	SOMETIMES	2695	6.28
3	USUALLY	3575	8.33
4	ALWAYS	34172	79.59
5	DOESN'T EAT/SHOP FOR FRUITS AND VEGETABL	739	1.72

UNIVERSE: ALL ADULTS

INPUT VAR: AC42

NOTES:

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AC43 QNAME11: QA11\_C14 QPAGENUM: A-33

QNAME09: NA QNAME07:

LABEL: HOW OFTEN FIND FRESH FRUIT/VEG NEAR WORK

VALUE:			FREQ	%
-2	PROXY SKIPPED		221	0.51
-1	INAPPLICABLE		13912	32.40
1	NEVER		3266	7.61
2	SOMETIMES		4214	9.81
3	USUALLY		3531	8.22
4	ALWAYS		11955	27.84
5	DOESN'T WORK		4889	11.39
6	WORKS AT HOME		489	1.14
7	OTHER NOT APPLICABLE		458	1.07

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AC44 QNAME11: QA11\_C13 QPAGENUM: A-32

QNAME09: NA QNAME07:

LABEL: NEIGHBORHOOD FRUIT/VEG AFFORDABLE

VALUE:			FREQ	%
-1	INAPPLICABLE		2493	5.81
1	NEVER		524	1.22
2	SOMETIMES		6921	16.12
3	USUALLY		11178	26.03
4	ALWAYS		21819	50.82

UNIVERSE: ALL ADULTS WHO CAN FIND FRESH FRUITS AND VEGETABLES IN NEIGHBORHOOD

INPUT VAR:

NOTES:

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: AC45 QNAME11: QA11\_C15 QPAGENUM: A-33

QNAME09: NA QNAME07:

LABEL: WORKPLACE FRUIT/VEG AFFORDABLE

VALUE:			FREQ	%
-2	PROXY SKIPPED		221	0.51
-1	INAPPLICABLE		23014	53.60
1	NEVER		386	0.90
2	SOMETIMES		4065	9.47
3	USUALLY		5483	12.77
4	ALWAYS		9766	22.75

UNIVERSE: ALL ADULTS WHO CAN FIND FRESH FRUITS AND VEGETABLES AT OR NEAR  
WORKPLACE

INPUT VAR:

NOTES:

---

## Section D: General Health, Disability, and Sexual Health

---

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: HGHTI\_P QNAME11: NA QPAGENUM: NA  
QNAME09: NA QNAME07: NA

LABEL: HEIGHT: INCHES (PUF RECODE)

MEAN STATISTICS

N	42935
MIN	42
MAX	77
MEAN	65.86

UNIVERSE: ALL ADULTS

INPUT VAR: HGHTI

NOTES: TOPCODE=77; BOTTOMCODE=42

---

VARNAME: HGHTM\_P QNAME11: NA QPAGENUM: NA  
QNAME09: NA QNAME07: NA

LABEL: HEIGHT: METERS (PUF RECODE)

MEAN STATISTICS

N	42935
MIN	1
MAX	2
MEAN	1.67

UNIVERSE: ALL ADULTS

INPUT VAR: HGHTM

NOTES: TOPCODE=2; BOTTOMCODE=1

---

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME:    HEIGHM\_P                      QNAME11:    NA                      QPAGENUM: NA

QNAME09:    NA                      QNAME07:    NA

LABEL:       HEIGHT: METERS - UCLA (PUF RECODE)

## MEAN STATISTICS

N	42935
MIN	1
MAX	2
MEAN	1.67

UNIVERSE:    ALL ADULTS

INPUT VAR:    HEIGHTM

NOTES:       TOPCODE=2; BOTTOMCODE=1

---

VARNAME:    WEIGHK\_P                      QNAME11:    NA                      QPAGENUM: NA

QNAME09:    NA                      QNAME07:    NA

LABEL:       WEIGHT: KG - UCLA (PUF RECODE)

## MEAN STATISTICS

N	42935
MIN	41
MAX	150
MEAN	76.09

UNIVERSE:    ALL ADULTS

INPUT VAR:    WEIGHTKG

NOTES:       TOPCODE=150; BOTTOMCODE=41

---

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: WGTK P QNAME11: NA QPAGENUM: NA

QNAME09: NA QNAME07: NA

LABEL:            WEIGHT: KG (PUF RECODE)

### MEAN STATISTICS

N	42935
MIN	41
MAX	150
MEAN	76.09

UNIVERSE: ALL ADULTS

INPUT VAR: WGHTK

NOTES: TOPCODE=150; BOTTOMCODE=41

VARNAME: WGHTP P QNAME11: NA QPAGENUM: NA

QNAME09: NA QNAME07: NA

LABEL:            WEIGHT: LBS (PUF RECODE)

### MEAN STATISTICS

N	42935
MIN	90
MAX	330
MEAN	167.75

UNIVERSE: ALL ADULTS

INPUT VAR: WGHTP

NOTES: TOPCODE=330; BOTTOMCODE=90

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: WT18K\_P QNAME11: NA QPAGENUM: NA

QNAME09: NA QNAME07: NA

LABEL: WEIGHT AT 18: KILOS (PUF RECODE)

## MEAN STATISTICS

N	42413
MIN	41
MAX	150
MEAN	62.53

UNIVERSE: ALL ADULTS 19 AND OLDER

INPUT VAR: WT18K

NOTES: TOPCODE=150; BOTTOMCODE=41

---

VARNAME: WT18P\_P QNAME11: NA QPAGENUM: NA

QNAME09: NA QNAME07: NA

LABEL: WEIGHT AT 18: LBS (PUF RECODE)

## MEAN STATISTICS

N	42413
MIN	90
MAX	330
MEAN	137.80

UNIVERSE: ALL ADULTS 19 AND OLDER

INPUT VAR: WT18P

NOTES: TOPCODE=330; BOTTOMCODE=90

---



2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AD50 QNAME11: QA11\_D4 QPAGENUM: A-36  
QNAME09: QA09\_D4 QNAME07: QA07\_D4

LABEL: BLIND/DEAF OR HAS SEVERE VISION/HEARING PROBLEM

VALUE:			FREQ	%
1	YES		4356	10.15
2	NO		38579	89.85

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: BMI\_P QNAME11: NA QPAGENUM: NA  
QNAME09: NA QNAME07: NA

LABEL: BODY MASS INDEX (PUF RECODE)

MEAN STATISTICS	
N	42935
MIN	13
MAX	96
MEAN	27.29

UNIVERSE: ALL ADULTS

INPUT VAR: WEIGHK\_P HEIGHM\_P

NOTES: TOPCODE=12; BOTTOMECODE=99

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: RBMI QNAME11: NA QPAGENUM: NA

QNAME09: NA QNAME07: NA

LABEL: BMI DESCRIPTIVE

VALUE:			FREQ	%
1	UNDERWEIGHT	0-18.49	747	1.74
2	NORMAL	18.5-24.99	16310	37.99
3	OVERWEIGHT	25.0-29.99	15008	34.96
4	OBESE	30.0+	10870	25.32

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: OVRWT QNAME11: NA QPAGENUM: NA

QNAME09: NA QNAME07: NA

LABEL: OVERWEIGHT OR OBESE

VALUE:			FREQ	%
1	YES		25878	60.27
2	NO		17057	39.73

UNIVERSE: ALL ADULTS

INPUT VAR: RBMI

NOTES:

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AD57 QNAME11: QA11\_D6 QPAGENUM: A-37  
QNAME09: QA09\_D6 QNAME07: QA07\_D6

LABEL: CONDITION LIMITS BASIC PHYS ACTIVITY

VALUE:			FREQ	%
1	YES		9957	23.19
2	NO		32978	76.81

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AD51 QNAME11: QA11\_D7 QPAGENUM: A-37  
QNAME09: QA09\_D7 QNAME07: QA07\_D7

LABEL: HAS DIFFICULTY LEARNING, REMEMBERING, CONCENTRATING

VALUE:			FREQ	%
1	YES		6923	16.12
2	NO		36012	83.88

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AD52 QNAME11: QA11\_D8 QPAGENUM: A-37  
QNAME09: QA09\_D8 QNAME07: QA07\_D8

LABEL: HAS DIFFICULTY DRESSING, BATHING, GETTING AROUND

VALUE:			FREQ	%
1	YES		2413	5.62
2	NO		40522	94.38

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AD53 QNAME11: QA11\_D9 QPAGENUM: A-37  
QNAME09: QA09\_D9 QNAME07: QA07\_D9

LABEL: HAS DIFFICULTY GOING OUTSIDE HOME ALONE

VALUE:			FREQ	%
1	YES		3079	7.17
2	NO		39856	92.83

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AD54 QNAME11: QA11\_D10 QPAGENUM: A-38  
QNAME09: QA09\_D10 QNAME07: QA07\_D10

LABEL: HAS DIFFICULTY WORKING AT A JOB

VALUE:			FREQ	%
-2	PROXY SKIPPED		221	0.51
-1	INAPPLICABLE		13897	32.37
1	YES		3326	7.75
2	NO		25491	59.37

UNIVERSE: ALL ADULTS UNDER 65 YEARS OLD

INPUT VAR:

NOTES:

VARNAME:	DISABLE	QNAME11:	NA	QPAGENUM:	NA
		QNAME09:	NA	QNAME07:	NA
LABEL:	DISABILITY STATUS DUE TO PHYS/MENT/EMOT CONDITION				
VALUE:	1	DISABLED		FREQ	%
	2	NOT DISABLED		15932	37.11
				27003	62.89
UNIVERSE:	ALL ADULTS				
INPUT VAR:	SRAGE AD50 AD51 AD52 AD53 AD54 AD57				
NOTES:	ADAPTED FROM AMERICAN COMMUNITY SURVEY; FOR 65+, AD54 IS EXCLUDED				

VARNAME:	AD13	QNAME11:	QA11_E1	QPAGENUM:	A-41
		QNAME09:	QA09_E3	QNAME07:	QA07_E3
LABEL:	CURRENTLY PREGNANT				
				FREQ	%
VALUE:	-2	PROXY SKIPPED		221	0.51
	-1	INAPPLICABLE		35601	82.92
	1	YES		195	0.45
	2	NO		6918	16.11
UNIVERSE:	WOMEN 45 OR YOUNGER				
INPUT VAR:					
NOTES:					

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AB60 QNAME11: QA11\_E16 QPAGENUM:

QNAME09: QNAME07:

LABEL: HOW FIRST FOUND OUT HAD BREAST CANCER

VALUE:			FREQ	%
-1	INAPPLICABLE		41963	97.74
1	FIND BY ACCIDENT		170	0.40
2	FIND DURING SELF BREAST EXAM		142	0.33
3	FIND BY HUSBAND OR PARTNER		12	0.03
4	DOCTOR FIND DURING ROUTINE BREAST EXAM		89	0.21
5	FIND BY MAMMOGRAM		541	1.26
91	OTHER-SPECIFY		18	0.04

UNIVERSE: WOMEN AGE 30 OR OLDER WHO HAD BREAST CANCER

INPUT VAR:

NOTES:

VARNAME: AD14 QNAME11: QA11\_E3 QPAGENUM:

QNAME09: QNAME07:

LABEL: EVER HAD A MAMMOGRAM

VALUE:			FREQ	%
-1	INAPPLICABLE		20222	47.10
1	YES		19647	45.76
2	NO		3066	7.14

UNIVERSE: WOMEN 30 OR OLDER

INPUT VAR:

NOTES:

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AD17 QNAME11: QA11\_E8 QPAGENUM:

QNAME09: QNAME07:

LABEL: HOW LONG SINCE LAST MAMMOGRAM

VALUE:			FREQ	%
-1	INAPPLICABLE		24176	56.31
1	WITHIN THE PAST YEAR		12918	30.09
2	1 TO 2 YRS AGO		3425	7.98
3	2 TO 3 YRS AGO		1048	2.44
4	3 TO 5 YRS AGO		827	1.93
5	MORE THAN 5 YRS AGO		541	1.26

UNIVERSE: WOMEN 30 AND OLDER WHO HAD MAMMOGRAM WITHIN 6 YRS

INPUT VAR:

NOTES:

VARNAME: AD18 QNAME11: QA11\_E10 QPAGENUM:

QNAME09: QNAME07:

LABEL: MAIN REASON FOR HAVING LAST MAMMOGRAM

VALUE:			FREQ	%
-1	INAPPLICABLE		26592	61.94
1	PART OF ROUTINE PHYSICAL EXAM		13130	30.58
2	DUE TO SPECIFIC BREAST PROBLEM		625	1.46
3	FOLLOW-UP PREV IDENTIFIED BREAST PROBLEM		1343	3.13
4	DUE TO FAMILY HISTORY		1245	2.90

UNIVERSE: WOMEN AGE 30 AND OLDER WHO HAVE HAD A MAMMOGRAM

INPUT VAR:

NOTES:

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AD19 QNAME11: QA11\_E12 QPAGENUM:

QNAME09: QNAME07:

LABEL: EVER HAD MAMMOGRAM W/ ABNORMAL RESULTS

VALUE:			FREQ	%
-1	INAPPLICABLE		24176	56.31
1	YES		5954	13.87
2	NO		12805	29.82

UNIVERSE: WOMEN AGE 30 AND OLDER WHO HAVE HAD A MAMMOGRAM

INPUT VAR:

NOTES:

VARNAME: AD20 QNAME11: QA11\_E13 QPAGENUM:

QNAME09: QNAME07:

LABEL: EVER HAD OPERATION TO REMOVE LUMP FROM BREAST?

VALUE:			FREQ	%
-1	INAPPLICABLE		36981	86.13
1	YES		2442	5.69
2	NO		3512	8.18

UNIVERSE: WOMEN AGE 30 AND OLDER WHO HAD A MAMMOGRAM WITH ABNORMAL RESULTS

INPUT VAR:

NOTES:



2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AD21 QNAME11: QA11\_E14 QPAGENUM:

QNAME09: QNAME07:

LABEL: LUMP TURNED OUT TO BE CANCER

VALUE:			FREQ	%
-1	INAPPLICABLE		40493	94.31
1	YES		972	2.26
2	NO		1470	3.42

UNIVERSE: WOMEN AGE 30 AND OLDER WHO HAD A MAMMOGRAM WITH ABNORMAL RESULTS  
AND LUMP REMOVED FROM BREAST

INPUT VAR:

NOTES:

VARNAME: AD22\_P QNAME11: NA QPAGENUM: NA

QNAME09: QNAME07:

LABEL: # OF BREAST OPERATIONS TO REMOVE NONCANCER (PUF RECODE)

VALUE:			FREQ	%
-1	INAPPLICABLE		41465	96.58
0	NONE		69	0.16
1	ONE		1033	2.41
2	TWO		225	0.52
3	THREE		81	0.19
4+	FOUR OR MORE		62	0.14

UNIVERSE: WOMEN AGE 30 AND OLDER WHO HAD A MAMMOGRAM WITH ABNORMAL RESULTS  
AND NONCANCEROUS LUMP REMOVED FROM BREAST

INPUT VAR: AD22

NOTES:

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AD23 QNAME11: QA11\_E17 QPAGENUM:

QNAME09: QNAME07:

LABEL: EVER HAVE OTHER TESTS/SURGERIES WHEN MAMMOGRAM ABNORMAL

VALUE:		FREQ	%
-1	INAPPLICABLE	36981	86.13
1	YES	3674	8.56
2	NO	2280	5.31

UNIVERSE: WOMEN AGE 30 AND OLDER WHO HAD A MAMMOGRAM WITH ABNORMAL RESULTS

INPUT VAR:

NOTES:

VARNAME: AD25 QNAME11: QA11\_E20 QPAGENUM:

QNAME09: QNAME07:

LABEL: MAIN REASON FOR HAVING NO MAMMOGRAM

VALUE:		FREQ	%
-2	PROXY SKIPPED	221	0.51
-1	INAPPLICABLE	41392	96.41
1	NO REASON/NEVER THOUGHT ABOUT IT	135	0.31
2	DIDN'T KNOW IF NEEDED	33	0.08
3	DOCTOR DIDN'T TELL ME	47	0.11
4	HAVEN'T HAD ANY PROBLEMS	100	0.23
5	PUT IT OFF/LAZINESS	228	0.53
6	TOO EXPENSIVE/NO INSURANCE/COST	178	0.41
7	TOO PAINFUL/UNPLEASANT/EMBARRASSING	176	0.41
8	TOO YOUNG	35	0.08
9	DON'T HAVE A DOCTOR	5	0.01
91	OTHER	385	0.90

UNIVERSE: WOMEN AGE 30 AND OVER WHOSE DOCTOR RECOMMENDED MAMMOG IN PAST 12 MOS, AND DID NOT HAVE MAMMOG W/IN 2 YRS (OR NEVER HAD ONE)

INPUT VAR:

NOTES:

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AD26 QNAME11: QA11\_E19 QPAGENUM:

QNAME09: QNAME07:

LABEL: DOCTOR RECOMMENDED MAMMOGRAM IN PAST TWO YRS

VALUE:			FREQ	%
-1	INAPPLICABLE		36565	85.16
1	YES		1332	3.10
2	NO		5038	11.73

UNIVERSE: WOMEN 30 AND OLDER

INPUT VAR:

NOTES: NOT TRENDABLE WITH CHIS 2001/2005 AD26

VARNAME: AE50 QNAME11: QA11\_E9 QPAGENUM:

QNAME09: QNAME07:

LABEL: MOST RECENT MAMMOGRAM RECOMENDED BY DOCT

VALUE:			FREQ	%
-1	INAPPLICABLE		24176	56.31
1	YES		15468	36.03
2	NO		3291	7.67

UNIVERSE: WOMEN AGE 30 AND OVER WHO HAVE HAD A MAMMOGRAM WITHIN LAST 2 YEARS

INPUT VAR:

NOTES:

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AE91 QNAME11: QA11\_E11 QPAGENUM:

QNAME09: QNAME07:

LABEL: PROPORTION PAID FOR COST OF MOST RECENT MAMMOGRAM

VALUE:			FREQ	%
-1	INAPPLICABLE		30017	69.91
1	NONE OF THE COST		10058	23.43
2	SOME OF THE COST		2576	6.00
3	ALL OF THE COST		284	0.66

UNIVERSE: WOMEN AGE 30 AND OLDER WHO HAVE HAD A MAMMOGRAM IN PAST YR

INPUT VAR:

NOTES:

VARNAME: AE92 QNAME11: QA11\_E4 QPAGENUM:

QNAME09: QNAME07:

LABEL: DOCTOR EVER TOLD WOMEN OWN AGE NEED MAMMOGRAM EVERY OTHER YR

VALUE:			FREQ	%
-2	PROXY SKIPPED		221	0.51
-1	INAPPLICABLE		39698	92.46
1	YES		1577	3.67
2	NO		1439	3.35

UNIVERSE: WOMEN BETWEEN AGES 40 AND 49 YRS WHO HAD A MAMMOGRAM IN PAST YR

INPUT VAR:

NOTES:

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: AE94 QNAME11: QA11\_E6 QPAGENUM:

QNAME09: QNAME07:

LABEL: DOCTOR EVER DISCUSSED WHEN TO STOP MAMMOGRAMS

VALUE:			FREQ	%
-1	INAPPLICABLE		36898	85.94
1	YES		636	1.48
2	NO		5401	12.58

UNIVERSE: WOMEN 70 YRS OR OLDER WHO HAD A MAMMOGRAM IN PAST YR

INPUT VAR:

NOTES:

---

VARNAME: AF37 QNAME11: QA11\_E2 QPAGENUM:

QNAME09: QNAME07:

LABEL: DOCTOR EXAMINED BREAST FOR LUMPS PAST 12 MOS

VALUE:			FREQ	%
-1	INAPPLICABLE		20222	47.10
1	YES		15394	35.85
2	NO		7319	17.05

UNIVERSE: WOMEN 30 OR OLDER

INPUT VAR:

NOTES:

---

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY-----  
VARNAME: MAM\_SCRN QNAME11: NA QPAGENUM: NA

QNAME09: NA QNAME07: NA

LABEL: MAMMOGRAM IN PAST 2 YRS

VALUE:		FREQ	%
-1	SKIP, MALE OR FEMALE AGE<30	20222	47.10
1	WITHIN PAST 2 YRS	16343	38.06
2	OVER 2 YEARS AGO	3304	7.70
3	NEVER	3066	7.14

UNIVERSE: ADULT WOMEN 30 AND OLDER

INPUT VAR: AD14 AD17 AD16

NOTES:  
-----**Section F: Mental Health**  
-----

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: AJ29	QNAME11: QA11_F1	QPAGENUM: A-47
	QNAME09: QA09_F1	QNAME07: QA07_F1

LABEL: FEEL NERVOUS PAST 30 DAYS

VALUE:		FREQ	%
-2	PROXY SKIPPED	221	0.51
1	ALL OF THE TIME	734	1.71
2	MOST OF THE TIME	1638	3.82
3	SOME OF THE TIME	7558	17.60
4	A LITTLE OF THE TIME	14600	34.00
5	NOT AT ALL	18184	42.35

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

---



---

VARNAME: AF65	QNAME11: QA11_F10	QPAGENUM: A-49
	QNAME09: QA09_F10	QNAME07: QA07_F10

LABEL: FEEL RESTLESS WORST MONTH

VALUE:		FREQ	%
-2	PROXY SKIPPED	221	0.51
-1	INAPPLICABLE	34799	81.05
1	ALL OF THE TIME	725	1.69
2	MOST OF THE TIME	1279	2.98
3	SOME OF THE TIME	2648	6.17
4	A LITTLE OF THE TIME	1814	4.22
5	NOT AT ALL	1449	3.37

UNIVERSE: ALL ADULTS WHO FELT WORSE EMOTIONALLY MORE OFTEN IN ANY OF THE PREVIOUS 12 MOS COMPARED TO CURRENT MO

INPUT VAR:

NOTES:

---

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AF66 QNAME11: QA11\_F11 QPAGENUM: A-50  
QNAME09: QA09\_F11 QNAME07: QA07\_F11

LABEL: FEEL DEPRESSED WORST MONTH

VALUE:			FREQ	%
-2	PROXY SKIPPED		221	0.51
-1	INAPPLICABLE		34799	81.05
1	ALL OF THE TIME		513	1.19
2	MOST OF THE TIME		1010	2.35
3	SOME OF THE TIME		1788	4.16
4	A LITTLE OF THE TIME		1709	3.98
5	NOT AT ALL		2895	6.74

UNIVERSE: ALL ADULTS WHO FELT WORSE EMOTIONALLY MORE OFTEN IN ANY OF THE  
PREVIOUS 12 MOS COMPARED TO CURRENT MO

INPUT VAR:

NOTES:

VARNAME: AF67 QNAME11: QA11\_F12 QPAGENUM: A-50  
QNAME09: QA09\_F12 QNAME07: QA07\_F12

LABEL: FEEL EVERYTHING AN EFFORT WORST MONTH

VALUE:			FREQ	%
-2	PROXY SKIPPED		221	0.51
-1	INAPPLICABLE		34799	81.05
1	ALL OF THE TIME		943	2.20
2	MOST OF THE TIME		1519	3.54
3	SOME OF THE TIME		2327	5.42
4	A LITTLE OF THE TIME		1778	4.14
5	NOT AT ALL		1348	3.14

UNIVERSE: ALL ADULTS WHO FELT WORSE EMOTIONALLY MORE OFTEN IN ANY OF THE  
PREVIOUS 12 MOS COMPARED TO CURRENT MO

INPUT VAR:

NOTES:



2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AF68 QNAME11: QA11\_F13 QPAGENUM: A-50  
QNAME09: QA09\_F13 QNAME07: QA07\_F13

LABEL: FEEL WORTHLESS WORST MONTH

VALUE:			FREQ	%
-2	PROXY SKIPPED		221	0.51
-1	INAPPLICABLE		34799	81.05
1	ALL OF THE TIME		462	1.08
2	MOST OF THE TIME		714	1.66
3	SOME OF THE TIME		1467	3.42
4	A LITTLE OF THE TIME		1429	3.33
5	NOT AT ALL		3843	8.95

UNIVERSE: ALL ADULTS WHO FELT WORSE EMOTIONALLY MORE OFTEN IN ANY OF THE  
PREVIOUS 12 MOS COMPARED TO CURRENT MO

INPUT VAR:

NOTES:

VARNAME: AF69B QNAME11: QA11\_F14 QPAGENUM: A-51  
QNAME09: QA09\_F14 QNAME07:

LABEL: EMOTIONS INTERFERE W/WORK WORST MONTH

VALUE:			FREQ	%
-2	PROXY SKIPPED		221	0.51
-1	INAPPLICABLE		37214	86.68
1	A LOT		1044	2.43
2	SOME		1614	3.76
3	NOT AT ALL		915	2.13
4	DOES NOT WORK		1927	4.49

UNIVERSE: ADULT 70 OR YOUNGER WHO EXPERIENCED MODERATE PSYCHOLOGICAL  
DISTRESS IN THE PAST 12 MONTHS

INPUT VAR:

NOTES: CANNOT BE TRENDED WITH AF69 (2009)

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AF70B QNAME11: QA11\_F15 QPAGENUM: A-51

QNAME09: QA09\_F15 QNAME07:

LABEL: EMOTIONS INTERFERE W/CHORES WORST MONTH

VALUE:			FREQ	%
-2	PROXY SKIPPED		221	0.51
-1	INAPPLICABLE		36517	85.05
1	A LOT		2273	5.29
2	SOME		2576	6.00
3	NOT AT ALL		1348	3.14

UNIVERSE: ADULT WHO EXPERIENCED MODERATE PSYCHOLOGICAL DISTRESS IN THE PAST  
12 MONTHS

INPUT VAR:

NOTES: CANNOT BE TRENDED WITH AF70 (2009)

VARNAME: AF71B QNAME11: QA11\_F16 QPAGENUM: A-51

QNAME09: QA09\_F16 QNAME07:

LABEL: EMOTIONS INTERFERE W/SOCIAL LIFE WORST MONTH

VALUE:			FREQ	%
-2	PROXY SKIPPED		221	0.51
-1	INAPPLICABLE		36517	85.05
1	A LOT		2561	5.96
2	SOME		2529	5.89
3	NOT AT ALL		1107	2.58

UNIVERSE: ADULT WHO EXPERIENCED MODERATE PSYCHOLOGICAL DISTRESS IN THE PAST  
12 MONTHS

INPUT VAR:

NOTES: CANNOT BE TRENDED WITH AF71 (2009)

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AF72B QNAME11: QA11\_F17 QPAGENUM: A-51

QNAME09: QA09\_F17 QNAME07:

LABEL: EMOTIONS INTERFERE W/RELATIONSHIPS WORST MONTH

VALUE:		FREQ	%
-2	PROXY SKIPPED	221	0.51
-1	INAPPLICABLE	36517	85.05
1	A LOT	2039	4.75
2	SOME	2905	6.77
3	NOT AT ALL	1253	2.92

UNIVERSE: ADULT WHO EXPERIENCED MODERATE PSYCHOLOGICAL DISTRESS IN THE PAST  
12 MONTHS

INPUT VAR:

NOTES: CANNOT BE TRENDED WITH AF72 (2009)

VARNAME: AJ30 QNAME11: QA11\_F2 QPAGENUM: A-47

QNAME09: QA09\_F2 QNAME07: QA07\_F2

LABEL: FEEL HOPELESS PAST 30 DAYS

VALUE:		FREQ	%
-2	PROXY SKIPPED	221	0.51
1	ALL OF THE TIME	356	0.83
2	MOST OF THE TIME	670	1.56
3	SOME OF THE TIME	3066	7.14
4	A LITTLE OF THE TIME	6202	14.45
5	NOT AT ALL	32420	75.51

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ1 QNAME11: QA11\_F20 QPAGENUM: A-52

QNAME09: QA09\_F20 QNAME07: NA

LABEL: INS COVERS TREATMENT FOR MNTL HEALTH PROBLEMS

VALUE:		FREQ	%
-2	PROXY SKIPPED	221	0.51
-1	INAPPLICABLE	36521	85.06
1	YES	4337	10.10
2	NO	1206	2.81
3	NO INSURANCE	650	1.51

UNIVERSE: ALL ADULTS WHO HAVE FELT NEED FOR HELP FOR EMOTIONAL/MENTAL PROBLEMS OR HAVE SEEN SOMEONE FOR EMOTIONAL/MENTAL HEALTH PROBLEMS WITHIN PAST YEAR AND HAVE HEALTH INSURANCE

INPUT VAR:

NOTES:

VARNAME: AJ31 QNAME11: QA11\_F3 QPAGENUM: A-47

QNAME09: QA09\_F3 QNAME07: QA07\_F3

LABEL: FELL RESTLESS PAST 30 DAYS

VALUE:		FREQ	%
-2	PROXY SKIPPED	221	0.51
1	ALL OF THE TIME	936	2.18
2	MOST OF THE TIME	1361	3.17
3	SOME OF THE TIME	7307	17.02
4	A LITTLE OF THE TIME	11228	26.15
5	NOT AT ALL	21882	50.97

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ32 QNAME11: QA11\_F4 QPAGENUM: A-48  
QNAME09: QA09\_F4 QNAME07: QA07\_F4

LABEL: FEEL DEPRESSED PAST 30 DAYS

VALUE:		FREQ	%
-2	PROXY SKIPPED	221	0.51
1	ALL OF THE TIME	312	0.73
2	MOST OF THE TIME	626	1.46
3	SOME OF THE TIME	2411	5.62
4	A LITTLE OF THE TIME	4241	9.88
5	NOT AT ALL	35124	81.81

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AJ33 QNAME11: QA11\_F5 QPAGENUM: A-48  
QNAME09: QA09\_F5 QNAME07: QA07\_F5

LABEL: FEEL EVERYTHING AN EFFORT PAST 30 DAYS

VALUE:		FREQ	%
-2	PROXY SKIPPED	221	0.51
1	ALL OF THE TIME	1606	3.74
2	MOST OF THE TIME	1675	3.90
3	SOME OF THE TIME	5722	13.33
4	A LITTLE OF THE TIME	8082	18.82
5	NOT AT ALL	25629	59.69

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ34 QNAME11: QA11\_F6 QPAGENUM: A-48  
QNAME09: QA09\_F6 QNAME07: QA07\_F6

LABEL: FEEL WORTHLESS PAST 30 DAYS

VALUE:			FREQ	%
-2	PROXY SKIPPED		221	0.51
1	ALL OF THE TIME		367	0.85
2	MOST OF THE TIME		591	1.38
3	SOME OF THE TIME		2094	4.88
4	A LITTLE OF THE TIME		3338	7.77
5	NOT AT ALL		36324	84.60

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AF62 QNAME11: QA11\_F7 QPAGENUM: A-48  
QNAME09: QA09\_F7 QNAME07: QA07\_F7

LABEL: ANY MONTH PAST 12 MONTHS FELT WORSE

VALUE:			FREQ	%
-2	PROXY SKIPPED		221	0.51
1	YES		7915	18.43
2	NO		34799	81.05

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME:     DISTRESS                      QNAME11:    NA                      QPAGENUM: NA

   QNAME09:    NA                      QNAME07:    NA

LABEL:        SERIOUS PSYCHOLOGICAL DISTRESS

MEAN STATISTICS

N	42714
MIN	0
MAX	24
MEAN	3.30

UNIVERSE:    ALL ADULTS

INPUT VAR:    AJ29 AJ30 AJ31 AJ32 AJ33 AJ34

NOTES:        BASED ON KESSLER (K6) SCALE; PREVALENCE CALC USING UNADJUSTED DATA

VARNAME:     AF63                      QNAME11:    QA11\_F8                      QPAGENUM: A-49

   QNAME09:    QA09\_F8                      QNAME07:    QA07\_F8

LABEL:        FEEL NERVOUS WORST MONTH

VALUE:		FREQ	%
-2	PROXY SKIPPED	221	0.51
-1	INAPPLICABLE	34799	81.05
1	ALL OF THE TIME	975	2.27
2	MOST OF THE TIME	1692	3.94
3	SOME OF THE TIME	2477	5.77
4	A LITTLE OF THE TIME	1777	4.14
5	NOT AT ALL	994	2.32

UNIVERSE:    ALL ADULTS WHO FELT WORSE EMOTIONALLY MORE OFTEN IN ANY OF THE  
PREVIOUS 12 MOS COMPARED TO CURRENT MO

INPUT VAR:

NOTES:

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: DSTRS12 QNAME11: NA QPAGENUM: NA

QNAME09: NA QNAME07: NA

LABEL: LIKELY HAS HAD PSYCHOLOGICAL DISTRESS IN THE LAST YEAR

VALUE:			FREQ	%
-2	PROXY SKIPPED		221	0.51
1	YES		2938	6.84
2	NO		39776	92.64

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: BASED ON DSTRSYR>=13

VARNAME: AF64 QNAME11: QA11\_F9 QPAGENUM: A-49

QNAME09: QA09\_F9 QNAME07: QA07\_F9

LABEL: FEEL HOPELESS WORST MONTH

VALUE:			FREQ	%
-2	PROXY SKIPPED		221	0.51
-1	INAPPLICABLE		34799	81.05
1	ALL OF THE TIME		574	1.34
2	MOST OF THE TIME		1147	2.67
3	SOME OF THE TIME		2140	4.98
4	A LITTLE OF THE TIME		1886	4.39
5	NOT AT ALL		2168	5.05

UNIVERSE: ALL ADULTS WHO FELT WORSE EMOTIONALLY MORE OFTEN IN ANY OF THE PREVIOUS 12 MOS COMPARED TO CURRENT MO

INPUT VAR:

NOTES:



2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: DSTRS30 QNAME11: NA QPAGENUM: NA

QNAME09: NA QNAME07: NA

LABEL: LIKELY HAS HAD PSYCHOLOGICAL DISTRESS IN THE PAST MONTH

VALUE:	-2	PROXY SKIPPED	FREQ	%
	1	YES	221	0.51
	2	NO	1515	3.53
			41199	95.96

UNIVERSE: ALL ADULTS

INPUT VAR: DISTRESS

NOTES: BASED on DISTRESS>=13

VARNAME: DSTRSYR QNAME11: NA QPAGENUM: NA

QNAME09: NA QNAME07: NA

LABEL: SERIOUS PSYCHOLOGICAL DISTRESS FOR WORST MONTH PAST YR (K6 SCORE)

MEAN STATISTICS

N	42714
MIN	0
MAX	24
MEAN	3.99

UNIVERSE: ALL ADULTS

INPUT VAR: DISTRESS AF63 AF64 AF65 AF66 AF67 AF68

NOTES:

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: CHORES2 QNAME11: NA QPAGENUM: NA

QNAME09: NA QNAME07:

LABEL: CHORE IMPAIRMENT PAST 12 MONTHS

VALUE:			FREQ	%
-2	PROXY SKIPPED		221	0.51
-1	INAPPLICABLE		36517	85.05
0	NONE		1348	3.14
1	MODERATE		2576	6.00
2	SEVERE		2273	5.29

UNIVERSE: ADULT WHO EXPERIENCED MODERATE TO SEVERE PSYCHOLOGICAL DISTRESS  
(K6>8) IN THE PAST 12 MONTHS

INPUT VAR: AF70B

NOTES: CANNOT BE TRENDED WITH CHORES (2009)

VARNAME: IMPAIR2 QNAME11: NA QPAGENUM: NA

QNAME09: NA QNAME07:

LABEL: FUNCTIONAL ROLE IMPAIRMENT DUE TO EMOTIONS PAST 12 MONTHS

MEAN STATISTICS	
N	6197
MIN	0
MAX	2
MEAN	1.15

UNIVERSE: ADULT WHO EXPERIENCED MODERATE TO SEVERE PSYCHOLOGICAL DISTRESS  
(K6>8) IN THE PAST 12 MONTHS

INPUT VAR: AF69b AF70b AF71b AF72b

NOTES: CANNOT BE TRENDED WITH IMPAIR (2009)

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: SOCIAL2 QNAME11: NA QPAGENUM: NA

QNAME09: NA QNAME07:

LABEL: SOCIAL LIFE IMPAIRMENT PAST 12 MONTHS

VALUE:			FREQ	%
-2	PROXY SKIPPED		221	0.51
-1	INAPPLICABLE		36517	85.05
0	NONE		1107	2.58
1	MODERATE		2529	5.89
2	SEVERE		2561	5.96

UNIVERSE: ADULT WHO EXPERIENCED MODERATE TO SEVERE PSYCHOLOGICAL DISTRESS  
(K6>8) IN THE PAST 12 MONTHS

INPUT VAR: AF71B

NOTES: CANNOT BE TRENDED WITH SOCIAL (2009)

VARNAME: WORK2 QNAME11: NA QPAGENUM: NA

QNAME09: NA QNAME07:

LABEL: WORK IMPAIRMENT PAST 12 MONTHS

VALUE:			FREQ	%
-2	PROXY SKIPPED		221	0.51
-1	INAPPLICABLE		39141	91.16
0	NONE		915	2.13
1	MODERATE		1614	3.76
2	SEVERE		1044	2.43

UNIVERSE: ADULT WHO EXPERIENCED MODERATE TO SEVERE PSYCHOLOGICAL DISTRESS  
(K6>8) IN THE PAST 12 MONTHS

INPUT VAR: AF69B

NOTES: CANNOT BE TRENDED WITH WORK (2009)

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: FAMILY2 QNAME11: NA QPAGENUM: NA

QNAME09: QNAME07:

LABEL: FAMILY LIFE IMPAIRMENT PAST 12 MONTHS

VALUE:			FREQ	%
-2	PROXY SKIPPED		221	0.51
-1	INAPPLICABLE		36517	85.05
0	NONE		1253	2.92
1	MODERATE		2905	6.77
2	SEVERE		2039	4.75

UNIVERSE: ADULT WHO EXPERIENCED MODERATE TO SEVERE PSYCHOLOGICAL DISTRESS  
(K6>8) IN THE PAST 12 MONTHS

INPUT VAR: AF72B

NOTES: CANNOT BE TRENDED WITH FAMILY (2009)

## Section G: Demographic Information, Part II & Child Care

VARNAME: AH33NEW QNAME11: NA QPAGENUM: NA

QNAME09: NA QNAME07: NA

LABEL: BORN IN U.S.

VALUE:			FREQ	%
1	BORN IN U.S.		31801	74.07
2	BORN OUTSIDE U.S.		11134	25.93

UNIVERSE: ALL ADULTS

INPUT VAR: AH33

NOTES:

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AH34NEW QNAME11: NA QPAGENUM: NA

QNAME09: NA QNAME07: NA

LABEL: MOTHER BORN IN U.S.

VALUE:			FREQ	%
-1	INAPPLICABLE		11200	26.09
1	BORN IN U.S.		27157	63.25
2	BORN OUTSIDE U.S.		4578	10.66

UNIVERSE: ALL ADULTS WHO WERE BORN IN THE UNITED STATES

INPUT VAR: AH34

NOTES:

VARNAME: AH35NEW QNAME11: NA QPAGENUM: NA

QNAME09: NA QNAME07: NA

LABEL: FATHER BORN IN U.S.

VALUE:			FREQ	%
-1	INAPPLICABLE		11200	26.09
1	BORN IN U.S.		26698	62.18
2	BORN OUTSIDE U.S.		5037	11.73

UNIVERSE: ALL ADULTS WHO WERE BORN IN THE UNITED STATES

INPUT VAR: AH35

NOTES:

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: CNTRYF QNAME11: NA QPAGENUM: NA

QNAME09: NA QNAME07: NA

LABEL: COUNTRY FATHER BORN

VALUE:			FREQ	%
-1	INAPPLICABLE		11200	26.09
1	UNITED STATES		26698	62.18
2	MEXICO		1745	4.06
3	CENTRAL AMERICA		167	0.39
4	OTHER LATIN AMERICA		133	0.31
5	ASIA & PACIFIC ISLANDS		1042	2.43
6	EUROPE		1638	3.82
7	OTHER		312	0.73

UNIVERSE: ALL ADULTS WHO WERE BORN IN US

INPUT VAR: AH35

NOTES:

VARNAME: CNTRYM QNAME11: NA QPAGENUM: NA

QNAME09: NA QNAME07: NA

LABEL: COUNTRY MOTHER BORN

VALUE:			FREQ	%
-1	INAPPLICABLE		11200	26.09
1	UNITED STATES		27157	63.25
2	MEXICO		1623	3.78
3	CENTRAL AMERICA		191	0.44
4	OTHER LATIN AMERICA		115	0.27
5	ASIA & PACIFIC ISLANDS		978	2.28
6	EUROPE		1329	3.10
7	OTHER		342	0.80

UNIVERSE: ALL ADULTS WHO WERE BORN IN US

INPUT VAR: AH34

NOTES:

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: CNTRYS QNAME11: NA QPAGENUM: NA

QNAME09: NA QNAME07: NA

LABEL: COUNTRY BORN

VALUE:			FREQ	%
1	UNITED STATES		31801	74.07
2	MEXICO		4372	10.18
3	CENTRAL AMERICA		804	1.87
4	OTHER LATIN AMERICA		392	0.91
5	ASIA & PACIFIC ISLANDS		3833	8.93
6	EUROPE		1202	2.80
7	OTHER		531	1.24

UNIVERSE: ALL ADULTS

INPUT VAR: AH33

NOTES:

VARNAME: LANGHOME QNAME11: NA QPAGENUM: NA

QNAME09: NA QNAME07: NA

LABEL: LANGUAGE SPOKEN AT HOME

VALUE:			FREQ	%
1	ENGLISH		29212	68.04
2	SPANISH		2803	6.53
3	CHINESE		422	0.98
4	VIETNAMESE		551	1.28
5	KOREAN		476	1.11
6	OTHER ASIAN LANGUAGE (1 ONLY)		113	0.26
7	OTHER NON-ASIAN LANGUAGE (1 ONLY)		121	0.28
8	ENGLISH & SPANISH		5421	12.63
9	ENGLISH & CHINESE		450	1.05
10	ENGLISH & EUROPEAN LANGUAGE		875	2.04
11	ENGLISH & ANOTHER ASIAN LANGUAGE		1207	2.81
12	ENGLISH & ONE OTHER LANGUAGE		415	0.97
13	OTHER LANGUAGES (2+)		869	2.02

UNIVERSE: ALL ADULTS

INPUT VAR: AH36\_1 AH36\_2 AH36\_3 AH36\_4 AH36\_5 AH36\_6 AH36\_7 AH36\_8 AH36\_9  
AH36\_10 AH36\_11 AH36\_12 AH36\_13 AH36\_14 AH36\_15 AH36\_16 AH36\_17 AH36\_18 AH36\_19  
AH36\_20 AH36\_21 AH36\_22 AH36\_23 AH36\_24 AH36\_25

NOTES:

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AG20 QNAME11: QA11\_G5 QPAGENUM: A-59  
QNAME09: QA09\_G5 QNAME07: QA07\_G5A

LABEL: LANGUAGE SPEAK WITH FRIENDS

VALUE:			FREQ	%
-9	NOT ASCERTAINED		7	0.02
-1	INAPPLICABLE		29211	68.04
1	ONLY ENGLISH		3796	8.84
2	BOTH ENGLISH AND OTHER LANGUAGE(S)		4731	11.02
3	ONLY OTHER LANGUAGE(S)		5190	12.09

UNIVERSE: ALL ADULTS WHO WERE NOT INTERVIEWD IN ENGLISH OR SPEAK LANG OTHER  
THAN ENGLISH AT HOME

INPUT VAR:

NOTES:

VARNAME: AG21 QNAME11: QA11\_G6 QPAGENUM: A-59  
QNAME09: QA09\_G6 QNAME07: QA07\_G5B

LABEL: LANGUAGE OF TV, RADIO, NEWSPAPERS

VALUE:			FREQ	%
-9	NOT ASCERTAINED		7	0.02
-1	INAPPLICABLE		29211	68.04
1	ONLY ENGLISH		5233	12.19
2	BOTH ENGLISH AND OTHER LANGUAGE(S)		4825	11.24
3	ONLY OTHER LANGUAGE(S)		3659	8.52

UNIVERSE: ALL ADULTS WHO WERE NOT INTERVIEWD IN ENGLISH OR SPEAK LANG OTHER  
THAN ENGLISH AT HOME

INPUT VAR:

NOTES:



2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AH37 QNAME11: QA11\_G7 QPAGENUM: A-60  
QNAME09: QA09\_G7 QNAME07: QA07\_G6

LABEL: LEVEL OF ENGLISH PROFICIENCY: GENERAL

VALUE:			FREQ	%
-9	NOT ASCERTAINED		7	0.02
-1	INAPPLICABLE		29201	68.01
1	VERY WELL		5114	11.91
2	WELL		3355	7.81
3	NOT WELL		3524	8.21
4	NOT AT ALL		1734	4.04

UNIVERSE: ALL ADULTS WHO SPEAK LANGUAGE OTHER THAN ENGLISH AT HOME AND/OR  
WERE INTERVIEWED IN LANGUAGE OTHER THAN ENGLISH

INPUT VAR:

NOTES:

VARNAME: SPK\_ENG QNAME11: NA QPAGENUM: NA  
QNAME09: NA QNAME07: NA

LABEL: ENGLISH USE AND PROFICIENCY

VALUE:			FREQ	%
1	SPEAK ONLY ENGLISH		29219	68.05
2	VERY WELL/WELL		8460	19.70
3	NOT WELL/NOT AT ALL		5256	12.24

UNIVERSE: ALL ADULTS

INPUT VAR: AH36\_1 AH36\_2 AH36\_3 AH36\_4 AH36\_5 AH36\_6 AH36\_7 AH36\_8 AH36\_9  
AH36\_10 AH36\_11 AH36\_12 AH36\_13 AH36\_14 AH36\_15 AH36\_16 AH36\_17 AH36\_18 AH36\_19  
AH36\_20 AH36\_21 AH36\_22 AH36\_23 AH37

NOTES:

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: CITIZEN2 QNAME11: NA QPAGENUM: NA

QNAME09: NA QNAME07: NA

LABEL: CITIZENSHIP STATUS (3 LVLS)

VALUE:			FREQ	%
1	US-BORN CITIZEN		31801	74.07
2	NATURALIZED CITIZEN		6741	15.70
3	NON-CITIZEN		4393	10.23

UNIVERSE: ALL ADULTS

INPUT VAR: AH39 AH33 AH40

NOTES:

VARNAME: YRUS QNAME11: NA QPAGENUM: NA

QNAME09: NA QNAME07: NA

LABEL: YEARS LIVED IN THE U.S.

VALUE:			FREQ	%
-1	INAPPLICABLE		31801	74.07
1	<=1 YEAR		110	0.26
2	2-4 YEARS		345	0.80
3	5-9 YEARS		882	2.05
4	10-14 YEARS		1367	3.18
5	15+ YEARS		8430	19.63

UNIVERSE: ALL ADULTS BORN IN A COUNTRY OTHER THAN US SAMOA GUAM PUERTO RICO  
OR VIRGIN ISLANDS

INPUT VAR: AADATE AH41FMT AH41YR AH41

NOTES:

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: PCTLF\_P QNAME11: NA QPAGENUM: NA

QNAME09: NA QNAME07: NA

LABEL: PERCENT LIFE IN US (PUF RECODE)

VALUE:			FREQ	%
1	0-20		1143	2.66
2	21-40		2793	6.51
3	41-60		3618	8.43
4	61-80		2277	5.30
5	81+		33104	77.10

UNIVERSE: ALL ADULTS

INPUT VAR: PCTLF

NOTES:

VARNAME: AH44 QNAME11: QA11\_G11 QPAGENUM: A-61

QNAME09: QA09\_G11 QNAME07: QA07\_G11

LABEL: SPOUSE LIVING IN SAME HOUSEHOLD

VALUE:			FREQ	%
-1	INAPPLICABLE		19285	44.92
1	YES		23074	53.74
2	NO		576	1.34

UNIVERSE: ALL ADULTS WHO ARE MARRIED OR LIVING WITH A PARTNER

INPUT VAR:

NOTES:

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AH43A QNAME11: QA11\_G13 QPAGENUM: A-61  
QNAME09: QA09\_G13 QNAME07: QA07\_G13

LABEL: LIVING WITH A PARENT

VALUE:			FREQ	%
-1	INAPPLICABLE		39449	91.88
1	YES		2483	5.78
2	NO		1003	2.34

UNIVERSE: ALL ADULTS UNDER 30 WHO ARE [(MARRIED AND LIVING W/ SPOUSE) OR  
(LIVING W/ PARTNER AND AT LEAST 3 ALL ADULTS) OR (NOT MARRIED  
AND LIVING W/ AT LEAST 2 ALL ADULTS)]

INPUT VAR:

NOTES:

VARNAME: AH44A QNAME11: QA11\_G20 QPAGENUM: A-63  
QNAME09: QA09\_G19 QNAME07: QA07\_G19

LABEL: USED PAID CHILDCARE FOR CHILDREN UNDER 14 IN PAST MONTH

VALUE:			FREQ	%
-1	INAPPLICABLE		33107	77.11
1	YES		2136	4.97
2	NO		7692	17.92

UNIVERSE: ALL ADULTS LIVING WITH CHILDREN UNDER AGE 14

INPUT VAR:

NOTES: NOT TRENDABLE WITH CHIS 2001/2003 AH44A

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AHCHLDC QNAME11: NA QPAGENUM: NA

QNAME09: NA QNAME07: NA

LABEL: AMOUNT SPENT ON CHILD CARE PER WEEK

VALUE:			FREQ	%
-1	INAPPLICABLE		40799	95.03
1	\$0-9/WEEK		153	0.36
2	\$10-24/WEEK		183	0.43
3	\$25-49/WEEK		286	0.67
4	\$50-99/WEEK		449	1.05
5	\$100-199/WEEK		579	1.35
6	\$200+/WEEK		486	1.13

UNIVERSE: ALL ADULTS WHO HAVE CHILDREN UNDER AGE 14 AND PAID FOR CHILDCARE  
IN THE PAST MONTH.

INPUT VAR: AH44B AH44BUNT

NOTES:

VARNAME: AG22 QNAME11: QA11\_G23 QPAGENUM: A-64

QNAME09: QA09\_G23 QNAME07: NA

LABEL: EVER SERVE IN U.S. ARMED FORCES

VALUE:			FREQ	%
1	YES		4953	11.54
2	NO		37982	88.46

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: SERVED QNAME11: NA QPAGENUM: NA

QNAME09: NA QNAME07: NA

LABEL: LENGTH OF TIME SERVED IN ACTIVE DUTY

## MEAN STATISTICS

N	4953
MIN	1
MAX	5
MEAN	3.11

UNIVERSE: ALL ADULTS WHO HAVE SERVED IN ACTIVE DUTY

```
INPUT VAR: AG22 AG24UNIT AG24NUM AG23BEG AG23END
```

NOTES:

VARNAME: AK1 QNAME11: QA11 G26 QPAGENUM: A-65

QNAME09: QA09 G22 QNAME07: QA07 G22

LABEL: WORK STATUS LAST WEEK

VALUE:			FREQ	%
1	WORKING AT A JOB/BUSINESS		19126	44.55
2	WITH A JOB/BUSINESS BUT NOT AT WORK		1039	2.42
3	LOOKING FOR WORK		2580	6.01
4	NOT WORKING JOB/BUSINESS (UNEMP)		20190	47.02

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: AK2 QNAME11: QA11\_G27 QPAGENUM: A-66  
QNAME09: QA09\_G23 QNAME07: QA07\_G23

LABEL: MAIN REASON FOR NOT WORKING LAST WEEK

VALUE:		FREQ	%
-1	INAPPLICABLE	19126	44.55
1	TAKING CARE OF HOUSE OR FAMILY	2113	4.92
2	ON PLANNED VACATION	869	2.02
3	COULDN'T FIND A JOB	2249	5.24
4	GOING TO SCHOOL/STUDENT	852	1.98
5	RETIRED	12353	28.77
6	PHYSICAL DISABILITY	2429	5.66
7	UNABLE TO WORK TEMPORARILY	246	0.57
8	ON LAYOFF OR STRIKE	465	1.08
9	ON FAMILY OR MATERNITY LEAVE	99	0.23
10	OFF SEASON	231	0.54
11	SICK	391	0.91
91	OTHER	1512	3.52

UNIVERSE: ALL ADULTS WITH A JOB BUT NOT AT WORK LAST WEEK, LOOKING FOR WORK,  
OR NOT WORKING AT A JOB LAST WEEK

INPUT VAR:

NOTES:

---

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AG10 QNAME11: QA11\_G28 QPAGENUM: A-66  
QNAME09: QA09\_G25 QNAME07: QA07\_G24

LABEL: RESPONDENT USUALLY WORKS

VALUE:			FREQ	%
-1	INAPPLICABLE		33908	78.98
1	YES		2648	6.17
2	NO		4345	10.12
3	LOOKING FOR WORK		2034	4.74

UNIVERSE: ALL ADULTS (W/ A JOB OR BUSINESS BUT NOT AT WORK) OR (NOT WORKING AT A JOB OR BUSINESS) OR LOOKING FOR WORK (NOT INCL ALL ADULTS WHO ARE RETIRED OR DISABLED)

INPUT VAR:

NOTES:

VARNAME: WRKST QNAME11: NA QPAGENUM: NA  
QNAME09: NA QNAME07: NA

LABEL: WORKING STATUS

VALUE:			FREQ	%
1	FULL-TIME EMPLOYMENT (21+ HRS/WEEK)		17958	41.83
2	PART-TIME EMPLOYMENT (0-20 HRS/WEEK)		3400	7.92
3	EMPLOYED, NOT AT WORK		153	0.36
4	UNEMPLOYED, LOOKING FOR WORK		2681	6.24
5	UNEMPLOYED, NOT LOOKING FOR WORK		18743	43.65

UNIVERSE: ALL ADULTS

INPUT VAR: AK3 AK1 AK2 AG10

NOTES: CANNOT BE TRENDED WITH WRKST 2003



2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: WRKST\_S QNAME11: NA QPAGENUM: NA

QNAME09: NA QNAME07: NA

LABEL: SPOUSE WORKING STATUS

VALUE:		FREQ	%
-1	INAPPLICABLE - NO SPOUSE	21574	50.25
1	FULL-TIME EMPLOYMENT (21+ HRS/WEEK)	10636	24.77
2	PART-TIME EMPLOYMENT (0-20 HRS/WEEK)	1329	3.10
3	EMPLOYED, NOT AT WORK	84	0.20
4	UNEMPLOYED, LOOKING FOR WORK	688	1.60
5	UNEMPLOYED, NOT LOOKING FOR WORK	8624	20.09

UNIVERSE: ALL ADULTS LIVING WITH SPOUSE

INPUT VAR: AH43 AK20 AG8 AG11

NOTES:

VARNAME: AL22 QNAME11: QA11\_G29 QPAGENUM: A-66

QNAME09: QA09\_G26 QNAME07: QA07\_G25

LABEL: RECEIVING SOCIAL SECURITY DISABILITY INS

VALUE:		FREQ	%
-1	INAPPLICABLE	35436	82.53
1	YES	1831	4.26
2	NO	5668	13.20

UNIVERSE: ALL ADULTS UNDER 65 WHO ARE RETIRED, DISABLED, OR DO NOT USUALLY WORK

INPUT VAR:

NOTES:

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AK4 QNAME11: QA11\_G30 QPAGENUM: A-67  
QNAME09: QA09\_G27 QNAME07: QA07\_G26

LABEL: TYPE OF EMPLOYER AT MAIN JOB

VALUE:			FREQ	%
-1	INAPPLICABLE		21133	49.22
1	PRIVATE COMPANY, NON-PROFIT ORG		12800	29.81
2	GOVERNMENT		4111	9.57
3	SELF-EMPLOYED		4458	10.38
4	FAMILY BUSINESS OR FARM		433	1.01

UNIVERSE: ALL ADULTS WITH A JOB OR WHO USUALLY WORK (EXCLUDING THOSE WHO ARE LESS THAN 65 AND DISABLED OR RETIRED LAST WEEK)

INPUT VAR:

NOTES:

VARNAME: AG8 QNAME11: QA11\_G31 QPAGENUM: A-67  
QNAME09: QA09\_G28 QNAME07: QA07\_G27

LABEL: WORK STATUS OF SPOUSE LAST WEEK

VALUE:			FREQ	%
-1	INAPPLICABLE		21441	49.94
1	WORKING AT A JOB OR BUSINESS		11112	25.88
2	WITH A JOB/BUSINESS, BUT NOT AT WORK		531	1.24
3	LOOKING FOR WORK		628	1.46
4	NOT WORKING AT A JOB OR BUSINESS		9223	21.48

UNIVERSE: ALL ADULTS WHO ARE MARRIED OR HAVE A LEGAL PARTNER

INPUT VAR:

NOTES:

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AG11 QNAME11: QA11\_G32 QPAGENUM: A-67  
QNAME09: QA09\_G29 QNAME07: QA07\_G28

LABEL: SPOUSE USUALLY WORKS

VALUE:			FREQ	%
-1	INAPPLICABLE		33084	77.06
1	YES		659	1.53
2	NO		8676	20.21
3	LOOKING FOR WORK		516	1.20

UNIVERSE: MARRIED OR HAVE LEGAL PARTNER ALL ADULTS WITH SPOUSE/ PARTNER WHO IS LOOKING FOR WORK, NOT WORKING, OR REFUSED/DIDN'T KNOW ANSWER TO QUESTION

INPUT VAR:

NOTES:

VARNAME: AG9 QNAME11: QA11\_G33 QPAGENUM: A-68  
QNAME09: QA09\_G30 QNAME07: QA07\_G29

LABEL: TYPE OF EMPLOYER ON SPOUSE'S MAIN JOB

VALUE:			FREQ	%
-1	INAPPLICABLE		30633	71.35
1	PRIVATE COMPANY/NON-PROFIT ORG		7312	17.03
2	GOVERNMENT		2340	5.45
3	SELF-EMPLOYED		2447	5.70
4	FAMILY BUSINESS/FARM		203	0.47

UNIVERSE: ALL ADULTS WITH SPOUSE/ PARTNER THAT HAS JOB OR USUALLY WORKS

INPUT VAR:

NOTES:

VARNAME:	AHEDUC	QNAME11:	NA	QPAGENUM:	NA
		QNAME09:	NA	QNAME07:	NA
LABEL:	EDUCATIONAL ATTAINMENT				
				FREQ	%
VALUE:	1	GRADE 1-8		2623	6.11
	2	GRADE 9-11		2156	5.02
	3	GRADE 12/H.S. DIPLOMA		9733	22.67
	4	SOME COLLEGE		6966	16.22
	5	VOCATIONAL SCHOOL		1354	3.15
	6	AA OR AS DEGREE		3354	7.81
	7	BA OR BS DEGREE		9153	21.32
	8	SOME GRAD. SCHOOL		609	1.42
	9	MA OR MS DEGREE		4825	11.24
	10	PH.D. OR EQUIVALENT		1830	4.26
	91	NO FORMAL EDUCATION		332	0.77

UNIVERSE: ALL ADULTS

INPUT VAR: AH47

NOTES:

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: AKWKLNG QNAME11: NA QPAGENUM: NA  
QNAME09: NA QNAME07: NA

LABEL: TIME AT MAIN JOB

VALUE:			FREQ	%
-1	INAPPLICABLE		21064	49.06
0	<1 YEAR		1753	4.08
1	1 YEAR		2090	4.87
2	2 YEARS		1631	3.80
3	3 YEARS		1421	3.31
4	4 YEARS		1093	2.55
5	5 YEARS		1285	2.99
6	6-9 YEARS		2993	6.97
7	10-14 YEARS		3175	7.39
8	15-19 YEARS		1731	4.03
9	20-29 YEARS		2767	6.44
10	30+ YEARS		1932	4.50

UNIVERSE: ALL ADULTS EXCEPT FOR (THOSE WHO ARE LOOKING FOR WORK OR NOT  
WORKING LAST WEEK) OR (THOSE WHO USUALLY WORK ZERO HOURS)

INPUT VAR: AK7 AK7UNT

NOTES:

---

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: FAM\_TYPE QNAME11: NA QPAGENUM: NA

QNAME09: NA QNAME07: NA

LABEL: FAMILY TYPE

VALUE:			FREQ	%
1	SINGLE ADULT, 21+		17705	41.24
2	SINGLE YOUNG ADULT, 19-20		910	2.12
3	MARRIED, NO KIDS		13547	31.55
4	MARRIED WITH KIDS		8004	18.64
5	SINGLE WITH KIDS		2272	5.29
6	SINGLE, 18 YEARS OLD		497	1.16

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: "SINGLE" CATEGORIES INCLUDE MARRIED R NOT LIVING WITH SPOUSE.

VARNAME: FAMTYP\_P QNAME11: NA QPAGENUM: NA

QNAME09: NA QNAME07: NA

LABEL: FAMILY TYPE (PUF RECODE)

VALUE:			FREQ	%
1	SINGLE ADULT, 21+		17705	41.24
2	SINGLE YOUNG ADULT, 19-20		910	2.12
3	MARRIED, NO KIDS		13547	31.55
4	MARRIED WITH KIDS		8004	18.64
5	SINGLE WITH KIDS		2272	5.29
6	SINGLE, 18 YEARS OLD		497	1.16

UNIVERSE: ALL ADULTS

INPUT VAR: FAM\_TYPE

NOTES: "SINGLE" CATEGORIES INCLUDE MARRIED R NOT LIVING WITH SPOUSE.

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

**Section H: Health Insurance**

---

VARNAME: AH1 QNAME11: QA11\_H1 QPAGENUM: A-69  
QNAME09: QA09\_H1 QNAME07: QA07\_H1

LABEL: HAVE USUAL SOURCE OF HEALTH CARE

VALUE:		FREQ	%
1	YES	28206	65.69
2	NO	4773	11.12
3	DOCTOR / MY DOCTOR	7896	18.39
4	KAISER	1960	4.57
5	MORE THAN ONE PLACE	100	0.23

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

---

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AH3 QNAME11: QA11\_H2 QPAGENUM: A-69  
QNAME09: QA09\_H2 QNAME07: QA07\_H2

LABEL: KIND OF PLACE FOR USUAL SOURCE OF HEALTH CARE

VALUE:			FREQ	%
-1	INAPPLICABLE		4773	11.12
1	DOCTOR'S OFFICE/KAISER/HMO		27556	64.18
2	CLINIC/HEALTH CENTER/HOSPITAL CLINIC		9861	22.97
3	EMERGENCY ROOM		385	0.90
4	COMPLEMENTARY AND ALTERNATIVE MEDICINE		147	0.34
5	FAMILY/FRIEND IS HEALTH PROVIDER		55	0.13
6	INTERNET/LIBRARY		34	0.08
91	SOME OTHER PLACE		42	0.10
94	NO ONE PLACE		82	0.19

UNIVERSE: ALL ADULTS WHO HAVE USUAL SOURCE OF HEALTH INSURANCE/ CARE

INPUT VAR:

NOTES:

VARNAME: USOC QNAME11: NA QPAGENUM: NA  
QNAME09: NA QNAME07: NA

LABEL: USUAL SOURCE OF CARE OTHER THAN ER

VALUE:			FREQ	%
1	YES		37791	88.02
2	NO		5144	11.98

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:



2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: USUAL QNAME11: NA QPAGENUM: NA

QNAME09: NA QNAME07: NA

LABEL: HAVE USUAL PLACE TO GO TO WHEN SICK OR NEEDING HEALTH ADVICE

VALUE:			FREQ	%
1	YES		38162	88.88
2	NO		4773	11.12

UNIVERSE: ALL ADULTS

INPUT VAR: AH1

NOTES:

VARNAME: USUAL\_TP QNAME11: NA QPAGENUM: NA

QNAME09: NA QNAME07: NA

LABEL: USUAL SOURCE OF CARE (7 LVLS)

VALUE:			FREQ	%
1	DOC OFFICE/HMO/KAISER		29148	67.89
2	COMMUN/GOV CLIN, COMMUN HOSP		8297	19.32
3	EMERGENCY ROOM		371	0.86
5	SOME OTHER PLACE		273	0.64
6	NO ONE PARTICULAR PLACE		73	0.17
7	NO USUAL SOURCE OF CARE		4773	11.12

UNIVERSE: ALL ADULTS

INPUT VAR: AH1 AH3

NOTES:

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: USUAL5TP QNAME11: NA QPAGENUM: NA

QNAME09: NA QNAME07: NA

LABEL: USUAL SOURCE OF CARE (5 LVLS)

VALUE:			FREQ	%
1	DOC OFFICE/HMO/KAISER		29148	67.89
2	COMMUN/GOV CLIN, COMMUN HOSP		8297	19.32
3	EMERGENCY ROOM/URGENT CARE		371	0.86
4	OTHER PLACE/NO ONE PLACE		346	0.81
5	NO USUAL SOURCE OF CARE		4773	11.12

UNIVERSE: ALL ADULTS

INPUT VAR: USUAL\_TP

NOTES:

VARNAME: AH12 QNAME11: QA11\_H3 QPAGENUM: A-69

QNAME09: QA09\_H3 QNAME07: QA07\_H3

LABEL: VISITED EMERGENCY ROOM FOR OWN HEALTH IN PAST 12 MOS

VALUE:			FREQ	%
-1	INAPPLICABLE		1237	2.88
1	YES		7154	16.66
2	NO		34544	80.46

UNIVERSE: ALL ADULTS WHO DID NOT VISIT ER FOR ASTHMA/ DIABETES/ HEART DISEASE IN LAST 12 MOS

INPUT VAR:

NOTES: NOT TRENDABLE WITH CHIS 2001 AH12

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AH49 QNAME11: QA11\_H8 QPAGENUM: A-71  
QNAME09: QA09\_H7 QNAME07: QA07\_H7

LABEL: MEDICARE COVERAGE PROVIDED THROUGH HMO

VALUE:			FREQ	%
-1	INAPPLICABLE		27638	64.37
1	YES		6955	16.20
2	NO		8342	19.43

UNIVERSE: ALL ADULTS WITH MEDICARE

INPUT VAR:

NOTES:

VARNAME: AH50\_P QNAME11: NA QPAGENUM: NA  
QNAME09: NA QNAME07: NA

LABEL: NAME OF MEDICARE HMO PLAN (PUF RECODE)

VALUE:			FREQ	%
-8	DON'T KNOW		127	0.30
-1	INAPPLICABLE		35980	83.80
1	KAISER		2846	6.63
2	BLUE CROSS		481	1.12
3	PACIFICARE		879	2.05
4	BLUE SHIELD		262	0.61
5	HEALTH NET		506	1.18
6	AETNA		11	0.03
8	OTHER		1843	4.29

UNIVERSE: ALL ADULTS WITH MEDICARE PROVIDED THROUGH HMO

INPUT VAR: AH50

NOTES:

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AI4 QNAME11: QA11\_H10 QPAGENUM: A-73  
QNAME09: QA09\_H9 QNAME07: QA07\_H9

LABEL: COVERED BY MEDICARE SUPPL POLICY

VALUE:		FREQ	%
-1	INAPPLICABLE	34563	80.50
1	YES	4890	11.39
2	NO	3482	8.11

UNIVERSE: ALL ADULTS WITH MEDICARE NOT PROVIDED THROUGH HMO

INPUT VAR:

NOTES:

VARNAME: AH52 QNAME11: QA11\_H11 QPAGENUM: A-73  
QNAME09: QA09\_H10 QNAME07: QA07\_H10

LABEL: SIGN UP FOR MEDICARE HMO DIRECTLY OR OTHERWISE

VALUE:		FREQ	%
-1	INAPPLICABLE	31084	72.40
1	DIRECTLY	5294	12.33
2	CURRENT EMPLOYER	251	0.58
3	FORMER EMPLOYER	3215	7.49
4	UNION	274	0.64
5	FAMILY BUSINESS	75	0.17
6	AARP	1104	2.57
7	SPOUSE'S EMPLOYER	594	1.38
8	SPOUSE'S UNION	20	0.05
9	PROFESSIONAL/FRATERNAL ORGANIZATION	21	0.05
91	OTHER	1003	2.34

UNIVERSE: ALL ADULTS WITH MEDICARE PROVIDED THROUGH HMO OR MEDIGAP/MEDICARE SUPPLEMENT

INPUT VAR:

NOTES:

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AI15 QNAME11: QA11\_H26 QPAGENUM: A-80  
QNAME09: QA09\_H25 QNAME07: QA07\_H25

LABEL: MAIN REASON NOT IN EMPLOYER'S HEALTH PLAN

VALUE:			FREQ	%
-1	INAPPLICABLE		40665	94.71
1	COVERED BY ANOTHER PLAN		1235	2.88
2	TOO EXPENSIVE		757	1.76
3	DIDNT LIKE PLAN OFFERED		123	0.29
4	DONT NEED OR BELIEVE IN HEALTH INSURANCE		58	0.14
5	IN PROCESS		21	0.05
6	DIDNT TAKE UP - OTHER		72	0.17
7	RECEIVE EXTRA PAY/BENEFITS NOT TO ENROLL		3	0.01
91	OTHER		1	0.00

UNIVERSE: ALL ADULTS WHO WORKED IN PAST WK OR USUALLY WORK, ARE NOT  
SELF-EMPLOYED, AND DO NOT HAVE EMPLOYER-BASED COVERAGE THOUGH  
ELIGIBLE

INPUT VAR:

NOTES:

VARNAME: AI15A QNAME11: QA11\_H27 QPAGENUM: A-80  
QNAME09: QA09\_H26 QNAME07: QA07\_H26

LABEL: MAIN REASON INELIGIBLE FOR EMPLOYER'S HEALTH PLAN

VALUE:			FREQ	%
-1	INAPPLICABLE		41237	96.05
1	HAVENT WORKED HERE LONG ENOUGH		326	0.76
2	CONTRACT OR TEMP EMPLOYEE		302	0.70
3	DONT WORK ENOUGH HOURS PER WEEK		956	2.23
4	DOES NOT MEET AGE REQUIREMENTS		4	0.01
5	ONLY MANAGEMENT CAN GET HEALTH INSURANCE		21	0.05
6	NOT ELIGIBLE - OTHER		38	0.09
7	HAS LEFT POSITION/RETIRED/LAID OFF		51	0.12

UNIVERSE: ALL ADULTS WHO WORKED IN PAST WEEK OR USUALLY WORK, ARE NOT  
SELF-EMPLOYED, AND ARE NOT ELIGIBLE FOR EMPLOYER-BASED HEALTH PLAN

INPUT VAR:

NOTES:

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AI37A QNAME11: QA11\_H39 QPAGENUM: A-86  
QNAME09: QA09\_H38 QNAME07: QA07\_H37

LABEL: SPOUSE COVERED BY MEDICARE SUPPL POLICY

VALUE:			FREQ	%
-1	INAPPLICABLE		39686	92.43
1	YES		2456	5.72
2	NO		793	1.85

UNIVERSE: ALL ADULTS LIVING WITH SPOUSE AGE 65 OR OVER WITH MEDICARE NOT COVERED BY HMO

INPUT VAR:

NOTES:

VARNAME: AI45 QNAME11: QA11\_H55 QPAGENUM: A-94  
QNAME09: QA09\_H54 QNAME07: QA07\_H53

LABEL: MAIN REASON SPOUSE NOT IN EMPLOYER'S HEALTH PLAN

VALUE:			FREQ	%
-1	INAPPLICABLE		40627	94.62
1	COVERED BY ANOTHER PLAN		1462	3.41
2	TOO EXPENSIVE		673	1.57
3	DIDNT LIKE PLAN OFFERED		111	0.26
4	DONT NEED OR BELIEVE IN HEALTH INSURANCE		26	0.06
5	IN PROCESS		8	0.02
6	DIDNT TAKE UP - OTHER		25	0.06
7	RECEIVE EXTRA PAY/BENEFITS NOT TO ENROLL		3	0.01

UNIVERSE: ALL ADULTS LIVING WITH EMPLOYED SPOUSE (OR USUALLY WORKS) WITH NO EMPLOYER-BASED HEALTH INSURANCE IN OWN NAME EVEN THOUGH OFFERED AND ELIGIBLE

INPUT VAR:

NOTES:

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AI45A QNAME11: QA11\_H56 QPAGENUM: A-94  
QNAME09: QA09\_H55 QNAME07: QA07\_H54

LABEL: MAIN REASON SPOUSE INELIGIBLE FOR EMPLOYER'S HEALTH PLAN

VALUE:			FREQ	%
-1	INAPPLICABLE		42145	98.16
1	HAVENT WORKED HERE LONG ENOUGH		115	0.27
2	CONTRACT OR TEMP EMPLOYEE		130	0.30
3	DONT WORK ENOUGH HOURS PER WEEK		482	1.12
5	ONLY MANAGEMENT CAN GET HEALTH INSURANCE		17	0.04
6	NOT ELIGIBLE - OTHER		26	0.06
7	HAS LEFT POSITION/RETIRED/LAID OFF		20	0.05

UNIVERSE: ALL ADULTS LIVING WITH EMPLOYED SPOUSE (OR USUALLY WORKS) WHOSE  
EMPLOYER OFFERS HLTH INSURANCE IN OWN NAME BUT IS NOT ELIGIBLE

INPUT VAR:

NOTES:

VARNAME: AI22C QNAME11: QA11\_H57 QPAGENUM: A-95  
QNAME09: QA09\_H56 QNAME07: QA07\_H55

LABEL: MAIN HEALTH PLAN IS HMO

VALUE:			FREQ	%
-1	INAPPLICABLE		12444	28.98
1	YES		12447	28.99
2	NO		18044	42.03

UNIVERSE: ALL ADULTS WHO HAVE HEALTH INSURANCE COVERAGE OTHER THAN MEDICARE  
HMO

INPUT VAR:

NOTES:

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: HMO QNAME11: QPAGENUM: NA

QNAME09: QNAME07:

LABEL: HMO STATUS

VALUE:			FREQ	%
1	HMO		19498	45.41
2	NON-HMO		18158	42.29
3	UNINSURED		5279	12.30

UNIVERSE: ALL ADULTS

INPUT VAR: INSTYPE AH49 AI22C AI22A AH50

NOTES:

VARNAME: AI22A\_P QNAME11: NA QPAGENUM: NA

QNAME09: NA QNAME07: NA

LABEL: NAME OF HEALTH PLAN (PUF RECODE)

VALUE:			FREQ	%
-8	DON'T KNOW		1717	4.00
-1	INAPPLICABLE		12447	28.99
1	KAISER		5034	11.72
2	BLUE CROSS		7457	17.37
3	PACIFICARE		2419	5.63
4	BLUE SHIELD		3284	7.65
5	HEALTH NET		1584	3.69
6	AETNA		1430	3.33
7	CIGNA HEALTH CARE		685	1.60
8	OTHER		6878	16.02

UNIVERSE: ALL ADULTS WHO HAVE HEALTH INSURANCE COVERAGE OTHER THAN MEDICARE  
HMO

INPUT VAR: AI22A

NOTES:



2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AI25 QNAME11: QA11\_H59 QPAGENUM: A-97  
QNAME09: QA09\_H58 QNAME07: QA07\_H57

LABEL: COVERED FOR PRESCRIPTION DRUGS

VALUE:			FREQ	%
-1	INAPPLICABLE		5216	12.15
1	YES		35058	81.65
2	NO		2661	6.20

UNIVERSE: ALL ADULTS WHO HAVE ANY HEALTH INSURANCE COVERAGE

INPUT VAR:

NOTES:

VARNAME: AI25NEW QNAME11: NA QPAGENUM: NA  
QNAME09: NA QNAME07: NA

LABEL: RX COVERAGE EDITED FOR MEDI-CAL/HF

VALUE:			FREQ	%
-1	INAPPLICABLE		5057	11.78
1	YES		35865	83.53
2	NO		2013	4.69

UNIVERSE: ALL ADULTS

INPUT VAR: INSMD INSHF AI25

NOTES: ADJUSTED FOR RX COVERAGE UNDER MEDI-CAL AND HEALTHY FAMILIES

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AH71 QNAME11: QA11\_H60 QPAGENUM: A-98  
QNAME09: QA09\_H59 QNAME07: QA07\_H58

LABEL: HEALTH PLAN DEDUCTIBLE MORE THAN \$1,000

VALUE:			FREQ	%
-1	INAPPLICABLE		22166	51.63
1	YES		5596	13.03
2	NO		15142	35.27
3	YES, BUT ONLY WHEN I GO OUT OF NETWORK		31	0.07

UNIVERSE: ALL ADULTS COVERED BY EMPLOYER-BASED OR DIRECTLY PURCHASED HEALTH  
INS

INPUT VAR:

NOTES:

VARNAME: AH72 QNAME11: QA11\_H62 QPAGENUM: A-98  
QNAME09: QA09\_H60 QNAME07: QA07\_H59

LABEL: HEALTH PLAN DEDUCTIBLE MORE THAN \$2,000

VALUE:			FREQ	%
-1	INAPPLICABLE		24306	56.61
1	YES		2476	5.77
2	NO		16135	37.58
3	YES, BUT ONLY WHEN I GO OUT OF NETWORK		18	0.04

UNIVERSE: ALL ADULTS COVERED BY EMPLOYER-BASED OR DIRECTLY PURCHASED HEALTH  
PLANS WITH A DEDUCTIBLE < \$2,000

INPUT VAR:

NOTES:

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AH73 QNAME11: QA11\_H64 QPAGENUM: A-99  
QNAME09: QA09\_H61 QNAME07: QA07\_H60

LABEL: SPECIAL FUND TO PAY MEDICAL EXPENSES

VALUE:	-1	INAPPLICABLE	FREQ	%
	1	YES	36243	84.41
	2	NO	2031	4.73
			4661	10.86

UNIVERSE: ALL ADULTS NOT COVERED BY EMPLOYER-BASED OR DIRECTLY PURCHASED  
HEALTH PLANS WITH A DEDUCTIBLE > \$2,000

INPUT VAR:

NOTES:

VARNAME: AI33\_6 QNAME11: QA11\_H67 QPAGENUM: NA  
QNAME09: NA QNAME07:

LABEL: OTHER INS: BOUGHT DIRECT

VALUE:	-1	INAPPLICABLE	FREQ	%
	1	YES	39993	93.15
	2	NO	497	1.16
			2445	5.69

UNIVERSE: ALL ADULTS WHO HAVE NOT HAD CURRENT HEALTH COVERAGE FOR PAST 12  
CONSECUTIVE MOS AND HAVE USED ANOTHER INS WHEN NOT COVERED BY  
CURRENT INS

INPUT VAR:

NOTES:

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AH74 QNAME11: QA11\_H71 QPAGENUM: A-101  
QNAME09: QA09\_H68 QNAME07: QA07\_H67

LABEL: TRIED TO FIND HEALTH INSURANCE ON OWN

VALUE:	-1	INAPPLICABLE	FREQ	%
	1	YES	41724	97.18
	2	NO	483	1.12
			728	1.70

UNIVERSE: ALL ADULTS WHO WERE UNINSURED AT SOME POINT IN THE LAST 12 MOS

INPUT VAR:

NOTES:

VARNAME: AH75 QNAME11: QA11\_H73 QPAGENUM: A-102  
QNAME09: QA09\_H70 QNAME07: QA07\_H69

LABEL: TRIED TO FIND HEALTH INSURANCE ON OWN

VALUE:	-1	INAPPLICABLE	FREQ	%
	1	YES	37719	87.85
	2	NO	2118	4.93
			3098	7.22

UNIVERSE: ALL ADULTS WHO WERE UNINSURED IN THE LAST 12 MOS

INPUT VAR:

NOTES:

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AI28 QNAME11: QA11\_H75 QPAGENUM: A-102  
QNAME09: QA09\_H72 QNAME07: QA07\_H71

LABEL: HOW LONG SINCE LAST HAD HEALTH INS

VALUE:		FREQ	%
-1	INAPPLICABLE	38802	90.37
1	1 TO 3 YRS AGO	1215	2.83
2	MORE THAN 3 YRS AGO	2006	4.67
3	NEVER HAD HEALTH INSURANCE COVERAGE	912	2.12

UNIVERSE: ALL ADULTS WHO WERE NOT COVERED BY HEALTH INSURANCE AT ANY TIME  
DURING THE PAST 12 MONTHS

INPUT VAR:

NOTES:

VARNAME: AH14 QNAME11: QA11\_H83 QPAGENUM: A-104  
QNAME09: QA09\_H75 QNAME07: QA07\_H74

LABEL: PATIENT IN HOSP OVERNIGHT DURING PAST 12 MOS

VALUE:		FREQ	%
-1	INAPPLICABLE	899	2.09
1	YES	3883	9.04
2	NO	38153	88.86

UNIVERSE: ALL ADULTS WHO WERE NOT HOSPITALIZED FOR ASTHMA/ DIABETES OR HEART  
DISEASE DURING THE PAST 12 MOS

INPUT VAR:

NOTES: NOT TRENDABLE WITH CHIS 2001, 2007, 2009 AH14

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AH77 QNAME11: QA11\_H86 QPAGENUM: A-105  
QNAME09: QA09\_H77 QNAME07: QA07\_H76

LABEL: FREE PRENATAL CARE DURING PAST 12 MOS

VALUE:	-1	INAPPLICABLE	FREQ	%
	1	YES	42849	99.80
	2	NO	59	0.14
			27	0.06

UNIVERSE: PREGNANT WOMEN OR PARENT OF CHILD UNDER 1 YR WHO ARE UNINSURED ANY TIME PAST YR

INPUT VAR:

NOTES:

VARNAME: ER QNAME11: NA QPAGENUM: NA  
QNAME09: NA QNAME07: NA

LABEL: ER VISIT WITHIN THE PAST YEAR

VALUE:	1	YES	FREQ	%
	2	NO	8391	19.54
			34544	80.46

UNIVERSE: ALL ADULTS WHO VISITED ER FOR OWN HEALTH OR VISITED DUE TO ASTHMA

INPUT VAR: AH12 AH13A AB67 AB109 AB115

NOTES:

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: IHS QNAME11: NA QPAGENUM: NA  
QNAME09: NA QNAME07: NA

LABEL: COVERED BY INDIAN HEALTH SERVICES

VALUE:			FREQ	%
1	YES		344	0.80
2	NO		42591	99.20

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

---

VARNAME: IHS\_S QNAME11: NA QPAGENUM: NA  
QNAME09: NA QNAME07: NA

LABEL: SPOUSE COVERED BY INDIAN HEALTH SERVICES

VALUE:			FREQ	%
-1	INAPPLICABLE		21923	51.06
1	YES		28	0.07
2	NO		20984	48.87

UNIVERSE: ALL ADULTS WITH SPOUSE

INPUT VAR:

NOTES:

---

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME:   INS                                   QNAME11:   NA                                   QPAGENUM: NA

  QNAME09:   NA                                   QNAME07:   NA

LABEL:       CURRENTLY INSURED

VALUE:			FREQ	%
1	YES		37656	87.70
2	NO		5279	12.30

UNIVERSE:   ALL ADULTS

INPUT VAR:

NOTES:

VARNAME:   INS\_S                                   QNAME11:   NA                                   QPAGENUM: NA

  QNAME09:   NA                                   QNAME07:   NA

LABEL:       SPOUSE CURRENTLY INSURED

VALUE:			FREQ	%
-1	INAPPLICABLE		21923	51.06
1	YES		19074	44.43
2	NO		1938	4.51

UNIVERSE:   ALL ADULTS WITH SPOUSE

INPUT VAR:

NOTES:



2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME:   INS12M                           QNAME11:   NA                           QPAGENUM: NA

  QNAME09:   NA                           QNAME07:   NA

LABEL:       MOS COVERED BY HEALTH PLANS LAST 12 MOS

MEAN STATISTICS

N	42935
MIN	0
MAX	12
MEAN	10.50

UNIVERSE:   ALL ADULTS

INPUT VAR:

NOTES:

VARNAME:   INS64\_P                           QNAME11:   NA                           QPAGENUM: NA

  QNAME09:   NA                           QNAME07:   NA

LABEL:       CURRENT HEALTH COVERAGE - < 65 YRS (PUF RECODE)

VALUE:		FREQ	%
-1	SKIPPED - AGE >= 65	14115	32.88
1	UNINSURED	5198	12.11
2	MEDI-CAL (MEDICAID)	4047	9.43
3	MEDICARE	506	1.18
4	EMPLOYMENT-BASED	16066	37.42
5	PRIVATELY PURCHASED	2059	4.80
6	CHIP/OTHER PUBLIC PRGM	944	2.20

UNIVERSE:   ALL ADULTS UNDER 65

INPUT VAR: INS64

NOTES:

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME:   INS64S\_P                           QNAME11:   NA                           QPAGENUM: NA

  QNAME09:   NA                           QNAME07:   NA

LABEL:       SPOUSE'S CURRENT HEALTH COVG - < 65 YRS (PUF RECODE)

VALUE:			FREQ	%
-1	SKIPPED - AGE >= 65		27752	64.64
1	UNINSURED		1901	4.43
2	MEDI-CAL (MEDICAID)		1014	2.36
3	MEDICARE		549	1.28
4	EMPLOYMENT-BASED		10482	24.41
5	PRIVATELY PURCHASED		964	2.25
6	CHIP/OTHER PUBLIC PRGM		273	0.64

UNIVERSE:   ALL ADULTS WITH SPOUSE UNDER 65

INPUT VAR:   INS64\_S

NOTES:

VARNAME:   INS65                           QNAME11:   NA                           QPAGENUM: NA

  QNAME09:   NA                           QNAME07:   NA

LABEL:       TYPE OF CURRENT HEALTH COVERAGE SOURCE FOR ELDERLY 65+

VALUE:			FREQ	%
-1	SKIPPED - AGE < 65		28820	67.12
1	MEDICARE + MEDI-CAL (MEDICAID)		2220	5.17
2	MEDICARE + OTHER		10370	24.15
3	MEDICARE ONLY		898	2.09
4	OTHER ONLY		546	1.27
5	UNINSURED		81	0.19

UNIVERSE:   ALL ADULTS 65 YEARS AND OVER

INPUT VAR:

NOTES:

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME:   INS65\_S                                   QNAME11:   NA                                   QPAGENUM: NA

  QNAME09:   NA                                   QNAME07:   NA

LABEL:       TYPE OF CURRENT HEALTH COVERAGE FOR SPOUSE 65+

VALUE:			FREQ	%
-1	NO SPOUSE IN HH OR AGE < 65		37106	86.42
1	MEDICARE + MEDICAID		462	1.08
2	MEDICARE + OTHER		1373	3.20
3	MEDICARE ONLY		3572	8.32
4	OTHER ONLY		385	0.90
5	UNINSURED		37	0.09

UNIVERSE:   ALL ADULTS WITH SPOUSE 65 YEARS AND OVER

INPUT VAR:

NOTES:

VARNAME:   INSANY                                   QNAME11:   NA                                   QPAGENUM: NA

  QNAME09:   NA                                   QNAME07:   NA

LABEL:       ANY INS IN LAST 12 MOS

VALUE:			FREQ	%
1	CURRENTLY UNINSURED		5279	12.30
2	UNINS. ANY PAST 12 MO		1348	3.14
3	INSURED ALL PAST 12 MO		36308	84.57

UNIVERSE:   ALL ADULTS

INPUT VAR:

NOTES:

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: INSEM QNAME11: NA QPAGENUM: NA

QNAME09: NA QNAME07: NA

LABEL: COVERED BY EMPLOYER-BASED PLANS

VALUE:			FREQ	%
1	YES		18773	43.72
2	NO		24162	56.28

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: INSEM\_S QNAME11: NA QPAGENUM: NA

QNAME09: NA QNAME07: NA

LABEL: SPOUSE COVERED BY EMPLOYER-BASED PLANS

VALUE:			FREQ	%
-1	INAPPLICABLE		21923	51.06
1	YES		11982	27.91
2	NO		9030	21.03

UNIVERSE: ALL ADULTS WITH SPOUSE

INPUT VAR:

NOTES:

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: INSMC QNAME11: NA QPAGENUM: NA  
QNAME09: NA QNAME07: NA

LABEL: COVERED BY MEDICARE

VALUE:			FREQ	%
1	YES		14678	34.19
2	NO		28257	65.81

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

---

VARNAME: INSMC\_S QNAME11: NA QPAGENUM: NA  
QNAME09: NA QNAME07: NA

LABEL: SPOUSE COVERED BY MEDICARE

VALUE:			FREQ	%
-1	INAPPLICABLE		21923	51.06
1	YES		6071	14.14
2	NO		14941	34.80

UNIVERSE: ALL ADULTS WITH SPOUSE

INPUT VAR:

NOTES:

---

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME:	INSMD	QNAME11:	NA	QPAGENUM:	NA
		QNAME09:	NA	QNAME07:	NA
LABEL:	COVERED BY MEDI-CAL				
				FREQ	%
VALUE:	1	YES		6328	14.74
	2	NO		36607	85.26
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	INSMD_S	QNAME11:	NA	QPAGENUM:	NA
		QNAME09:	NA	QNAME07:	NA
LABEL:	SPOUSE COVERED BY MEDI-CAL				
				FREQ	%
VALUE:	-1	INAPPLICABLE		21923	51.06
	1	YES		1498	3.49
	2	NO		19514	45.45
UNIVERSE:	ALL ADULTS WITH SPOUSE				
INPUT VAR:					
NOTES:					

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME:   INSOG                                   QNAME11:   NA                                   QPAGENUM: NA

  QNAME09:   NA                                   QNAME07:   NA

LABEL:       COVERED BY OTHER GOVT PLANS

VALUE:			FREQ	%
1	YES		644	1.50
2	NO		42291	98.50

UNIVERSE:   ALL ADULTS

INPUT VAR:

NOTES:

VARNAME:   INSOG\_S                               QNAME11:   NA                               QPAGENUM: NA

  QNAME09:   NA                               QNAME07:   NA

LABEL:       SPOUSE COVERED BY OTHER GOVT PLANS

VALUE:			FREQ	%
-1	INAPPLICABLE		21923	51.06
1	YES		249	0.58
2	NO		20763	48.36

UNIVERSE:   ALL ADULTS WITH SPOUSE

INPUT VAR:

NOTES:

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: INSPR QNAME11: NA QPAGENUM: NA  
QNAME09: NA QNAME07: NA

LABEL: COVERED BY PLANS PURCHASED ON OWN

VALUE:			FREQ	%
1	YES		2127	4.95
2	NO		40808	95.05

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

---

VARNAME: INSPR\_S QNAME11: NA QPAGENUM: NA  
QNAME09: NA QNAME07: NA

LABEL: SPOUSE COVERED BY PLANS PURCHASED ON OWN

VALUE:			FREQ	%
-1	INAPPLICABLE		21923	51.06
1	YES		1182	2.75
2	NO		19830	46.19

UNIVERSE: ALL ADULTS WITH SPOUSE

INPUT VAR:

NOTES:

---



VARNAME:	INSPS	QNAME11:	NA	QPAGENUM:	NA
		QNAME09:	NA	QNAME07:	NA
LABEL:	PRIMARY OR SECONDARY COVERAGE				
				FREQ	%
VALUE:	-1	INAPPLICABLE		22284	51.90
	1	PRIMARY		14927	34.77
	2	SECONDARY		5724	13.33
UNIVERSE:	ALL ADULTS COVERED BY EMPLOYMENT-BASED INSURANCE PLANS				
INPUT VAR:					
NOTES:					

VARNAME:	INSPS_S	QNAME11:	NA	QPAGENUM:	NA
		QNAME09:	NA	QNAME07:	NA
LABEL:	SPOUSE PRIMARY OR SECONDARY COVERAGE				
				FREQ	%
VALUE:	-1	INAPPLICABLE		30953	72.09
	1	PRIMARY		7346	17.11
	2	SECONDARY		4636	10.80
UNIVERSE:	ALL ADULTS WITH SPOUSE COVERED BY HIS/HER OWN EMPLOYMENT-BASED INSURANCE PLANS				
INPUT VAR:					
NOTES:					

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: INST\_12 QNAME11: NA QPAGENUM: NA

QNAME09: NA QNAME07: NA

LABEL: HEALTH INS COVERAGE IN LAST 12 MOS, INCL CURRENT STATUS:8 LVLS

VALUE:		FREQ	%
-1	INAPPLICABLE-AGE>=65	14115	32.88
1	MEDI-CAL (MEDICAID) ONLY	3451	8.04
2	EMPLOYER-BASED COVERAGE ONLY (EBI)	15285	35.60
3	PRIVATE COVERAGE ONLY	1866	4.35
4	OTHER COVERAGE ONLY	1247	2.90
5	ANY 2 OR MORE TYPES (NEVER UNINSURED)	539	1.26
6	UNINSURED ONLY	4177	9.73
7	UNINSURED + EMPLOYER-BASED ONLY	768	1.79
8	ANY 1 OR MORE TYPES + UNINSURED	1487	3.46

UNIVERSE: ALL ADULTS UNDER 65

INPUT VAR: INSLT12

NOTES:

VARNAME: INSTYP\_P QNAME11: NA QPAGENUM: NA

QNAME09: NA QNAME07: NA

LABEL: TYPE OF CURRENT HEALTH COVERAGE SOURCE FOR ALL AGES (PUF RECODE)

VALUE:		FREQ	%
1	UNINSURED	5279	12.30
2	MEDICARE & MEDICAID	2904	6.76
3	MEDICARE & OTHERS	10170	23.69
4	MEDICARE ONLY	1604	3.74
5	MEDICAID	3415	7.95
6	EMPLOYMENT-BASED	16470	38.36
7	PRIVATELY PURCHASED	2103	4.90
8	HEALTHY FAM/OTHER PUBLIC	990	2.31

UNIVERSE: ALL ADULTS

INPUT VAR: INSTYPE

NOTES:

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME:    RSN\_UNI2                      QNAME11:    NA                      QPAGENUM: NA

   QNAME09:    NA                      QNAME07:    NA

LABEL:        REASON FOR UNINSURED STATUS ANYTIME PAST 12 MONTHS

VALUE:			FREQ	%
-1	INAPPLICABLE-	INSURED ALL YEAR	36308	84.57
1	CAN'T AFFORD/TOO	EXPENSIVE	3608	8.40
2	NOT ELIGIBLE DUE TO	WORKING STATUS	1037	2.42
3	NOT ELIGIBLE DUE TO	HEALTH OR OTHER PROB	151	0.35
4	NOT ELIGIBLE DUE TO	CITIZENSHIP/IMMIGRAT	295	0.69
5	FAMILY SITUATION	CHANGED	90	0.21
6	DON'T BELIEVE IN	INSURANCE	120	0.28
7	SWITCHED INSURANCE	COMPANIES, DELAY	120	0.28
8	CAN GET HEALTH CARE	FOR FREE/PAY FOR OWN	172	0.40
9	CANT QUALIFY FOR	PUBLIC PROGRAM COVERAGE	265	0.62
10	PROCRASTINATION/HASNT	TAKEN STEPS TO GET	199	0.46
11	DONT KNOW WHERE OR	HOW TO GET INSURANCE/	58	0.14
12	HEALTH INSURANCE WAS	CANCELLED/WAS DROPP	69	0.16
13	NOT OFFERED AT	JOB	10	0.02
14	NO NEED -	GENERAL	52	0.12
15	IN PROCESS OF	LOOKING FOR/GETTING INSURA	40	0.09
16	OTHER		132	0.31
92	R THOUGHT WAS	INSURED	209	0.49

UNIVERSE:    ALL ADULTS WHO ARE UNINSURED ANYTIME PAST 12 MONTHS

INPUT VAR: AI24 AI36 INSANY

NOTES:

---

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME:    RSN\_UNIN                      QNAME11:    NA                      QPAGENUM: NA

   QNAME09:    NA                      QNAME07:    NA

LABEL:        REASON FOR CURRENTLY UNINSURED STATUS

VALUE:			FREQ	%
-1	INAPPLICABLE-	CURRENTLY INSURED	37656	87.70
1	CAN'T AFFORD/TOO	EXPENSIVE	3053	7.11
2	NOT ELIGIBLE DUE TO	WORKING STATUS	639	1.49
3	NOT ELIGIBLE DUE TO	HEALTH OR OTHER PROB	111	0.26
4	NOT ELIGIBLE DUE TO	CITIZENSHIP/IMMIGRAT	247	0.58
5	FAMILY SITUATION	CHANGED	57	0.13
6	DON'T BELIEVE IN	INSURANCE	110	0.26
7	SWITCHED INSURANCE	COMPANIES, DELAY	41	0.10
8	CAN GET HEALTH CARE	FOR FREE/PAY FOR OWN	156	0.36
9	CANT QUALIFY FOR	PUBLIC PROGRAM COVERAGE	236	0.55
10	PROCRASTINATION/HASNT	TAKEN STEPS TO GET	155	0.36
11	DONT KNOW WHERE OR	HOW TO GET INSURANCE/	48	0.11
12	HEALTH INSURANCE WAS	CANCELLED/WAS DROPP	43	0.10
13	NOT OFFERED AT	JOB	9	0.02
14	NO NEED -	GENERAL	38	0.09
15	IN PROCESS OF	LOOKING FOR/GETTING INSURA	29	0.07
16	OTHER		98	0.23
92	R THOUGHT WAS	INSURED	209	0.49

UNIVERSE:    ALL ADULTS WHO ARE UNINSURED

INPUT VAR: AI24 AI36 INS

NOTES:

---

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: UNINSANY QNAME11: NA QPAGENUM: NA

QNAME09: NA QNAME07: NA

LABEL: UNINSURED IN PAST 12 MOS

VALUE:			FREQ	%
-1	SKIPPED - AGES>=65		14115	32.88
1	UNINSURED ALL YEAR		4177	9.73
2	UNINSURED PART YEAR		2255	5.25
3	INSURED ALL YEAR		22388	52.14

UNIVERSE: ALL ADULTS UNDER 65

INPUT VAR:

NOTES:

VARNAME: OFFTK QNAME11: NA QPAGENUM: NA

QNAME09: NA QNAME07: NA

LABEL: OFFER, ELIGIBILITY, ACCEPTANCE OF EMPLOYER BASED INS

VALUE:			FREQ	%
-1	UNEMPLOYED OR SELF-EMPLOYED		22205	51.72
1	ACCEPTED EBI		13378	31.16
2	NOT ACCEPT EBI, OFFERED AND ELIGIBLE		2260	5.26
3	WAS OFFERED EBI, NOT ELIGIBLE		1690	3.94
4	WAS NOT OFFERED EBI		3402	7.92

UNIVERSE: ALL ADULTS WHO ARE WORKING FOR WAGES

INPUT VAR: INSEM INSPS AK1 AG10 AK4 AI13 AI14

NOTES:

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: OFFTK\_S QNAME11: NA QPAGENUM: NA

QNAME09: NA QNAME07: NA

LABEL: OFFER, ELIGIBILITY, ACCEPTANCE OF EMPLOYER-BASED INS: SPOUSE

VALUE:			FREQ	%
-1	UNEMPLOYED OR SELF-EMPLOYED		31854	74.19
1	ACCEPTED EBI		7441	17.33
2	NOT ACCEPT EBI, OFFERED AND ELIGIBLE		1473	3.43
3	WAS OFFERED EBI, NOT ELIGIBLE		501	1.17
4	WAS NOT OFFERED EBI		1666	3.88

UNIVERSE: ALL ADULTS WHO ARE WORKING FOR WAGES

INPUT VAR: INSEM\_S INSPS\_S AG8 AG11 AG9 AI43 AI44

NOTES:

VARNAME: AH100 QNAME11: QA11\_H81 QPAGENUM: A-104

QNAME09: NA QNAME07:

LABEL: ANYONE HELP FIND HEALTH PLAN

VALUE:			FREQ	%
-1	INAPPLICABLE		41602	96.90
1	YES		523	1.22
2	NO		810	1.89

UNIVERSE: ALL ADULTS UNINSURED OR HAVE BEEN IN PAST 12 MOS. AND WHO TRIED TO  
BUY INS DIRECTLY FROM INS COMPANY

INPUT VAR:

NOTES:

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AH101\_P QNAME11: QPAGENUM: NA

QNAME09: QNAME07:

LABEL: PERSON WHO HELPED FIND HEALTH PLAN (PUF RECODE)

VALUE:			FREQ	%
-1	INAPPLICABLE		42412	98.78
1	BROKER		316	0.74
2	FAMILY MEMBER/FRIEND		158	0.37
3	INTERNET		11	0.03
4	OTHER/MULTIPLE REASONS		38	0.09

UNIVERSE: ALL ADULTS UNINSURED OR HAVE BEEN IN PAST 12 MOS. AND WHO TRIED TO  
BUY INS DIRECTLY FROM INS COMPANY AND WAS HELPED BY SOMEONE

INPUT VAR: AH101

NOTES:

VARNAME: AH102\_P QNAME11: QPAGENUM: NA

QNAME09: QNAME07:

LABEL: # NIGHTS IN HOSPITAL PAST 12 MOS (PUF RECODE)

VALUE:			FREQ	%
-1	INAPPLICABLE		38153	88.86
0	0 NIGHT		84	0.20
1	1 NIGHT		1098	2.56
2	2 NIGHTS		840	1.96
3	3 NIGHTS		730	1.70
4	4 NIGHTS		439	1.02
5	5 NIGHTS		325	0.76
6	6 NIGHTS		181	0.42
7	7-8 NIGHTS		312	0.73
8	9-12 NIGHTS		228	0.53
9	13-24 NIGHTS		323	0.75
10	25+ NIGHTS		222	0.52

UNIVERSE: ALL ADULTS WHO WERE HOSPITALIZED FOR ASTHMA/ DIABETES OR HEART  
DISEASE DURING THE PAST 12 MOS

INPUT VAR: AH102

NOTES:

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AH103 QNAME11: QA11\_H78 QPAGENUM: A-103

QNAME09: NA QNAME07:

LABEL: BUY HEALTH PLAN DIRECTLY FROM INS CO/HMO

VALUE:		FREQ	%
-1	INAPPLICABLE	34217	79.69
1	YES	1333	3.10
2	NO	7385	17.20

UNIVERSE: ALL ADULTS WHO ARE UNINSURED OR HAVE BEEN AT SOME POINT IN LAST 12 MOS OR WHO BOUGHT INS DIRECTLY FROM INS COMPANY

INPUT VAR:

NOTES:

VARNAME: AH95\_P QNAME11: QPAGENUM: NA

QNAME09: QNAME07:

LABEL: # TIMES VISITED ER IN PAST 12 MOS (PUF RECODE)

VALUE:		FREQ	%
-1	INAPPLICABLE	34544	80.46
0	0 TIME	138	0.32
1	1 TIME	5344	12.45
2	2 TIMES	1659	3.86
3	3 TIMES	575	1.34
4	4 TIMES	262	0.61
5	5 TIMES	131	0.31
6	6 TIMES	100	0.23
7	7-8 TIMES	56	0.13
8	9-12 TIMES	72	0.17
9	13-24 TIMES	35	0.08
10	25+ TIMES	19	0.04

UNIVERSE: ALL ADULTS WHO VISITED ER FOR OWN HEALTH IN PAST 12 MOS

INPUT VAR: AH95

NOTES:



2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AH96\_P QNAME11: QPAGENUM: NA

QNAME09: QNAME07:

LABEL: HEALTH PLAN DEDUCTIBLE > \$2,000 (PUF RECODE)

VALUE:			FREQ	%
-1	INAPPLICABLE		38610	89.93
1	YES		2140	4.98
2	NO		2185	5.09

UNIVERSE: ALL ADULTS COVERED BY EMPLOYER-BASED OR DIRECTLY PURCHASED HEALTH  
INS WITH DEDUCTIBLE GREATER THAN \$1,001

INPUT VAR: AH96

NOTES:

VARNAME: AH97\_P QNAME11: QPAGENUM: NA

QNAME09: QNAME07:

LABEL: PLAN DEDUCTIBLE COVERING ALL PERSONS >\$4,000 (PUF RECODE)

VALUE:			FREQ	%
-1	INAPPLICABLE		39333	91.61
1	YES		1533	3.57
2	NO		2069	4.82

UNIVERSE: ALL ADULTS COVERED BY EMPLOYER-BASED OR DIRECTLY PURCHASED HEALTH  
INS WITH DEDUCTIBLE GREATER THAN \$2,001

INPUT VAR: AH97

NOTES:

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AH98 QNAME11: QA11\_H79 QPAGENUM: A-103

QNAME09: NA QNAME07:

LABEL: DIFFICULTY FINDING PLAN WITH NEEDED COVERAGE

VALUE:			FREQ	%
-1	INAPPLICABLE		41602	96.90
1	VERY DIFFICULT		559	1.30
2	SOMEWHAT DIFFICULT		247	0.58
3	NOT TOO DIFFICULT		207	0.48
4	NOT AT ALL DIFFICULT		320	0.75

UNIVERSE: ALL ADULTS UNINSURED OR HAVE BEEN IN PAST 12 MOS. AND WHO TRIED TO  
BUY INS DIRECTLY FROM INS COMPANY

INPUT VAR:

NOTES:

VARNAME: AH99 QNAME11: QA11\_H80 QPAGENUM: A-103

QNAME09: NA QNAME07:

LABEL: DIFFICULTY FINDING PLAN THAT IS AFFORDABLE

VALUE:			FREQ	%
-1	INAPPLICABLE		41602	96.90
1	VERY DIFFICULT		747	1.74
2	SOMEWHAT DIFFICULT		266	0.62
3	NOT TOO DIFFICULT		155	0.36
4	NOT AT ALL DIFFICULT		165	0.38

UNIVERSE: ALL ADULTS UNINSURED OR HAVE BEEN IN PAST 12 MOS. AND WHO TRIED TO  
BUY INS DIRECTLY FROM INS COMPANY

INPUT VAR:

NOTES:

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

**Section J: Health Care Utilization and Access**

---

VARNAME: AH5 QNAME11: QA11\_J1 QPAGENUM: A-140  
QNAME09: QA09\_J1 QNAME07: QA07\_J1

LABEL: # OF TIMES SAW MD IN PAST 12 MOS

MEAN STATISTICS	
N	42935
MIN	0
MAX	365
MEAN	4.84

UNIVERSE: ALL ADULT

INPUT VAR:

NOTES:

---

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: AH6 QNAME11: QA11\_J2 QPAGENUM: A-140  
QNAME09: QA09\_J2 QNAME07: QA07\_J2

LABEL: HOW LONG SINCE LAST SAW DOCTOR ABOUT OWN HEALTH

VALUE:		FREQ	%
-1	INAPPLICABLE	36495	85.00
0	WITHIN THE PAST YR	935	2.18
1	1 TO 2 YRS AGO	2805	6.53
2	2 TO 5 YRS AGO	1614	3.76
3	MORE THAN 5 YRS AGO	909	2.12
4	NEVER	177	0.41

UNIVERSE: ADULT RESPONDENT WHO HAVE NOT SEEN A DOC IN LAST 12 MOS OR REF/DK

INPUT VAR:

NOTES:

---

VARNAME: ACMDNUM QNAME11: NA QPAGENUM: NA  
QNAME09: NA QNAME07: NA

LABEL: # OF DOCTOR VISITS PAST YEAR

VALUE:		FREQ	%
0	0 TIME	6440	15.00
1	1 TIME	7570	17.63
2	2 TIMES	7049	16.42
3	3 TIMES	4920	11.46
4	4 TIMES	4394	10.23
5	5 TIMES	2339	5.45
6	6 TIMES	2642	6.15
7	7-8 TIMES	1704	3.97
8	9-12 TIMES	3178	7.40
9	13-24 TIMES	1685	3.92
10	25+ TIMES	1014	2.36

UNIVERSE: ALL ADULTS

INPUT VAR: AH5

NOTES:

---

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: DOCT\_YR QNAME11: NA QPAGENUM: NA  
QNAME09: NA QNAME07: NA

LABEL: VISITED DOCTOR IN PAST 12 MOS

VALUE:			FREQ	%
1	YES		36495	85.00
2	NO		6440	15.00

UNIVERSE: ALL ADULTS

INPUT VAR: AH5

NOTES:

---

VARNAME: AJ77 QNAME11: QA11\_J3 QPAGENUM: A-140  
QNAME09: QA09\_J3 QNAME07: NA

LABEL: HAVE PERSONAL DOCTOR AS MAIN MEDICAL PROVIDER

VALUE:			FREQ	%
-1	INAPPLICABLE		4773	11.12
1	YES		34009	79.21
2	NO		4153	9.67

UNIVERSE: ADULT WHO USUALLY HAVE A PLACE TO GO WHEN SICK OR NEED ADVICE  
ABOUT HEALTH

INPUT VAR:

NOTES:

---

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ78 QNAME11: QA11\_J4 QPAGENUM: A-141

QNAME09: QA09\_J4 QNAME07: NA

LABEL: CONTACT DOC'S OFFICE WITH MEDICAL QUESTION PAST 12 MOS

VALUE:			FREQ	%
-1	INAPPLICABLE		3285	7.65
1	YES		13241	30.84
2	NO		26409	61.51

UNIVERSE: ALL ADULTS WHO HAVE A PERSONAL DOCTOR OR HAD A DOCTOR VISIT IN PAST 12 MOS

INPUT VAR:

NOTES:

VARNAME: AJ79 QNAME11: QA11\_J5 QPAGENUM: A-141

QNAME09: QA09\_J5 QNAME07: NA

LABEL: HOW OFTEN GOT RESPONSE FROM DOC'S OFFICE

VALUE:			FREQ	%
-1	INAPPLICABLE		29694	69.16
1	NEVER		333	0.78
2	SOMETIMES		1079	2.51
3	USUALLY		2688	6.26
4	ALWAYS		9141	21.29

UNIVERSE: ALL ADULTS WHO HAVE A PERSONAL DOCTOR OR HAD A DOCTOR VISIT IN PAST 12 MOS AND CONTACTED DOC OFFICE WITH A MEDICAL QUESTION

INPUT VAR:

NOTES:

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ80 QNAME11: QA11\_J11 QPAGENUM: A-143

QNAME09: QA09\_J6 QNAME07: NA

LABEL: DOC'S OFFICE HELP COORDINATE CARE W/ OTHER MED SVCS

VALUE:		FREQ	%
-1	INAPPLICABLE	33423	77.85
1	YES	7217	16.81
2	NO	2295	5.35

UNIVERSE: ALL ADULTS WHO HAVE USUAL SOURCE OF CARE AND HAS PERSONAL DR AND HAVE ASTHMA OR DIABETES OR HEART DISEASE

INPUT VAR:

NOTES:

VARNAME: AJ8 QNAME11: QA11\_J12 QPAGENUM: A-143

QNAME09: QA09\_J7 QNAME07: QA07\_J3

LABEL: HAD HARD TIME UNDERSTANDING DOCTOR LAST VISIT

VALUE:		FREQ	%
-2	PROXY SKIPPED	221	0.51
-1	INAPPLICABLE	2699	6.29
1	YES	1277	2.97
2	NO	38738	90.22

UNIVERSE: ALL ADULTS WHO HAVE SEEN A DOCTOR IN THE PAST 2 YEARS

INPUT VAR:

NOTES:

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: AJ50\_P QNAME11: NA QPAGENUM: NA

QNAME09: NA QNAME07: NA

LABEL: LANGUAGE DOCTOR SPEAKS TO R (PUF RECODE)

VALUE:			FREQ	%
-2	PROXY SKIPPED		221	0.51
-1	INAPPLICABLE		30796	71.73
1	ENGLISH		7730	18.00
2	SPANISH		2753	6.41
3	VIETNAMESE		544	1.27
4	KOREAN		412	0.96
5	CANTONESE		145	0.34
6	MANDARIN		214	0.50
7	OTHER		120	0.28

UNIVERSE: ALL ADULTS WHO DID NOT HAVE HAD HARD TIME UNDERSTANDING MD AT LAST APPT AND SPEAK LANG OTHER THAN ENGLISH AT HOME

INPUT VAR: AJ50

NOTES:

---

VARNAME: AJ9 QNAME11: QA11\_J14 QPAGENUM: A-144

QNAME09: QA09\_J9 QNAME07: QA07\_J5

LABEL: MD SPOKE DIFFERENT LANGUAGE REASON WHY DIFFICULT TO UNDERSTAND

VALUE:			FREQ	%
-2	PROXY SKIPPED		221	0.51
-1	INAPPLICABLE		41437	96.51
1	YES		777	1.81
2	NO		500	1.16

UNIVERSE: ALL ADULTS WHO HAVE SEEN A DOCTOR IN THE PAST 2 YEARS AND HAD A HARD TIME UNDERSTANDING DOCTOR

INPUT VAR:

NOTES:

---



2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ10 QNAME11: QA11\_J15 QPAGENUM: A-144  
QNAME09: QA09\_J10 QNAME07: QA07\_J6

LABEL: NEEDED SOMEONE ELSE TO HELP UNDERSTAND DOCTOR

VALUE:		FREQ	%
-2	PROXY SKIPPED	221	0.51
-1	INAPPLICABLE	33707	78.51
1	YES	1214	2.83
2	NO	7793	18.15

UNIVERSE: ALL ADULTS WHO HAVE SEEN A DOCTOR IN THE PAST 2 YEARS AND HAD A  
HARD TIME UNDERSTANDING DOCTOR

INPUT VAR:

NOTES:

VARNAME: AJ11 QNAME11: QA11\_J16 QPAGENUM: A-144  
QNAME09: QA09\_J11 QNAME07: QA07\_J7

LABEL: WHO HELPED YOU UNDERSTAND DOCTOR

VALUE:		FREQ	%
-2	PROXY SKIPPED	221	0.51
-1	INAPPLICABLE	41500	96.66
1	MINOR CHILD (UNDER AGE 18)	14	0.03
2	ADULT FAMILY MEMBER OF FRIEND OF MINE	331	0.77
3	NON-MEDICAL OFFICE STAFF	60	0.14
4	MEDICAL STAFF INCLUDING NURSES / DOCS	607	1.41
5	PROF INTERPRETER (PERSON/PHONE)	128	0.30
6	OTHER (PATIENTS, SOMEONE ELSE)	25	0.06
7	DID NOT HAVE SOMEONE TO HELP	49	0.11

UNIVERSE: ALL ADULTS WHO HAVE SEEN A DOCTOR IN THE PAST 2 YEARS AND HAD A  
HARD TIME UNDERSTANDING THE DOCTOR ON LAST VISIT AND NEEDED  
SOMEONE ELSE'S HELP TO UNDERSTAND

INPUT VAR:

NOTES:

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AH16 QNAME11: QA11\_J20 QPAGENUM: A-145  
QNAME09: QA09\_J12 QNAME07: QA07\_J14

LABEL: DELAY/NOT GET PRESCRIPTION IN PAST 12 MO

VALUE:			FREQ	%
1	YES		4813	11.21
2	NO		38122	88.79

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AJ19 QNAME11: QA11\_J21 QPAGENUM: A-145  
QNAME09: QA09\_J13 QNAME07: QA07\_J15

LABEL: COST/NO INSUR DELAYED GETTING PRESCRIPTION

VALUE:			FREQ	%
-1	INAPPLICABLE		38122	88.79
1	YES		2369	5.52
2	NO		2444	5.69

UNIVERSE: ALL ADULTS WHO DELAYED/DID NOT GET TRTMENT MD PRESCRIBED IN LAST  
12 MOS

INPUT VAR:

NOTES:

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ81 QNAME11: QA11\_J22 QPAGENUM: A-146

QNAME09: QA09\_J14 QNAME07: NA

LABEL: DELAYED PRESCRIPTION FOR ASTHMA

VALUE:			FREQ	%
-1	INAPPLICABLE		42488	98.96
1	YES		161	0.37
2	NO		286	0.67

UNIVERSE: ALL ADULTS WITH ASTHMA WHO CITED COST/ LACK OF INSURANCE AS REASON FOR DELAY IN GETTING PRESCRIBED MEDICINE

INPUT VAR:

NOTES:

VARNAME: AJ82 QNAME11: QA11\_J23 QPAGENUM: A-146

QNAME09: QA09\_J15 QNAME07: NA

LABEL: DELAYED PRESCRIPTION FOR DIABETES

VALUE:			FREQ	%
-1	INAPPLICABLE		42511	99.01
1	YES		209	0.49
2	NO		215	0.50

UNIVERSE: ALL ADULTS WITH DIABETES WHO CITED COST/LACK OF INSURANCE AS REASON FOR DELAY IN GETTING PRESCRIBED MEDICINE

INPUT VAR:

NOTES:

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ83 QNAME11: QA11\_J24 QPAGENUM: A-146

QNAME09: QA09\_J16 QNAME07: NA

LABEL: DELAYED PRESCRIPTION FOR HEART DISEASE

VALUE:			FREQ	%
-1	INAPPLICABLE		42626	99.28
1	YES		105	0.24
2	NO		204	0.48

UNIVERSE: ALL ADULTS WITH HEART DISEASE WHO CITED COST/LACK OF INSURANCE AS REASON FOR DELAY IN GETTING PRESCRIBED MEDICINE

INPUT VAR:

NOTES:

VARNAME: AH22 QNAME11: QA11\_J25 QPAGENUM: A-146

QNAME09: QA09\_J17 QNAME07: QA07\_J16

LABEL: DELAY/NOT GET OTHER MEDICAL CARE IN PAST 12 MOS

VALUE:			FREQ	%
1	YES		6015	14.01
2	NO		36920	85.99

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ20 QNAME11: QA11\_J26 QPAGENUM: A-147  
QNAME09: QA09\_J18 QNAME07: QA07\_J17

LABEL: COST/NO INSR DELAYED GETTING NEEDED CARE

VALUE:	-1	INAPPLICABLE	FREQ	%
	1	YES	36920	85.99
	2	NO	3280	7.64
			2735	6.37

UNIVERSE: ALL ADULTS WHO DELAYED/DID NOT GET NEEDED MEDICAL CARE IN LAST 12 MOS

INPUT VAR:

NOTES:

VARNAME: AJ84 QNAME11: QA11\_J27 QPAGENUM: A-147  
QNAME09: QA09\_J19 QNAME07: NA

LABEL: DELAYED MEDICAL CARE FOR ASTHMA

VALUE:	-1	INAPPLICABLE	FREQ	%
	1	YES	42510	99.01
	2	NO	92	0.21
			333	0.78

UNIVERSE: ALL ADULTS WHO DELAYED/DID NOT GET NEEDED MEDICAL CARE IN LAST 12 MOS DUE TO COST AND HAD ASTHMA

INPUT VAR:

NOTES:

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ85 QNAME11: QA11\_J28 QPAGENUM: A-147

QNAME09: QA09\_J20 QNAME07: NA

LABEL: DELAYED MEDICAL CARE FOR DIABETES

VALUE:			FREQ	%
-1	INAPPLICABLE		42651	99.34
1	YES		125	0.29
2	NO		159	0.37

UNIVERSE: ALL ADULTS WHO DELAYED/DID NOT GET NEEDED MEDICAL CARE IN LAST 12  
MOS DUE TO COST AND HAD DIABETES

INPUT VAR:

NOTES:

VARNAME: AJ86 QNAME11: QA11\_J29 QPAGENUM: A-147

QNAME09: QA09\_J21 QNAME07: NA

LABEL: DELAYED MEDICAL CARE FOR HEART DISEASE

VALUE:			FREQ	%
-1	INAPPLICABLE		42662	99.36
1	YES		99	0.23
2	NO		174	0.41

UNIVERSE: ALL ADULTS WHO DELAYED/DID NOT GET NEEDED MEDICAL CARE IN LAST 12  
MOS DUE TO COST AND HAD HEART DISEASE

INPUT VAR:

NOTES:

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: AJ102 QNAME11: QA11\_J8 QPAGENUM: A-142

QNAME09: NA QNAME07:

LABEL: SOUGHT APPNT W/DOC IN 2 DAYS PAST YR

VALUE:			FREQ	%
-1	INAPPLICABLE		2220	5.17
1	YES		13667	31.83
2	NO		27048	63.00

UNIVERSE: ALL ADULTS WHO ARE INSURED/ HAVE USUAL SOURCE OF CARE

INPUT VAR:

NOTES:  

---

VARNAME: AJ103 QNAME11: QA11\_J9 QPAGENUM: A-142

QNAME09: NA QNAME07:

LABEL: HOW OFTEN GET APPNT IN 2 DAYS

VALUE:			FREQ	%
-1	INAPPLICABLE		29268	68.17
1	NEVER		1079	2.51
2	SOMETIMES		1712	3.99
3	USUALLY		2914	6.79
4	ALWAYS		7962	18.54

UNIVERSE: ALL ADULTS WHO ARE INSURED/ HAVE USUAL SOURCE OF CARE AND WHO  
TRIED TO GET A DOC APPT. WITH/IN TWO DAYS

INPUT VAR:

NOTES:  

---

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: AJ104 QNAME11: QA11\_J10 QPAGENUM: A-142

QNAME09: NA QNAME07:

LABEL: COULD GET APPNT W/DOC IN 2 DAYS IF NEEDED

VALUE:			FREQ	%
-1	INAPPLICABLE		15887	37.00
1	YES		23450	54.62
2	NO		3598	8.38

UNIVERSE: ALL ADULTS WHO ARE INSURED/ HAVE USUAL SOURCE OF CARE

INPUT VAR:

NOTES:  

---

VARNAME: AJ105 QNAME11: QA11\_J17 QPAGENUM: A-144

QNAME09: NA QNAME07:

LABEL: KNOW RIGHTS TO INTERPRETOR DURING MED VISIT

VALUE:			FREQ	%
-2	PROXY SKIPPED		221	0.51
-1	INAPPLICABLE		37467	87.26
1	YES		3178	7.40
2	NO		2069	4.82

UNIVERSE: ALL ADULTS WHO SPEAK ENGLISH NOT WELL OR NOT AT ALL

INPUT VAR:

NOTES:  

---



2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ106 QNAME11: QA11\_J18 QPAGENUM: A-145

QNAME09: NA QNAME07:

LABEL: USUAL PLACE FOR HLTH CARE CHANGED PAST YR

VALUE:			FREQ	%
-1	INAPPLICABLE		7046	16.41
1	YES		3092	7.20
2	NO		32797	76.39

UNIVERSE: ALL ADULTS WHO ARE INSURED/ HAD INSURANCE AT ANY TIME DURING THE PAST 12 MOS AND HAVE A USUAL SOURCE OF CARE

INPUT VAR:

NOTES:

VARNAME: AJ107 QNAME11: QA11\_J19 QPAGENUM: A-145

QNAME09: NA QNAME07:

LABEL: CHANGE USUAL PLACE DUE TO INSURANCE PLAN

VALUE:			FREQ	%
-1	INAPPLICABLE		39843	92.80
1	YES		930	2.17
2	NO		2162	5.04

UNIVERSE: ALL ADULTS WHO ARE INSURED/ HAD INSURANCE AT ANY TIME DURING THE PAST 12 MOS AND HAVE A USUAL SOURCE OF CARE AND CHANGED PLACE OF HEALTH CARE

INPUT VAR:

NOTES:

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: AJ108 QNAME11: QA11\_J30 QPAGENUM: A-148

QNAME09: NA QNAME07:

LABEL: EVER USED INTERNET

VALUE:			FREQ	%
-2	PROXY	SKIPPED	221	0.51
1	YES		32858	76.53
2	NO		9856	22.96

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:  

---

VARNAME: AJ109 QNAME11: QA11\_J31 QPAGENUM: A-148

QNAME09: NA QNAME07:

LABEL: USED INTERNET TO FIND MED INFO PAST 12 MOS

VALUE:			FREQ	%
-2	PROXY	SKIPPED	221	0.51
-1	INAPPLICABLE		9856	22.96
1	YES		21505	50.09
2	NO		11353	26.44

UNIVERSE: ALL ADULTS WHO EVER USED INTERNET

INPUT VAR:

NOTES:  

---

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ110 QNAME11: QA11\_J32 QPAGENUM: A-148

QNAME09: NA QNAME07:

LABEL: CONFIDENCE TO COMPLETE APPL ONLINE ON OWN

VALUE:			FREQ	%
-2	PROXY SKIPPED		221	0.51
-1	INAPPLICABLE		9856	22.96
1	VERY CONFIDENT		23829	55.50
2	SOMEWHAT CONFIDENT		6125	14.27
3	NOT TOO CONFIDENT		2000	4.66
4	NOT AT ALL CONFIDENT		904	2.11

UNIVERSE: ALL ADULTS WHO EVER USED INTERNET

INPUT VAR:

NOTES:

VARNAME: AJ111 QNAME11: QA11\_J33 QPAGENUM: A-148

QNAME09: NA QNAME07:

LABEL: SOMEONE TO HELP FILL OUT APPL ONLINE

VALUE:			FREQ	%
-2	PROXY SKIPPED		221	0.51
-1	INAPPLICABLE		29954	69.77
1	YES		9856	22.96
2	NO		2904	6.76

UNIVERSE: ALL ADULTS WHO ARE NOT VERY CONFIDENT/NOT SOMEWHAT CONFIDENT WHEN  
FILLING OUT AN APPLICATION ON-LINE ON THEIR OWN

INPUT VAR:

NOTES:

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ112 QNAME11: QA11\_J6 QPAGENUM: A-141

QNAME09: NA QNAME07:

LABEL: HOW OFTEN DOC LISTENS CAREFULLY

VALUE:			FREQ	%
-2	PROXY SKIPPED		221	0.51
-1	INAPPLICABLE		8920	20.78
1	NEVER		388	0.90
2	SOMETIMES		2412	5.62
3	USUALLY		6955	16.20
4	ALWAYS		24039	55.99

UNIVERSE: ALL ADULTS WHO HAVE A PERSONAL DOCTOR

INPUT VAR:

NOTES:

VARNAME: AJ113 QNAME11: QA11\_J7 QPAGENUM: A-141

QNAME09: NA QNAME07:

LABEL: HOW OFTEN DOC CLEARLY EXPLAINS WHAT TO DO

VALUE:			FREQ	%
-2	PROXY SKIPPED		221	0.51
-1	INAPPLICABLE		8920	20.78
1	NEVER		493	1.15
2	SOMETIMES		2326	5.42
3	USUALLY		7273	16.94
4	ALWAYS		23702	55.20

UNIVERSE: ALL ADULTS WHO HAVE A PERSONAL DOCTOR

INPUT VAR:

NOTES:

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

**Section K: Employment, Income, Poverty Status & Food Security**

---

VARNAME: AK3 QNAME11: QA11\_K1 QPAGENUM: A-149  
QNAME09: QA09\_K1 QNAME07: QA07\_K1  
LABEL: # OF USUAL HRS WORKED PER WEEK

MEAN STATISTICS	
N	21871
MIN	0
MAX	95
MEAN	37.23

UNIVERSE: ALL ADULTS WHO CURRENTLY/USUALLY WORK

INPUT VAR:

NOTES:

---

VARNAME: AK7 QNAME11: QA11\_K2 QPAGENUM: A-149  
QNAME09: QA09\_K2 QNAME07: QA07\_K2  
LABEL: LENGTH OF TIME WORKING AT MAIN JOB

MEAN STATISTICS	
N	21871
MIN	0
MAX	600
MEAN	131.33

UNIVERSE: ALL ADULTS WHO CURRENTLY/USUALLY WORK

INPUT VAR:

NOTES:

---

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AK8 QNAME11: QA11\_K3 QPAGENUM: A-149  
QNAME09: QA09\_K3 QNAME07: QA07\_K3

LABEL: # OF PEOPLE WORKING FOR EMPLOYER/YOU

VALUE:		FREQ	%
-1	INAPPLICABLE	21064	49.06
1	1 OR 2	4170	9.71
2	3 - 9	2261	5.27
3	10 - 24	1813	4.22
4	25 - 50	1567	3.65
5	51 - 100	1047	2.44
6	101 - 200	888	2.07
7	201 - 999	1511	3.52
8	1,000 OR MORE	8614	20.06

UNIVERSE: ALL ADULTS WHO CURRENTLY/USUALLY WORK AND ARE NOT GOV. EMPLOYEE

INPUT VAR:

NOTES: CATEGORY CHANGE IN CHIS 2011-2012

VARNAME: AK10\_P QNAME11: NA QPAGENUM: NA  
QNAME09: NA QNAME07: NA

LABEL: RESPONDENT'S EARNINGS LAST MONTH (PUF RECODE)

MEAN STATISTICS	
N	21871
MIN	0
MAX	30000
MEAN	4562.63

UNIVERSE: ALL ADULTS WHO CURRENTLY/USUALLY WORK

INPUT VAR: AK10

NOTES: TOPCODE=30,000

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: AK20 QNAME11: QA11\_K5 QPAGENUM: A-150  
QNAME09: QA09\_K5 QNAME07: QA07\_K5

LABEL: # OF HRS PER WEEK SPOUSE USUALLY WORKS

## MEAN STATISTICS

N	12302
MIN	0
MAX	95
MEAN	39.56

UNIVERSE: ALL ADULTS WHOSE SPOUSE IS CURRENTLY WORKING/USUALLY WORKING OR  
HAS JOB/BUSINESS BUT NOT AT WORK

INPUT VAR:

NOTES:

---

VARNAME: AK10A\_P QNAME11: NA QPAGENUM: NA  
QNAME09: NA QNAME07: NA

LABEL: SPOUSE'S EARNINGS LAST MONTH (PUF RECODE)

## MEAN STATISTICS

N	12056
MIN	0
MAX	30000
MEAN	5134.21

UNIVERSE: ALL ADULTS WHOSE SPOUSE WORKS MORE THAN 0 HOURS PER WEEK

INPUT VAR: AK10A

NOTES: TOPCODE=30,000

---

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AK22\_P QNAME11: NA QPAGENUM: NA

QNAME09: NA QNAME07: NA

LABEL: HOUSEHOLD'S TOTAL ANNUAL INC (PUF RECODE)

MEAN STATISTICS

N	42935
MIN	0
MAX	300000
MEAN	68964.40

UNIVERSE: ALL ADULTS

INPUT VAR: AK22

NOTES: TOPCODE=300,000

VARNAME: AM1 QNAME11: QA11\_K23 QPAGENUM: A-156

QNAME09: QA09\_K21 QNAME07: QA07\_K21

LABEL: HOW OFTEN FOOD DIDN'T LAST, COULDN'T AFFORD MORE, PAST 12 MOS

VALUE:		FREQ	%
-1	INAPPLICABLE	25007	58.24
1	OFTEN TRUE	1550	3.61
2	SOMETIMES TRUE	4474	10.42
3	NEVER TRUE	11904	27.73

UNIVERSE: ALL ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS 200% FPL OR LESS  
OR NOT KNOWN

INPUT VAR:

NOTES: PROXIES WERE NOT ASKED QUESTION IN 2001 AND 2003



2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AM2 QNAME11: QA11\_K24 QPAGENUM: A-157  
QNAME09: QA09\_K22 QNAME07: QA07\_K22

LABEL: HOW OFTEN COULDN'T AFFORD TO EAT BALANCED MEALS

VALUE:		FREQ	%
-1	INAPPLICABLE	25007	58.24
1	OFTEN TRUE	1514	3.53
2	SOMETIMES TRUE	4461	10.39
3	NEVER TRUE	11953	27.84

UNIVERSE: ALL ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS 200% FPL OR LESS OR NOT KNOWN

INPUT VAR:

NOTES: PROXIES WERE NOT ASKED QUESTION IN 2001 AND 2003

VARNAME: AM3 QNAME11: QA11\_K25 QPAGENUM: A-156  
QNAME09: QA09\_K23 QNAME07: QA07\_K23

LABEL: ALL ADULTS CUT/SKIPPED MEALS IN PAST 12 MOS FOR MONEY

VALUE:		FREQ	%
-1	INAPPLICABLE	25007	58.24
1	YES	3232	7.53
2	NO	14696	34.23

UNIVERSE: ALL ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS 200% FPL OR LESS OR NOT KNOWN

INPUT VAR:

NOTES: PROXIES WERE NOT ASKED QUESTION IN 2001 AND 2003

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AM3A QNAME11: QA11\_K26 QPAGENUM: A-156  
QNAME09: QA09\_K24 QNAME07: QA07\_K24

LABEL: HOW OFTEN ALL ADULTS CUT/SKIPPED MEALS IN PAST 12 MOS FOR MONEY

VALUE:		FREQ	%
-1	INAPPLICABLE	39703	92.47
1	ALMOST EVERY MONTH	1183	2.76
2	SOME MONTHS BUT NOT EVERY MONTH	1209	2.82
3	ONLY IN 1 OR 2 MONTHS	840	1.96

UNIVERSE: ALL ADULTS W/ TOTAL ANNUAL HOUSEHOLD INCOME 200% FPL OR LESS OR  
NOT KNOWN AND SKIPPED MEALS IN PAST 12 MOS

INPUT VAR:

NOTES: PROXIES WERE NOT ASKED QUESTION IN 2001 AND 2003

VARNAME: AM4 QNAME11: QA11\_K27 QPAGENUM: A-156  
QNAME09: QA09\_K25 QNAME07: QA07\_K25

LABEL: ATE LESS THAN SHOULD BECAUSE OF MONEY IN PAST 12 MOS

VALUE:		FREQ	%
-2	PROXY SKIPPED	221	0.51
-1	INAPPLICABLE	24884	57.96
1	YES	3415	7.95
2	NO	14415	33.57

UNIVERSE: ALL ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS 200% FPL OR LESS  
OR NOT KNOWN

INPUT VAR:

NOTES: PROXIES WERE NOT ASKED QUESTION IN 2001 AND 2003

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AM5 QNAME11: QA11\_K28 QPAGENUM: A-156  
QNAME09: QA09\_K26 QNAME07: QA07\_K26

LABEL: HOW OFTEN HUNGRY BUT DIDN'T EAT B/C OF MONEY IN PAST 12 MOS

VALUE:	-2	PROXY SKIPPED	FREQ	%
	-1	INAPPLICABLE	221	0.51
	1	YES	24884	57.96
	2	NO	2131	4.96
			15699	36.56

UNIVERSE: ALL ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS 200% FPL OR LESS  
OR NOT KNOWN

INPUT VAR:

NOTES: PROXIES WERE NOT ASKED QUESTION IN 2001 AND 2003

VARNAME: POVGWD\_P QNAME11: NA QPAGENUM: NA  
QNAME09: NA QNAME07: NA

LABEL: FAMILY POVERTY THRESHOLD LEVEL (PUF RECODE)

	MEAN STATISTICS	
N		42935
MIN		0
MAX		24
MEAN		4.39

UNIVERSE: ALL ADULTS

INPUT VAR: POVGWD

NOTES: TOPCODE=24

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: POVLL QNAME11: NA QPAGENUM: NA

QNAME09: NA QNAME07: NA

LABEL: POVERTY LEVEL

VALUE:			FREQ	%
1	0-99% FPL		6272	14.61
2	100-199% FPL		7914	18.43
3	200-299% FPL		6108	14.23
4	300% FPL AND ABOVE		22641	52.73

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: POVLL2\_P QNAME11: NA QPAGENUM: NA

QNAME09: NA QNAME07: NA

LABEL: POVERTY LEVEL - 100% FPL (PUF RECODE)

MEAN STATISTICS

N	42935
MIN	0
MAX	24
MEAN	4.53

UNIVERSE: ALL ADULTS

INPUT VAR: POVLL2

NOTES: TOPCODE=24. VALUES ROUNDED TO THE NEAREST 100th.

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: ELIGPRG3 QNAME11: NA QPAGENUM: NA

QNAME09: NA QNAME07: NA

LABEL: MEDI-CAL (MEDICAID)/HEALTHY FAM ELIG. - UNINSURED

VALUE:			FREQ	%
-9	NOT ASCERTAINED		3	0.01
-5	INSURED		23622	55.02
-1	INAPPLICABLE-AGES>=65		14115	32.88
1	MEDI-CAL (MEDICAID) ELIG.		319	0.74
2	HEALTHY FAM ELIG.		33	0.08
3	NOT ELIG.		4843	11.28

UNIVERSE: ALL ADULTS UNDER AGE 65 AND UNINSURED

INPUT VAR:

NOTES:

VARNAME: FSLEV QNAME11: NA QPAGENUM: NA

QNAME09: NA QNAME07: NA

LABEL: FOOD SECURITY STATUS LEVEL

VALUE:			FREQ	%
-1	INAPPLICABLE - >=200% FPL		28834	67.16
1	FOOD SECURITY		8958	20.86
2	FOOD INSECURITY W/O HUNGER		3225	7.51
3	FOOD INSECURITY W/ HUNGER		1918	4.47

UNIVERSE: ALL ADULTS WHOSE POVERTY LEVEL IS LESS THAN 200% FPL (INCL PROXIES)

INPUT VAR: POVLL AM1 AM2 AM3 AM3A AM4 AM5 PROXY

NOTES: PROXIES WERE ASKED QUESTION IN ONLY 2005, BUT NOT OTHER YEARS.

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: FSLEVCB QNAME11: NA QPAGENUM: NA

QNAME09: NA QNAME07: NA

LABEL: FOOD SECURITY STATUS (2 LVLS)

VALUE:			FREQ	%
-1	INAPPLICABLE - >=200% FPL		28834	67.16
1	FOOD SECURITY		8958	20.86
2	FOOD INSECURITY WITH/ WITHOUT HUNGER		5143	11.98

UNIVERSE: ADULTS WHOSE POVERTY LEVEL IS LESS THAN 200% FPL (INCL PROXIES)

INPUT VAR:

NOTES: PROXIES WERE ASKED QUESTION IN ONLY 2005, BUT NOT OTHER YEARS.

VARNAME: ELDER\_IDX QNAME11: NA QPAGENUM: NA

QNAME09: NA QNAME07: NA

LABEL: ELDERLY SINGLE/COUPLE INCOME BELOW COUNTY COST OF LIVING THRESHOLDS

VALUE:			FREQ	%
-1	INAPPLICABLE		29069	67.70
1	YES		4483	10.44
2	NO		9383	21.85

UNIVERSE: ADULTS 65 OR OVER LIVING ALONE OR W/ SPOUSE OR PARTNER

INPUT VAR: SRAGE SRTENR AM37 FAM\_SIZE MARIT2 AK22

NOTES: OFFICIAL INDEX ASSESSES INCOME INADEQUACY FOR SINGLES/COUPLES LIVING ALONE ONLY. CURRENT CHIS MEASURE MAY INCLUDE ELDERLY SINGLES/COUPLES LIVING WITH OTHERS IN A HOUSEHOLD. FOR MORE INFORMATION PLEASE SEE:  
[http://healthpolicy.ucla.edu/programs/health-disparities/elder-health/EIRD2011/Documents/elderindex\\_methodology2011.pdf](http://healthpolicy.ucla.edu/programs/health-disparities/elder-health/EIRD2011/Documents/elderindex_methodology2011.pdf)

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

**Section L: Public Program Participation**

---

VARNAME: AL2 QNAME11: QA11\_L1 QPAGENUM: A-158  
QNAME09: QA09\_L1 QNAME07: QA07\_L1

LABEL: RECEIVING TANF OR CALWORKS

VALUE:			FREQ	%
-1	INAPPLICABLE		19879	46.30
1	YES		778	1.81
2	NO		22278	51.89

UNIVERSE: ALL ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS EQUAL TO OR LESS  
THAN 300% FPL OR HH POVERTY LEVEL NOT KNOWN

INPUT VAR:

NOTES: MAY NOT BE TRENDABLE WITH CHIS 2001 AL2

---

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AL5 QNAME11: QA11\_L3 QPAGENUM: A-158  
QNAME09: QA09\_L3 QNAME07: QA07\_L3

LABEL: RECEIVING FOOD STAMP BENEFITS

VALUE:			FREQ	%
-1	INAPPLICABLE		19879	46.30
1	YES		2288	5.33
2	NO		20768	48.37

UNIVERSE: ALL ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 300% FPL

INPUT VAR:

NOTES: MAY NOT BE TRENDABLE WITH CHIS 2001 AL5

VARNAME: AL6 QNAME11: QA11\_L5 QPAGENUM: A-159  
QNAME09: QA09\_L5 QNAME07: QA07\_L5

LABEL: RECEIVING SSI (SUPPLEMENTAL SECURITY INCOME)

VALUE:			FREQ	%
-1	INAPPLICABLE		19879	46.30
1	YES		2227	5.19
2	NO		20829	48.51

UNIVERSE: ALL ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 300% FPL

INPUT VAR:

NOTES: NOT TRENDABLE WITH CHIS 2001 AL6



2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AL7 QNAME11: QA11\_L6 QPAGENUM: A-159  
QNAME09: QA09\_L6 QNAME07: QA07\_L6

LABEL: CURRENTLY ON WIC

VALUE:	-1	INAPPLICABLE	FREQ	%
	1	YES	41051	95.61
	2	NO	946	2.20
			938	2.18

UNIVERSE: ADULT WOMEN WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 300% FPL AND HAS A CHILD UNDER AGE 7 OR IS PREGNANT

INPUT VAR:

NOTES: MAY NOT BE TRENDABLE WITH CHIS 2001 AL7

VARNAME: AL15 QNAME11: QA11\_L8 QPAGENUM: A-160  
QNAME09: QA09\_L8 QNAME07: QA07\_L8

LABEL: RECVD ALIMONY/CHILD SUPPORT/MONEY FROM GOVT LAST MONTH

VALUE:	-1	INAPPLICABLE	FREQ	%
	1	YES	19879	46.30
	2	NO	2048	4.77
			21008	48.93

UNIVERSE: ALL ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 300% FPL

INPUT VAR:

NOTES:

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AL16\_P QNAME11: NA QPAGENUM: NA

QNAME09: NA QNAME07: NA

LABEL: TOTAL RECVD FROM ALIMONY/CHILD SUPPORT/GOVT LAST MONTH (PUF RECODE)

MEAN STATISTICS

N	2048
MIN	1
MAX	4000
MEAN	1063.89

UNIVERSE: ALL ADULTS W/ TOTAL ANNUAL HOUSEHOLD INCOME EQUAL TO OR LESS THAN 300% FPL AND SPOUSE AND/OR SELF RECEIVED MONEY LAST MONTH FOR ALIMONEY CHILD SUPPORT OR MONEY FROM GOVERNMENT

INPUT VAR: AL16

NOTES: TOPCODE=4,000

VARNAME: AL17 QNAME11: QA11\_L10 QPAGENUM: A-161

QNAME09: QA09\_L10 QNAME07: QA07\_L10

LABEL: PAID ALIMONY OR CHILD SUPPORT LAST MONTH

VALUE:		FREQ	%
-1	INAPPLICABLE	19879	46.30
1	YES, RESPONDENT PAID	326	0.76
2	YES, SPOUSE/PARTNER PAID	129	0.30
3	YES, BOTH PAID	7	0.02
4	NO	22594	52.62

UNIVERSE: ALL ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 300% FPL

INPUT VAR:

NOTES:

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AL18\_P QNAME11: NA QPAGENUM: NA

QNAME09: NA QNAME07: NA

LABEL: TOTAL ALIMONY/CHILD SUPPORT PAID LAST MONTH (PUF RECODE)

MEAN STATISTICS

N	462
MIN	1
MAX	2000
MEAN	463.38

UNIVERSE: ALL ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 300% FPL AND SPOUSE AND/OR SELF PAID ALIMONY/CHILD SUPPORT LAST MONTH

INPUT VAR: AL18

NOTES: TOPCODE=2,000

VARNAME: AL18A QNAME11: QA11\_L12 QPAGENUM: A-162

QNAME09: QA09\_L12 QNAME07: QA07\_L12

LABEL: RECVD SOCIAL SECURITY OR PENSION LAST MONTH

VALUE:		FREQ	%
-1	INAPPLICABLE	32393	75.45
1	YES	7835	18.25
2	NO	2707	6.30

UNIVERSE: (ALL ADULTS 65 OR OLDER WHO ARE NOT MARRIED OR LIVING WITH PARTNER OR OVER 50 WHO ARE MARRIED AND LIVING WITH SPOUSE) AND TOTAL ANNUAL HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 300% FPL

INPUT VAR:

NOTES:

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: AL18B\_P QNAME11: NA QPAGENUM: NA

QNAME09: NA QNAME07: NA

LABEL: TOTAL SOCIAL SECURITY/PENSION RECVD LAST MONTH (PUF RECODE)

## MEAN STATISTICS

N	7835
MIN	1
MAX	3500
MEAN	1454.00

UNIVERSE: (ALL ADULTS 65 OR OLDER WHO ARE NOT MARRIED OR LIVING W PARTNER OR  
OVER 50 WHO ARE MARRIED AND LIVING W SPOUSE) AND ANNUAL HH  
INCOME IS 300% FPL OR LESS AND RECEIVED SOCIAL SECURITY OR PENSION PYMT

INPUT VAR: AL18B

NOTES: TOPCODE=3,500

---

**Section M: Housing & Community Involvement**

---

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: AK23 QNAME11: QA11\_M1 QPAGENUM: A-163  
QNAME09: QA09\_M1 QNAME07: QA07\_M1

LABEL: LIVE IN HOUSE, DUPLEX, BUILDING WITH 3+ UNITS, OR MOBILE HOME

VALUE:			FREQ	%
1	HOUSE		30317	70.61
2	DUPLEX		1790	4.17
3	BUILDING WITH 3 OR MORE UNITS		8612	20.06
4	MOBILE HOME		2216	5.16

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

---

VARNAME: AK25 QNAME11: QA11\_M2 QPAGENUM: A-163  
QNAME09: QA09\_M2 QNAME07: QA07\_M2

LABEL: OWN OR RENT HOME

VALUE:			FREQ	%
-9	NOT ASCERTAINED		178	0.41
-8	DON'T KNOW		37	0.09
-7	REFUSED		146	0.34
1	OWN		27621	64.33
2	RENT		13296	30.97
3	OTHER ARRANGEMENT		1657	3.86

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

---

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: TIMEAD QNAME11: NA QPAGENUM: NA

QNAME09: NA QNAME07: NA

LABEL:        LENGTH OF TIME LIVED AT CURRENT ADDRESS (MONTHS)

### MEAN STATISTICS

N	42935
MIN	1
MAX	1080
MEAN	168.06

UNIVERSE: ALL ADULTS

INPUT VAR: AM14UNT AM14

NOTES:

VARNAME: AM19 QNAME11: QA11 M7 QPAGENUM: A-164

QNAME09: QA09 M4 QNAME07: NA

LABEL: PEOPLE IN NEIGHBORHOOD WILLING TO HELP EACH OTHER

			FREQ	%
VALUE:	-2	PROXY SKIPPED	221	0.51
	1	STRONGLY AGREE	10866	25.31
	2	AGREE	25524	59.45
	3	DISAGREE	5170	12.04
	4	STRONGLY DISAGREE	1154	2.69

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: IF CHILD INTERVIEW DONE FIRST, THEN ADULTS NOT ASKED THIS QUESTION

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AM21 QNAME11: QA11\_M8 QPAGENUM: A-165

QNAME09: QA09\_M6 QNAME07: NA

LABEL: PEOPLE IN NEIGHBORHOOD CAN BE TRUSTED

VALUE:			FREQ	%
-2	PROXY SKIPPED		221	0.51
1	STRONGLY AGREE		10220	23.80
2	AGREE		25785	60.06
3	DISAGREE		5557	12.94
4	STRONGLY DISAGREE		1152	2.68

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: IF CHILD INTERVIEW DONE FIRST, THEN ADULTS NOT ASKED THIS QUESTION

VARNAME: AM35 QNAME11: QA11\_M9 QPAGENUM: A-165

QNAME09: QA09\_M7 QNAME07: NA

LABEL: NEIGHBORHOOD WATCHES OUT FOR CHILDREN'S SAFETY

VALUE:			FREQ	%
-2	PROXY SKIPPED		221	0.51
1	STRONGLY AGREE		10291	23.97
2	AGREE		23191	54.01
3	DISAGREE		4331	10.09
4	STRONGLY DISAGREE		779	1.81
5	NOT APPLICABLE		4122	9.60

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: IF CHILD INTERVIEW DONE FIRST, THEN ADULTS NOT ASKED THIS QUESTION

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AK28 QNAME11: QA11\_M10 QPAGENUM: A-165  
QNAME09: QA09\_M8 QNAME07: QA07\_M4

LABEL: HOW OFTEN FEEL SAFE IN NEIGHBORHOOD

VALUE:			FREQ	%
-2	PROXY SKIPPED		221	0.51
1	ALL OF THE TIME		22606	52.65
2	MOST OF THE TIME		15880	36.99
3	SOME OF THE TIME		3641	8.48
4	NONE OF THE TIME		587	1.37

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: IF CHILD INTERVIEW DONE FIRST, THEN ADULTS NOT ASKED THIS QUESTION

VARNAME: AM36 QNAME11: QA11\_M11 QPAGENUM: A-165  
QNAME09: QA09\_M9 QNAME07: NA

LABEL: DID VOLUNTEER WORK OR COMMUNITY SERVICES PAST YR

VALUE:			FREQ	%
1	YES		19060	44.39
2	NO		23875	55.61

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: IF CHILD INTERVIEW DONE FIRST, THEN ADULTS NOT ASKED THIS QUESTION



2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: AM39 QNAME11: QA11\_M12 QPAGENUM: A-165

QNAME09: NA QNAME07:

LABEL: VOLUNTEER IN ORG DEALING W/COMM PROB PAST YR

VALUE:			FREQ	%
1	YES		5855	13.64
2	NO		37080	86.36

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:  

---

VARNAME: AM40 QNAME11: QA11\_M13 QPAGENUM: A-166

QNAME09: NA QNAME07:

LABEL: MEET INFORMALLY TO DEAL W/COMM PROB PAST YR

VALUE:			FREQ	%
1	YES		9286	21.63
2	NO		33649	78.37

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:  

---

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: AM37 QNAME11: QA11\_M3 QPAGENUM: A-163  
QNAME09: NA QNAME07:

LABEL: CURRENTLY PAYING OFF MORTGAGE/HOME LOAN

VALUE:			FREQ	%
-1	INAPPLICABLE		32237	75.08
1	YES		4153	9.67
2	NO		6545	15.24

UNIVERSE: ALL ADULTS WHO ARE >= 65 AND OWN HOME

INPUT VAR:

NOTES:

---

VARNAME: AM38 QNAME11: QA11\_M6 QPAGENUM: A-164  
QNAME09: NA QNAME07:

LABEL: MAIN REASON FOR LAST MOVE

VALUE:			FREQ	%
-1	INAPPLICABLE		30795	71.72
1	CHANGE IN MARITAL/RELATIONSHIP STATUS		838	1.95
2	TO ESTABLISH OWN HOUSEHOLD		1369	3.19
3	FOR CHILD'S EDUCATION		165	0.38
4	TO ATTEND OR LEAVE COLLEGE		278	0.65
5	WORK RELATED		1150	2.68
6	COULDN'T AFFORD MORTGAGE/RENT		1442	3.36
7	OTHER HOUSING RELATED		3380	7.87
8	BETTER NEIGHBORHOOD/LESS CRIME		765	1.78
91	OTHER		2753	6.41

UNIVERSE: ALL ADULTS WHO HAVE LIVED AT CURRENT ADDRESS FOR LESS THAN 5 YEARS

INPUT VAR:

NOTES:

---

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

## Section N: Demographic Information, Part III, Geographical Information

---

VARNAME: AM34 QNAME11: QA11\_N10 QPAGENUM: A-172  
QNAME09: QA09\_N8 QNAME07: QA07\_N6B

LABEL: TELEPHONE CALLS RECEIVED

VALUE:			FREQ	%
-9	NOT ASCERTAINED		2	0.00
-8	DON'T KNOW		69	0.16
-7	REFUSED		29	0.07
-1	INAPPLICABLE		13302	30.98
1	ALL OR ALMOST ALL CALLS ON CELL PHONES		7953	18.52
2	SOME CALLS ON CELL, SOME REGULAR PHONES		11670	27.18
3	VERY FEW OR NO CALLS ON CELL PHONES		9910	23.08

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

---

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: UR\_BG QNAME11: NA QPAGENUM: NA

QNAME09: NA QNAME07: NA

LABEL: RURAL AND URBAN - CLARITAS (BY BLOCK GROUP)

VALUE:			FREQ	%
1	URBAN		15588	36.31
2	2ND CITY		8173	19.04
3	SUBURBAN		9538	22.21
4	TOWN AND RURAL		9636	22.44

UNIVERSE: ALL ADULTS

INPUT VAR: CBLK

NOTES:

VARNAME: UR\_CLRT QNAME11: NA QPAGENUM: NA

QNAME09: NA QNAME07: NA

LABEL: RURAL AND URBAN - CLARITAS (BY ZIPCODE) (4 LVLS)

VALUE:			FREQ	%
1	URBAN		16912	39.39
2	2ND CITY		11001	25.62
3	SUBURBAN		7213	16.80
4	TOWN AND RURAL		7809	18.19

UNIVERSE: ALL ADULTS

INPUT VAR: BESTZIP

NOTES:

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: UR\_CLRT2 QNAME11: NA QPAGENUM: NA

QNAME09: NA QNAME07: NA

LABEL: RURAL AND URBAN - CLARITAS (BY ZIPCODE) (2 LVLS)

VALUE:			FREQ	%
1	URBAN		35126	81.81
2	RURAL		7809	18.19

UNIVERSE: ALL ADULTS

INPUT VAR: UR\_CLRT

NOTES:

VARNAME: UR\_IHS QNAME11: NA QPAGENUM: NA

QNAME09: NA QNAME07: NA

LABEL: RURAL AND URBAN - IHS

VALUE:			FREQ	%
1	URBAN		26332	61.33
2	RURAL		16603	38.67

UNIVERSE: ALL ADULTS

INPUT VAR: SRCNTY BESTZIP

NOTES:

VARNAME: UR\_OMB QNAME11: NA QPAGENUM: NA

QNAME09: NA QNAME07: NA

LABEL: RURAL AND URBAN - OMB

VALUE:			FREQ	%
1	METROPOLITAN		39654	92.36
2	NON-METROPOLITAN		3281	7.64

UNIVERSE: ALL ADULTS

INPUT VAR: SRCNTY

NOTES:

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: UR\_RHP QNAME11: NA QPAGENUM: NA

QNAME09: NA QNAME07: NA

LABEL: RURAL AND URBAN - RHP

VALUE:			FREQ	%
1	URBAN		36368	84.70
2	RURAL		6567	15.30

UNIVERSE: ALL ADULTS

INPUT VAR: SRCNTY CBLK

NOTES:

VARNAME: UR\_TRACT QNAME11: NA QPAGENUM: NA

QNAME09: NA QNAME07: NA

LABEL: RURAL AND URBAN - CLARITAS (BY CENSUS TRACT)

VALUE:			FREQ	%
1	URBAN		15874	36.97
2	2ND CITY		8651	20.15
3	SUBURBAN		9087	21.16
4	TOWN AND RURAL		9323	21.71

UNIVERSE: ALL ADULTS

INPUT VAR: CBLK

NOTES:

## Section O: Full Design and Replicate Weight Series 0-80

VARNAME:	RAKEDW1	QNAME11:	NA	QPAGENUM:	NA
		QNAME09:	NA	QNAME07:	NA
LABEL:	CHIS2011 RAKED WEIGHT - REPLICATE 1				
VALUE:	0-HIGH	CONTINUOUS		FREQ	%
				42935	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:	NA				
NOTES:					

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: RAKEDW2 QNAME11: NA QPAGENUM: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 2  
VALUE: 0-HIGH CONTINUOUS  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---

VARNAME: RAKEDW3 QNAME11: NA QPAGENUM: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 3  
VALUE: 0-HIGH CONTINUOUS  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---

VARNAME: RAKEDW4 QNAME11: NA QPAGENUM: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 4  
VALUE: 0-HIGH CONTINUOUS  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---



2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: RAKEDW5 QNAME11: NA QPAGENUM: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 5  
VALUE: 0-HIGH CONTINUOUS  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---

VARNAME: RAKEDW6 QNAME11: NA QPAGENUM: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 6  
VALUE: 0-HIGH CONTINUOUS  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---

VARNAME: RAKEDW7 QNAME11: NA QPAGENUM: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 7  
VALUE: 0-HIGH CONTINUOUS  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME:	RAKEDW8	QNAME11:	NA	QPAGENUM:	NA
		QNAME09:	NA	QNAME07:	NA
LABEL:	CHIS2011 RAKED WEIGHT - REPLICATE 8				
VALUE:	0-HIGH	CONTINUOUS		FREQ	%
				42935	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:	NA				
NOTES:					

VARNAME:	RAKEDW9	QNAME11:	NA	QPAGENUM:	NA
		QNAME09:	NA	QNAME07:	NA
LABEL:	CHIS2011 RAKED WEIGHT - REPLICATE 9				
VALUE:	0-HIGH	CONTINUOUS		FREQ	%
				42935	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:	NA				
NOTES:					

VARNAME:	RAKEDW10	QNAME11:	NA	QPAGENUM:	NA
		QNAME09:	NA	QNAME07:	NA
LABEL:	CHIS2011 RAKED WEIGHT - REPLICATE 10				
VALUE:	0-HIGH	CONTINUOUS		FREQ	%
				42935	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:	NA				
NOTES:					

VARNAME:	RAKEDW11	QNAME11:	NA	QPAGENUM:	NA
		QNAME09:	NA	QNAME07:	NA
LABEL:	CHIS2011 RAKED WEIGHT - REPLICATE 11				
VALUE:	0-HIGH	CONTINUOUS		FREQ	%
				42935	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:	NA				
NOTES:					

VARNAME:	RAKEDW12	QNAME11:	NA	QPAGENUM:	NA
		QNAME09:	NA	QNAME07:	NA
LABEL:	CHIS2011 RAKED WEIGHT - REPLICATE 12				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				42935	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:	NA				
NOTES:					

VARNAME:	RAKEDW13	QNAME11:	NA	QPAGENUM:	NA
		QNAME09:	NA	QNAME07:	NA
LABEL:	CHIS2011 RAKED WEIGHT - REPLICATE 13				
VALUE:	0-HIGH	CONTINUOUS		FREQ	%
				42935	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:	NA				
NOTES:					

VARNAME:	RAKEDW14	QNAME11:	NA	QPAGENUM:	NA
		QNAME09:	NA	QNAME07:	NA
LABEL:	CHIS2011 RAKED WEIGHT - REPLICATE 14				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				42935	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:	NA				
NOTES:					

VARNAME:	RAKEDW15	QNAME11:	NA	QPAGENUM:	NA
		QNAME09:	NA	QNAME07:	NA
LABEL:	CHIS2011 RAKED WEIGHT - REPLICATE 15				
VALUE:	0-HIGH	CONTINUOUS		FREQ	%
				42935	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:	NA				
NOTES:					

VARNAME:	RAKEDW16	QNAME11:	NA	QPAGENUM:	NA
		QNAME09:	NA	QNAME07:	NA
LABEL:	CHIS2011 RAKED WEIGHT - REPLICATE 16				
VALUE:	0-HIGH	CONTINUOUS		FREQ	%
				42935	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:	NA				
NOTES:					

VARNAME:	RAKEDW17	QNAME11:	NA	QPAGENUM:	NA
		QNAME09:	NA	QNAME07:	NA
LABEL:	CHIS2011 RAKED WEIGHT - REPLICATE 17				
VALUE:	0-HIGH	CONTINUOUS		FREQ	%
				42935	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:	NA				
NOTES:					

VARNAME:	RAKEDW18	QNAME11:	NA	QPAGENUM:	NA
		QNAME09:	NA	QNAME07:	NA
LABEL:	CHIS2011 RAKED WEIGHT - REPLICATE 18				
VALUE:	0-HIGH	CONTINUOUS		FREQ	%
				42935	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:	NA				
NOTES:					

VARNAME:	RAKEDW19	QNAME11:	NA	QPAGENUM:	NA
		QNAME09:	NA	QNAME07:	NA
LABEL:	CHIS2011 RAKED WEIGHT - REPLICATE 19				
VALUE:	0-HIGH	CONTINUOUS		FREQ	%
				42935	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:	NA				
NOTES:					

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME:	RAKEDW20	QNAME11:	NA	QPAGENUM:	NA
		QNAME09:	NA	QNAME07:	NA
LABEL:	CHIS2011 RAKED WEIGHT - REPLICATE 20				
VALUE:	0-HIGH	CONTINUOUS		FREQ	%
				42935	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:	NA				
NOTES:					

VARNAME:	RAKEDW21	QNAME11:	NA	QPAGENUM:	NA
		QNAME09:	NA	QNAME07:	NA
LABEL:	CHIS2011 RAKED WEIGHT - REPLICATE 21				
VALUE:	0-HIGH	CONTINUOUS		FREQ	%
				42935	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:	NA				
NOTES:					

VARNAME:	RAKEDW22	QNAME11:	NA	QPAGENUM:	NA
		QNAME09:	NA	QNAME07:	NA
LABEL:	CHIS2011 RAKED WEIGHT - REPLICATE 22				
VALUE:	0-HIGH	CONTINUOUS		FREQ	%
				42935	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:	NA				
NOTES:					

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME:	RAKEDW23	QNAME11:	NA	QPAGENUM:	NA
		QNAME09:	NA	QNAME07:	NA
LABEL:	CHIS2011 RAKED WEIGHT - REPLICATE 23				
VALUE:	0-HIGH	CONTINUOUS		FREQ	%
				42935	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:	NA				
NOTES:					

VARNAME:	RAKEDW24	QNAME11:	NA	QPAGENUM:	NA
		QNAME09:	NA	QNAME07:	NA
LABEL:	CHIS2011 RAKED WEIGHT - REPLICATE 24				
VALUE:	0-HIGH	CONTINUOUS		FREQ	%
				42935	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:	NA				
NOTES:					

VARNAME:	RAKEDW25	QNAME11:	NA	QPAGENUM:	NA
		QNAME09:	NA	QNAME07:	NA
LABEL:	CHIS2011 RAKED WEIGHT - REPLICATE 25				
VALUE:	0-HIGH	CONTINUOUS		FREQ	%
				42935	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:	NA				
NOTES:					

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: RAKEDW26 QNAME11: NA QPAGENUM: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 26  
VALUE: 0-HIGH CONTINUOUS  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---

VARNAME: RAKEDW27 QNAME11: NA QPAGENUM: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 27  
VALUE: 0-HIGH CONTINUOUS  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---

VARNAME: RAKEDW28 QNAME11: NA QPAGENUM: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 28  
VALUE: 0-HIGH CONTINUOUS  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---



2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: RAKEDW29 QNAME11: NA QPAGENUM: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 29  
VALUE: 0-HIGH CONTINUOUS  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---

VARNAME: RAKEDW30 QNAME11: NA QPAGENUM: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 30  
VALUE: 0-HIGH CONTINUOUS  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---

VARNAME: RAKEDW31 QNAME11: NA QPAGENUM: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 31  
VALUE: 0-HIGH CONTINUOUS  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: RAKEDW32 QNAME11: NA QPAGENUM: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 32  
VALUE: 0-HIGH CONTINUOUS  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---

VARNAME: RAKEDW33 QNAME11: NA QPAGENUM: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 33  
VALUE: 0-HIGH CONTINUOUS  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---

VARNAME: RAKEDW34 QNAME11: NA QPAGENUM: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 34  
VALUE: 0-HIGH CONTINUOUS  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME:	RAKEDW35	QNAME11:	NA	QPAGENUM:	NA
		QNAME09:	NA	QNAME07:	NA
LABEL:	CHIS2011 RAKED WEIGHT - REPLICATE 35				
VALUE:	0-HIGH	CONTINUOUS		FREQ	%
				42935	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:	NA				
NOTES:					

VARNAME:	RAKEDW36	QNAME11:	NA	QPAGENUM:	NA
		QNAME09:	NA	QNAME07:	NA
LABEL:	CHIS2011 RAKED WEIGHT - REPLICATE 36				
VALUE:	0-HIGH	CONTINUOUS		FREQ	%
				42935	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:	NA				
NOTES:					

VARNAME:	RAKEDW37	QNAME11:	NA	QPAGENUM:	NA
		QNAME09:	NA	QNAME07:	NA
LABEL:	CHIS2011 RAKED WEIGHT - REPLICATE 37				
VALUE:	0-HIGH	CONTINUOUS		FREQ	%
				42935	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:	NA				
NOTES:					

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME:	RAKEDW38	QNAME11:	NA	QPAGENUM:	NA
		QNAME09:	NA	QNAME07:	NA
LABEL:	CHIS2011 RAKED WEIGHT - REPLICATE 38				
VALUE:	0-HIGH	CONTINUOUS		FREQ	%
				42935	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:	NA				
NOTES:					

VARNAME:	RAKEDW39	QNAME11:	NA	QPAGENUM:	NA
		QNAME09:	NA	QNAME07:	NA
LABEL:	CHIS2011 RAKED WEIGHT - REPLICATE 39				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				42935	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:	NA				
NOTES:					

VARNAME:	RAKEDW40	QNAME11:	NA	QPAGENUM:	NA
		QNAME09:	NA	QNAME07:	NA
LABEL:	CHIS2011 RAKED WEIGHT - REPLICATE 40				
VALUE:	0-HIGH	CONTINUOUS		FREQ	%
				42935	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:	NA				
NOTES:					

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: RAKEDW41 QNAME11: NA QPAGENUM: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 41  
VALUE: 0-HIGH CONTINUOUS  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---

VARNAME: RAKEDW42 QNAME11: NA QPAGENUM: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 42  
VALUE: 0-HIGH CONTINUOUS  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---

VARNAME: RAKEDW43 QNAME11: NA QPAGENUM: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 43  
VALUE: 0-HIGH CONTINUOUS  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: RAKEDW44 QNAME11: NA QPAGENUM: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 44  
VALUE: 0-HIGH CONTINUOUS  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---

VARNAME: RAKEDW45 QNAME11: NA QPAGENUM: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 45  
VALUE: 0-HIGH CONTINUOUS  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---

VARNAME: RAKEDW46 QNAME11: NA QPAGENUM: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 46  
VALUE: 0-HIGH CONTINUOUS  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: RAKEDW47 QNAME11: NA QPAGENUM: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 47  
VALUE: 0-HIGH CONTINUOUS  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---

VARNAME: RAKEDW48 QNAME11: NA QPAGENUM: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 48  
VALUE: 0-HIGH CONTINUOUS  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---

VARNAME: RAKEDW49 QNAME11: NA QPAGENUM: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 49  
VALUE: 0-HIGH CONTINUOUS  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME:	RAKEDW50	QNAME11:	NA	QPAGENUM:	NA
		QNAME09:	NA	QNAME07:	NA
LABEL:	CHIS2011 RAKED WEIGHT - REPLICATE 50				
VALUE:	0-HIGH	CONTINUOUS		FREQ	%
				42935	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:	NA				
NOTES:					

VARNAME:	RAKEDW51	QNAME11:	NA	QPAGENUM:	NA
		QNAME09:	NA	QNAME07:	NA
LABEL:	CHIS2011 RAKED WEIGHT - REPLICATE 51				
VALUE:	0-HIGH	CONTINUOUS		FREQ	%
				42935	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:	NA				
NOTES:					

VARNAME:	RAKEDW52	QNAME11:	NA	QPAGENUM:	NA
		QNAME09:	NA	QNAME07:	NA
LABEL:	CHIS2011 RAKED WEIGHT - REPLICATE 52				
VALUE:	0-HIGH	CONTINUOUS		FREQ	%
				42935	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:	NA				
NOTES:					



2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME:	RAKEDW53	QNAME11:	NA	QPAGENUM:	NA
		QNAME09:	NA	QNAME07:	NA
LABEL:	CHIS2011 RAKED WEIGHT - REPLICATE 53				
VALUE:	0-HIGH	CONTINUOUS		FREQ	%
				42935	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:	NA				
NOTES:					

VARNAME:	RAKEDW54	QNAME11:	NA	QPAGENUM:	NA
		QNAME09:	NA	QNAME07:	NA
LABEL:	CHIS2011 RAKED WEIGHT - REPLICATE 54				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				42935	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:	NA				
NOTES:					

VARNAME:	RAKEDW55	QNAME11:	NA	QPAGENUM:	NA
		QNAME09:	NA	QNAME07:	NA
LABEL:	CHIS2011 RAKED WEIGHT - REPLICATE 55				
VALUE:	0-HIGH	CONTINUOUS		FREQ	%
				42935	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:	NA				
NOTES:					

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: RAKEDW56 QNAME11: NA QPAGENUM: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 56  
VALUE: 0-HIGH CONTINUOUS  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---

VARNAME: RAKEDW57 QNAME11: NA QPAGENUM: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 57  
VALUE: 0-HIGH CONTINUOUS  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---

VARNAME: RAKEDW58 QNAME11: NA QPAGENUM: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 58  
VALUE: 0-HIGH CONTINUOUS  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: RAKEDW59 QNAME11: NA QPAGENUM: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 59  
VALUE: 0-HIGH CONTINUOUS  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---

VARNAME: RAKEDW60 QNAME11: NA QPAGENUM: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 60  
VALUE: 0-HIGH CONTINUOUS  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---

VARNAME: RAKEDW61 QNAME11: NA QPAGENUM: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 61  
VALUE: 0-HIGH CONTINUOUS  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: RAKEDW62 QNAME11: NA QPAGENUM: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 62  
VALUE: 0-HIGH CONTINUOUS  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---

VARNAME: RAKEDW63 QNAME11: NA QPAGENUM: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 63  
VALUE: 0-HIGH CONTINUOUS  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---

VARNAME: RAKEDW64 QNAME11: NA QPAGENUM: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 64  
VALUE: 0-HIGH CONTINUOUS  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: RAKEDW65 QNAME11: NA QPAGENUM: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 65  
VALUE: 0-HIGH CONTINUOUS  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---

VARNAME: RAKEDW66 QNAME11: NA QPAGENUM: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 66  
VALUE: 0-HIGH CONTINUOUS  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---

VARNAME: RAKEDW67 QNAME11: NA QPAGENUM: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 67  
VALUE: 0-HIGH CONTINUOUS  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: RAKEDW68 QNAME11: NA QPAGENUM: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 68  
VALUE: 0-HIGH CONTINUOUS  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---

VARNAME: RAKEDW69 QNAME11: NA QPAGENUM: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 69  
VALUE: 0-HIGH CONTINUOUS  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---

VARNAME: RAKEDW70 QNAME11: NA QPAGENUM: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 70  
VALUE: 0-HIGH CONTINUOUS  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME:	RAKEDW71	QNAME11:	NA	QPAGENUM:	NA
		QNAME09:	NA	QNAME07:	NA
LABEL:	CHIS2011 RAKED WEIGHT - REPLICATE 71				
VALUE:	0-HIGH	CONTINUOUS		FREQ	%
				42935	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:	NA				
NOTES:					

VARNAME:	RAKEDW72	QNAME11:	NA	QPAGENUM:	NA
		QNAME09:	NA	QNAME07:	NA
LABEL:	CHIS2011 RAKED WEIGHT - REPLICATE 72				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				42935	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:	NA				
NOTES:					

VARNAME:	RAKEDW73	QNAME11:	NA	QPAGENUM:	NA
		QNAME09:	NA	QNAME07:	NA
LABEL:	CHIS2011 RAKED WEIGHT - REPLICATE 73				
VALUE:	0-HIGH	CONTINUOUS		FREQ	%
				42935	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:	NA				
NOTES:					

VARNAME:	RAKEDW74	QNAME11:	NA	QPAGENUM:	NA
		QNAME09:	NA	QNAME07:	NA
LABEL:	CHIS2011 RAKED WEIGHT - REPLICATE 74				
VALUE:	0-HIGH	CONTINUOUS		FREQ	%
				42935	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:	NA				
NOTES:					

VARNAME:	RAKEDW75	QNAME11:	NA	QPAGENUM:	NA
		QNAME09:	NA	QNAME07:	NA
LABEL:	CHIS2011 RAKED WEIGHT - REPLICATE 75				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				42935	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:	NA				
NOTES:					

VARNAME:	RAKEDW76	QNAME11:	NA	QPAGENUM:	NA
		QNAME09:	NA	QNAME07:	NA
LABEL:	CHIS2011 RAKED WEIGHT - REPLICATE 76				
VALUE:	0-HIGH	CONTINUOUS		FREQ	%
				42935	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:	NA				
NOTES:					



VARNAME:	RAKEDW77	QNAME11:	NA	QPAGENUM:	NA
		QNAME09:	NA	QNAME07:	NA
LABEL:	CHIS2011 RAKED WEIGHT - REPLICATE 77				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				42935	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:	NA				
NOTES:					

VARNAME:	RAKEDW78	QNAME11:	NA	QPAGENUM:	NA
		QNAME09:	NA	QNAME07:	NA
LABEL:	CHIS2011 RAKED WEIGHT - REPLICATE 78				
VALUE:	0-HIGH	CONTINUOUS		FREQ	%
				42935	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:	NA				
NOTES:					

VARNAME:	RAKEDW79	QNAME11:	NA	QPAGENUM:	NA
		QNAME09:	NA	QNAME07:	NA
LABEL:	CHIS2011 RAKED WEIGHT - REPLICATE 79				
VALUE:	0-HIGH	CONTINUOUS		FREQ	%
				42935	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:	NA				
NOTES:					

2011 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME:	RAKEDW80	QNAME11:	NA	QPAGENUM:	NA
		QNAME09:	NA	QNAME07:	NA
LABEL:	CHIS2011 RAKED WEIGHT - REPLICATE 80				
VALUE:	0-HIGH	CONTINUOUS		FREQ	%
				42935	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:	NA				
NOTES:					