



CHIS 2007 DATA DICTIONARY

Public Use File
Adult Survey
September 2011



CHIS 2007 DATA DICTIONARY

Adult Survey

Public Use File

September 2011

adult.sas7bdat

Contact:
California Health Interview Survey
UCLA Center for Health Policy Research
10960 Wilshire Blvd., Suite 1550
Los Angeles, CA 90024
Email: chis@ucla.edu

Copyright © 2011 The Regents of the University of California. All Rights Reserved.

Suggested Citation:

California Health Interview Survey. CHIS 2007 Adult Survey. UCLA Center for Health Policy Research. Los Angeles, CA: September 2011.

TABLE OF CONTENTS

1. Introduction	3
1.1 CHIS 2007 Adult Survey Data File	3
1.2 Accompanying Files	3
2. CHIS 2007 Design and Methodology Summary.....	3
2.1 Overview	3
2.2 Sample Design Objectives.....	4
2.3 Data Collection	7
2.4 Response Rates	8
2.5 Weighting the Sample	9
2.6 Imputation Methods.....	10
3. How to Use the Data Dictionary.....	12
4. Sample Code Using Sample Design Information	13
4.1 Mean Calculation.....	14
4.2 Frequency Calculation.....	15
4.3 Linear Regression	16
4.4 Logistic Regression	17
5. Data Dictionary Variable Listings	19
A. Variable Name (alphabetical)	19
B. Variable name (by Location in CHIS 2007 Adult Questionnaire)	31
6. Data Dictionary.....	43
Section S: Screening Information.....	43
Section A: Demographic Information, Part I.....	45
Section B: Health Conditions	57
Section C: Health Behaviors.....	84
Section D: General Health, Disability, and Sexual Health.....	105
Section E: Women’s Health	114
Section F: Mental Health.....	142
Section G: Demographic Information, Part II	156
Section H: Health Insurance	170
Section I: Child and Adolescent Health Insurance	199
Section J: Health Care Utilization and Access, Violence.....	202
Section K: Employment, Income, Poverty Status, Food Security.....	211
Section L: Public Program Participation	222

Section M: Housing, Parks, Transportation.....	227
Section N: Demographic Information, Part III.....	232
Section O: Full Design and Replicate Weight Series 0-80.....	237

1. Introduction

1.1 CHIS 2007 Adult Survey Data File

The 2007 California Health Interview Survey (CHIS 2007) Adult Data File consists of individual records from the Adult component of CHIS 2007.

The UCLA-Center for Health Policy Research (UCLA-CHPR) is responsible for maintaining consistent standards to protect respondent confidentiality as specified in approved protocols by the UCLA IRB (09-05-103-02) and the California Committee for the Protection of Human Subjects (00-04-04). Organizations that receive CHIS data are required to complete a data sharing agreement with UCLA-CHPR. The data files listed below must be maintained in accordance with the provisions of the data sharing agreement between the California Department of Public Health (CDPH) and UCLA-CHPR. In order to protect respondent confidentiality, UCLA-CHPR maintains the most confidential and sensitive CHIS data only in its files at the Data Access Center located at UCLA-CHPR. If researchers would like access to the latitude and longitude data in the CHIS 2007 data file by special request, or require access to other highly sensitive variables, please contact dacchpr@ucla.edu. Limited technical assistance is also available from CHIS – please send email to chis@ucla.edu

1.2 Accompanying Files

The following describes multiple files included in the package along with the data file. Some are not necessary for data analysis but add convenience in utilizing the main data.

- a. **Data file:** adult.sas7bdat, adult.sav, adult.dta
- b. **Proc format file:** ADULT_PROC_FORMAT.SAS
- c. **Format file:** ADULT_FORMAT.SAS
- d. **Label file:** ADULT_LABEL.SAS
For sample codes using Proc format, format and label files, see Section 4.
- e. **Imputation flag file:** adultf.sas7bdat, adultf.sav, adultf.dta
See Section 2.6 for descriptions of imputation flag variables and values.
- f. **Others:** ADULT.XPT, ADULTF.XPT

2. CHIS 2007 Design and Methodology Summary

2.1 Overview

The California Health Interview Survey (CHIS) is a population-based telephone survey of California's population conducted every other year since 2001. CHIS is the largest health survey conducted in any state and one of the largest health surveys in the nation. CHIS is conducted by the UCLA Center for Health Policy Research (UCLA-CHPR) in collaboration with the California Department of Public Health, the Department of Health Care Services, California Department of Mental Health, First 5 California, The California Endowment, the National Cancer Institute, and

Kaiser Permanente. CHIS collects extensive information for all age groups on health status, health conditions, health-related behaviors, health insurance coverage, access to health care services, and other health and health related issues. Within each household, separate interviews are conducted with a randomly selected adult (age 18 and over), adolescents (ages 12-17), and parents of children (ages 0 to 11). CHIS 2007 is the fourth CHIS data collection cycle and was conducted between July 2007 and early March 2008.

CHIS data and results are used extensively by federal and State agencies, local public health agencies and organizations, advocacy and community organizations, other local agencies, hospitals, community clinics, health plans, foundations, and researchers. The data are used for analyses and publications to assess public health and health care needs, to develop and advocate policies to meet those needs, and to plan and budget health care coverage and services. Many researchers throughout California and the nation use CHIS data files to further their understanding of a wide range of health-related issues (for many examples of these studies, visit the CHIS Research Clearinghouse: <http://www.chis.ucla.edu/rc>).

2.2 Sample Design Objectives

The CHIS sample is designed to meet two objectives: (1) provide estimates for most counties and groups of counties with small populations; and (2) provide estimates for California's overall population, major racial and ethnic groups, and for several smaller ethnic subgroups as well. To achieve these objectives, CHIS employed a multi-stage sample design. First, the state was divided into 44 geographic sampling strata, 41 single-county strata and 3 multi-county strata comprised of the 17 remaining counties. Second, within each geographic stratum, households were selected through random-digit dial (RDD), and within each household, one adult (age 18 and over) respondent was randomly selected. In addition, in those households with adolescents (ages 12-17) and/or children (under age 12), one adolescent was randomly selected for interview and one child was selected; the most knowledgeable adult about the child's health completed the child interview.

Table 1-1 shows the 44 sampling strata for CHIS 2007. A sufficient number of adult interviews were allocated to each stratum to support the first sample design objective. These strata were revised from those used in previous CHIS cycles, increasing the number of individual counties from 33 to 41. The CHIS 2007 samples in Los Angeles and San Diego Counties were enhanced with additional funding by implementing further stratification within county.

Table 1-1. California County and County-Group Strata in CHIS 2007 Sample Design

1. Los Angeles	16. Sonoma	31. Napa
2. San Diego	17. Stanislaus	32. Kings
3. Orange	18. Santa Barbara	33. Madera
4. Santa Clara	19. Solano	34. Monterey
5. San Bernardino	20. Tulare	35. Humboldt
6. Riverside	21. Santa Cruz	36. Nevada
7. Alameda	22. Marin	37. Mendocino
8. Sacramento	23. San Luis Obispo	38. Sutter
9. Contra Costa	24. Placer	39. Yuba
10. Fresno	25. Merced	40. Lake
11. San Francisco	26. Butte	41. San Benito
12. Ventura	27. Shasta	42. Colusa, Glen, Tehama
13. San Mateo	28. Yolo	43. Plumas, Sierra, Siskiyou, Lassen,
14. Kern	29. El Dorado	Modoc, Trinity, Del Norte
15. San Joaquin	30. Imperial	44. Mariposa, Mono, Tuolumne, Alpine, Amador, Calaveras, Inyo

Source: UCLA Center for Health Policy Research, 2007 California Health Interview Survey.

The main RDD CHIS sample size is sufficient to accomplish the second objective. To increase the precision of estimates for Koreans and Vietnamese, areas with relatively high concentrations of these groups were sampled at higher rates; these geographically targeted oversamples were supplemented by phone numbers for group-specific surnames drawn from listed telephone directories to further increase the sample size for Koreans and Vietnamese.

To help compensate for the increasing number of households without landline telephone service, a separate RDD sample was drawn of telephone numbers assigned to cellular service. In CHIS 2007, the goal was to complete 800 interviews statewide with adults in cell-only households. Because data are not available for numbers assigned to cellular service to support the same level of geographic stratification as the landline sample, the cell RDD sample was stratified by area code. Sampled cellular numbers were screened to identify whether they belonged to cell-only households. Cellular numbers from households with landline telephone numbers were considered out of scope. If the sampled number was shared by two or more adult members of a cell-only household, one household member was selected for the adult interview. Otherwise, the adult owner of the sampled number was selected. No interviews with adolescents or about children were conducted from the CHIS 2007 cell RDD sample.

In an attempt to assess nonresponse bias, CHIS 2007 also included an area probability sample in Los Angeles County, with a target of 800 completed adult interviews. A clustered sample was selected from US Postal Service address lists, stratified by Los Angeles County Service Planning Area (SPA). Within each SPA, a number of smaller geographic areas (segments composed of blocks or groups of blocks) were selected, and within each segment specific addresses were selected. Sampled addresses for which a telephone number could be matched were initially treated the same as landline RDD cases, except that adolescent and child interviews were not attempted. Matched addresses where a screening interview could not be completed by telephone and all

unmatched addresses were then assigned to recruiters who visited the sampled addresses in person to attempt to obtain cooperation.

2.3 Data Collection

To capture the rich diversity of the California population, interviews were conducted in five languages: English, Spanish, Chinese (Mandarin and Cantonese dialects), Vietnamese, and Korean. These languages were chosen based on analysis of 2000 Census data to identify the languages that would cover the largest number of Californians in the CHIS sample that either did not speak English or did not speak English well enough to otherwise participate.

Westat, a private firm that specializes in statistical research and large-scale sample surveys, conducted the CHIS 2007 data collection under contract with the UCLA Center for Health Policy Research. For the landline RDD sample, Westat staff interviewed one randomly selected adult in each sampled household, and sampled one adolescent and one child if present in the household and the sampled adult was the parent or legal guardian. Up to three interviews could have been completed in each household. In households with children where the sampled adult was not the screener respondent, children and adolescents could be sampled as part of the screening interview, and the extended child (and adolescent) interviews could be completed before the adult interview. This “child-first” procedure was new for CHIS 2005 and substantially increased the yield of child interviews. While numerous subsequent attempts were made to complete the adult interview, there were completed child and/or adolescent interviews in households for which an adult interview was not completed. For the cell RDD and area samples, only one randomly selected adult in each household was interviewed. Table 1-2 shows the number of completed adult, child, and adolescent interviews in CHIS 2007 by the type of sample (landline RDD, surname list, cell RDD, and area sample).

Table 1-2. Number of Completed CHIS 2007 Interviews by Type of Sample Instrument

Type of sample	Adult	Child	Adolescent
Total all samples	51,048	9,913	3,638
Landline RDD	48,791	9,818	3,622
Surname list	451	95	16
Cell RDD	825	N/A	N/A
Area probability (LA County)	981	N/A	N/A

Source: UCLA Center for Health Policy Research, 2007 California Health Interview Survey.

Interviews in all languages were administered using Westat’s computer-assisted telephone interviewing (CATI) system. The average adult interview took about 35 minutes to complete. The average child and adolescent interviews took about 17.5 minutes and 20 minutes, respectively. For “child-first” interviews, additional household information asked as part of the child interview averaged about 9 minutes. Interviews in non-English languages generally took longer to complete. More than 8 percent of the adult interviews were completed in a language other than English, as were almost 16 percent of all child (parent proxy) interviews and 7 percent of all adolescent interviews.

2.4 Response Rates

The overall response rate for CHIS 2007 is a composite of the screener completion rate (i.e., success in introducing the survey to a household and randomly selecting an adult to be interviewed) and the extended interview completion rate (i.e., success in getting one or more selected persons to complete the extended interview). To maximize the response rate, especially at the screener stage, an advance letter in five languages was mailed to all sampled telephone numbers for which an address could be obtained from reverse directory services. An advance letter was mailed for approximately 67 percent of the sampled telephone numbers. As in CHIS 2005, a \$2 bill was included with the advance letter to promote cooperation.

The CHIS 2007 screener completion rate for the landline sample was 35.5 percent, and was higher for households that were sent the advance letter. For the cell phone sample, the screener completion rate was 30.5 percent in cell-only households. For the area sample, the screener response rate was 32.0 percent, as compared with 31.5 percent for the landline sample in Los Angeles County. The extended interview completion rate for the landline sample varied across the adult (52.8 percent), child (73.7 percent) and adolescent (44.1 percent) interviews. The adolescent rate includes getting permission from a parent or guardian of the sampled adolescent. The adult interview completion rate for the cell sample was 52.0 percent, and for the area sample 69.0 percent. Multiplying the screener and extended rates gives an overall response rate for each type of interview. The percentage of households completing one or more of the extended interviews (adult, child, and/or adolescent) is a useful summary of the overall performance of the landline sample. For CHIS 2007, the landline sample household response rate was 21.1 percent (the product of the screener response rate and the completion rate at the household level of 57.9 percent). All of the household and person level response rates vary by sampling stratum. For more information about the CHIS 2007 response rates, please see CHIS 2007 Methodology Series: Report 4 – Response Rates.

The CHIS response rate is comparable to response rates of other scientific telephone surveys in California, such as the 2007 California Behavioral Risk Factor Surveillance System (BRFSS) Survey. Using calculations that are as comparable as possible to those of CHIS 2007, the combined screener and adult response rate for the 2007 BRFSS is 18.7 percent, exactly the same as that for the CHIS 2007 landline sample. California as a whole and the state's urban areas in particular are among the most difficult parts of the nation in which to conduct telephone interviews. Survey response rates tend to be lower in California than nationally, and over the past decade response rates have been declining both nationally and in California. Information about CHIS data quality and nonresponse bias is available at <http://www.chis.ucla.edu/dataquality.html>.

Adults who completed at least approximately 80 percent of the questionnaire (i.e., through Section K (on employment, income, poverty status, and food security), after all follow-up attempts were exhausted to complete the full questionnaire, were counted as "complete." At least some items in the employment and income series or public program eligibility and food insecurity series are missing from those cases that did not complete the entire interview.

Proxy interviews were allowed for frail and ill persons over the age of 65 who were unable to complete the extended adult interview in order to avoid biases for health estimates of elderly persons that might otherwise result. Eligible selected persons were recontacted and offered a proxy option. For 168 elderly adults, a proxy interview was completed by either a spouse/partner or adult child. A reduced questionnaire, with questions identified as appropriate for a proxy respondent, was administered. (Note: questions not administered in proxy interviews are given a value of "-2" in the data files.)

2.5 Weighting the Sample

To produce population estimates from the CHIS data, weights are applied to the sample data to compensate for the probability of selection and a variety of other factors, some directly resulting from the design and administration of the survey. The sample is weighted to represent the non-institutionalized population for each sampling stratum and statewide. The weighting procedures used for CHIS 2007 accomplish the following objectives:

- Compensate for differential probabilities of selection for households and persons;
- Reduce biases occurring because nonrespondents may have different characteristics than respondents;
- Adjust, to the extent possible, for undercoverage in the sampling frames and in the conduct of the survey; and
- Reduce the variance of the estimates by using auxiliary information.

As part of the weighting process, a household weight was created for all households that completed the screener interview. This household weight is the product of the “base weight” (the inverse of the probability of selection of the telephone number) and a variety of adjustment factors. The household weight is used to compute a person-level weight, which includes adjustments for the within-household sampling of persons and nonresponse. The final step is to adjust the person-level weight using a raking method so that the CHIS estimates are consistent with population control totals. Raking is an iterative procedure that forces the CHIS weights to sum to known population control totals from an independent data source (see below). The procedure requires iteration to make sure all the control totals, or raking dimensions, are simultaneously satisfied within a specified tolerance.

Population control totals of the number of persons by age, race, and sex at the stratum level for CHIS 2007 were created primarily from the California Department of Finance’s 2007 Population Estimates and 2007 Population Projections. The raking procedure used 11 raking dimensions, which are combinations of demographic variables (age, sex, race, and ethnicity), geographic variables (county, Service Planning Area in Los Angeles County, and Health Region in San Diego County), household composition (presence of children and adolescents in the household), and socio-economic variables (home ownership and education). The socio-economic variables are included to reduce biases associated with excluding households without landline telephones from the sample frame. One limitation of using Department of Finance data is that it includes about 2.4 percent of the population of California who live in “group quarters” (i.e., persons living with nine or more unrelated persons). These persons were excluded from the CHIS target population and as a result, the number of persons living in group quarters was estimated and removed from the Department of Finance control totals prior to raking.

Sample codes for applying weights and design information in analyses for different software packages are given in Section 4.

2.6 Imputation Methods

Missing values in the CHIS data files were replaced through imputation for nearly every variable. This was a massive task designed to enhance the analytic utility of the files. Westat imputed missing values for a handful of variables used in the weighting process and UCLA-CHPR staff imputed values for nearly all other variables.

Two different imputation procedures were used by Westat to fill in missing responses for items essential for weighting the data. The first imputation technique was a completely random selection from the observed distribution of respondents. This method was used only for a few variables when the percentage of the items missing was very small. The second technique was hot deck imputation without replacement. The hot deck approach is probably the most commonly used method for assigning values for missing responses. With a hot deck, a value reported by a respondent for a particular item is assigned or donated to a “similar” person who did not respond to that item. The characteristics defining “similar” vary for different variables. To carry out hot deck imputation, the respondents to a survey item form a pool of donors, while the nonrespondents are a group of recipients. A recipient is matched to the subset pool of donors based on household and individual characteristics. A value for the recipient is then randomly imputed from one of the donors in the pool. Once a donor is used, it is removed from the pool of donors for that variable. Hot deck imputation was used to impute the same items in CHIS 2003, CHIS 2005 and CHIS 2007 (i.e., race, ethnicity, home ownership, and education).

UCLA-CHPR imputed missing values for nearly every variable in the data files other than those handled by Westat and some sensitive variables in which nonresponse had its own meaning. Overall, item nonresponse rates in CHIS 2007 were low, with most variables missing valid responses for less than 2% of the sample. However, there were a few exceptions where item nonresponse rate was greater than 20%, such as household income.

The imputation process conducted by UCLA-CHPR started with data editing, sometimes referred to as logical or relational imputation: for any missing value, a valid replacement value was sought based on known values of other variables of the same respondent or other sample(s) from the same household. For the remaining missing values, hierarchical sequential hot-deck imputation with donor replacement was used. This method replaces a missing value for one respondent using a valid response from another respondent with similar characteristics as defined by a set of control variables. The control variables were ranked in order from the most to the least important. This procedure allowed control variables to be dropped if certain conditions (such as the minimum number of donors) were not met. The control variables were dropped sequentially, starting from the variable ranked least important. Once a responding case was used as a donor, it was dropped from the donor pool preventing using one donor multiple times.

Control variables used in forming donor pools for hot-decking always included the following: gender, age group, race/ethnicity, poverty level (based on household income), educational attainment, and region. Other control variables were also used depending on the nature of the imputed variable. Among the control variables, gender, age, race/ethnicity and regions were imputed by Westat. UCLA-CHPR then imputed household income and educational attainment in

order to impute other variables. Household income, for example, was imputed using the hot-deck method within ranges from a set of auxiliary variables such as income range and/or poverty level.

The imputation order of the other variables followed the questionnaire. After all imputation was done, logic checks and edits were performed once again to ensure consistency between the imputed and nonimputed values on a case-by-case basis.

In addition to the main data file, a data file including variables flagging the imputation status of all variables subject to imputation provided. CHIS data users who wish to exclude imputed values may apply the imputation flags to the main data. This is done by merging the main data file with the imputation flag file.

Imputation flag variables starting with **I** followed by variable names are flags for weighting variables (e.g., **ISRAGE**). The remainder of imputation flag variables begin with variable names and end with **X** (e.g., **AB1_X**). For both types of imputation flag variables, the value of “-10” in the imputation flag file indicates that there was no imputation done on the corresponding variable for that respondent. For the weighting variable imputation flags, “-9” indicates that the value in the data file was imputed but does not provide the original value. The values in the imputation flags for non-weighting variables (other than “-10” indicating no imputation) represent the original responses. In most cases, the values of the original responses are: Don't Know (-8), Refused (-7), or Not Ascertained (-9). In a few cases, the values of the original responses have been edited; the imputation flag file contains the original positive value.

Methodology Report Series

A series of five methodology reports are available with more detail about the methods used in CHIS 2007:

- Report 1 – Sample Design;
- Report 2 – Data Collection Methods;
- Report 3 – Data Processing Procedures;
- Report 4 – Response Rates; and
- Report 5 – Weighting and Variance Estimation.

For further information on CHIS data and the methods used in the survey, visit the California Health Interview Survey Web site at <http://www.chis.ucla.edu/methods.html>.

3. How to Use the Data Dictionary

This Data Dictionary describes the variables in the CHIS 2007 Adult PUF. The index of the data dictionary lists variables by the alphabetical order and by the order in the adult survey questionnaire. Please note that identical variable names appearing in the CHIS 2001, CHIS 2003 CHIS 2005, and CHIS 2007 data files does not guarantee identical question wording, response categories or universe; please consult the questionnaires and data dictionaries to assess comparability across cycles. A printable version of the adult questionnaire can be found on the CHIS web site at <http://www.chis.ucla.edu/topics.html>.

The data dictionary contains the following fields:

- **VARNAME:** The names of the variables.
- **QNAME07:** The names of the 2007 survey items. A blank field means the variable is constructed with survey items shown in the **INPUT VAR** field.
- **QPAGENUM:** Location of the question in the CHIS 2007 questionnaire.
- **QNAME05:** The names of 2005 survey items identical or similar to the 2007 items.
- **QNAME03:** The names of 2003 survey items identical or similar to the 2007 items.
- **LABEL:** A description (or label) of the variable which is the same as what is included in the label file described in Section 1.2.
- **VALUE:** Response categories and their sample distributions of categorical variables. The following negative values are used for all variables:
 - 1: INAPPLICABLE.
 - 2: PROXY SKIPPED.
 - 5: ADULT/HOUSEHOLD INFORMATION NOT COLLECTED FOR TEEN AND CHILD INTERVIEWS.
 - 7: REFUSED.
 - 8: DON'T KNOW.
 - 9: NOT ASCERTAINED.
- **MEAN STATISTICS:** Sample distributions of continuous variables.
- **UNIVERSE:** The scope of eligible respondents for the corresponding item. For some questions and variables, certain respondents become ineligible due to skip patterns or other restrictions (e.g., age and sex).
- **INPUT VAR:** Source variables used to construct the one in the **VARNAME** field.

NOTES: Additional information about the variable.

4. Sample Code Using Sample Design Information

The California Health Interview Survey (CHIS) employs a two-stage geographically stratified random digit-dial (RDD) sample design. This complex design requires proper weighting and variance (or its square root– standard error) calculation of the estimates. Most statistical software packages calculate variance assuming that the data are from a simple random sample; this underestimates the variance of estimates produced from the CHIS complex sample design. In order to accurately estimate variance without jeopardizing data confidentiality and respondent privacy, CHIS Public Use Files (PUFs) provide 80 replicate weights (rakedw1, ..., rakedw80) in addition to the final weight (rakedw0).

These weights fulfill different functions. The final weight (rakedw0) accounts for the sample selection probabilities and statistical adjustments for potential undercoverage and nonresponse biases. When this weight is applied, it ensures that estimates from the CHIS sample are an unbiased representation of the California population. The replicate weights (rakedw1, ..., rakedw80) are specially designed for valid variance estimation in the absence of the geographical sample design information (excluded from the CHIS PUFs). These 80 different weights provide variance estimates computed with 80 replications.

When using replicate weights in conjunction with the final weight, the estimates and their variance estimation are unbiased. When analyzing data from the CHIS PUFs, if the final weight is applied without the replicate weights unbiased estimates will be produced, but their variability will be underestimated due to the incorrect assumption that the sample is a simple random sample.

This document illustrates how the CHIS PUFs can be analyzed to produce valid variance estimates using SAS/STAT 9.2 or higher, SUDAAN, and Stata V.9 or higher. (Note SAS/STAT 9.2 is a new version that was released in 2009.) These are three main software packages capable of incorporating replicate weights. The main difference in operating these software packages is that the sample design information is specified within each procedure for SAS/STAT and SUDAAN, whereas Stata requires sample design specification in a separate step preceding the analyses.

For SAS users, the following code can be used to apply PROC FORMAT, FORMAT and LABEL files described in Section 1.2.

SAS:

```
LIBNAME libraryname "folder location";
%INC "folder location/PROCFORMATfilename.sas";

DATA data;
SET libraryname.datafilename;
%INC "folder location/FORMATfilename.sas";a
%INC "folder location/LABELfilename.sas";
RUN;
```

^a. Unless the PROCFORMAT file is commanded beforehand, the FORMAT file will not function properly.

This section illustrates sample codes for a number of different types of analyses: for continuous variables, we present calculation of means and linear regression analysis; and for categorical variables, we demonstrate calculation of frequencies and logistic regression analysis. Sample codes for all four software packages are provided for each analysis. Throughout all analyses, we find that the estimates and their standard errors are identical across all software packages examined in this document.

For illustration purposes, Body Mass Index (`bmi_p`) is presented as a continuous dependent variable and current asthma status (`astcur`) as a categorical dependent variable. These variables are examined in relation to race (`racehpr2`), sex (`srsex`) and age (`srage_p`). CHIS data users who wish to replicate the analysis presented here may copy the sample codes and generate the same results.

4.1 Mean Calculation

In the sample code that follows, the distribution of BMI (`bmi_p`) is examined by race (`racehpr2`) and by the interaction between race and sex (`racehpr2*srsex`).

SAS:

```
PROC SORT DATA = data;
BY racehpr2 srsex;
RUN;
PROC SURVEYMEANS DATA = data VARMETHOD=JACKKNIFE;
WEIGHT rakedw0;
REPWEIGHT rakedw1--rakedw80;
VAR bmi_p;
BY racehpr2 srsex; a
RUN;
```

^a This produces just `racehpr2*srsex` grouping.

SUDAAN:

```
PROC DESCRIPT DATA = data FILETYPE = SAS DESIGN = JACKKNIFE;
WEIGHT rakedw0;
JACKWGTS rakedw1--rakedw80/adjjack=1;
VAR bmi_p;
TABLES racehpr2 racehpr2*srsex;
SUBGROUP racehpr2 srsex;
LEVELS 7 2;
RUN;
```

Stata:

***Sample design specification step* ^a**

```
use "DATASET LOCATION"
svyset [pw=rakedw0], jkrw(rakedw1-rakedw80, multiplier(1)) vce(jack) mse
```

Analysis

```
svy: mean bmi_p, over(racehpr2)
svy: mean bmi_p, over(srsex racehpr2)
```

^a. **Sample design specification step** should be included before any analysis in SPSS and Stata.

4.2 Frequency Calculation

In the following sample code, the percentage of people who have asthma currently (astcur) is examined by race (racehpr2) and by the interaction between race and sex (racehpr2*srsex).

SAS:

```
PROC SORT DATA = data;
BY racehpr2 srsex;
RUN;
PROC SURVEYMEANS DATA = data VARMETHOD=JACKKNIFE;
WEIGHT rakedw0;
REPWEIGHT rakedw1--rakedw80;
VAR astcur;
CLASS astcur;
BY racehpr2 srsex; a
RUN;
```

Alternatively, PROC SURVEYFREQ may be useful especially for the variables with more than two categories. One caveat in creating multiple tables in one PROC SURVEYFREQ procedure is that the procedure takes the smallest applicable sample sizes among all variables. We recommend creating one table per one PROC SURVEYFREQ procedure as follows:

```
PROC SURVEYFREQ DATA = data VARMETHOD=JACKKNIFE;;
WEIGHT rakedw0;
REPWEIGHT rakedw1--rakedw80;
TABLE racehpr2*astcur /row;
RUN;
PROC SURVEYFREQ DATA = data VARMETHOD=JACKKNIFE;;
WEIGHT rakedw0;
REPWEIGHT rakedw1--rakedw80;
TABLE srsex*racehpr2*astcur/row;
RUN;
```

^a This produces just racehpr2*srsex grouping.

SUDAAN:

```
PROC CROSSTAB DATA = data FILETYPE = SAS DESIGN = JACKKNIFE;
WEIGHT rakedw0;
JACKWGTS rakedw1--rakedw80/adjjack=1;
TABLES astcur*racehpr2 racehpr2*astcur*srsex;
SUBGROUP astcur racehpr2 srsex;
LEVELS 2 7 2;
RUN;
```

Stata:

```
svy: tabulate astcur racehpr2, col se ci
```

```

gen racesex=1 if racehpr2 ==1 & srsex ==1 a
replace racesex=2 if racehpr2 ==1 & srsex ==2
replace racesex=3 if racehpr2 ==2 & srsex ==1
replace racesex=4 if racehpr2 ==2 & srsex ==2
replace racesex=5 if racehpr2 ==3 & srsex ==1
replace racesex=6 if racehpr2 ==3 & srsex ==2
replace racesex=7 if racehpr2 ==4 & srsex ==1
replace racesex=8 if racehpr2 ==4 & srsex ==2
replace racesex=9 if racehpr2 ==5 & srsex ==1
replace racesex=10 if racehpr2 ==5 & srsex ==2
replace racesex=11 if racehpr2 ==6 & srsex ==1
replace racesex=12 if racehpr2 ==6 & srsex ==2
replace racesex=13 if racehpr2 ==7 & srsex ==1
replace racesex=14 if racehpr2 ==7 & srsex ==2
label variable racesex "Race x Sex"
label define racesexf 1 "latin male" 2 "latin fem" 3 "pi male" 4 "pi fem" 5 "na
male" 6 "na female" 7 "asian mal" 8 "asian fem" 9 "aa male" 10 "aa fem" 11
"white mal" 12 "white fem" 13 "others mal" 14 "others fem"
label values racesex racesexf

svy: tabulate astcur racesex, col se ci

```

^a Generating a new variable is recommended, as Stata creates overlapping categories when crossing variables.

4.3 Linear Regression

The following example examines Body Mass Index (bmi) in relation to sex (srsex) and age (srage_p) while controlling for each other. Note srsex is a categorical variable; and Male (srsex=1) are used as their reference categories.

SAS:

```

DATA newdata;SET data;
IF SRSEX=1 THEN FEMALE=0;ELSE FEMALE=1; a
RUN;

PROC SURVEYREG DATA = newdata VARMETHOD=JACKKNIFE;
WEIGHT RAKEDW0;
REPWEIGHT RAKEDW1--RAKEDW80;
MODEL BMI_P = FEMALE SRAGE_P;
RUN;

```

^a For categorical variable, we need to create indicator variable for each category except the reference category.

SUDAAN:

```

PROC REGRESS DATA = data FILETYPE = SAS DESIGN = JACKKNIFE;
WEIGHT rakedw0;
JACKWGTS rakedw1--rakedw80/adjjack=1;
SUBGROUP srsex;
LEVELS 2;
REFLEVEL srsex=1;
MODEL bmi_p = srsex srage_p;
RUN;

```

Stata:

```
xi: svy: regress bmi_p i.srsex srage_p
```

4.4 Logistic Regression

The following sample programming code examines current asthma status (*astcur*) among adults in California, controlling for race (*racehpr2*), sex (*srsex*), and age (*srage_p*). As SUDAAN and Stata require the dependent variables coded as 0 and 1 for logistic regression, we create a new dependent variable *ast* and assign 1 where *astcur*=1 (“Current asthma”) and 0 where *astcur*=2 (“No current asthma”). The category, “No current asthma,” is used as the reference in the analysis.

SAS:

```
PROC SURVEYLOGISTIC DATA = data VARMETHOD=JACKKNIFE;
FORMAT astcur astcurf. racehpr2 racehprf. srsex srsex.;
WEIGHT rakedw0;
REPWEIGHT rakedw1--rakedw80;
CLASS astcur (REF="NO CURRENT ASTHMA"); CLASS racehpr2 (REF="WHITE")
srsex (REF="MALE") / PARAM = REF;
MODEL astcur = racehpr2 srsex srage;
RUN;
```

^a. When the values are formatted either in the data step or in the procedure, SAS automatically picks the category of the categorical variables whose label is in the last alphabetical order as a reference group. In PROC SURVEYLOGISTIC, the reference category of the independent and dependent variables may be specified in a CLASS statement.

SUDAAN:

```
DATA newdata;
SET data;
IF astcur=1 THEN ast=1;
ELSE IF astcur=2 THEN ast=0;
RUN;

PROC RLOGIST data = newdata FILETYPE = SAS DESIGN = JACKKNIFE;
WEIGHT rakedw0;
JACKWGTS rakedw1--rakedw80/adjjack=1;
SUBGROUP racehpr2 srsex;
LEVELS 7 2;
REFLEVEL racehpr2 = 6 srsex = 1;
MODEL ast = racehpr2 srsex srage_p;
RUN;
```

Stata:

```
recode astcur (2=0) (1=1) (-9=.), gen (ast)

xi: svy: logit ast srage_p i.race i.srsex a
xi: svy: logistic ast srage_p i.race i.srsex b
```

^a. This statement produces parameter estimates.

^b. This statement produces odds ratios.

Stata automatically chooses the lowest value of the categorical variable as the reference group for the independent and dependent variables.

5. Data Dictionary Variable Listings

A. Variable Name (alphabetical)

VARIABLE	LABEL	PAGE
AA5C	ENROLLED MEMBER IN RECOGNIZED TRIBE	DD-7
AB1	GENERAL HEALTH CONDITION	DD-15
AB17	DOCTOR EVER TOLD HAVE ASTHMA	DD-15
AB18	TAKING DAILY MEDICATION TO CONTROL ASTHMA	DD-19
AB19	HOW OFTEN HAD ASTHMA SYMPTOMS IN PAST 12 MOS: CURRENT ASTHMATICS	DD-17
AB22	DOCTOR EVER TOLD HAVE DIABETES	DD-23
AB23_P	AGE FIRST TOLD HAVE DIABETES (PUF RECODE)	DD-23
AB24	CURRENTLY TAKING INSULIN	DD-24
AB25	CURRENTLY TAKING DIABETIC PILLS TO LOWER BLOOD SUGAR	DD-25
AB26	# OF TIMES R/R'S FAMILY/R'S FRIEND CHECK BLOOD FOR GLUCOSE	DD-26
AB26UNT	# OF TIMES CHECK BLOOD FOR GLUCOSE - UNIT	DD-26
AB27	# OF TIMES DOC CHECKED FOR HEMOGLOBIN A ONE C LAST YR	DD-27
AB28	# OF TIMES DOC CHECKED FEET FOR SORES LAST YR	DD-28
AB29	DOCTOR EVER TOLD HAVE HIGH BLOOD PRESSURE	DD-29
AB30	CURRENTLY TAKING MEDICATIONS TO CONTROL HIGH BLOOD PRESSURE	DD-30
AB34	DOCTOR EVER TOLD HAVE ANY KIND OF HEART DISEASE	DD-30
AB40	STILL HAS ASTHMA	DD-16
AB41	ASTHMA EPISODE/ATTACK IN PAST 12 MOS	DD-16
AB42	WORKDAYS MISSED DUE TO ASTHMA IN PAST 12 MOS	DD-22
AB43	HEALTH PROFESSIONAL EVER GAVE ASTHMA MANAGEMENT PLAN	DD-22
AB51	TYPE I OR TYPE II DIABETES	DD-24
AB52	EVER TOLD HAVE HEART FAILURE/CONGESTIVE	DD-31
AB63	LAST EYE EXAM DILATED PUPILS	DD-28
AB66	HOW OFTEN HAD ASTHMA SYMPTOMS IN PAST 12 MOS: PREVIOUS ASTHMATICS	DD-20
AB67	ER/URGENT CRE VISIT FOR ASTHMA LAST 12 MOS: PREVIOUS ASTHMATICS	DD-21
AB80	HOSPITAL OVERNIGHT FOR ASTHMA PAST 12 MOS: PREVIOUS ASTHMATICS	DD-21
AB81	DOCTOR TOLD HAD DIABETES ONLY DURING PREGNANCY	DD-29
AB83	MAIN REASON MOST RECENT BLOOD STOOL TEST	DD-33
AB84	EVER HAD A COLONOSCOPY	DD-34
AB85	MOST RECENT COLONOSCOPY EXAM	DD-34
AB86	MAIN REASON MOST RECENT COLONOSCOPY	DD-35
AB87	EVER HAD A SIGMOIDOSCOPY	DD-35
AB88	MOST RECENT SIGMOIDOSCOPY EXAM	DD-36
AB89	MAIN REASON MOST RECENT SIGMOIDOSCOPY	DD-37
AB90	PAST 5 YRS DOCTOR RECOMMENDED COLON TESTS	DD-37
AB91	GOT MEDICAL CARE AFTER A FALL	DD-38

VARIABLE	LABEL	PAGE
AB92	HEALTH CARE PROF TALK HOW AVOID FALLING	DD-39
AB93	BECAUSE OF FALL REVIEW MEDICATIONS	DD-39
AB94	BECAUSE OF FALL START PHYS THERAPY	DD-40
AB95	BECAUSE OF FALL MAKE CHANGES TO HOME	DD-40
AB96	BECAUSE OF FALL USE CANE OR WALKER	DD-41
AB97	BECAUSE OF FALL CHANGE DAILY ROUTINES	DD-41
AC11	# OF TIMES DRANK SODA LAST MONTH	DD-53
AC11UNT	# OF TIMES DRANK SODA LAST MONTH - UNIT	DD-54
AC17	SMOKING EVER ALLOWED INSIDE HOME	DD-59
AC20	# OF DAYS STRENGTHENED MUSCLES IN LAST WEEK	DD-48
AC31	# TIMES ATE FAST FOOD PAST WEEK	DD-55
AC32	HAD ALCOHOL PAST 12 MONTHS	DD-60
AC33	# DRINKS TYPICAL DAY WHEN DRANK ALCOHOL	DD-61
AC34	# DAYS HAD 5+ DRINKS PAST 12 MONTHS	DD-61
AC35	# DAYS HAD 4+ DRINKS PAST 12 MONTHS	DD-62
AC7	FALLEN TO GROUND LAST 12 MOS	DD-38
ACMDNUM	# OF DOCTOR VISITS PAST YEAR	DD-161
AD1	AGE WHEN PERIOD STARTED	DD-72
AD10	MOST IMPORTANT REASON FOR NO PAP SMEAR IN PAST 3 YRS	DD-76
AD12	EVER HAD A HYSTERECTOMY	DD-74
AD13	CURRENTLY PREGNANT	DD-73
AD14	EVER HAD A MAMMOGRAM	DD-97
AD16	# OF MAMMOGRAMS IN LAST 6 YRS	DD-97
AD17	HOW LONG SINCE MOST RECENT MAMMOGRAM	DD-98
AD26	DOCTOR RECOMMENDED MAMMOGRAM IN PAST TWO YRS	DD-98
AD28	CURRENTLY TAKING HORMONE REPLACEMENT SUPPLEMENTS FOR MENOPAUSE	DD-99
AD32	# OF CIGARETTES PER DAY	DD-57
AD34	# OF DAYS PER WEEK ANY SMOKING INSIDE HOME	DD-59
AD4	EVER HAD A PAP SMEAR	DD-74
AD47	TESTED FOR STD IN PAST 12 MOS	DD-71
AD5	# OF PAP SMEARS IN LAST 6 YRS	DD-75
AD50	BLIND/DEAF OR HAS SEVERE VISION/HEARING PROBLEM	DD-68
AD51	HAS DIFFICULTY LEARNING, REMEMBERING, CONCENTRATING	DD-69
AD52	HAS DIFFICULTY DRESSING, BATHING, GETTING AROUND	DD-69
AD53	HAS DIFFICULTY GOING OUTSIDE HOME ALONE	DD-70
AD54	HAS DIFFICULTY WORKING AT A JOB	DD-70
AD57	CONDITION LIMITS BASIC PHYS ACTIVITY	DD-69
AD58	TRIED MORE THAN A YEAR TO GET PREGNANT (MALE R)	DD-72
AD6	HOW LONG SINCE MOST RECENT PAP SMEAR	DD-75
AD8	EVER HAD ABNORMAL PAP TEST	DD-78
AE15	SMOKED 100 OR MORE CIGARETTES IN ENTIRE LIFETIME	DD-55
AE15A	SMOKES CIGARETTES EVERYDAY, SOME DAYS OR NOT AT ALL	DD-56
AE16	# OF CIGARETTES PER DAY	DD-58
AE2	# TIMES ATE FRUIT IN PAST MO	DD-49

VARIABLE	LABEL	PAGE
AE24	HARD/VIGOROUS EXERCISE IN PAST 7 DAYS	DD-45
AE25	# DAYS DID VIGOROUS PHYSICAL ACTIVITY IN PAST WEEK	DD-45
AE25A	TIME PER DAY OF VIGOROUS PHYSICAL ACTIVITY	DD-46
AE25AMIN	AVG LENGTH OF VIGOROUS ACTIVITY PER DAY	DD-47
AE25AUNT	TIME PER DAY OF VIGOROUS PHYS ACTIVITY - UNIT	DD-46
AE26	MODERATE PHYSICAL ACTIVITIES IN PAST 7 DAYS	DD-42
AE27	# DAYS MODERATE PHYSICAL ACTIVITY IN PAST WEEK	DD-42
AE27A	TIME PER DAY OF MODERATE PHYSICAL ACTIVITY	DD-43
AE27AMIN	AVG LENGTH OF MODERATE ACTIVITY PER DAY	DD-44
AE27AUNT	TIME PER DAY OF MODERATE PHYS ACTIVITY - UNIT	DD-43
AE2UNT	# OF TIMES ATE FRUIT IN PAST MO - UNIT	DD-49
AE3	# TIMES ATE FRNCH FRIES, HME FRIES, HSH BRWNS IN PAST MO	DD-50
AE30	FLU SHOT IN PAST 12 MOS	DD-31
AE3UNT	# TIMES ATE FRNCH FRIES, HME FRIES, HSH BRWNS IN PAST MO- UNIT	DD-51
AE7	# OF TIMES ATE VEGETABLES IN PAST MO	DD-52
AE71	PAST 3 YRS, DR RECOMMEND PAP TEST	DD-77
AE72	EVER HEARD OF HPV	DD-78
AE73_1	HEARD ABOUT HPV: HEALTH CARE PROV/CLINIC	DD-79
AE73_10	HEARD ABOUT HPV: OTHER	DD-83
AE73_2	HEARD ABOUT HPV: FAMILY	DD-79
AE73_3	HEARD ABOUT HPV: FRIENDS	DD-80
AE73_4	HEARD ABOUT HPV: TV ADVERTISEMENT	DD-80
AE73_5	HEARD ABOUT HPV: TV NEWS	DD-81
AE73_6	HEARD ABOUT HPV: TV SHOW	DD-81
AE73_7	HEARD ABOUT HPV: NEWSPAPER OR MAGAZINE	DD-82
AE73_8	HEARD ABOUT HPV: INTERNET	DD-82
AE73_9	HEARD ABOUT HPV: SCHOOL	DD-83
AE73_A	WHERE HEARD ABOUT HPV: 1ST RESPONSE	DD-84
AE73_B	WHERE HEARD ABOUT HPV: 2ND RESPONSE	DD-85
AE73_C	WHERE HEARD ABOUT HPV: 3RD RESPONSE	DD-86
AE73_D	WHERE HEARD ABOUT HPV: 4TH RESPONSE	DD-87
AE73_E	WHERE HEARD ABOUT HPV: 5TH RESPONSE	DD-88
AE73_F	WHERE HEARD ABOUT HPV: 6TH RESPONSE	DD-89
AE73_G	WHERE HEARD ABOUT HPV: 7TH RESPONSE	DD-90
AE73_H	WHERE HEARD ABOUT HPV: 8TH RESPONSE	DD-90
AE74	THINK HPV CAN CAUSE CERVICAL CANCER	DD-91
AE75	THINK CAN GET HPV BY SEXUAL CONTACT	DD-91
AE76	THINK HPV CAUSES AIDS	DD-92
AE77	HEARD OF VACCINE TO PREVENT CERVICAL CAN	DD-93
AE78	EVER RECEIVED HPV VACCINE	DD-93
AE79	WHEN EXPECT TO HAVE NEXT PAP TEST	DD-77
AE7UNT	# OF TIMES ATE VEGETABLES IN PAST MO - UNIT	DD-52
AE80	INTERESTED IN GETTING HPV VACCINE	DD-94

VARIABLE	LABEL	PAGE
AE81_P	MAIN REASON NOT WANT HPV VACCINE (PUF RECODE)	DD-95
AE82	WOULD PAY \$360 FOR HPV VACCINE	DD-95
AE83	WOULD GET HPV VACCINE IF FREE/CHEAPER	DD-96
AE84	# YRS TAKEN HRT	DD-100
AE85	THINK CAN GET EMERG CONTR OVER COUNTER W/NO DOCT	DD-96
AE86	UNABLE TO GET PREGNANT AFTER 12 MOS TRY	DD-73
AE87	THINKS HPV CAN GO AWAY ON OWN	DD-92
AE88	RECEIVE ALL 3 DOSES OF HPV VACCINE	DD-94
AE_FRIES	# OF TIME EATING FRIES PER WEEK	DD-51
AE_FRUIT	# OF TIMES EATING FRUIT PER WEEK	DD-50
AE_SODA	# OF TIMES DRINKING SODA PER WEEK	DD-54
AE_VEGI	# OF TIMES EATING VEGETABLES PER WEEK	DD-53
AF22	EVER HAD HOME BLOOD STOOL TEST	DD-32
AF24	WHEN WAS MOST RECENT HOME BLOOD STOOL TEST	DD-32
AF62	ANY MONTH PAST 12 MONTHS FELT WORSE	DD-105
AF63	FEEL NERVOUS WORST MONTH	DD-105
AF64	FEEL HOPELESS WORST MONTH	DD-106
AF65	FEEL RESTLESS WORST MONTH	DD-106
AF66	FEEL DEPRESSED WORST MONTH	DD-107
AF67	FEEL EVERYTHING AN EFFORT WORST MONTH	DD-107
AF68	FEEL WORTHLESS WORST MONTH	DD-108
AF69	EMOTIONS INTERFERE W/WORK WORST MONTH	DD-109
AF70	EMOTIONS INTERFERE W/CHORES WORST MONTH	DD-110
AF71	EMOTIONS INTERFERE W/SOCIAL LIFE WORST MONTH	DD-111
AF72	EMOTIONS INTERFERE W/RELATIONSHIPS WORST MONTH	DD-112
AG10	RESPONDENT USUALLY WORKS	DD-125
AG11	SPOUSE USUALLY WORKS	DD-127
AG20	LANGUAGE SPEAK WITH FRIENDS	DD-118
AG21	LANGUAGE OF TV, RADIO, NEWSPAPERS	DD-118
AG8	WORK STATUS OF SPOUSE LAST WEEK	DD-126
AG9	TYPE OF EMPLOYER OF SPOUSE'S MAIN JOB	DD-127
AH12	VISITED EMERGENCY ROOM FOR OWN HEALTH IN PAST 12 MOS	DD-128
AH13A	ER/URGENT CRE VISIT FOR ASTHMA LAST 12 MOS: CURRENT ASTHMATICS	DD-18
AH15A	HOSPITAL OVERNIGHT FOR ASTHMA PAST 12 MOS: CURRENT ASTHMATICS	DD-19
AH16	DELAY GETTING PRESCRIPTION IN PAST 12 MO	DD-167
AH22	DELAY OTHER MEDICAL CARE IN PAST 12 MOS	DD-168
AH33NEW	BORN IN U.S.	DD-114
AH34NEW	MOTHER BORN IN U.S.	DD-115
AH35NEW	FATHER BORN IN U.S.	DD-116
AH37	HOW WELL YOU SPEAK ENGLISH	DD-119
AH43A	LIVING WITH A PARENT	DD-122
AH44	SPOUSE LIVING IN SAME HOUSEHOLD	DD-121
AH44A	USED PAID CHILDCARE FOR CHILDREN UNDER 14 IN PAST MOS	DD-122

VARIABLE	LABEL	PAGE
AH49	MEDICARE COVERAGE PROVIDED THROUGH HMO	DD-129
AH5	# TIMES SAW MD IN PAST 12 MOS	DD-160
AH50_P	NAME OF MEDICARE HMO PLAN (PUF RECODE)	DD-129
AH52	SIGN UP FOR MEDICARE HMO DIRECTLY OR OTHERWISE	DD-130
AH6	HOW LONG SINCE LAST SAW DOCTOR ABOUT OWN HEALTH	DD-162
AH71	HEALTH PLAN DEDUCTIBLE MORE THAN \$1,000	DD-137
AH72	HEALTH PLAN DEDUCTIBLE MORE THAN \$2,000	DD-137
AH73	SPECIAL FUND TO PAY MEDICAL EXPENSES	DD-138
AH74	TRIED TO FIND HEALTH INSURANCE ON OWN	DD-138
AH75	TRIED TO FIND HEALTH INSURANCE ON OWN	DD-141
AH77	FREE PRENATAL CARE DURING PAST 12 MOS	DD-142
AH92	# OF MOS IN PAST 12 MOS HAD DENTAL INSURANCE	DD-142
AHCHLDC	AMOUNT SPENT ON CHILD CARE PER WEEK	DD-123
AHEDUC	EDUCATIONAL ATTAINMENT	DD-123
AI15	MAIN REASON NOT IN EMPLOYER'S HEALTH PLAN	DD-131
AI15A	MAIN REASON INELIGIBLE FOR EMPLOYER'S HEALTH PLAN	DD-132
AI22A_P	NAME OF HEALTH PLAN (PUF RECODE)	DD-135
AI22C	MAIN HEALTH PLAN IS HMO	DD-134
AI25	COVERED FOR PRESCRIPTION DRUGS	DD-136
AI25NEW	RX COVERAGE EDITED FOR MEDICAL/HF	DD-136
AI28	HOW LONG SINCE LAST HAD HEALTH INS	DD-141
AI37A	SPOUSE COVERED BY MEDICARE SUPPL POLICY	DD-132
AI4	COVERED BY MEDICARE SUPPL POLICY	DD-130
AI45	MAIN REASON SPOUSE NOT IN EMPLOYER'S HEALTH PLAN	DD-133
AI45A	MAIN REASON SPOUSE INELIGIBLE FOR EMPLOYER'S HEALTH PLAN	DD-134
AI72	PARENT PERCEPTION: HEARD OF VACCINE AGAINST CERVICAL CANCER	DD-157
AI73	PARENT PERCEPTION: EVER GOT HPV VACCINE	DD-157
AI74	PARENT PERCEPTION: IF DR RECOMMENDED WOULD GET HPV VACCINE	DD-158
AI75_P	PARENT PERCEPTION: MAIN REASON NOT GET HPV VACCINE(PUF RECODE)	DD-159
AI76	PARENT PERCEPTION: WOULD PAY \$360 FOR HPV VACCINE	DD-159
AI77	PARENT PERCEPTION: WOULD GET FREE OR LOW-COST HPV VACCINE	DD-160
AI78	PARENT PERCEPTION: GOT ALL THREE DOSES HPV VACCINE	DD-158
AJ10	NEEDED SOMEONE ELSE TO HELP UNDERSTAND DOCTOR	DD-164
AJ11	WHO HELPED YOU UNDERSTAND DOCTOR	DD-164
AJ19	COST/NO INSUR DELAYED GETTING PRESCRIP	DD-167
AJ20	COST/NO INSR DELAYED GETTING NEEDED CARE	DD-168
AJ29	FEEL NERVOUS PAST 30 DAYS	DD-101
AJ30	FEEL HOPELESS PAST 30 DAYS	DD-101
AJ31	FEEL RESTLESS PAST 30 DAYS	DD-102
AJ32	FEEL DEPRESSED PAST 30 DAYS	DD-102
AJ33	FEEL EVERYTHING AN EFFORT PAST 30 DAYS	DD-103

VARIABLE	LABEL	PAGE
AJ34	FEEL WORTHLESS PAST 30 DAYS	DD-103
AJ50_P	LANGUAGE DOCTOR SPEAKS TO R (PUF RECODE)	DD-163
AJ51	EASY TO READ INSTR ON PRESCRIPTION BOTTL	DD-166
AJ52	EASY TO UNDERSTAND WRITTEN INFO AT DR	DD-166
AJ53	DR DISCUSS EMOTIONS DURING LAST ROUTINE EXAM	DD-165
AJ54	DR DISCUSS EMOTIONS UNDERSTANDABLY	DD-165
AJ8	HAD HARD TIME UNDERSTANDING DOCTOR LAST VISIT	DD-162
AJ9	MD SPOKE DIFFERENT LANGUAGE REASON WHY DIFFICULT TO UNDERSTAND	DD-163
AK1	WORK STATUS LAST WEEK	DD-124
AK10A_P	SPOUSE'S EARNINGS LAST MONTH (PUF RECODE)	DD-174
AK10_P	RESPONDENT'S EARNINGS LAST MONTH (PUF RECODE)	DD-172
AK2	MAIN REASON FOR NOT WORKING LAST WEEK	DD-124
AK20	# OF HRS PER WEEK SPOUSE USUALLY WORKS	DD-173
AK22_P	HOUSEHOLD'S TOTAL ANNUAL INC (PUF RECODE)	DD-174
AK23	LIVE IN HOUSE, DUPLEX, BUILDING WITH 3+ UNITS, OR MOBILE HOME	DD-185
AK25	OWN OR RENT HOME	DD-186
AK28	HOW OFTEN FEEL SAFE IN NEIGHBORHOOD	DD-187
AK3	# OF USUAL HRS WORKED PER WEEK	DD-169
AK4	TYPE OF EMPLOYER AT MAIN JOB	DD-126
AK7	LENGTH OF TIME WORKING AT MAIN JOB	DD-170
AK7UNT	TIME AT MAIN JOB: UNIT OF TIME	DD-170
AK8	HOW MANY PEOPLE WORK FOR EMPLOYER/YOU	DD-172
AKWKLNG	TIME AT MAIN JOB	DD-171
AL15	RECVD ALIMONY/CHILD SUPPORT/MONEY FROM GOVT LAST MONTH	DD-182
AL16_P	TOTAL RECVD FROM ALIMONY/CHILD SUPPORT/GOVT (PUF RECODE)	DD-183
AL17	PAID ALIMONY OR CHILD SUPPORT LAST MONTH	DD-183
AL18A	RECVD SOCIAL SECURITY OR PENSION LAST MONTH	DD-184
AL18B_P	TOTAL SOCIAL SECURITY/PENSION RECVD LAST MONTH (PUF RECODE)	DD-185
AL18_P	TOTAL ALIMONY/CHILD SUPPORT PAID LAST MONTH (PUF RECODE)	DD-184
AL2	CURRENTLY ON TANF OR CALWORKS	DD-180
AL22	RECEIVING SOCIAL SECURITY DISABILITY INS	DD-125
AL5	RECEIVING FOOD STAMP BENEFITS	DD-181
AL6	RECEIVING SSI (SUPPLEMENTAL SECURITY INCOME)	DD-181
AL7	CURRENTLY ON WIC	DD-182
AM1	HOW OFTEN FOOD DIDN'T LAST, COULDN'T AFFORD MORE, PAST 12 MOS	DD-175
AM18	PARK/PLAYGRND WALKING DISTANCE FROM HOME	DD-187
AM2	HOW OFTEN COULDN'T AFFORD TO EAT BALANCED MEALS	DD-175
AM27	PAST 30 DAYS BEEN TO PARK, PLAYGROUND	DD-188
AM28	LAST TIME AT PARK PHYSICALLY ACTIVE	DD-188
AM29	HAVE A CAR FOR REGULAR USE	DD-189
AM3	ADULTS CUT/SKIPPED MEALS IN PAST 12 MOS FOR MONEY	DD-176

VARIABLE	LABEL	PAGE
AM30	HOW USUALLY GET TO THE DOCTOR'S OFFICE	DD-189
AM31	HOW USUALLY GET TO GROCERY STORE	DD-190
AM33	HAS A WORKING CELL PHONE	DD-194
AM34	TELEPHONE CALLS RECEIVED	DD-194
AM3A	HOW OFTEN ADULTS CUT/SKIPPED MEALS IN PAST 12 MOS FOR MONEY	DD-176
AM4	ATE LESS THAN SHOULD BECAUSE OF MONEY IN PAST 12 MOS	DD-177
AM5	HOW OFTEN HUNGRY BUT DIDN'T EAT B/C OF MONEY IN PAST 12 MOS	DD-177
ASIAN9	ASIAN SUBTYPES - 9 TYPES (PUF RECODE)	DD-10
ASNHP2_P	ASIAN GROUP - UCLA CHPR DEFINITION (PUF RECODE), UNBRIDGED	DD-11
ASTCUR	CURRENT ASTHMA STATUS	DD-17
ASTS	ASTHMA SYMPTOMS PAST 12 MOS FOR POPULATION DIAGNOSED W/ ASTHMA	DD-20
ASTYR	ASTHMA SYMPTOMS PAST 12 MOS FOR POPULATION CURRENTLY W/ ASTHMA	DD-18
BINGE12	BINGE DRINKING IN PAST YEAR. 5+ DRINKS (MALE), 4+ DRINKS (FEMALE)	DD-62
BMI_P	BODY MASS INDEX (PUF RECODE)	DD-66
CATRIBE	CALIFORNIA TRIBE	DD-7
CHINESE	CHINESE	DD-9
CHORES	CHORE IMPAIRMENT PAST 12 MONTHS	DD-111
CITIZEN2	CITIZENSHIP STATUS - 3 LEVELS	DD-120
CNTRYF	COUNTRY FATHER BORN	DD-116
CNTRYM	COUNTRY MOTHER BORN	DD-115
CNTRY5	COUNTRY BORN	DD-114
CRC_SCRN	COMPLIANCE W/COLONOSCOPY/SIG/FOBT SCREEN TEST	DD-36
DIABCK	# OF TIMES CHECKING FOR GLUCOSE/SUGAR PER MONTH	DD-27
DIAMED	TAKING INSULIN OR PILLS	DD-25
DISABLE	DISABILITY STATUS DUE TO PHYS/MENT/EMOT CONDITION	DD-71
DISTRESS	SERIOUS PSYCHOLOGICAL DISTRESS	DD-104
DOCT_YR	VISITED DOCTOR IN PAST 12 MOS	DD-161
DSTRS12	EXPERIENCED SERIOUS PSYCHOLOGICAL DISTRESS IN PAST YEAR	DD-109
DSTRS30	EXPERIENCED SERIOUS PSYCHOLOGICAL DISTRESS IN THE PAST MONTH	DD-104
DSTRSYR	SERIOUS PSYCHOLOGICAL DISTRESS FOR WORST MONTH PAST YR (K6 SCORE)	DD-108
ELIGPRG3	MEDI-CAL (MEDICAID)/HEALTHY FAM ELIG. - UNINSURED	DD-155
ER	ER VISIT WITHIN THE PAST YEAR	DD-128
FAMILY	FAMILY LIFE IMPAIRMENT PAST 12 MONTHS	DD-113
FAMT4	FAMILY TYPE - 4 LVLS	DD-156
FAMTYP_P	FAMILY TYPE (PUF RECODE)	DD-155
FILIPINO	FILIPINO	DD-8
FOBT2	BLOOD STOOL TEST PAST 2 YEARS	DD-33
FSLEV	FOOD SECURITY STATUS LEVEL	DD-179
FSLEVCB	FOOD SECURITY STATUS - 2 LVLS	DD-179

VARIABLE	LABEL	PAGE
HEIGHM_P	HEIGHT: METERS - UCLA (PUF RECODE)	DD-64
HGHTI_P	HEIGHT: INCHES (PUF RECODE)	DD-63
HGHTM_P	HEIGHT: METERS (PUF RECODE)	DD-63
HHSIZE_P	HOUSEHOLD SIZE (PUF RECODE)	DD-1
HHSMK	HOUSEHOLD SMOKING	DD-60
IHS	COVERED BY INDIAN HEALTH SERVICES	DD-143
IHS_S	SPOUSE COVERED BY INDIAN HEALTH SERVICES	DD-150
IMPAIR	FUNCTIONAL ROLE IMPAIRMENT DUE TO EMOTIONS PAST 12 MONTHS	DD-113
INS	CURRENTLY INSURED	DD-143
INS12M	MOS COVERED BY HEALTH PLANS LAST 12 MOS	DD-144
INS64S_P	SPOUSE'S CURRENT HEALTH COVG - < 65 YRS (PUF RECODE)	DD-150
INS64_P	CURRENT HEALTH COVERAGE - < 65 YRS (PUF RECODE)	DD-144
INS65	TYPE OF CURRENT HEALTH COVERAGE SOURCE FOR ELDERLY 65+	DD-145
INS65_S	TYPE OF CURRENT HEALTH COVERAGE FOR SPOUSE 65+	DD-151
INSANY	ANY INS IN LAST 12 MOS	DD-145
INSEM	COVERED BY EMPLOYER-BASED PLANS	DD-146
INSEM_S	SPOUSE COVERED BY EMPLOYER-BASED PLANS	DD-151
INSMC	COVERED BY MEDICARE	DD-147
INSMC_S	SPOUSE COVERED BY MEDICARE	DD-152
INSMD	COVERED BY MEDI-CAL	DD-148
INSMD_S	SPOUSE COVERED BY MEDI-CAL	DD-152
INSOG	COVERED BY OTHER GOVT PLANS	DD-148
INSOG_S	SPOUSE COVERED BY OTHER GOVT PLANS	DD-153
INSPR	COVERED BY PLANS PURCHASED ON OWN	DD-148
INSPR_S	SPOUSE COVERED BY PLANS PURCHASED ON OWN	DD-153
INSPS	PRIMARY OR SECONDARY COVERAGE	DD-149
INSPS_S	SPOUSE PRIMARY OR SECONDARY COVERAGE	DD-154
INSTYP_P	TYPE OF CURRENT HEALTH COVERAGE SOURCE FOR ALL AGES (PUF RECODE)	DD-149
INST_12	HEALTH INS COVERAGE IN LAST 12 MOS, INCL CURRENT STATUS:8 LVLS	DD-146
INS_S	SPOUSE CURRENTLY INSURED	DD-154
INTVLANG	LANGUAGE OF INTERVIEW	DD-2
LANGHOME	LANGUAGE SPOKEN AT HOME	DD-117
LATIN9TP	LATIN/HISPANIC SUBTYPES - 9 LVLS	DD-4
MAM_SCRN	MAMMOGRAM IN PAST 2 YRS	DD-99
MARIT	MARITAL STATUS- 3 CATEGORIES	DD-14
MARIT2	MARITAL STATUS- 4 CATEGORIES	DD-14
MODACT	MODERATE LEISURE ACTIVITY FOR 5 DAYS/WK AND 30 MIN/DAY	DD-44
NUMCIG	# OF CIGARETTES PER DAY	DD-58
OFFTK	OFFER, ELIGIBILITY, ACCEPTANCE OF EMPLOYER BASED INS	DD-131
OFFTK_S	OFFER, ELIGIBILITY, ACCEPTANCE OF EMPLOYER-BASED INS: SPOUSE	DD-133
OMBSRASO	OMB S-R NONHISPANIC ASIAN GROUP (ONLY)	DD-11
OMBSRREO	OMB/CURRENT DOF RACE - ETHNICITY	DD-13

VARIABLE	LABEL	PAGE
OVRWT	OVERWEIGHT OR OBESE	DD-67
PAP_SCRN	PAP SCREEN PAST 3 YRS	DD-76
PCTLF_P	PERCENT LIFE IN US (PUF RECODE)	DD-121
POVGWD_P	FAMILY POVERTY THRESHOLD LEVEL (PUF RECODE)	DD-156
POVLL	POVERTY LEVEL	DD-178
POVLL2_P	POVERTY LEVEL - 100% FPL (PUF RECODE)	DD-178
PROXY	A PROXY INTERVIEW	DD-2
PUF_ID	PUBLIC USE FILE ID	DD-1
RACECEN	RACE - CENSUS 2000 DEFINITION	DD-12
RACEDOF	FORMER DOF RACE - ETHNICITY	DD-13
RACEHPR2	RACE - UCLA CHPR DEFINITION, UNBRIDGED	DD-12
RAKEDW0	CHIS2007 RAKED WEIGHT - FULL SAMPLE	DD-195
RAKEDW1	CHIS2007 RAKED WEIGHT - REPLICATE 1	DD-195
RAKEDW10	CHIS2007 RAKED WEIGHT - REPLICATE 10	DD-198
RAKEDW11	CHIS2007 RAKED WEIGHT - REPLICATE 11	DD-199
RAKEDW12	CHIS2007 RAKED WEIGHT - REPLICATE 12	DD-199
RAKEDW13	CHIS2007 RAKED WEIGHT - REPLICATE 13	DD-199
RAKEDW14	CHIS2007 RAKED WEIGHT - REPLICATE 14	DD-200
RAKEDW15	CHIS2007 RAKED WEIGHT - REPLICATE 15	DD-200
RAKEDW16	CHIS2007 RAKED WEIGHT - REPLICATE 16	DD-200
RAKEDW17	CHIS2007 RAKED WEIGHT - REPLICATE 17	DD-201
RAKEDW18	CHIS2007 RAKED WEIGHT - REPLICATE 18	DD-201
RAKEDW19	CHIS2007 RAKED WEIGHT - REPLICATE 19	DD-201
RAKEDW2	CHIS2007 RAKED WEIGHT - REPLICATE 2	DD-196
RAKEDW20	CHIS2007 RAKED WEIGHT - REPLICATE 20	DD-202
RAKEDW21	CHIS2007 RAKED WEIGHT - REPLICATE 21	DD-202
RAKEDW22	CHIS2007 RAKED WEIGHT - REPLICATE 22	DD-202
RAKEDW23	CHIS2007 RAKED WEIGHT - REPLICATE 23	DD-203
RAKEDW24	CHIS2007 RAKED WEIGHT - REPLICATE 24	DD-203
RAKEDW25	CHIS2007 RAKED WEIGHT - REPLICATE 25	DD-203
RAKEDW26	CHIS2007 RAKED WEIGHT - REPLICATE 26	DD-204
RAKEDW27	CHIS2007 RAKED WEIGHT - REPLICATE 27	DD-204
RAKEDW28	CHIS2007 RAKED WEIGHT - REPLICATE 28	DD-204
RAKEDW29	CHIS2007 RAKED WEIGHT - REPLICATE 29	DD-205
RAKEDW3	CHIS2007 RAKED WEIGHT - REPLICATE 3	DD-196
RAKEDW30	CHIS2007 RAKED WEIGHT - REPLICATE 30	DD-205
RAKEDW31	CHIS2007 RAKED WEIGHT - REPLICATE 31	DD-205
RAKEDW32	CHIS2007 RAKED WEIGHT - REPLICATE 32	DD-206
RAKEDW33	CHIS2007 RAKED WEIGHT - REPLICATE 33	DD-206
RAKEDW34	CHIS2007 RAKED WEIGHT - REPLICATE 34	DD-206
RAKEDW35	CHIS2007 RAKED WEIGHT - REPLICATE 35	DD-207
RAKEDW36	CHIS2007 RAKED WEIGHT - REPLICATE 36	DD-207
RAKEDW37	CHIS2007 RAKED WEIGHT - REPLICATE 37	DD-207
RAKEDW38	CHIS2007 RAKED WEIGHT - REPLICATE 38	DD-208
RAKEDW39	CHIS2007 RAKED WEIGHT - REPLICATE 39	DD-208

VARIABLE	LABEL	PAGE
RAKEDW4	CHIS2007 RAKED WEIGHT - REPLICATE 4	DD-196
RAKEDW40	CHIS2007 RAKED WEIGHT - REPLICATE 40	DD-208
RAKEDW41	CHIS2007 RAKED WEIGHT - REPLICATE 41	DD-209
RAKEDW42	CHIS2007 RAKED WEIGHT - REPLICATE 42	DD-209
RAKEDW43	CHIS2007 RAKED WEIGHT - REPLICATE 43	DD-209
RAKEDW44	CHIS2007 RAKED WEIGHT - REPLICATE 44	DD-210
RAKEDW45	CHIS2007 RAKED WEIGHT - REPLICATE 45	DD-210
RAKEDW46	CHIS2007 RAKED WEIGHT - REPLICATE 46	DD-210
RAKEDW47	CHIS2007 RAKED WEIGHT - REPLICATE 47	DD-211
RAKEDW48	CHIS2007 RAKED WEIGHT - REPLICATE 48	DD-211
RAKEDW49	CHIS2007 RAKED WEIGHT - REPLICATE 49	DD-211
RAKEDW5	CHIS2007 RAKED WEIGHT - REPLICATE 5	DD-197
RAKEDW50	CHIS2007 RAKED WEIGHT - REPLICATE 50	DD-212
RAKEDW51	CHIS2007 RAKED WEIGHT - REPLICATE 51	DD-212
RAKEDW52	CHIS2007 RAKED WEIGHT - REPLICATE 52	DD-212
RAKEDW53	CHIS2007 RAKED WEIGHT - REPLICATE 53	DD-213
RAKEDW54	CHIS2007 RAKED WEIGHT - REPLICATE 54	DD-213
RAKEDW55	CHIS2007 RAKED WEIGHT - REPLICATE 55	DD-213
RAKEDW56	CHIS2007 RAKED WEIGHT - REPLICATE 56	DD-214
RAKEDW57	CHIS2007 RAKED WEIGHT - REPLICATE 57	DD-214
RAKEDW58	CHIS2007 RAKED WEIGHT - REPLICATE 58	DD-214
RAKEDW59	CHIS2007 RAKED WEIGHT - REPLICATE 59	DD-215
RAKEDW6	CHIS2007 RAKED WEIGHT - REPLICATE 6	DD-197
RAKEDW60	CHIS2007 RAKED WEIGHT - REPLICATE 60	DD-215
RAKEDW61	CHIS2007 RAKED WEIGHT - REPLICATE 61	DD-215
RAKEDW62	CHIS2007 RAKED WEIGHT - REPLICATE 62	DD-216
RAKEDW63	CHIS2007 RAKED WEIGHT - REPLICATE 63	DD-216
RAKEDW64	CHIS2007 RAKED WEIGHT - REPLICATE 64	DD-216
RAKEDW65	CHIS2007 RAKED WEIGHT - REPLICATE 65	DD-217
RAKEDW66	CHIS2007 RAKED WEIGHT - REPLICATE 66	DD-217
RAKEDW67	CHIS2007 RAKED WEIGHT - REPLICATE 67	DD-217
RAKEDW68	CHIS2007 RAKED WEIGHT - REPLICATE 68	DD-218
RAKEDW69	CHIS2007 RAKED WEIGHT - REPLICATE 69	DD-218
RAKEDW7	CHIS2007 RAKED WEIGHT - REPLICATE 7	DD-197
RAKEDW70	CHIS2007 RAKED WEIGHT - REPLICATE 70	DD-218
RAKEDW71	CHIS2007 RAKED WEIGHT - REPLICATE 71	DD-219
RAKEDW72	CHIS2007 RAKED WEIGHT - REPLICATE 72	DD-219
RAKEDW73	CHIS2007 RAKED WEIGHT - REPLICATE 73	DD-219
RAKEDW74	CHIS2007 RAKED WEIGHT - REPLICATE 74	DD-220
RAKEDW75	CHIS2007 RAKED WEIGHT - REPLICATE 75	DD-220
RAKEDW76	CHIS2007 RAKED WEIGHT - REPLICATE 76	DD-220
RAKEDW77	CHIS2007 RAKED WEIGHT - REPLICATE 77	DD-221
RAKEDW78	CHIS2007 RAKED WEIGHT - REPLICATE 78	DD-221
RAKEDW79	CHIS2007 RAKED WEIGHT - REPLICATE 79	DD-221
RAKEDW8	CHIS2007 RAKED WEIGHT - REPLICATE 8	DD-198

VARIABLE	LABEL	PAGE
RAKEDW80	CHIS2007 RAKED WEIGHT - REPLICATE 80	DD-222
RAKEDW9	CHIS2007 RAKED WEIGHT - REPLICATE 9	DD-198
RBMI	BMI DESCRIPTIVE	DD-66
REGACT	REGULAR, MODERATE, OR VIGOROUS ACTIVITY	DD-48
RSN_UNI2	REASON FOR UNINSURED STATUS ANYTIME PAST 12 MONTHS	DD-140
RSN_UNIN	REASON FOR CURRENTLY UNINSURED STATUS	DD-139
SECTION A	DEMOGRAPHIC INFORMATION, PART I	DD-3
SECTION B	HEALTH CONDITIONS	DD-15
SECTION C	HEALTH BEHAVIORS	DD-42
SECTION D	GENERAL HEALTH, DISABILITY, AND SEXUAL HEALTH	DD-63
SECTION E	WOMEN'S HEALTH	DD-72
SECTION F	MENTAL HEALTH	DD-100
SECTION G	DEMOGRAPHIC INFORMATION, PART II	DD-114
SECTION H	HEALTH INSURANCE	DD-128
SECTION I	CHILD AND ADOLESCENT HEALTH INSURANCE	DD-157
SECTION J	HEALTH CARE UTILIZATION AND ACCESS, VIOLENCE	DD-160
SECTION K	EMPLOYMENT, INCOME, POVERTY STATUS, FOOD SECURITY	DD-169
SECTION L	PUBLIC PROGRAM PARTICIPATION	DD-180
SECTION M	HOUSING, PARKS, TRANSPORTATION	DD-185
SECTION N	DEMOGRAPHIC INFORMATION, PART III	DD-190
SECTION O	FULL DESIGN AND REPLICATE WEIGHT SERIES 0-80	DD-195
SECTION S	SCREENING INFORMATION	DD-1
SMKCUR	CURRENT SMOKER	DD-56
SMOKING	CURRENT SMOKING HABITS	DD-57
SOCIAL	SOCIAL LIFE IMPAIRMENT PAST 12 MONTHS	DD-112
SPK_ENG	ENGLISH USE AND PROFICIENCY	DD-119
SRAA	SELF-REPORTED AFRICAN AMERICAN	DD-6
SRAGE_P	AGE (PUF RECODE)	DD-3
SRAI	SELF-REPORTED AMERICAN INDIAN	DD-5
SRAS	SELF-REPORTED ASIAN	DD-5
SRASO	SELF-REPORTED OTHER ASIAN GROUP	DD-10
SRCH	SELF-REPORTED CHINESE	DD-9
SRH	SELF-REPORTED LATINO/HISPANIC	DD-4
SRKR	SELF-REPORTED KOREAN	DD-8
SRO	SELF-REPORTED OTHER RACE	DD-6
SRPH	SELF-REPORTED FILIPINO	DD-8
SRPI	SELF-REPORTED PI AND NTV HW	DD-5
SRSEX	GENDER	DD-3
SRTENR	SELF-REPORTED HOUSEHOLD TENURE (HH)	DD-180
SRVT	SELF-REPORTED VIETNAMESE	DD-9
SRW	SELF-REPORTED WHITE	DD-6
TIMEAD	LENGTH OF TIME LIVED AT CURRENT ADDRESS	DD-186
UNINSANY	UNINSURED IN PAST 12 MOS	DD-147
UR_BG	RURAL AND URBAN - CLARITAS (BY BLOCK GROUP)	DD-193
UR_CLRT	RURAL AND URBAN - CLARITAS (BY ZIPCODE) (4 LVLS)	DD-191

VARIABLE	LABEL	PAGE
UR_CLRT2	RURAL AND URBAN - CLARITAS (BY ZIPCODE) (2 LVLS)	DD-191
UR_IHS	RURAL AND URBAN - IHS	DD-192
UR_OMB	RURAL AND URBAN - OMB	DD-192
UR_RHP	RURAL AND URBAN - RHP	DD-192
UR_TRACT	RURAL AND URBAN - CLARITAS (BY CENSUS TRACT)	DD-193
VIGPA	VIGOROUS LEISURE ACTIVITY FOR 3 DAYS/WK AND 20 MIN/DAY	DD-47
WEIGHK_P	WEIGHT: KG - UCLA (PUF RECODE)	DD-65
WGHTK_P	WEIGHT: KG (PUF RECODE)	DD-64
WGHTP_P	WEIGHT: LBS (PUF RECODE)	DD-65
WORK	WORK IMPAIRMENT PAST 12 MONTHS	DD-110
WRKST	WORKING STATUS	DD-169
WRKST_S	SPOUSE WORKING STATUS	DD-173
WT18K_P	WEIGHT AT 18: KILOS (PUF RECODE)	DD-67
WT18P_P	WEIGHT AT 18: LBS (PUF RECODE)	DD-68
YRUS	YEARS LIVED IN THE U.S.	DD-120

B. Variable name (by Location in CHIS 2007 Adult Questionnaire)

VARIABLE	LABEL	PAGE
SECTION S	SCREENING INFORMATION	DD-1
PUF_ID	PUBLIC USE FILE ID	DD-1
HHSIZE_P	HOUSEHOLD SIZE (PUF RECODE)	DD-1
INTVLANG	LANGUAGE OF INTERVIEW	DD-2
PROXY	A PROXY INTERVIEW	DD-2
SECTION A	DEMOGRAPHIC INFORMATION, PART I	DD-3
SRAGE_P	AGE (PUF RECODE)	DD-3
SRSEX	GENDER	DD-3
SRH	SELF-REPORTED LATINO/HISPANIC	DD-4
LATIN9TP	LATIN/HISPANIC SUBTYPES - 9 LVLS	DD-4
SRPI	SELF-REPORTED PI AND NTV HW	DD-5
SRAI	SELF-REPORTED AMERICAN INDIAN	DD-5
SRAS	SELF-REPORTED ASIAN	DD-5
SRAA	SELF-REPORTED AFRICAN AMERICAN	DD-6
SRW	SELF-REPORTED WHITE	DD-6
SRO	SELF-REPORTED OTHER RACE	DD-6
CATRIBE	CALIFORNIA TRIBE	DD-7
AA5C	ENROLLED MEMBER IN RECOGNIZED TRIBE	DD-7
FILIPINO	FILIPINO	DD-8
SRPH	SELF-REPORTED FILIPINO	DD-8
SRKR	SELF-REPORTED KOREAN	DD-8
SRCH	SELF-REPORTED CHINESE	DD-9
CHINESE	CHINESE	DD-9
SRVT	SELF-REPORTED VIETNAMESE	DD-9
SRASO	SELF-REPORTED OTHER ASIAN GROUP	DD-10
ASIAN9	ASIAN SUBTYPES - 9 TYPES (PUF RECODE)	DD-10
ASNHP2_P	ASIAN GROUP - UCLA CHPR DEFINITION (PUF RECODE), UNBRIDGED	DD-11
OMBSRASO	OMB S-R NONHISPANIC ASIAN GROUP (ONLY)	DD-11
RACEHPR2	RACE - UCLA CHPR DEFINITION, UNBRIDGED	DD-12
RACECEN	RACE - CENSUS 2000 DEFINITION	DD-12
RACEDOF	FORMER DOF RACE - ETHNICITY	DD-13
OMBSRREO	OMB/CURRENT DOF RACE - ETHNICITY	DD-13
MARIT	MARITAL STATUS- 3 CATEGORIES	DD-14
MARIT2	MARITAL STATUS- 4 CATEGORIES	DD-14
SECTION B	HEALTH CONDITIONS	DD-15
AB1	GENERAL HEALTH CONDITION	DD-15
AB17	DOCTOR EVER TOLD HAVE ASTHMA	DD-15
AB40	STILL HAS ASTHMA	DD-16
AB41	ASTHMA EPISODE/ATTACK IN PAST 12 MOS	DD-16
ASTCUR	CURRENT ASTHMA STATUS	DD-17
AB19	HOW OFTEN HAD ASTHMA SYMPTOMS IN PAST 12 MOS: CURRENT ASTHMATICS	DD-17

VARIABLE	LABEL	PAGE
ASTYR	ASTHMA SYMPTOMS PAST 12 MOS FOR POPULATION CURRENTLY W/ ASTHMA	DD-18
AH13A	ER/URGENT CRE VISIT FOR ASTHMA LAST 12 MOS: CURRENT ASTHMATICS	DD-18
AH15A	HOSPITAL OVERNIGHT FOR ASTHMA PAST 12 MOS: CURRENT ASTHMATICS	DD-19
AB18	TAKING DAILY MEDICATION TO CONTROL ASTHMA	DD-19
AB66	HOW OFTEN HAD ASTHMA SYMPTOMS IN PAST 12 MOS: PREVIOUS ASTHMATICS	DD-20
ASTS	ASTHMA SYMPTOMS PAST 12 MOS FOR POPULATION DIAGNOSED W/ ASTHMA	DD-20
AB67	ER/URGENT CRE VISIT FOR ASTHMA LAST 12 MOS: PREVIOUS ASTHMATICS	DD-21
AB80	HOSPITAL OVERNIGHT FOR ASTHMA PAST 12 MOS: PREVIOUS ASTHMATICS	DD-21
AB42	WORKDAYS MISSED DUE TO ASTHMA IN PAST 12 MOS	DD-22
AB43	HEALTH PROFESSIONAL EVER GAVE ASTHMA MANAGEMENT PLAN	DD-22
AB22	DOCTOR EVER TOLD HAVE DIABETES	DD-23
AB23_P	AGE FIRST TOLD HAVE DIABETES (PUF RECODE)	DD-23
AB51	TYPE I OR TYPE II DIABETES	DD-24
AB24	CURRENTLY TAKING INSULIN	DD-24
AB25	CURRENTLY TAKING DIABETIC PILLS TO LOWER BLOOD SUGAR	DD-25
DIAMED	TAKING INSULIN OR PILLS	DD-25
AB26	# OF TIMES R/R'S FAMILY/R'S FRIEND CHECK BLOOD FOR GLUCOSE	DD-26
AB26UNT	# OF TIMES CHECK BLOOD FOR GLUCOSE - UNIT	DD-26
DIABCK	# OF TIMES CHECKING FOR GLUCOSE/SUGAR PER MONTH	DD-27
AB27	# OF TIMES DOC CHECKED FOR HEMOGLOBIN A ONE C LAST YR	DD-27
AB28	# OF TIMES DOC CHECKED FEET FOR SORES LAST YR	DD-28
AB63	LAST EYE EXAM DILATED PUPILS	DD-28
AB81	DOCTOR TOLD HAD DIABETES ONLY DURING PREGNANCY	DD-29
AB29	DOCTOR EVER TOLD HAVE HIGH BLOOD PRESSURE	DD-29
AB30	CURRENTLY TAKING MEDICATIONS TO CONTROL HIGH BLOOD PRESSURE	DD-30
AB34	DOCTOR EVER TOLD HAVE ANY KIND OF HEART DISEASE	DD-30
AB52	EVER TOLD HAVE HEART FAILURE/CONGESTIVE	DD-31
AE30	FLU SHOT IN PAST 12 MOS	DD-31
AF22	EVER HAD HOME BLOOD STOOL TEST	DD-32
AF24	WHEN WAS MOST RECENT HOME BLOOD STOOL TEST	DD-32
FOBT2	BLOOD STOOL TEST PAST 2 YEARS	DD-33
AB83	MAIN REASON MOST RECENT BLOOD STOOL TEST	DD-33
AB84	EVER HAD A COLONOSCOPY	DD-34
AB85	MOST RECENT COLONOSCOPY EXAM	DD-34
AB86	MAIN REASON MOST RECENT COLONOSCOPY	DD-35
AB87	EVER HAD A SIGMOIDOSCOPY	DD-35
AB88	MOST RECENT SIGMOIDOSCOPY EXAM	DD-36
CRC_SCRN	COMPLIANCE W/COLONOSCOPY/SIG/FOBT SCREEN TEST	DD-36
AB89	MAIN REASON MOST RECENT SIGMOIDOSCOPY	DD-37

VARIABLE	LABEL	PAGE
AB90	PAST 5 YRS DOCTOR RECOMMENDED COLON TESTS	DD-37
AC7	FALLEN TO GROUND LAST 12 MOS	DD-38
AB91	GOT MEDICAL CARE AFTER A FALL	DD-38
AB92	HEALTH CARE PROF TALK HOW AVOID FALLING	DD-39
AB93	BECAUSE OF FALL REVIEW MEDICATIONS	DD-39
AB94	BECAUSE OF FALL START PHYS THERAPY	DD-40
AB95	BECAUSE OF FALL MAKE CHANGES TO HOME	DD-40
AB96	BECAUSE OF FALL USE CANE OR WALKER	DD-41
AB97	BECAUSE OF FALL CHANGE DAILY ROUTINES	DD-41
SECTION C	HEALTH BEHAVIORS	DD-42
AE26	MODERATE PHYSICAL ACTIVITIES IN PAST 7 DAYS	DD-42
AE27	# DAYS MODERATE PHYSICAL ACTIVITY IN PAST WEEK	DD-42
AE27A	TIME PER DAY OF MODERATE PHYSICAL ACTIVITY	DD-43
AE27AUNT	TIME PER DAY OF MODERATE PHYS ACTIVITY - UNIT	DD-43
MODACT	MODERATE LEISURE ACTIVITY FOR 5 DAYS/WK AND 30 MIN/DAY	DD-44
AE27AMIN	AVG LENGTH OF MODERATE ACTIVITY PER DAY	DD-44
AE24	HARD/VIGOROUS EXERCISE IN PAST 7 DAYS	DD-45
AE25	# DAYS DID VIGOROUS PHYSICAL ACTIVITY IN PAST WEEK	DD-45
AE25A	TIME PER DAY OF VIGOROUS PHYSICAL ACTIVITY	DD-46
AE25AUNT	TIME PER DAY OF VIGOROUS PHYS ACTIVITY - UNIT	DD-46
AE25AMIN	AVG LENGTH OF VIGOROUS ACTIVITY PER DAY	DD-47
VIGPA	VIGOROUS LEISURE ACTIVITY FOR 3 DAYS/WK AND 20 MIN/DAY	DD-47
REGACT	REGULAR, MODERATE, OR VIGOROUS ACTIVITY	DD-48
AC20	# OF DAYS STRENGTHENED MUSCLES IN LAST WEEK	DD-48
AE2	# TIMES ATE FRUIT IN PAST MO	DD-49
AE2UNT	# OF TIMES ATE FRUIT IN PAST MO - UNIT	DD-49
AE_FRUIT	# OF TIMES EATING FRUIT PER WEEK	DD-50
AE3	# TIMES ATE FRNCH FRIES, HME FRIES, HSH BRWNS IN PAST MO	DD-50
AE3UNT	# TIMES ATE FRNCH FRIES, HME FRIES, HSH BRWNS IN PAST MO- UNIT	DD-51
AE_FRIES	# OF TIME EATING FRIES PER WEEK	DD-51
AE7	# OF TIMES ATE VEGETABLES IN PAST MO	DD-52
AE7UNT	# OF TIMES ATE VEGETABLES IN PAST MO - UNIT	DD-52
AE_VEGI	# OF TIMES EATING VEGETABLES PER WEEK	DD-53
AC11	# OF TIMES DRANK SODA LAST MONTH	DD-53
AC11UNT	# OF TIMES DRANK SODA LAST MONTH - UNIT	DD-54
AE_SODA	# OF TIMES DRINKING SODA PER WEEK	DD-54
AC31	# TIMES ATE FAST FOOD PAST WEEK	DD-55
AE15	SMOKED 100 OR MORE CIGARETTES IN ENTIRE LIFETIME	DD-55
AE15A	SMOKES CIGARETTES EVERYDAY, SOME DAYS OR NOT AT ALL	DD-56
SMKCUR	CURRENT SMOKER	DD-56
SMOKING	CURRENT SMOKING HABITS	DD-57
AD32	# OF CIGARETTES PER DAY	DD-57
AE16	# OF CIGARETTES PER DAY	DD-58

VARIABLE	LABEL	PAGE
NUMCIG	# OF CIGARETTES PER DAY	DD-58
AC17	SMOKING EVER ALLOWED INSIDE HOME	DD-59
AD34	# OF DAYS PER WEEK ANY SMOKING INSIDE HOME	DD-59
HHSMK	HOUSEHOLD SMOKING	DD-60
AC32	HAD ALCOHOL PAST 12 MONTHS	DD-60
AC33	# DRINKS TYPICAL DAY WHEN DRANK ALCOHOL	DD-61
AC34	# DAYS HAD 5+ DRINKS PAST 12 MONTHS	DD-61
AC35	# DAYS HAD 4+ DRINKS PAST 12 MONTHS	DD-62
BINGE12	BINGE DRINKING IN PAST YEAR. 5+ DRINKS (MALE), 4+ DRINKS (FEMALE)	DD-62
SECTION D	GENERAL HEALTH, DISABILITY, AND SEXUAL HEALTH	DD-63
HGHTI_P	HEIGHT: INCHES (PUF RECODE)	DD-63
HGHTM_P	HEIGHT: METERS (PUF RECODE)	DD-63
HEIGHM_P	HEIGHT: METERS - UCLA (PUF RECODE)	DD-64
WGHTK_P	WEIGHT: KG (PUF RECODE)	DD-64
WGHTP_P	WEIGHT: LBS (PUF RECODE)	DD-65
WEIGHK_P	WEIGHT: KG - UCLA (PUF RECODE)	DD-65
BMI_P	BODY MASS INDEX (PUF RECODE)	DD-66
RBMI	BMI DESCRIPTIVE	DD-66
OVRWT	OVERWEIGHT OR OBESE	DD-67
WT18K_P	WEIGHT AT 18: KILOS (PUF RECODE)	DD-67
WT18P_P	WEIGHT AT 18: LBS (PUF RECODE)	DD-68
AD50	BLIND/DEAF OR HAS SEVERE VISION/HEARING PROBLEM	DD-68
AD57	CONDITION LIMITS BASIC PHYS ACTIVITY	DD-69
AD51	HAS DIFFICULTY LEARNING, REMEMBERING, CONCENTRATING	DD-69
AD52	HAS DIFFICULTY DRESSING, BATHING, GETTING AROUND	DD-69
AD53	HAS DIFFICULTY GOING OUTSIDE HOME ALONE	DD-70
AD54	HAS DIFFICULTY WORKING AT A JOB	DD-70
DISABLE	DISABILITY STATUS DUE TO PHYS/MENT/EMOT CONDITION	DD-71
AD47	TESTED FOR STD IN PAST 12 MOS	DD-71
AD58	TRIED MORE THAN A YEAR TO GET PREGNANT (MALE R)	DD-72
SECTION E	WOMEN'S HEALTH	DD-72
AD1	AGE WHEN PERIOD STARTED	DD-72
AD13	CURRENTLY PREGNANT	DD-73
AE86	UNABLE TO GET PREGNANT AFTER 12 MOS TRY	DD-73
AD12	EVER HAD A HYSTERECTOMY	DD-74
AD4	EVER HAD A PAP SMEAR	DD-74
AD5	# OF PAP SMEARS IN LAST 6 YRS	DD-75
AD6	HOW LONG SINCE MOST RECENT PAP SMEAR	DD-75
PAP_SCRN	PAP SCREEN PAST 3 YRS	DD-76
AD10	MOST IMPORTANT REASON FOR NO PAP SMEAR IN PAST 3 YRS	DD-76
AE71	PAST 3 YRS, DR RECOMMEND PAP TEST	DD-77
AE79	WHEN EXPECT TO HAVE NEXT PAP TEST	DD-77
AD8	EVER HAD ABNORMAL PAP TEST	DD-78
AE72	EVER HEARD OF HPV	DD-78

VARIABLE	LABEL	PAGE
AE73_1	HEARD ABOUT HPV: HEALTH CARE PROV/CLINIC	DD-79
AE73_2	HEARD ABOUT HPV: FAMILY	DD-79
AE73_3	HEARD ABOUT HPV: FRIENDS	DD-80
AE73_4	HEARD ABOUT HPV: TV ADVERTISEMENT	DD-80
AE73_5	HEARD ABOUT HPV: TV NEWS	DD-81
AE73_6	HEARD ABOUT HPV: TV SHOW	DD-81
AE73_7	HEARD ABOUT HPV: NEWSPAPER OR MAGAZINE	DD-82
AE73_8	HEARD ABOUT HPV: INTERNET	DD-82
AE73_9	HEARD ABOUT HPV: SCHOOL	DD-83
AE73_10	HEARD ABOUT HPV: OTHER	DD-83
AE73_A	WHERE HEARD ABOUT HPV: 1ST RESPONSE	DD-84
AE73_B	WHERE HEARD ABOUT HPV: 2ND RESPONSE	DD-85
AE73_C	WHERE HEARD ABOUT HPV: 3RD RESPONSE	DD-86
AE73_D	WHERE HEARD ABOUT HPV: 4TH RESPONSE	DD-87
AE73_E	WHERE HEARD ABOUT HPV: 5TH RESPONSE	DD-88
AE73_F	WHERE HEARD ABOUT HPV: 6TH RESPONSE	DD-89
AE73_G	WHERE HEARD ABOUT HPV: 7TH RESPONSE	DD-90
AE73_H	WHERE HEARD ABOUT HPV: 8TH RESPONSE	DD-90
AE74	THINK HPV CAN CAUSE CERVICAL CANCER	DD-91
AE75	THINK CAN GET HPV BY SEXUAL CONTACT	DD-91
AE76	THINK HPV CAUSES AIDS	DD-92
AE87	THINKS HPV CAN GO AWAY ON OWN	DD-92
AE77	HEARD OF VACCINE TO PREVENT CERVICAL CAN	DD-93
AE78	EVER RECEIVED HPV VACCINE	DD-93
AE88	RECEIVE ALL 3 DOSES OF HPV VACCINE	DD-94
AE80	INTERESTED IN GETTING HPV VACCINE	DD-94
AE81_P	MAIN REASON NOT WANT HPV VACCINE (PUF RECODE)	DD-95
AE82	WOULD PAY \$360 FOR HPV VACCINE	DD-95
AE83	WOULD GET HPV VACCINE IF FREE/CHEAPER	DD-96
AE85	THINK CAN GET EMERG CONTR OVER COUNTER W/NO DOCT	DD-96
AD14	EVER HAD A MAMMOGRAM	DD-97
AD16	# OF MAMMOGRAMS IN LAST 6 YRS	DD-97
AD17	HOW LONG SINCE MOST RECENT MAMMOGRAM	DD-98
AD26	DOCTOR RECOMMENDED MAMMOGRAM IN PAST TWO YRS	DD-98
MAM_SCRN	MAMMOGRAM IN PAST 2 YRS	DD-99
AD28	CURRENTLY TAKING HORMONE REPLACEMENT SUPPLEMENTS FOR MENOPAUSE	DD-99
AE84	# YRS TAKEN HRT	DD-100
SECTION F	MENTAL HEALTH	DD-100
AJ29	FEEL NERVOUS PAST 30 DAYS	DD-101
AJ30	FEEL HOPELESS PAST 30 DAYS	DD-101
AJ31	FEEL RESTLESS PAST 30 DAYS	DD-102
AJ32	FEEL DEPRESSED PAST 30 DAYS	DD-102
AJ33	FEEL EVERYTHING AN EFFORT PAST 30 DAYS	DD-103
AJ34	FEEL WORTHLESS PAST 30 DAYS	DD-103

VARIABLE	LABEL	PAGE
DISTRESS	SERIOUS PSYCHOLOGICAL DISTRESS	DD-104
DSTRS30	EXPERIENCED SERIOUS PSYCHOLOGICAL DISTRESS IN THE PAST MONTH	DD-104
AF62	ANY MONTH PAST 12 MONTHS FELT WORSE	DD-105
AF63	FEEL NERVOUS WORST MONTH	DD-105
AF64	FEEL HOPELESS WORST MONTH	DD-106
AF65	FEEL RESTLESS WORST MONTH	DD-106
AF66	FEEL DEPRESSED WORST MONTH	DD-107
AF67	FEEL EVERYTHING AN EFFORT WORST MONTH	DD-107
AF68	FEEL WORTHLESS WORST MONTH	DD-108
DSTRSYR	SERIOUS PSYCHOLOGICAL DISTRESS FOR WORST MONTH PAST YR (K6 SCORE)	DD-108
DSTRS12	EXPERIENCED SERIOUS PSYCHOLOGICAL DISTRESS IN PAST YEAR	DD-109
AF69	EMOTIONS INTERFERE W/WORK WORST MONTH	DD-109
WORK	WORK IMPAIRMENT PAST 12 MONTHS	DD-110
AF70	EMOTIONS INTERFERE W/CHORES WORST MONTH	DD-110
CHORES	CHORE IMPAIRMENT PAST 12 MONTHS	DD-111
AF71	EMOTIONS INTERFERE W/SOCIAL LIFE WORST MONTH	DD-111
SOCIAL	SOCIAL LIFE IMPAIRMENT PAST 12 MONTHS	DD-112
AF72	EMOTIONS INTERFERE W/RELATIONSHIPS WORST MONTH	DD-112
FAMILY	FAMILY LIFE IMPAIRMENT PAST 12 MONTHS	DD-113
IMPAIR	FUNCTIONAL ROLE IMPAIRMENT DUE TO EMOTIONS PAST 12 MONTHS	DD-113
SECTION G	DEMOGRAPHIC INFORMATION, PART II	DD-114
AH33NEW	BORN IN U.S.	DD-114
CNTRY5	COUNTRY BORN	DD-114
AH34NEW	MOTHER BORN IN U.S.	DD-115
CNTRYM	COUNTRY MOTHER BORN	DD-115
AH35NEW	FATHER BORN IN U.S.	DD-116
CNTRYF	COUNTRY FATHER BORN	DD-116
LANGHOME	LANGUAGE SPOKEN AT HOME	DD-117
AG20	LANGUAGE SPEAK WITH FRIENDS	DD-118
AG21	LANGUAGE OF TV, RADIO, NEWSPAPERS	DD-118
AH37	HOW WELL YOU SPEAK ENGLISH	DD-119
SPK_ENG	ENGLISH USE AND PROFICIENCY	DD-119
CITIZEN2	CITIZENSHIP STATUS - 3 LEVELS	DD-120
YRUS	YEARS LIVED IN THE U.S.	DD-120
PCTLF_P	PERCENT LIFE IN US (PUF RECODE)	DD-121
AH44	SPOUSE LIVING IN SAME HOUSEHOLD	DD-121
AH43A	LIVING WITH A PARENT	DD-122
AH44A	USED PAID CHILDCARE FOR CHILDREN UNDER 14 IN PAST MOS	DD-122
AHCHLDC	AMOUNT SPENT ON CHILD CARE PER WEEK	DD-123
AHEDUC	EDUCATIONAL ATTAINMENT	DD-123
AK1	WORK STATUS LAST WEEK	DD-124
AK2	MAIN REASON FOR NOT WORKING LAST WEEK	DD-124
AG10	RESPONDENT USUALLY WORKS	DD-125

VARIABLE	LABEL	PAGE
AL22	RECEIVING SOCIAL SECURITY DISABILITY INS	DD-125
AK4	TYPE OF EMPLOYER AT MAIN JOB	DD-126
AG8	WORK STATUS OF SPOUSE LAST WEEK	DD-126
AG11	SPOUSE USUALLY WORKS	DD-127
AG9	TYPE OF EMPLOYER OF SPOUSE'S MAIN JOB	DD-127
SECTION H	HEALTH INSURANCE	DD-128
AH12	VISITED EMERGENCY ROOM FOR OWN HEALTH IN PAST 12 MOS	DD-128
ER	ER VISIT WITHIN THE PAST YEAR	DD-128
AH49	MEDICARE COVERAGE PROVIDED THROUGH HMO	DD-129
AH50_P	NAME OF MEDICARE HMO PLAN (PUF RECODE)	DD-129
AI4	COVERED BY MEDICARE SUPPL POLICY	DD-130
AH52	SIGN UP FOR MEDICARE HMO DIRECTLY OR OTHERWISE	DD-130
OFFTK	OFFER, ELIGIBILITY, ACCEPTANCE OF EMPLOYER BASED INS	DD-131
AI15	MAIN REASON NOT IN EMPLOYER'S HEALTH PLAN	DD-131
AI15A	MAIN REASON INELIGIBLE FOR EMPLOYER'S HEALTH PLAN	DD-132
AI37A	SPOUSE COVERED BY MEDICARE SUPPL POLICY	DD-132
OFFTK_S	OFFER, ELIGIBILITY, ACCEPTANCE OF EMPLOYER-BASED INS: SPOUSE	DD-133
AI45	MAIN REASON SPOUSE NOT IN EMPLOYER'S HEALTH PLAN	DD-133
AI45A	MAIN REASON SPOUSE INELIGIBLE FOR EMPLOYER'S HEALTH PLAN	DD-134
AI22C	MAIN HEALTH PLAN IS HMO	DD-134
AI22A_P	NAME OF HEALTH PLAN (PUF RECODE)	DD-135
AI25	COVERED FOR PRESCRIPTION DRUGS	DD-136
AI25NEW	RX COVERAGE EDITED FOR MEDICAL/HF	DD-136
AH71	HEALTH PLAN DEDUCTIBLE MORE THAN \$1,000	DD-137
AH72	HEALTH PLAN DEDUCTIBLE MORE THAN \$2,000	DD-137
AH73	SPECIAL FUND TO PAY MEDICAL EXPENSES	DD-138
AH74	TRIED TO FIND HEALTH INSURANCE ON OWN	DD-138
RSN_UNIN	REASON FOR CURRENTLY UNINSURED STATUS	DD-139
RSN_UNI2	REASON FOR UNINSURED STATUS ANYTIME PAST 12 MONTHS	DD-140
AH75	TRIED TO FIND HEALTH INSURANCE ON OWN	DD-141
AI28	HOW LONG SINCE LAST HAD HEALTH INS	DD-141
AH77	FREE PRENATAL CARE DURING PAST 12 MOS	DD-142
AH92	# OF MOS IN PAST 12 MOS HAD DENTAL INSURANCE	DD-142
IHS	COVERED BY INDIAN HEALTH SERVICES	DD-143
INS	CURRENTLY INSURED	DD-143
INS12M	MOS COVERED BY HEALTH PLANS LAST 12 MOS	DD-144
INS64_P	CURRENT HEALTH COVERAGE - < 65 YRS (PUF RECODE)	DD-144
INS65	TYPE OF CURRENT HEALTH COVERAGE SOURCE FOR ELDERLY 65+	DD-145
INSANY	ANY INS IN LAST 12 MOS	DD-145
INSEM	COVERED BY EMPLOYER-BASED PLANS	DD-146
INST_12	HEALTH INS COVERAGE IN LAST 12 MOS, INCL CURRENT STATUS:8 LVLS	DD-146
UNINSANY	UNINSURED IN PAST 12 MOS	DD-147
INSMC	COVERED BY MEDICARE	DD-147

VARIABLE	LABEL	PAGE
INSMD	COVERED BY MEDI-CAL	DD-148
INSOG	COVERED BY OTHER GOVT PLANS	DD-148
INSPR	COVERED BY PLANS PURCHASED ON OWN	DD-148
INSTYP_P	TYPE OF CURRENT HEALTH COVERAGE SOURCE FOR ALL AGES(PUF RECODE)	DD-149
INSPS	PRIMARY OR SECONDARY COVERAGE	DD-149
IHS_S	SPOUSE COVERED BY INDIAN HEALTH SERVICES	DD-150
INS64S_P	SPOUSE'S CURRENT HEALTH COVG - < 65 YRS (PUF RECODE)	DD-150
INS65_S	TYPE OF CURRENT HEALTH COVERAGE FOR SPOUSE 65+	DD-151
INSEM_S	SPOUSE COVERED BY EMPLOYER-BASED PLANS	DD-151
INSMC_S	SPOUSE COVERED BY MEDICARE	DD-152
INSMD_S	SPOUSE COVERED BY MEDI-CAL	DD-152
INSOG_S	SPOUSE COVERED BY OTHER GOVT PLANS	DD-153
INSPR_S	SPOUSE COVERED BY PLANS PURCHASED ON OWN	DD-153
INSPS_S	SPOUSE PRIMARY OR SECONDARY COVERAGE	DD-154
INS_S	SPOUSE CURRENTLY INSURED	DD-154
ELIGPRG3	MEDI-CAL (MEDICAID)/HEALTHY FAM ELIG. - UNINSURED	DD-155
FAMTYP_P	FAMILY TYPE (PUF RECODE)	DD-155
FAMT4	FAMILY TYPE - 4 LVLS	DD-156
POVGWD_P	FAMILY POVERTY THRESHOLD LEVEL(PUF RECODE)	DD-156
SECTION I	CHILD AND ADOLESCENT HEALTH INSURANCE	DD-157
AI72	PARENT PERCEPTION: HEARD OF VACCINE AGAINST CERVICAL CANCER	DD-157
AI73	PARENT PERCEPTION: EVER GOT HPV VACCINE	DD-157
AI78	PARENT PERCEPTION: GOT ALL THREE DOSES HPV VACCINE	DD-158
AI74	PARENT PERCEPTION: IF DR RECOMMENDED WOULD GET HPV VACCINE	DD-158
AI75_P	PARENT PERCEPTION: MAIN REASON NOT GET HPV VACCINE(PUF RECODE)	DD-159
AI76	PARENT PERCEPTION: WOULD PAY \$360 FOR HPV VACCINE	DD-159
AI77	PARENT PERCEPTION: WOULD GET FREE OR LOW-COST HPV VACCINE	DD-160
SECTION J	HEALTH CARE UTILIZATION AND ACCESS, VIOLENCE	DD-160
AH5	# TIMES SAW MD IN PAST 12 MOS	DD-160
ACMDNUM	# OF DOCTOR VISITS PAST YEAR	DD-161
DOCT_YR	VISITED DOCTOR IN PAST 12 MOS	DD-161
AH6	HOW LONG SINCE LAST SAW DOCTOR ABOUT OWN HEALTH	DD-162
AJ8	HAD HARD TIME UNDERSTANDING DOCTOR LAST VISIT	DD-162
AJ50_P	LANGUAGE DOCTOR SPEAKS TO R (PUF RECODE)	DD-163
AJ9	MD SPOKE DIFFERENT LANGUAGE REASON WHY DIFFICULT TO UNDERSTAND	DD-163
AJ10	NEEDED SOMEONE ELSE TO HELP UNDERSTAND DOCTOR	DD-164
AJ11	WHO HELPED YOU UNDERSTAND DOCTOR	DD-164
AJ53	DR DISCUSS EMOTIONS DURING LAST ROUTINE EXAM	DD-165
AJ54	DR DISCUSS EMOTIONS UNDERSTANDABLY	DD-165
AJ51	EASY TO READ INSTR ON PRESCRIPTION BOTTL	DD-166
AJ52	EASY TO UNDERSTAND WRITTEN INFO AT DR	DD-166

VARIABLE	LABEL	PAGE
AH16	DELAY GETTING PRESCRIPTION IN PAST 12 MO	DD-167
AJ19	COST/NO INSUR DELAYED GETTING PRESCRIP	DD-167
AH22	DELAY OTHER MEDICAL CARE IN PAST 12 MOS	DD-168
AJ20	COST/NO INSR DELAYED GETTING NEEDED CARE	DD-168
SECTION K	EMPLOYMENT, INCOME, POVERTY STATUS, FOOD SECURITY	DD-169
AK3	# OF USUAL HRS WORKED PER WEEK	DD-169
WRKST	WORKING STATUS	DD-169
AK7	LENGTH OF TIME WORKING AT MAIN JOB	DD-170
AK7UNT	TIME AT MAIN JOB: UNIT OF TIME	DD-170
AKWKLNG	TIME AT MAIN JOB	DD-171
AK8	HOW MANY PEOPLE WORK FOR EMPLOYER/YOU	DD-172
AK10_P	RESPONDENT'S EARNINGS LAST MONTH (PUF RECODE)	DD-172
AK20	# OF HRS PER WEEK SPOUSE USUALLY WORKS	DD-173
WRKST_S	SPOUSE WORKING STATUS	DD-173
AK10A_P	SPOUSE'S EARNINGS LAST MONTH (PUF RECODE)	DD-174
AK22_P	HOUSEHOLD'S TOTAL ANNUAL INC (PUF RECODE)	DD-174
AM1	HOW OFTEN FOOD DIDN'T LAST, COULDN'T AFFORD MORE, PAST 12 MOS	DD-175
AM2	HOW OFTEN COULDN'T AFFORD TO EAT BALANCED MEALS	DD-175
AM3	ADULTS CUT/SKIPPED MEALS IN PAST 12 MOS FOR MONEY	DD-176
AM3A	HOW OFTEN ADULTS CUT/SKIPPED MEALS IN PAST 12 MOS FOR MONEY	DD-176
AM4	ATE LESS THAN SHOULD BECAUSE OF MONEY IN PAST 12 MOS	DD-177
AM5	HOW OFTEN HUNGRY BUT DIDN'T EAT B/C OF MONEY IN PAST 12 MOS	DD-177
POVLL	POVERTY LEVEL	DD-178
POVLL2_P	POVERTY LEVEL - 100% FPL (PUF RECODE)	DD-178
FSLEV	FOOD SECURITY STATUS LEVEL	DD-179
FSLEVCB	FOOD SECURITY STATUS - 2 LVLS	DD-179
SRTENR	SELF-REPORTED HOUSEHOLD TENURE (HH)	DD-180
SECTION L	PUBLIC PROGRAM PARTICIPATION	DD-180
AL2	CURRENTLY ON TANF OR CALWORKS	DD-180
AL5	RECEIVING FOOD STAMP BENEFITS	DD-181
AL6	RECEIVING SSI (SUPPLEMENTAL SECURITY INCOME)	DD-181
AL7	CURRENTLY ON WIC	DD-182
AL15	RECVD ALIMONY/CHILD SUPPORT/MONEY FROM GOVT LAST MONTH	DD-182
AL16_P	TOTAL RECVD FROM ALIMONY/CHILD SUPPORT/GOVT (PUF RECODE)	DD-183
AL17	PAID ALIMONY OR CHILD SUPPORT LAST MONTH	DD-183
AL18_P	TOTAL ALIMONY/CHILD SUPPORT PAID LAST MONTH (PUF RECODE)	DD-184
AL18A	RECVD SOCIAL SECURITY OR PENSION LAST MONTH	DD-184
AL18B_P	TOTAL SOCIAL SECURITY/PENSION RECVD LAST MONTH (PUF RECODE)	DD-185
SECTION M	HOUSING, PARKS, TRANSPORTATION	DD-185
AK23	LIVE IN HOUSE, DUPLEX, BUILDING WITH 3+ UNITS, OR MOBILE HOME	DD-185

VARIABLE	LABEL	PAGE
AK25	OWN OR RENT HOME	DD-186
TIMEAD	LENGTH OF TIME LIVED AT CURRENT ADDRESS	DD-186
AK28	HOW OFTEN FEEL SAFE IN NEIGHBORHOOD	DD-187
AM18	PARK/PLAYGRND WALKING DISTANCE FROM HOME	DD-187
AM27	PAST 30 DAYS BEEN TO PARK, PLAYGROUND	DD-188
AM28	LAST TIME AT PARK PHYSICALLY ACTIVE	DD-188
AM29	HAVE A CAR FOR REGULAR USE	DD-189
AM30	HOW USUALLY GET TO THE DOCTOR'S OFFICE	DD-189
AM31	HOW USUALLY GET TO GROCERY STORE	DD-190
SECTION N	DEMOGRAPHIC INFORMATION, PART III	DD-190
UR_CLRT	RURAL AND URBAN - CLARITAS (BY ZIPCODE) (4 LVLS)	DD-191
UR_CLRT2	RURAL AND URBAN - CLARITAS (BY ZIPCODE) (2 LVLS)	DD-191
UR_IHS	RURAL AND URBAN - IHS	DD-192
UR_OMB	RURAL AND URBAN - OMB	DD-192
UR_RHP	RURAL AND URBAN - RHP	DD-192
UR_BG	RURAL AND URBAN - CLARITAS (BY BLOCK GROUP)	DD-193
UR_TRACT	RURAL AND URBAN - CLARITAS (BY CENSUS TRACT)	DD-193
AM33	HAS A WORKING CELL PHONE	DD-194
AM34	TELEPHONE CALLS RECEIVED	DD-194
SECTION O	FULL DESIGN AND REPLICATE WEIGHT SERIES 0-80	DD-195
RAKEDW0	CHIS2007 RAKED WEIGHT - FULL SAMPLE	DD-195
RAKEDW1	CHIS2007 RAKED WEIGHT - REPLICATE 1	DD-195
RAKEDW2	CHIS2007 RAKED WEIGHT - REPLICATE 2	DD-196
RAKEDW3	CHIS2007 RAKED WEIGHT - REPLICATE 3	DD-196
RAKEDW4	CHIS2007 RAKED WEIGHT - REPLICATE 4	DD-196
RAKEDW5	CHIS2007 RAKED WEIGHT - REPLICATE 5	DD-197
RAKEDW6	CHIS2007 RAKED WEIGHT - REPLICATE 6	DD-197
RAKEDW7	CHIS2007 RAKED WEIGHT - REPLICATE 7	DD-197
RAKEDW8	CHIS2007 RAKED WEIGHT - REPLICATE 8	DD-198
RAKEDW9	CHIS2007 RAKED WEIGHT - REPLICATE 9	DD-198
RAKEDW10	CHIS2007 RAKED WEIGHT - REPLICATE 10	DD-198
RAKEDW11	CHIS2007 RAKED WEIGHT - REPLICATE 11	DD-199
RAKEDW12	CHIS2007 RAKED WEIGHT - REPLICATE 12	DD-199
RAKEDW13	CHIS2007 RAKED WEIGHT - REPLICATE 13	DD-199
RAKEDW14	CHIS2007 RAKED WEIGHT - REPLICATE 14	DD-200
RAKEDW15	CHIS2007 RAKED WEIGHT - REPLICATE 15	DD-200
RAKEDW16	CHIS2007 RAKED WEIGHT - REPLICATE 16	DD-200
RAKEDW17	CHIS2007 RAKED WEIGHT - REPLICATE 17	DD-201
RAKEDW18	CHIS2007 RAKED WEIGHT - REPLICATE 18	DD-201
RAKEDW19	CHIS2007 RAKED WEIGHT - REPLICATE 19	DD-201
RAKEDW20	CHIS2007 RAKED WEIGHT - REPLICATE 20	DD-202
RAKEDW21	CHIS2007 RAKED WEIGHT - REPLICATE 21	DD-202
RAKEDW22	CHIS2007 RAKED WEIGHT - REPLICATE 22	DD-202
RAKEDW23	CHIS2007 RAKED WEIGHT - REPLICATE 23	DD-203
RAKEDW24	CHIS2007 RAKED WEIGHT - REPLICATE 24	DD-203

VARIABLE	LABEL	PAGE
RAKEDW25	CHIS2007 RAKED WEIGHT - REPLICATE 25	DD-203
RAKEDW26	CHIS2007 RAKED WEIGHT - REPLICATE 26	DD-204
RAKEDW27	CHIS2007 RAKED WEIGHT - REPLICATE 27	DD-204
RAKEDW28	CHIS2007 RAKED WEIGHT - REPLICATE 28	DD-204
RAKEDW29	CHIS2007 RAKED WEIGHT - REPLICATE 29	DD-205
RAKEDW30	CHIS2007 RAKED WEIGHT - REPLICATE 30	DD-205
RAKEDW31	CHIS2007 RAKED WEIGHT - REPLICATE 31	DD-205
RAKEDW32	CHIS2007 RAKED WEIGHT - REPLICATE 32	DD-206
RAKEDW33	CHIS2007 RAKED WEIGHT - REPLICATE 33	DD-206
RAKEDW34	CHIS2007 RAKED WEIGHT - REPLICATE 34	DD-206
RAKEDW35	CHIS2007 RAKED WEIGHT - REPLICATE 35	DD-207
RAKEDW36	CHIS2007 RAKED WEIGHT - REPLICATE 36	DD-207
RAKEDW37	CHIS2007 RAKED WEIGHT - REPLICATE 37	DD-207
RAKEDW38	CHIS2007 RAKED WEIGHT - REPLICATE 38	DD-208
RAKEDW39	CHIS2007 RAKED WEIGHT - REPLICATE 39	DD-208
RAKEDW40	CHIS2007 RAKED WEIGHT - REPLICATE 40	DD-208
RAKEDW41	CHIS2007 RAKED WEIGHT - REPLICATE 41	DD-209
RAKEDW42	CHIS2007 RAKED WEIGHT - REPLICATE 42	DD-209
RAKEDW43	CHIS2007 RAKED WEIGHT - REPLICATE 43	DD-209
RAKEDW44	CHIS2007 RAKED WEIGHT - REPLICATE 44	DD-210
RAKEDW45	CHIS2007 RAKED WEIGHT - REPLICATE 45	DD-210
RAKEDW46	CHIS2007 RAKED WEIGHT - REPLICATE 46	DD-210
RAKEDW47	CHIS2007 RAKED WEIGHT - REPLICATE 47	DD-211
RAKEDW48	CHIS2007 RAKED WEIGHT - REPLICATE 48	DD-211
RAKEDW49	CHIS2007 RAKED WEIGHT - REPLICATE 49	DD-211
RAKEDW50	CHIS2007 RAKED WEIGHT - REPLICATE 50	DD-212
RAKEDW51	CHIS2007 RAKED WEIGHT - REPLICATE 51	DD-212
RAKEDW52	CHIS2007 RAKED WEIGHT - REPLICATE 52	DD-212
RAKEDW53	CHIS2007 RAKED WEIGHT - REPLICATE 53	DD-213
RAKEDW54	CHIS2007 RAKED WEIGHT - REPLICATE 54	DD-213
RAKEDW55	CHIS2007 RAKED WEIGHT - REPLICATE 55	DD-213
RAKEDW56	CHIS2007 RAKED WEIGHT - REPLICATE 56	DD-214
RAKEDW57	CHIS2007 RAKED WEIGHT - REPLICATE 57	DD-214
RAKEDW58	CHIS2007 RAKED WEIGHT - REPLICATE 58	DD-214
RAKEDW59	CHIS2007 RAKED WEIGHT - REPLICATE 59	DD-215
RAKEDW60	CHIS2007 RAKED WEIGHT - REPLICATE 60	DD-215
RAKEDW61	CHIS2007 RAKED WEIGHT - REPLICATE 61	DD-215
RAKEDW62	CHIS2007 RAKED WEIGHT - REPLICATE 62	DD-216
RAKEDW63	CHIS2007 RAKED WEIGHT - REPLICATE 63	DD-216
RAKEDW64	CHIS2007 RAKED WEIGHT - REPLICATE 64	DD-216
RAKEDW65	CHIS2007 RAKED WEIGHT - REPLICATE 65	DD-217
RAKEDW66	CHIS2007 RAKED WEIGHT - REPLICATE 66	DD-217
RAKEDW67	CHIS2007 RAKED WEIGHT - REPLICATE 67	DD-217
RAKEDW68	CHIS2007 RAKED WEIGHT - REPLICATE 68	DD-218
RAKEDW69	CHIS2007 RAKED WEIGHT - REPLICATE 69	DD-218

VARIABLE	LABEL	PAGE
RAKEDW70	CHIS2007 RAKED WEIGHT - REPLICATE 70	DD-218
RAKEDW71	CHIS2007 RAKED WEIGHT - REPLICATE 71	DD-219
RAKEDW72	CHIS2007 RAKED WEIGHT - REPLICATE 72	DD-219
RAKEDW73	CHIS2007 RAKED WEIGHT - REPLICATE 73	DD-219
RAKEDW74	CHIS2007 RAKED WEIGHT - REPLICATE 74	DD-220
RAKEDW75	CHIS2007 RAKED WEIGHT - REPLICATE 75	DD-220
RAKEDW76	CHIS2007 RAKED WEIGHT - REPLICATE 76	DD-220
RAKEDW77	CHIS2007 RAKED WEIGHT - REPLICATE 77	DD-221
RAKEDW78	CHIS2007 RAKED WEIGHT - REPLICATE 78	DD-221
RAKEDW79	CHIS2007 RAKED WEIGHT - REPLICATE 79	DD-221
RAKEDW80	CHIS2007 RAKED WEIGHT - REPLICATE 80	DD-222

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME:	PUF_ID	QNAME07:	NA	QPAGENUM:	NA
		QNAME05:	NA	QNAME03:	NA
LABEL:	PUBLIC USE FILE ID				
VALUE:	0-HIGH PERSON #			FREQ	%
				51048	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	HHSIZE_P	QNAME07:	NA	QPAGENUM:	NA
		QNAME05:	NA	QNAME03:	NA

LABEL: HOUSEHOLD SIZE (PUF RECODE)

MEAN STATISTICS

N	51048
MIN	1
MAX	10
MEAN	2.48

UNIVERSE: ALL ADULTS

```
INPUT  VAR:  HH_SIZE
```

NOTES: TOPCODE=10

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME:	INTVLANG	QNAME07:	NA	QPAGENUM:	NA
----------	----------	----------	----	-----------	----

		QNAME05:	NA	QNAME03:	NA
--	--	----------	----	----------	----

LABEL: LANGUAGE OF INTERVIEW

			FREQ	%
VALUE:	1	ENGLISH	46746	91.57
	2	SPANISH	3132	6.14
	3	VIETNAMESE	291	0.57
	4	KOREAN	453	0.89
	5	CANTONESE	138	0.27
	6	MANDARIN	288	0.56

UNIVERSE: ALL ADULTS

INPUT VAR: ENGLSPAN

NOTES:

VARNAME:	PROXY	QNAME07:	NA	QPAGENUM:	NA
----------	-------	----------	----	-----------	----

		QNAME05:	NA	QNAME03:	NA
--	--	----------	----	----------	----

LABEL: A PROXY INTERVIEW

			FREQ	%
VALUE:	1	YES	168	0.33
	2	NO	50880	99.67

UNIVERSE: ALL ADULTS

INPUT VAR: APRX1

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

Section A: Demographic Information, Part I

VARNAME: SRAGE_P QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: AGE (PUF RECODE)

MEAN STATISTICS

N	51048
MIN	18
MAX	85
MEAN	53.79

UNIVERSE: ALL ADULTS

INPUT VAR: SRAGE

NOTES: TOPCODE=85

VARNAME: SRSEX QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: GENDER

VALUE:		FREQ	%
1	MALE	20507	40.17
2	FEMALE	30541	59.83

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: SRH QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: SELF-REPORTED LATINO/HISPANIC

VALUE:			FREQ	%
1	YES		9077	17.78
2	NO		41971	82.22

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: LATIN9TP QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: LATIN/HISPANIC SUBTYPES - 9 LVLS

VALUE:			FREQ	%
-1	NON-LATINO		41971	82.22
1	MEXICAN		7002	13.72
2	SALVADORAN		353	0.69
3	GUATEMALAN		215	0.42
4	CENTRAL AMERICAN		187	0.37
5	PUERTO RICAN		140	0.27
6	LATINO EUROPEAN		354	0.69
7	SOUTH AMERICAN		287	0.56
8	OTHER LATINO		148	0.29
9	2+ LATINO TYPES		391	0.77

UNIVERSE: ADULTS WHO ARE LATINO OR HISPANIC

INPUT VAR: SRH, AA4, AA5_1-AA5_21, AH33, AH34, AH35

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: SRPI QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: SELF-REPORTED PI AND NTV HW

VALUE:			FREQ	%
1	YES		208	0.41
2	NO		50840	99.59

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: SRAI QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: SELF-REPORTED AMERICAN INDIAN

VALUE:			FREQ	%
1	YES		2060	4.04
2	NO		48988	95.96

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: SRAS QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: SELF-REPORTED ASIAN

VALUE:			FREQ	%
1	YES		4694	9.20
2	NO		46354	90.80

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: SRAA QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: SELF-REPORTED AFRICAN AMERICAN

VALUE:			FREQ	%
1	YES		2748	5.38
2	NO		48300	94.62

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: SRW QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: SELF-REPORTED WHITE

VALUE:			FREQ	%
1	YES		38435	75.29
2	NO		12613	24.71

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: SRO QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: SELF-REPORTED OTHER RACE

VALUE:			FREQ	%
1	YES		4484	8.78
2	NO		46564	91.22

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

QNAME07: NA

QPAGENUM: NA

QNAME03: NA

VALUE :			FREQ	%
-9	UNKNOWN TRIBAL HERITAGE		429	0.84
-1	INAPPLICABLE		48988	95.96
1	CALIFORNIA TRIBAL HERITAGE		192	0.38
2	NON-CALIFORNIA TRIBAL HERITAGE		1439	2.82

INPUT VAR: SRAI, AA5B_1-AA5B_11, AA5BOS, AA5DOS

QPAGENUM: A-8

QNAME03: QA03_9

VALUE :			FREQ	%
-9	NOT ASCERTAINED		89	0.17
-8	DON'T KNOW		30	0.06
-1	INAPPLICABLE		49080	96.14
1	YES		290	0.57
2	NO		1559	3.05

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME:	FILIPINO	QNAME07:	NA	QPAGENUM:	NA
		QNAME05:	NA	QNAME03:	NA
LABEL:	FILIPINO				
VALUE:	1	YES		FREQ	%
	2	NO		837	1.64
				50211	98.36
UNIVERSE:	ALL ADULTS				
INPUT VAR:	AA5E_5				
NOTES:					

VARNAME :	SRPH	QNAME07 :	NA	QPAGENUM :	NA
		QNAME05 :	NA	QNAME03 :	NA
LABEL :	SELF-REPORTED FILIPINO				
				FREQ	%
VALUE :	1	YES		853	1.67
	2	NO		50195	98.33
UNIVERSE :	ALL ADULTS				
INPUT VAR :					
NOTES :					

VARNAME :	SRKR	QNAME07 :	NA	QPAGENUM :	NA
		QNAME05 :	NA	QNAME03 :	NA
LABEL :	SELF-REPORTED KOREAN				
VALUE :	1	YES		FREQ	%
	2	NO		681	1.33
				50367	98.67
UNIVERSE :	ALL ADULTS				
INPUT VAR :					
NOTES :					

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: SRCH QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: SELF-REPORTED CHINESE

VALUE:			FREQ	%
1	YES		1382	2.71
2	NO		49666	97.29

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: CHINESE QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: CHINESE

VALUE:			FREQ	%
1	YES		1521	2.98
2	NO		49527	97.02

UNIVERSE: ALL ADULTS

INPUT VAR: AA5E_4, AA5E_15

NOTES:

VARNAME: SRVT QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: SELF-REPORTED VIETNAMESE

VALUE:			FREQ	%
1	YES		531	1.04
2	NO		50517	98.96

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME :	SRASO	QNAME07 :	NA	QPAGENUM :	NA
		QNAME05 :	NA	QNAME03 :	NA
LABEL :	SELF-REPORTED OTHER ASIAN GROUP				
VALUE :	1	YES		FREQ	%
	2	NO		1392	2.73
				49656	97.27
UNIVERSE :	ALL ADULTS				
INPUT VAR :					
NOTES :					

VARNAME:	ASIAN9	QNAME07:	NA	QPAGENUM:	NA
		QNAME05:	NA	QNAME03:	NA
LABEL:	ASIAN SUBTYPES - 9 TYPES (PUF RECODE)				
VALUE:				FREQ	%
	-1	NON-ASIAN		46385	90.87
	1	CHINESE		1402	2.75
	2	JAPANESE		567	1.11
	3	KOREAN		667	1.31
	4	FILIPINO		787	1.54
	5	SOUTH ASIAN		477	0.93
	6	VIETNAMESE		490	0.96
	7	SOUTHEAST ASIAN		91	0.18
	8	CAMBODIAN /OTHER ASIAN		41	0.08
	9	TWO OR MORE ASIAN TYPES		141	0.28
UNIVERSE:	ADULTS WHO ARE ASIAN				
INPUT VAR:	ASIAN10				
NOTES:					

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: ASNHP2_P QNAME07: NA QPAGENUM: NA

 QNAME05: NA QNAME03: NA

LABEL: ASIAN GROUP - UCLA CHPR DEFINITION (PUF RECODE), UNBRIDGED

VALUE:			FREQ	%
-1	NON-ASIAN		46667	91.42
1	CHINESE		1378	2.70
2	FILIPINO		703	1.38
3	SOUTH ASIAN		464	0.91
4	JAPANESE		488	0.96
5	KOREAN		654	1.28
6	VIETNAMESE		493	0.97
7	CAMBODIAN/OTHER SINGLE/MULTI ASIAN TYPE		201	0.39

UNIVERSE: ADULTS WHO ARE ASIAN

INPUT VAR: ASNHP2

NOTES:

VARNAME: OMBSRASO QNAME07: NA QPAGENUM: NA

 QNAME05: NA QNAME03: NA

LABEL: OMB S-R NONHISPANIC ASIAN GROUP (ONLY)

VALUE:			FREQ	%
1	NONHISPANIC CHINESE ONLY		1208	2.37
2	NONHISPANIC KOREAN ONLY		653	1.28
3	NONHISPANIC FILIPINO ONLY		669	1.31
4	NONHISPANIC VIETNAMESE ONLY		486	0.95
5	NONHISPANIC OTHER OR NON-ASIAN		48032	94.09

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: RACEHPR2 QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: RACE - UCLA CHPR DEFINITION, UNBRIDGED

VALUE:			FREQ	%
1	LATINO		5922	11.60
2	PACIFIC ISLANDER		115	0.23
3	AMERICAN INDIAN/ALASKAN NATIVE		642	1.26
4	ASIAN		4381	8.58
5	AFRICAN AMERICAN		2512	4.92
6	WHITE		34234	67.06
7	OTHER SINGLE/MULTIPLE RACE		3242	6.35

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: NOT FOR DIRECT COMPARISON TO RACEHPR OF PREVIOUS CYCLES

VARNAME: RACECEN QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: RACE - CENSUS 2000 DEFINITION

VALUE:			FREQ	%
1	PACIFIC ISLANDER		133	0.26
2	AMERICAN INDIAN/ALASKAN NATIVE		992	1.94
3	ASIAN		4412	8.64
4	AFRICAN AMERICAN		2491	4.88
5	WHITE		37097	72.67
6	OTHER SINGLE RACE		4437	8.69
7	MORE THAN ONE RACE		1486	2.91

UNIVERSE: ALL ADULTS

INPUT VAR: SRPI, SRAI, SRAS, SRAA, SRW, SRO

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: RACEDOF QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: FORMER DOF RACE - ETHNICITY

VALUE:		FREQ	%
1	LATINO	9077	17.78
2	NON-LATINO PI	96	0.19
3	NON-LATINO AMERICAN INDIAN/ALASKAN	421	0.82
4	NON-LATINO ASIAN	4340	8.50
5	NON-LATINO AFR. AMER.	2398	4.70
6	NON-LATINO WHITE	33329	65.29
7	NON-LATINO OTHER, ONE RACE	103	0.20
8	NON-LATINO, TWO+ RACES	1284	2.52

UNIVERSE: ALL ADULTS

INPUT VAR: SRPI, SRAI, SRAS, SRAA, SRW, SRO, SRH

NOTES: BASED ON '01 DEPT OF FINANCE DEFIN. CURRENT RACEDOF SEE OMBSRREO.

VARNAME: OMBSRREO QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: OMB/CURRENT DOF RACE - ETHNICITY

VALUE:		FREQ	%
1	HISPANIC	9077	17.78
2	WHITE, NON-HISPANIC (NH)	33410	65.45
3	AFRICAN AMERICAN ONLY, NOT HISPANIC	2410	4.72
4	AMERICAN INDIAN/ALASKAN NATIVE ONLY, NH	423	0.83
5	ASIAN ONLY, NH	4345	8.51
6	NATIVE HAWAIIAN/PACIFIC ISLANDER, NH	96	0.19
7	TWO OR MORE RACES, NH	1287	2.52

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: MARIT QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: MARITAL STATUS- 3 CATEGORIES

VALUE:			FREQ	%
1	MARRIED		26192	51.31
2	OTHERWID/SEP/DIV/LIVING W/PARTNER		17080	33.46
3	NEVER MARRIED		7776	15.23

UNIVERSE: ALL ADULTS

INPUT VAR: AH43

NOTES :

VARNAME: MARIT2 QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: MARITAL STATUS- 4 CATEGORIES

VALUE :			FREQ	%
1	MARRIED		26192	51.31
2	LIVING W/ PARTNER		2698	5.29
3	WID/SEP/DIV		14382	28.17
4	NEVER MARRIED		7776	15.23

UNIVERSE: ALL ADULTS

INPUT VAR: AH43

NOTES :

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

Section B: Health Conditions

VARNAME: AB1 QNAME07: QA07_B1 QPAGENUM: A-14
QNAME05: QA05_B1 QNAME03: QA03_15

LABEL: GENERAL HEALTH CONDITION

VALUE:			FREQ	%
1	EXCELLENT		9995	19.58
2	VERY GOOD		16543	32.41
3	GOOD		14734	28.86
4	FAIR		7120	13.95
5	POOR		2656	5.20

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AB17 QNAME07: QA07_B2 QPAGENUM: A-14
QNAME05: QA05_B2 QNAME03: QA03_16

LABEL: DOCTOR EVER TOLD HAVE ASTHMA

VALUE:			FREQ	%
1	YES		7154	14.01
2	NO		43894	85.99

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB40	QNAME07: QA07_B3	QPAGENUM: A-14
	QNAME05: QA05_B3	QNAME03: QA03_18

LABEL: STILL HAS ASTHMA

	FREQ	%
VALUE: -1 INAPPLICABLE	43894	85.99
1 YES	4421	8.66
2 NO	2733	5.35

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA

INPUT VAR:

NOTES:

VARNAME: AB41	QNAME07: QA07_B4	QPAGENUM: A-14
	QNAME05: QA05_B4	QNAME03: QA03_19

LABEL: ASTHMA EPISODE/ATTACK IN PAST 12 MOS

	FREQ	%
VALUE: -1 INAPPLICABLE	43894	85.99
1 YES	2531	4.96
2 NO	4623	9.06

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: ASTCUR QNAME07: NA QPAGENUM: NA

 QNAME05: NA QNAME03: NA

LABEL: CURRENT ASTHMA STATUS

VALUE:			FREQ	%
1	CURRENT ASTHMA		4603	9.02
2	NO CURRENT ASTHMA		46445	90.98

UNIVERSE: ALL ADULTS

INPUT VAR: AB17, AB40, AB41

NOTES:

VARNAME: AB19 QNAME07: QA07_B5 QPAGENUM: A-14

 QNAME05: QA05_B5 QNAME03: QA03_20

LABEL: HOW OFTEN HAD ASTHMA SYMPTOMS IN PAST 12 MOS: CURRENT ASTHMATICS

VALUE:			FREQ	%
-1	INAPPLICABLE		46445	90.98
1	NOT AT ALL		435	0.85
2	LESS THAN EVERY MONTH		1861	3.65
3	EVERY MONTH		943	1.85
4	EVERY WEEK		635	1.24
5	EVERY DAY		729	1.43

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA AND (STILL HAVE ASTHMA
AND/OR HAD AN EPISODE IN LAST 12 MONTHS)

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: ASTYR QNAME07: NA QPAGENUM: NA

 QNAME05: NA QNAME03: NA

LABEL: ASTHMA SYMPTOMS PAST 12 MOS FOR POPULATION CURRENTLY W/ ASTHMA

VALUE:	-1	INAPPLICABLE	FREQ	%
	1	SYMPTOMS	46445	90.98
	2	NO SYMPTOMS	4168	8.16
			435	0.85

UNIVERSE: ADULTS WITH ASTHMA

INPUT VAR: AB19

NOTES:

VARNAME: AH13A QNAME07: QA07_B6 QPAGENUM: A-15

 QNAME05: QA05_B6 QNAME03: QA03_21

LABEL: ER/URGENT CRE VISIT FOR ASTHMA LAST 12 MOS: CURRENT ASTHMATICS

VALUE:	-1	INAPPLICABLE	FREQ	%
	1	YES	46445	90.98
	2	NO	553	1.08
			4050	7.93

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA AND (STILL HAVE ASTHMA
AND/OR HAD AN EPISODE IN LAST 12 MONTHS)

INPUT VAR:

NOTES: SEE AB67 FOR ER VISITS AMONG THOSE W/ NO ASTHMA SYMPT, PAST 12 MOS

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH15A QNAME07: QA07_B7 QPAGENUM: A-15

QNAME05: NA QNAME03: NA

LABEL: HOSPITAL OVERNIGHT FOR ASTHMA PAST 12 MOS: CURRENT ASTHMATICS

VALUE:			FREQ	%
-1	INAPPLICABLE		46445	90.98
1	YES		176	0.34
2	NO		4427	8.67

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA AND (STILL HAVE ASTHMA
AND/OR HAD AN EPISODE IN LAST 12 MONTHS)

INPUT VAR:

NOTES:

VARNAME: AB18 QNAME07: QA07_B8 QPAGENUM: A-15

QNAME05: QA05_B7 QNAME03: QA03_22

LABEL: TAKING DAILY MEDICATION TO CONTROL ASTHMA

VALUE:			FREQ	%
-1	INAPPLICABLE		43894	85.99
1	YES		2438	4.78
2	NO		4716	9.24

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB66 QNAME07: QA07_B9 QPAGENUM: A-15

QNAME05: QA05_B8 QNAME03: NA

LABEL: HOW OFTEN HAD ASTHMA SYMPTOMS IN PAST 12 MOS: PREVIOUS ASTHMATICS

VALUE:		FREQ	%
-1	INAPPLICABLE	48497	95.00
1	NOT AT ALL	1823	3.57
2	LESS THAN EVERY MONTH	509	1.00
3	EVERY MONTH	102	0.20
4	EVERY WEEK	55	0.11
5	EVERY DAY	62	0.12

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA BUT (NO ASTHMA CURRENTLY AND NO EPISODE IN LAST 12 MONTHS)

INPUT VAR:

NOTES:

VARNAME: ASTS QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: ASTHMA SYMPTOMS PAST 12 MOS FOR POPULATION DIAGNOSED W/ ASTHMA

VALUE:		FREQ	%
-1	INAPPLICABLE	43894	85.99
1	SYMPTOMS	4896	9.59
2	NO SYMPTOMS	2258	4.42

UNIVERSE: ADULTS DIAGNOSED WITH ASTHMA

INPUT VAR: AB19, AB66

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB67 QNAME07: QA07_B10 QPAGENUM: A-15

QNAME05: QA05_B9 QNAME03: NA

LABEL: ER/URGENT CRE VISIT FOR ASTHMA LAST 12 MOS: PREVIOUS ASTHMATICS

VALUE:		FREQ	%
-1	INAPPLICABLE	48497	95.00
1	YES	22	0.04
2	NO	2529	4.95

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA BUT (NO ASTHMA CURRENTLY AND NO EPISODE IN LAST 12 MONTHS)

INPUT VAR:

NOTES: SEE AH13A FOR ER VISITS AMONG THOSE W/ ASTHMA SYMPTOMS, PAST 12 MOS

VARNAME: AB80 QNAME07: QA07_B11 QPAGENUM: A-16

QNAME05: NA QNAME03: NA

LABEL: HOSPITAL OVERNIGHT FOR ASTHMA PAST 12 MOS: PREVIOUS ASTHMATICS

VALUE:		FREQ	%
-1	INAPPLICABLE	48497	95.00
1	YES	9	0.02
2	NO	2542	4.98

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA BUT (NO ASTHMA CURRENTLY AND NO EPISODE IN LAST 12 MONTHS)

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB42	QNAME07: QA07_B12	QPAGENUM: A-16
	QNAME05: QA05_B10	QNAME03: QA03_23

LABEL: WORKDAYS MISSED DUE TO ASTHMA IN PAST 12 MOS

MEAN STATISTICS

N	5913
MIN	0
MAX	365
MEAN	0.96

UNIVERSE: ADULTS UNDER 70 WHOSE DR TOLD THEM THEY HAVE ASTHMA

INPUT VAR:

NOTES:

VARNAME: AB43	QNAME07: QA07_B13	QPAGENUM: A-16
	QNAME05: QA05_B11	QNAME03: QA03_24

LABEL: HEALTH PROFESSIONAL EVER GAVE ASTHMA MANAGEMENT PLAN

VALUE:		FREQ	%
-1	INAPPLICABLE	43894	85.99
1	YES	2528	4.95
2	NO	4626	9.06

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB22 QNAME07: QA07_B14 QPAGENUM: A-16
QNAME05: QA05_B17 QNAME03: QA03_32

LABEL: DOCTOR EVER TOLD HAVE DIABETES

VALUE:		FREQ	%
1	YES	4804	9.41
2	NO	45364	88.87
3	BORDERLINE OR PRE-DIABETES	880	1.72

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AB23_P QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: AGE FIRST TOLD HAVE DIABETES (PUF RECODE)

MEAN STATISTICS	
N	4804
MIN	1
MAX	85
MEAN	52.44

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE DIABETES

INPUT VAR: AB23

NOTES: TOPCODE=85

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB51	QNAME07: QA07_B16	QPAGENUM: A-17
	QNAME05: QA05_B19	QNAME03: QA03_34

LABEL: TYPE I OR TYPE II DIABETES

		FREQ	%
VALUE: -1	INAPPLICABLE	46244	90.59
1	TYPE I	493	0.97
2	TYPE 2	4311	8.44

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE DIABETES

INPUT VAR:

NOTES:

VARNAME: AB24	QNAME07: QA07_B17	QPAGENUM: A-17
	QNAME05: QA05_B20	QNAME03: QA03_35

LABEL: CURRENTLY TAKING INSULIN

		FREQ	%
VALUE: -1	INAPPLICABLE	46244	90.59
1	YES	1188	2.33
2	NO	3616	7.08

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE DIABETES

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB25	QNAME07: QA07_B18	QPAGENUM: A-17
	QNAME05: QA05_B21	QNAME03: QA03_36

LABEL: CURRENTLY TAKING DIABETIC PILLS TO LOWER BLOOD SUGAR

VALUE:		FREQ	%
-1	INAPPLICABLE	46244	90.59
1	YES	3420	6.70
2	NO	1384	2.71

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE DIABETES

INPUT VAR:

NOTES:

VARNAME: DIAMED	QNAME07: NA	QPAGENUM: NA
	QNAME05: NA	QNAME03: NA

LABEL: TAKING INSULIN OR PILLS

VALUE:		FREQ	%
-1	INAPPLICABLE	46244	90.59
1	TAKING INSULIN & PILLS	656	1.29
2	TAKING INSULIN ONLY	532	1.04
3	TAKING PILLS ONLY	2764	5.41
4	NOT TAKING INSULIN NOR PILLS	852	1.67

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE DIABETES

INPUT VAR: AB24, AB25

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB26 QNAME07: QA07_B19 QPAGENUM: A-17

QNAME05: QA05_B22 QNAME03: NA

LABEL: # OF TIMES R/R'S FAMILY/R'S FRIEND CHECK BLOOD FOR GLUCOSE

MEAN STATISTICS

N	4804
MIN	0
MAX	70
MEAN	2.18

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE DIABETES

INPUT VAR:

NOTES: PLEASE REFER TO "AB26UNT" FOR MEASUREMENT UNIT

VARNAME: AB26UNT QNAME07: QA07_B19 QPAGENUM: A-17

QNAME05: QA05_B22 QNAME03: NA

LABEL: # OF TIMES CHECK BLOOD FOR GLUCOSE - UNIT

VALUE:		FREQ	%
-1	INAPPLICABLE	46244	90.59
1	PER DAY	3371	6.60
2	PER WEEK	893	1.75
3	PER MONTH	350	0.69
4	PER YEAR	190	0.37

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE DIABETES

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: DIABCK QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: # OF TIMES CHECKING FOR GLUCOSE/SUGAR PER MONTH

MEAN STATISTICS

N	4804
MIN	0
MAX	600
MEAN	40.69

UNIVERSE: ADULTS WHO HAVE BEEN TOLD THEY HAVE DIABETES OR SUGAR DIABETES

INPUT VAR: AB26, AB26UNT

NOTES:

VARNAME: AB27 QNAME07: QA07_B20 QPAGENUM: A-17

QNAME05: QA05_B23 QNAME03: NA

LABEL: # OF TIMES DOC CHECKED FOR HEMOGLOBIN A ONE C LAST YR

MEAN STATISTICS

N	4240
MIN	0
MAX	52
MEAN	2.90

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE DIABETES

INPUT VAR:

NOTES: EXCLUDED VALUE "995" IN CALCULATING THE MEAN

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB28 QNAME07: QA07_B21 QPAGENUM: A-18

QNAME05: QA05_B24 QNAME03: NA

LABEL: # OF TIMES DOC CHECKED FEET FOR SORES LAST YR

MEAN STATISTICS

N	4804
MIN	0
MAX	52
MEAN	2.60

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE DIABETES

INPUT VAR:

NOTES:

VARNAME: AB63 QNAME07: QA07_B22 QPAGENUM: A-18

QNAME05: QA05_B25 QNAME03: NA

LABEL: LAST EYE EXAM DILATED PUPILS

VALUE:		FREQ	%
-1	INAPPLICABLE	46244	90.59
1	WITHIN THE PAST MONTH	814	1.59
2	1 TO 12 MOS AGO	2735	5.36
3	1 TO 2 YRS AGO	509	1.00
4	2 OR MORE YRS AGO	521	1.02
5	NEVER	225	0.44

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE DIABETES

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB81	QNAME07: QA07_B23	QPAGENUM: A-18
---------------	-------------------	----------------

QNAME05: NA	QNAME03: NA
-------------	-------------

LABEL: DOCTOR TOLD HAD DIABETES ONLY DURING PREGNANCY

			FREQ	%
VALUE: -1	INAPPLICABLE		23132	45.31
1	YES		1088	2.13
2	NO		26828	52.55

UNIVERSE: NON-DIABETIC WOMEN

INPUT VAR:

NOTES:

VARNAME: AB29	QNAME07: QA07_B24	QPAGENUM: A-18
---------------	-------------------	----------------

QNAME05: QA05_B26	QNAME03: QA03_37
-------------------	------------------

LABEL: DOCTOR EVER TOLD HAVE HIGH BLOOD PRESSURE

			FREQ	%
VALUE: 1	YES		17860	34.99
2	NO		33188	65.01

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB30 QNAME07: QA07_B25 QPAGENUM: A-18
QNAME05: QA05_B30 QNAME03: QA03_38

LABEL: CURRENTLY TAKING MEDICATIONS TO CONTROL HIGH BLOOD PRESSURE

VALUE:			FREQ	%
-1	INAPPLICABLE		33188	65.01
1	YES		13877	27.18
2	NO		3983	7.80

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE HIGH BLOOD PRESSURE

INPUT VAR:

NOTES:

VARNAME: AB34 QNAME07: QA07_B26 QPAGENUM: A-19
QNAME05: QA05_B30 QNAME03: QA03_39

LABEL: DOCTOR EVER TOLD HAVE ANY KIND OF HEART DISEASE

VALUE:			FREQ	%
1	YES		5221	10.23
2	NO		45827	89.77

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB52 QNAME07: QA07_B27 QPAGENUM: A-19
QNAME05: QA05_B31 QNAME03: QA03_40

LABEL: EVER TOLD HAVE HEART FAILURE/CONGESTIVE

VALUE:			FREQ	%
-1	INAPPLICABLE		45827	89.77
1	YES		1368	2.68
2	NO		3853	7.55

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE HEART DISEASE

INPUT VAR:

NOTES:

VARNAME: AE30 QNAME07: QA07_B28 QPAGENUM: A-19
QNAME05: QA05_B39 QNAME03: QA03_47

LABEL: FLU SHOT IN PAST 12 MOS

VALUE:			FREQ	%
1	YES		21313	41.75
2	NO		29735	58.25

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AF22 QNAME07: QA07_B29 QPAGENUM: A-19
QNAME05: QA05_FB6 QNAME03: QA03_60

LABEL: EVER HAD HOME BLOOD STOOL TEST

VALUE:			FREQ	%
-1	INAPPLICABLE		11391	22.31
1	YES		18454	36.15
2	NO		21203	41.54

UNIVERSE: ADULTS 40 AND OLDER

INPUT VAR:

NOTES:

VARNAME: AF24 QNAME07: QA07_B30 QPAGENUM: A-19
QNAME05: QA05_FB7 QNAME03: QA03_61

LABEL: WHEN WAS MOST RECENT HOME BLOOD STOOL TEST

VALUE:			FREQ	%
-1	INAPPLICABLE		32594	63.85
1	A YEAR AGO OR LESS		8065	15.80
2	MORE THAN 1 YEAR AGO UP TO 2 YEARS AGO		3378	6.62
3	MORE THAN 2 YEARS AGO UP TO 5 YEARS AGO		3608	7.07
4	MORE THAN 5 YEARS AGO		3403	6.67

UNIVERSE: ADULTS 40 AND OLDER WHO HAVE HAD BLOOD STOOL TEST

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: FOBT2 QNAME07: NA QPAGENUM: NA

 QNAME05: NA QNAME03: NA

LABEL: BLOOD STOOL TEST PAST 2 YEARS

VALUE:			FREQ	%
-1	SKIPPED FOR AGE < 50		20614	40.38
1	YES		10440	20.45
2	NO		19994	39.17

UNIVERSE: ADULTS 50 YEARS OR OLDER

INPUT VAR: AF24, AF22, SRAGE

NOTES:

VARNAME: AB83 QNAME07: QA07_B31 QPAGENUM: A-20

 QNAME05: NA QNAME03: NA

LABEL: MAIN REASON MOST RECENT BLOOD STOOL TEST

VALUE:			FREQ	%
-1	INAPPLICABLE		32594	63.85
1	PART OF A ROUTINE EXAM		14995	29.37
2	BECAUSE OF A PROBLEM		2359	4.62
3	SOME OTHER REASON		1100	2.15

UNIVERSE: ADULTS 40 AND OLDER WHO HAVE HAD BLOOD STOOL TEST

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB84 QNAME07: QA07_B32 QPAGENUM: A-20

QNAME05: NA QNAME03: NA

LABEL: EVER HAD A COLONOSCOPY

VALUE:			FREQ	%
-1	INAPPLICABLE		11391	22.31
1	YES		16710	32.73
2	NO		22947	44.95

UNIVERSE: ADULTS 40 YEARS AND OLDER

INPUT VAR:

NOTES:

VARNAME: AB85 QNAME07: QA07_B33 QPAGENUM: A-20

QNAME05: NA QNAME03: NA

LABEL: MOST RECENT COLONOSCOPY EXAM

VALUE:			FREQ	%
-1	INAPPLICABLE		34338	67.27
1	A YEAR AGO OR LESS		5361	10.50
2	MORE THAN 1 UP TO 5 YEARS AGO		8657	16.96
3	MORE THAN 5 UP TO 10 YEARS AGO		1895	3.71
4	MORE THAN 10 YEARS AGO		797	1.56

UNIVERSE: ADULTS 40 YEARS AND OLDER WHO HAVE HAD COLONOSCOPY

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB86 QNAME07: QA07_B34 QPAGENUM: A-20

QNAME05: NA QNAME03: NA

LABEL: MAIN REASON MOST RECENT COLONOSCOPY

VALUE:			FREQ	%
-1	INAPPLICABLE		34338	67.27
1	PART OF A ROUTINE EXAM		11186	21.91
2	BECAUSE OF A PROBLEM		3968	7.77
3	SOME OTHER REASON		1556	3.05

UNIVERSE: ADULTS 40 YEARS AND OLDER WHO HAVE HAD COLONOSCOPY

INPUT VAR:

NOTES:

VARNAME: AB87 QNAME07: QA07_B35 QPAGENUM: A-20

QNAME05: NA QNAME03: NA

LABEL: EVER HAD A SIGMOIDOSCOPY

VALUE:			FREQ	%
-1	INAPPLICABLE		11391	22.31
1	YES		11478	22.48
2	NO		28179	55.20

UNIVERSE: ADULTS 40 YEARS AND OLDER

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB88 QNAME07: QA07_B36 QPAGENUM: A-21

QNAME05: NA QNAME03: NA

LABEL: MOST RECENT SIGMOIDOSCOPY EXAM

VALUE:		FREQ	%
-1	INAPPLICABLE	39570	77.52
1	A YEAR AGO OR LESS	1328	2.60
2	MORE THAN 1 UP TO 5 YEARS AGO	4181	8.19
3	MORE THAN 5 UP TO 10 YEARS AGO	3222	6.31
4	MORE THAN 10 YEARS AGO	2747	5.38

UNIVERSE: ADULTS 40 YEARS AND OLDER WHO HAVE HAD SIGMOIDOSCOPY

INPUT VAR:

NOTES:

VARNAME: CRC_SCRN QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: COMPLIANCE W/COLONOSCOPY/SIG/FOBT SCREEN TEST

VALUE:		FREQ	%
-1	SKIP, AGE<40	11391	22.31
1	IN COMPLIANCE W/ SCREEN TEST	21808	42.72
2	HAD SCREEN TEST BUT NONCOMPLIANT	4846	9.49
3	NEVER HAD SCREEN TEST	13003	25.47

UNIVERSE: ADULTS 40 YEARS AND OLDER

INPUT VAR: AF22, AB85, AF24, AB84, AB87, AB88

NOTES: Label changed- compliance with cancer screening tests age 40+

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB89 QNAME07: QA07_B37 QPAGENUM: A-21

QNAME05: NA QNAME03: NA

LABEL: MAIN REASON MOST RECENT SIGMOIDOSCOPY

VALUE:			FREQ	%
-1	INAPPLICABLE		39570	77.52
1	PART OF A ROUTINE EXAM		8108	15.88
2	BECAUSE OF A PROBLEM		2656	5.20
3	SOME OTHER REASON		714	1.40

UNIVERSE: ADULTS 40 YEARS AND OLDER WHO HAVE HAD SIGMOIDOSCOPY

INPUT VAR:

NOTES:

VARNAME: AB90 QNAME07: QA07_B38 QPAGENUM: A-21

QNAME05: NA QNAME03: NA

LABEL: PAST 5 YRS DOCTOR RECOMMENDED COLON TESTS

VALUE:			FREQ	%
-1	INAPPLICABLE		11391	22.31
1	YES		17576	34.43
2	NO		21946	42.99
92	DID NOT GO TO A DOCTOR IN PAST 5 YEARS		135	0.26

UNIVERSE: ADULTS 40 YEARS AND OLDER

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AC7 QNAME07: QA07_B39 QPAGENUM: A-21
QNAME05: NA QNAME03: QA03_68

LABEL: FALLEN TO GROUND LAST 12 MOS

VALUE:			FREQ	%
-1	INAPPLICABLE		36395	71.30
1	YES		2189	4.29
2	NO		12464	24.42

UNIVERSE: ADULTS 65 YEARS AND OLDER

INPUT VAR:

NOTES: SOURCE: MOD FR 2002 MEDICARE CURRENT BENEFICIARY SURVEY (MCBS)

VARNAME: AB91 QNAME07: QA07_B40 QPAGENUM: A-21
QNAME05: NA QNAME03: NA

LABEL: GOT MEDICAL CARE AFTER A FALL

VALUE:			FREQ	%
-1	INAPPLICABLE		48859	95.71
1	YES		974	1.91
2	NO		1215	2.38

UNIVERSE: ADULTS 65 AND OLDER WHO HAVE FALLEN IN PAST 12 MOS

INPUT VAR:

NOTES: SOURCE: MOD FR 2002 MEDICARE CURRENT BENEFICIARY SURVEY (MCBS)

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB92 QNAME07: QA07_B41 QPAGENUM: A-22

QNAME05: NA QNAME03: NA

LABEL: HEALTH CARE PROF TALK HOW AVOID FALLING

VALUE:			FREQ	%
-1	INAPPLICABLE		48859	95.71
1	YES		801	1.57
2	NO		1388	2.72

UNIVERSE: ADULTS 65 AND OLDER WHO HAVE FALLEN IN PAST 12 MOS

INPUT VAR:

NOTES: SOURCE: MOD FR 2002 MEDICARE CURRENT BENEFICIARY SURVEY (MCBS)

VARNAME: AB93 QNAME07: QA07_B42 QPAGENUM: A-22

QNAME05: NA QNAME03: NA

LABEL: BECAUSE OF FALL REVIEW MEDICATIONS

VALUE:			FREQ	%
-1	INAPPLICABLE		48859	95.71
1	YES		617	1.21
2	NO		1572	3.08

UNIVERSE: ADULTS 65 AND OLDER WHO HAVE FALLEN IN PAST 12 MOS

INPUT VAR:

NOTES: CONSISTENT W/ AMER. GERIATRIC SOC FALL PREVENTION RECOMMENDATIONS

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB94 QNAME07: QA07_B43 QPAGENUM: A-22

QNAME05: NA QNAME03: NA

LABEL: BECAUSE OF FALL START PHYS THERAPY

VALUE:			FREQ	%
-1	INAPPLICABLE		48859	95.71
1	YES		583	1.14
2	NO		1606	3.15

UNIVERSE: ADULTS 65 AND OLDER WHO HAVE FALLEN IN PAST 12 MOS

INPUT VAR:

NOTES: CONSISTENT W/ AMER. GERIATRIC SOC FALL PREVENTION RECOMMENDATIONS

VARNAME: AB95 QNAME07: QA07_B44 QPAGENUM: A-22

QNAME05: NA QNAME03: NA

LABEL: BECAUSE OF FALL MAKE CHANGES TO HOME

VALUE:			FREQ	%
-1	INAPPLICABLE		48859	95.71
1	YES		550	1.08
2	NO		1639	3.21

UNIVERSE: ADULTS 65 AND OLDER WHO HAVE FALLEN IN PAST 12 MOS

INPUT VAR:

NOTES: CONSISTENT W/ AMER. GERIATRIC SOC FALL PREVENTION RECOMMENDATIONS

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB96 QNAME07: QA07_B45 QPAGENUM: A-22

QNAME05: NA QNAME03: NA

LABEL: BECAUSE OF FALL USE CANE OR WALKER

VALUE:			FREQ	%
-1	INAPPLICABLE		48859	95.71
1	YES		786	1.54
2	NO		1403	2.75

UNIVERSE: ADULTS 65 AND OLDER WHO HAVE FALLEN IN PAST 12 MOS

INPUT VAR:

NOTES: CONSISTENT W/ AMER. GERIATRIC SOC FALL PREVENTION RECOMMENDATIONS

VARNAME: AB97 QNAME07: QA07_B46 QPAGENUM: A-23

QNAME05: NA QNAME03: NA

LABEL: BECAUSE OF FALL CHANGE DAILY ROUTINES

VALUE:			FREQ	%
-1	INAPPLICABLE		48859	95.71
1	YES		565	1.11
2	NO		1624	3.18

UNIVERSE: ADULTS 65 AND OLDER WHO HAVE FALLEN IN PAST 12 MOS

INPUT VAR:

NOTES: CONSISTENT W/ AMER. GERIATRIC SOC FALL PREVENTION RECOMMENDATIONS

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

Section C: Health Behaviors

VARNAME: AE26 QNAME07: QA07_C1 QPAGENUM: A-24

QNAME05: QA05_C7 QNAME03: NA

LABEL: MODERATE PHYSICAL ACTIVITIES IN PAST 7 DAYS

VALUE:			FREQ	%
1	YES		42850	83.94
2	NO		8198	16.06

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AE27 QNAME07: QA07_C2 QPAGENUM: A-24

QNAME05: QA05_C8 QNAME03: NA

LABEL: # DAYS MODERATE PHYSICAL ACTIVITY IN PAST WEEK

MEAN STATISTICS	
N	42850
MIN	1
MAX	7
MEAN	4.31

UNIVERSE: ADULTS WHO DID MOD PHYS ACTIVITY AT LEAST 10 MINS IN LAST 7 DAYS

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AE27A QNAME07: QA07_C3 QPAGENUM: A-24

QNAME05: QA05_C9 QNAME03: NA

LABEL: TIME PER DAY OF MODERATE PHYSICAL ACTIVITY

MEAN STATISTICS

N	42850
MIN	0
MAX	230
MEAN	21.31

UNIVERSE: ADULTS WHO DID MOD PHYS ACTIVITY AT LEAST 10 MIN IN LAST 7 DAYS

INPUT VAR:

NOTES: PLEASE REFER TO "AE27AUNT" FOR MEASUREMENT UNIT

VARNAME: AE27AUNT QNAME07: QA07_C3 QPAGENUM: A-24

QNAME05: QA05_C9 QNAME03: NA

LABEL: TIME PER DAY OF MODERATE PHYS ACTIVITY - UNIT

VALUE:		FREQ	%
-1	INAPPLICABLE	8198	16.06
1	MINUTES	27463	53.80
2	HOURS	15387	30.14

UNIVERSE: ADULTS WHO DID MODERATE PHYS ACT IN PAST WEEK AT LEAST 10 MINS

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: MODACT QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: MODERATE LEISURE ACTIVITY FOR 5 DAYS/WK AND 30 MIN/DAY

VALUE:			FREQ	%
1	AT LEAST 5 DAYS/WK AND 30 MIN/DAY		15123	29.63
2	LESS THAN 5 DAYS/WK OR 30 MIN/DAY		35925	70.37

UNIVERSE: ALL ADULTS

INPUT VAR: AE27AUNT, AE27A, AE27, AE26

NOTES:

VARNAME: AE27AMIN QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: AVG LENGTH OF MODERATE ACTIVITY PER DAY

MEAN STATISTICS

N	42850
MIN	0
MAX	480
MEAN	62.66

UNIVERSE: ADULTS WHO HAVE DONE MODERATE PHYSICAL ACTIVITIES WITHIN ONE WEEK

INPUT VAR: AE27A, AE27AUNT

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AE24 QNAME07: QA07_C4 QPAGENUM: A-25

QNAME05: QA05_C10 QNAME03: NA

LABEL: HARD/VIGOROUS EXERCISE IN PAST 7 DAYS

VALUE:			FREQ	%
1	YES		14919	29.23
2	NO		36129	70.77

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AE25 QNAME07: QA07_C5 QPAGENUM: A-25

QNAME05: QA05_C11 QNAME03: NA

LABEL: # DAYS DID VIGOROUS PHYSICAL ACTIVITY IN PAST WEEK

MEAN STATISTICS

N	14919
MIN	1
MAX	7
MEAN	3.05

UNIVERSE: ADULTS WHO DID VIGOROUS PHYSICAL ACTIVITY IN LAST 7 DAYS

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AE25A QNAME07: QA07_C6 QPAGENUM: A-25

QNAME05: QA05_C12 QNAME03: NA

LABEL: TIME PER DAY OF VIGOROUS PHYSICAL ACTIVITY

MEAN STATISTICS

N	14919
MIN	0
MAX	330
MEAN	23.32

UNIVERSE: ADULTS WHO DID VIGOROUS PHYSICAL ACTIVITY IN LAST 7 DAYS

INPUT VAR:

NOTES: PLEASE REFER TO "AE25AUNT" FOR MEASUREMENT UNIT

VARNAME: AE25AUNT QNAME07: QA07_C6 QPAGENUM: A-25

QNAME05: QA05_C12 QNAME03: NA

LABEL: TIME PER DAY OF VIGOROUS PHYS ACTIVITY - UNIT

VALUE:		FREQ	%
-1	INAPPLICABLE	36129	70.77
1	MINUTES	8639	16.92
2	HOURS	6280	12.30

UNIVERSE: ADULTS WHO DID VIGOROUS PHYSICAL ACTIVITY IN LAST 7 DAYS

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AE25AMIN QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: AVG LENGTH OF VIGOROUS ACTIVITY PER DAY

MEAN STATISTICS

N	14919
MIN	0
MAX	480
MEAN	66.33

UNIVERSE: ADULTS WHO HAVE DONE VIGOROUS PHYSICAL ACTIVITIES WITHIN ONE WEEK

INPUT VAR: AE25A, AE25AUNT

NOTES:

VARNAME: VIGPA QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: VIGOROUS LEISURE ACTIVITY FOR 3 DAYS/WK AND 20 MIN/DAY

VALUE:		FREQ	%
1	AT LEAST 3 DAYS/WK AND 20 MIN/DAY	7885	15.45
2	LESS THAN 3 DAYS/WK OR 20 MIN/DAY	43163	84.55

UNIVERSE: ALL ADULTS

INPUT VAR: AE25AUNT, AE25A, AE25, AE24

NOTES: SIMILAR TO AE_VIGOR IN 2001

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: REGACT QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: REGULAR, MODERATE, OR VIGOROUS ACTIVITY

VALUE:	1	REGULAR PHYSICAL ACTIVITY	FREQ	%
	2	SOME PHYSICAL	18984	37.19
	3	SEDENTARY(NO PHYSICAL ACTIVITY)	24684	48.35
			7380	14.46

UNIVERSE: ALL ADULTS

INPUT VAR: VIGPA, MODACT, AE24, AE26

NOTES:

VARNAME: AC20 QNAME07: QA07_C7 QPAGENUM: A-25

QNAME05: QA05_C13 QNAME03: NA

LABEL: # OF DAYS STRENGTHENED MUSCLES IN LAST WEEK

MEAN STATISTICS	
N	51048
MIN	0
MAX	7
MEAN	1.64

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AE2 QNAME07: QA07_C8 QPAGENUM: A-26

QNAME05: QA05_C18 QNAME03: NA

LABEL: # TIMES ATE FRUIT IN PAST MO

MEAN STATISTICS

N	51048
MIN	0
MAX	210
MEAN	5.04

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: PLEASE REFER TO "AE2UNT" FOR MEASUREMENT UNIT

VARNAME: AE2UNT QNAME07: QA07_C8 QPAGENUM: A-26

QNAME05: QA05_C18 QNAME03: NA

LABEL: # OF TIMES ATE FRUIT IN PAST MO - UNIT

VALUE:		FREQ	%
1	PER DAY	29428	57.65
2	PER WEEK	10927	21.41
3	PER MONTH	10693	20.95

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AE_FRUIT QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: # OF TIMES EATING FRUIT PER WEEK

MEAN STATISTICS

N	51048
MIN	0
MAX	140
MEAN	8.61

UNIVERSE: ALL ADULTS

INPUT VAR: AE2

NOTES:

VARNAME: AE3 QNAME07: QA07_C9 QPAGENUM: A-26

QNAME05: QA05_C18 QNAME03: NA

LABEL: # TIMES ATE FRNCH FRIES, HME FRIES, HSH BRWNS IN PAST MO

MEAN STATISTICS

N	51048
MIN	0
MAX	80
MEAN	2.11

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: PLEASE REFER TO "AE3UNT" FOR MEASUREMENT UNIT

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AE3UNT QNAME07: QA07_C9 QPAGENUM: A-26

QNAME05: QA05_C18 QNAME03: NA

LABEL: # TIMES ATE FRNCH FRIES, HME FRIES, HSH BRWNS IN PAST MO- UNIT

VALUE:			FREQ	%
1	PER DAY		18419	36.08
2	PER WEEK		4986	9.77
3	PER MONTH		27643	54.15

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AE_FRIES QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: # OF TIME EATING FRIES PER WEEK

MEAN STATISTICS	
N	51048
MIN	0
MAX	105
MEAN	0.64

UNIVERSE: ALL ADULTS

INPUT VAR: AE3

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AE7 QNAME07: QA07_C10 QPAGENUM: A-26

QNAME05: QA05_C21 QNAME03: NA

LABEL: # OF TIMES ATE VEGETABLES IN PAST MO

MEAN STATISTICS

N	51048
MIN	0
MAX	60
MEAN	7.10

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: PLEASE REFER TO "AE7UNT" FOR MEASUREMENT UNIT

VARNAME: AE7UNT QNAME07: QA07_C10 QPAGENUM: A-26

QNAME05: QA05_C21 QNAME03: NA

LABEL: # OF TIMES ATE VEGETABLES IN PAST MO - UNIT

VALUE:		FREQ	%
1	PER DAY	26491	51.89
2	PER WEEK	10100	19.79
3	PER MONTH	14457	28.32

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AE_VEGI QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: # OF TIMES EATING VEGETABLES PER WEEK

MEAN STATISTICS

N	51048
MIN	0
MAX	70
MEAN	7.73

UNIVERSE: ALL ADULTS

INPUT VAR: AE7

NOTES:

VARNAME: AC11 QNAME07: QA07_C11 QPAGENUM: A-27

QNAME05: QA05_C22 QNAME03: NA

LABEL: # OF TIMES DRANK SODA LAST MONTH

MEAN STATISTICS

N	51048
MIN	0
MAX	60
MEAN	2.13

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AC11UNT QNAME07: QA07_C11 QPAGENUM: A-27

QNAME05: QA05_C22 QNAME03: NA

LABEL: # OF TIMES DRANK SODA LAST MONTH - UNIT

VALUE:			FREQ	%
1	PER DAY		31583	61.87
2	PER WEEK		5519	10.81
3	PER MONTH		13946	27.32

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AE_SODA QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: # OF TIMES DRINKING SODA PER WEEK

MEAN STATISTICS

N	51048
MIN	0
MAX	70
MEAN	1.69

UNIVERSE: ALL ADULTS

INPUT VAR: AC11

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AC31 QNAME07: QA07_C12 QPAGENUM: A-27

QNAME05: NA QNAME03: NA

LABEL: # TIMES ATE FAST FOOD PAST WEEK

MEAN STATISTICS

N	51048
MIN	0
MAX	30
MEAN	1.15

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AE15 QNAME07: QA07_C13 QPAGENUM: A-27

QNAME05: QA05_C30 QNAME03: QA03_70

LABEL: SMOKED 100 OR MORE CIGARETTES IN ENTIRE LIFETIME

VALUE:		FREQ	%
1	YES	22124	43.34
2	NO	28924	56.66

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AE15A QNAME07: QA07_C14 QPAGENUM: A-27
QNAME05: QA05_C31 QNAME03: QA03_71

LABEL: SMOKES CIGARETTES EVERYDAY, SOME DAYS OR NOT AT ALL

VALUE:			FREQ	%
-1	INAPPLICABLE		28924	56.66
1	EVERY DAY		4759	9.32
2	SOME DAYS		1855	3.63
3	NOT AT ALL		15510	30.38

UNIVERSE: ADULTS WHO SMOKED AT LEAST 100 CIGARETTES IN LIFETIME

INPUT VAR:

NOTES:

VARNAME: SMKCUR QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: CURRENT SMOKER

VALUE:			FREQ	%
1	CURRENT SMOKER		6614	12.96
2	NOT CURRENT SMOKER		44434	87.04

UNIVERSE: ALL ADULTS

INPUT VAR: AE15, AE15A

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: SMOKING QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: CURRENT SMOKING HABITS

VALUE:			FREQ	%
1	CURRENTLY SMOKES		6614	12.96
2	QUIT SMOKING		15510	30.38
3	NEVER SMOKED REGULARLY		28924	56.66

UNIVERSE: ALL ADULTS

INPUT VAR: AE15, AE15A

NOTES:

VARNAME: AD32 QNAME07: QA07_C15 QPAGENUM: A-27

QNAME05: QA05_C32 QNAME03: QA03_72

LABEL: # OF CIGARETTES PER DAY

MEAN STATISTICS	
N	4759
MIN	0
MAX	100
MEAN	14.44

UNIVERSE: ADULTS WHO SMOKED AT LEAST 100 CIGARETTES IN LIFETIME AND NOW
SMOKE EVERY DAY

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AE16 QNAME07: QA07_C16 QPAGENUM: A-28
QNAME05: QA05_C33 QNAME03: QA03_73

LABEL: # OF CIGARETTES PER DAY

MEAN STATISTICS

N	1855
MIN	0
MAX	100
MEAN	4.49

UNIVERSE: ADULTS WHO CURRENTLY SMOKE SOME IF NOT ALL DAYS

INPUT VAR:

NOTES:

VARNAME: NUMCIG QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: # OF CIGARETTES PER DAY

VALUE:		FREQ	%
1	NONE	44434	87.04
2	<=1 CIGARETTES	492	0.96
3	2-5 CIGARETTES	1744	3.42
4	6-10 CIGARETTES	1799	3.52
5	11-19 CIGARETTES	835	1.64
6	20 OR MORE	1744	3.42

UNIVERSE: ALL ADULTS

INPUT VAR: AE15A, AD32, AE16, AE15

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AC17 QNAME07: QA07_C17 QPAGENUM: A-28

QNAME05: QA05_C34 QNAME03: NA

LABEL: SMOKING EVER ALLOWED INSIDE HOME

VALUE:			FREQ	%
1	YES		5393	10.56
2	NO		45655	89.44

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: 2003 VARIABLE NAME: AD33

VARNAME: AD34 QNAME07: QA07_C18 QPAGENUM: A-28

QNAME05: QA05_C17 QNAME03: QA03_75

LABEL: # OF DAYS PER WEEK ANY SMOKING INSIDE HOME

MEAN STATISTICS

N	5393
MIN	0
MAX	7
MEAN	3.68

UNIVERSE: ADULT WHO ALLOW SMOKING INSIDE THE HOME

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: HHSMK QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: HOUSEHOLD SMOKING

VALUE:			FREQ	%
1	NONE		45655	89.44
2	SOMEDAYS		2835	5.55
3	EVERY DAY		2558	5.01

UNIVERSE: ALL ADULTS

INPUT VAR: AC17, AD34

NOTES:

VARNAME: AC32 QNAME07: QA07_C19 QPAGENUM: A-28
QNAME05: NA QNAME03: NA

LABEL: HAD ALCOHOL PAST 12 MONTHS

VALUE:			FREQ	%
1	YES		35585	69.71
2	NO		15463	30.29

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AC33 QNAME07: QA07_C20 QPAGENUM: A-28

QNAME05: NA QNAME03: NA

LABEL: # DRINKS TYPICAL DAY WHEN DRANK ALCOHOL

MEAN STATISTICS

N	35585
MIN	0
MAX	20
MEAN	1.92

UNIVERSE: ADULTS WHO DRANK ALCOHOL IN LAST 12 MOS

INPUT VAR:

NOTES:

VARNAME: AC34 QNAME07: QA07_C21 QPAGENUM: A-29

QNAME05: NA QNAME03: NA

LABEL: # DAYS HAD 5+ DRINKS PAST 12 MONTHS

MEAN STATISTICS

N	15492
MIN	0
MAX	365
MEAN	11.95

UNIVERSE: MALES WHO DRANK ALCOHOL IN LAST 12 MOS

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AC35 QNAME07: QA07_C22 QPAGENUM: A-29

QNAME05: NA QNAME03: NA

LABEL: # DAYS HAD 4+ DRINKS PAST 12 MONTHS

MEAN STATISTICS

N	20093
MIN	0
MAX	365
MEAN	4.22

UNIVERSE: FEMALES WHO DRANK ALCOHOL IN LAST 12 MOS

INPUT VAR:

NOTES:

VARNAME: BINGE12 QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: BINGE DRINKING IN PAST YEAR. 5+ DRINKS (MALE), 4+ DRINKS (FEMALE)

VALUE:		FREQ	%
1	NO BINGE DRINKING PAST YEAR	39169	76.73
2	ONCE A YEAR	2054	4.02
3	LESS THAN MONTHLY, MORE THAN ONCE A YEAR	5529	10.83
4	MONTHLY	1451	2.84
5	LESS THAN WEEKLY BUT MORE THAN MONTHLY	1634	3.20
6	DAILY OR WEEKLY	1211	2.37

UNIVERSE: ALL ADULTS

INPUT VAR: AC32, AC34, AC35

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

Section D: General Health, Disability, and Sexual Health

VARNAME: HGHTI_P QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: HEIGHT: INCHES (PUF RECODE)

MEAN STATISTICS	
N	51048
MIN	42
MAX	77
MEAN	66.26

UNIVERSE: ALL ADULTS

INPUT VAR: HGHTI

NOTES: TOPCODE=77; BOTTOMCODE=42

VARNAME: HGHTM_P QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: HEIGHT: METERS (PUF RECODE)

MEAN STATISTICS	
N	51048
MIN	1
MAX	2
MEAN	1.68

UNIVERSE: ALL ADULTS

INPUT VAR: HGHTM

NOTES: TOPCODE=2; BOTTOMCODE=1.1

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: HEIGHM_P QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: HEIGHT: METERS - UCLA (PUF RECODE)

MEAN STATISTICS

N	51048
MIN	1
MAX	2
MEAN	1.68

UNIVERSE: ALL ADULTS

INPUT VAR: HEIGHTM

NOTES: TOPCODE=2; BOTTOMCODE=1.1

VARNAME: WGHTK_P QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: WEIGHT: KG (PUF RECODE)

MEAN STATISTICS

N	51048
MIN	41
MAX	150
MEAN	76.00

UNIVERSE: ALL ADULTS

INPUT VAR: WGHTK

NOTES: TOPCODE=150; BOTTOMCODE=41

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: WGHTP_P QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: WEIGHT: LBS (PUF RECODE)

MEAN STATISTICS

N	51048
MIN	90
MAX	330
MEAN	167.55

UNIVERSE: ALL ADULTS

INPUT VAR: WGHTP

NOTES: TOPCODE=330; BOTTOMCODE=90

VARNAME: WEIGHK_P QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: WEIGHT: KG - UCLA (PUF RECODE)

MEAN STATISTICS

N	51048
MIN	41
MAX	150
MEAN	76.00

UNIVERSE: ALL ADULTS

INPUT VAR: WEIGHTKG

NOTES: TOPCODE=150; BOTTOMCODE=41

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: BMI_P QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: BODY MASS INDEX (PUF RECODE)

MEAN STATISTICS

N	51048
MIN	12
MAX	91
MEAN	26.74

UNIVERSE: ALL ADULTS

INPUT VAR: WEIGHK_P, HEIGHM_P

NOTES:

VARNAME: RBMI QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: BMI DESCRIPTIVE

VALUE:		FREQ	%
1	UNDERWEIGHT 0-18.49	1082	2.12
2	NORMAL 18.5-24.99	21138	41.41
3	OVERWEIGHT 25.0-29.99	17560	34.40
4	OBESE 30.0+	11268	22.07

UNIVERSE: ALL ADULTS

INPUT VAR: BMI

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: OVRWT QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: OVERWEIGHT OR OBESE

VALUE:			FREQ	%
1	YES		28828	56.47
2	NO		22220	43.53

UNIVERSE: ALL ADULTS

INPUT VAR: RBMI

NOTES:

VARNAME: WT18K_P QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: WEIGHT AT 18: KILOS (PUF RECODE)

MEAN STATISTICS

N	48665
MIN	41
MAX	150
MEAN	62.40

UNIVERSE: ADULTS 19 AND OLDER

INPUT VAR: WT18K

NOTES: TOPCODE=150; BOTTOMCODE=41

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: WT18P_P QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: WEIGHT AT 18: LBS (PUF RECODE)

MEAN STATISTICS

N	48665
MIN	90
MAX	330
MEAN	137.51

UNIVERSE: ADULTS 19 AND OLDER

INPUT VAR: WT18P

NOTES: TOPCODE=330; BOTTOMCODE=90

VARNAME: AD50 QNAME07: QA07_D4 QPAGENUM: A-31

QNAME05: QA05_D8 QNAME03: NA

LABEL: BLIND/DEAF OR HAS SEVERE VISION/HEARING PROBLEM

VALUE:		FREQ	%
1	YES	4736	9.28
2	NO	46312	90.72

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AD57 QNAME07: QA07_D6 QPAGENUM: A-31

QNAME05: QA05_D10 QNAME03: NA

LABEL: CONDITION LIMITS BASIC PHYS ACTIVITY

VALUE:			FREQ	%
1	YES		11251	22.04
2	NO		39797	77.96

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AD51 QNAME07: QA07_D7 QPAGENUM: A-31

QNAME05: QA05_D11 QNAME03: NA

LABEL: HAS DIFFICULTY LEARNING, REMEMBERING, CONCENTRATING

VALUE:			FREQ	%
1	YES		7018	13.75
2	NO		44030	86.25

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AD52 QNAME07: QA07_D8 QPAGENUM: A-31

QNAME05: QA05_D12 QNAME03: NA

LABEL: HAS DIFFICULTY DRESSING, BATHING, GETTING AROUND

VALUE:			FREQ	%
1	YES		2609	5.11
2	NO		48439	94.89

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AD53 QNAME07: QA07_D9 QPAGENUM: A-31

QNAME05: QA05_D13 QNAME03: NA

LABEL: HAS DIFFICULTY GOING OUTSIDE HOME ALONE

VALUE:			FREQ	%
1	YES		3312	6.49
2	NO		47736	93.51

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AD54 QNAME07: QA07_D10 QPAGENUM: A-32

QNAME05: QA05_D14 QNAME03: NA

LABEL: HAS DIFFICULTY WORKING AT A JOB

VALUE:			FREQ	%
-1	INAPPLICABLE		14653	28.70
1	YES		3960	7.76
2	NO		32435	63.54

UNIVERSE: ADULTS UNDER AGE 65

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: DISABLE QNAME07: NA QPAGENUM: NA

 QNAME05: NA QNAME03: NA

LABEL: DISABILITY STATUS DUE TO PHYS/MENT/EMOT CONDITION

VALUE:			FREQ	%
1	DISABLED		17853	34.97
2	NOT DISABLED		33195	65.03

UNIVERSE: ALL ADULTS

INPUT VAR: SRAGE, AD50, AD51, AD52, AD53, AD54, AD57

NOTES: ADAPTED FROM AMERICAN COMMUNITY SURVEY FOR 65+, AD54 IS EXCLUDED

VARNAME: AD47 QNAME07: QA07_D17 QPAGENUM: A-34

 QNAME05: QA05_D21 QNAME03: QA03_94

LABEL: TESTED FOR STD IN PAST 12 MOS

VALUE:			FREQ	%
-2	PROXY SKIPPED		168	0.33
-1	INAPPLICABLE		19131	37.48
1	YES		5141	10.07
2	NO		26608	52.12

UNIVERSE: ADULTS 70 YEARS OR YOUNGER WHO HAVE HAD AT LEAST ONE SEXUAL
PARTNER IN LAST 12 MONTHS

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

```

-----
VARNAME:    AD58                      QNAME07:   QA07_D18          QPAGENUM:  A-34
                      QNAME05:   NA              QNAME03:   NA

LABEL:      TRIED MORE THAN A YEAR TO GET PREGNANT (MALE R)

VALUE:      -2      PROXY SKIPPED          FREQ      %
            -1      INAPPLICABLE          168      0.33
            1       YES                    41745    81.78
            2       NO                    728      1.43
            2       NO                    8407    16.47

UNIVERSE:   MEN 50 AND UNDER

INPUT VAR:

NOTES:
-----

```

Section E: Women's Health

```

-----
VARNAME:    AD1                      QNAME07:   QA07_E1          QPAGENUM:  A-35
                      QNAME05:   QA05_E1          QNAME03:   NA

LABEL:      AGE WHEN PERIOD STARTED

                      MEAN STATISTICS
                      N              30459
                      MIN             7
                      MAX            25
                      MEAN           12.78

UNIVERSE:   ALL ADULT WOMEN

INPUT VAR:

NOTES:      EXCLUDED VALUE "96" IN CALCULATING THE MEAN
-----

```

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AD13 QNAME07: QA07_E3 QPAGENUM: A-35
QNAME05: QA05_E7 QNAME03: QA03_125

LABEL: CURRENTLY PREGNANT

VALUE:			FREQ	%
-2	PROXY	SKIPPED	168	0.33
-1	INAPPLICABLE		41398	81.10
1	YES		316	0.62
2	NO		9166	17.96

UNIVERSE: WOMEN 45 OR YOUNGER

INPUT VAR:

NOTES:

VARNAME: AE86 QNAME07: QA07_E4 QPAGENUM: A-35
QNAME05: NA QNAME03: NA

LABEL: UNABLE TO GET PREGNANT AFTER 12 MOS TRY

VALUE:			FREQ	%
-2	PROXY	SKIPPED	168	0.33
-1	INAPPLICABLE		38297	75.02
1	YES		1671	3.27
2	NO		10912	21.38

UNIVERSE: WOMEN 50 OR YOUNGER

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AD12 QNAME07: QA07_E5 QPAGENUM: A-36
QNAME05: QA05_E5 QNAME03: QA03_128

LABEL: EVER HAD A HYSTERECTOMY

VALUE:			FREQ	%
-1	INAPPLICABLE		23288	45.62
1	YES		7559	14.81
2	NO		20201	39.57

UNIVERSE: WOMEN 30 AND OLDER WHO ARE NOT PREGNANT

INPUT VAR:

NOTES:

VARNAME: AD4 QNAME07: QA07_E6 QPAGENUM: A-36
QNAME05: QA05_E8 QNAME03: QA03_113

LABEL: EVER HAD A PAP SMEAR

VALUE:			FREQ	%
-1	INAPPLICABLE		20507	40.17
1	YES		29355	57.50
2	NO		1186	2.32

UNIVERSE: ADULT WOMEN

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AD5 QNAME07: QA07_E7 QPAGENUM: A-36

QNAME05: QA05_E9 QNAME03: NA

LABEL: # OF PAP SMEARS IN LAST 6 YRS

MEAN STATISTICS

N	29355
MIN	0
MAX	75
MEAN	4.15

UNIVERSE: WOMEN WHO HAVE HAD PAP TEST

INPUT VAR:

NOTES:

VARNAME: AD6 QNAME07: QA07_E8 QPAGENUM: A-36

QNAME05: QA05_E10 QNAME03: QA03_114

LABEL: HOW LONG SINCE MOST RECENT PAP SMEAR

VALUE:		FREQ	%
-1	INAPPLICABLE	24941	48.86
1	WITHIN THE PAST YEAR	17556	34.39
2	1 TO 2 YRS AGO	4786	9.38
3	2 TO 3 YRS AGO	1673	3.28
4	3 TO 5 YRS AGO	1367	2.68
5	MORE THAN 5 YRS AGO	725	1.42

UNIVERSE: WOMEN WHO HAVE HAD PAP TEST IN LAST 6 YEARS

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: PAP_SCRN QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: PAP SCREEN PAST 3 YRS

VALUE :			FREQ	%
-1	INAPPLICABLE, MALE		20507	40.17
1	WITHIN PAST 3 YRS		24015	47.04
2	OVER 3 YEARS AGO		5340	10.46
3	NEVER		1186	2.32

UNIVERSE: ALL ADULT WOMEN

```
INPUT VAR: SRSEX, AD4, AD5, AD6
```

NOTES :

VARNAME: AD10 QNAME07: QA07_E9 QPAGENUM: A-37

QNAME05: QA05_E14 QNAME03: NA

LABEL: MOST IMPORTANT REASON FOR NO PAP SMEAR IN PAST 3 YRS

VALUE:		FREQ	%
-2	PROXY SKIPPED	168	0.33
-1	INAPPLICABLE	44388	86.95
1	NO REASON/NEVER THOUGHT ABOUT IT	877	1.72
2	DIDN'T KNOW I NEEDED THIS TYPE OF TEST	264	0.52
3	DOCTOR DIDN'T TELL ME I NEEDED IT	958	1.88
4	HAVEN'T HAD ANY PROBLEMS	356	0.70
5	PUT IT OFF/LAZINESS	227	0.44
6	TOO EXPENSIVE/NO INSURANCE/COST	353	0.69
7	TOO PAINFUL, UNPLEASANT, OR EMBARRASSING	185	0.36
8	HYSTERECTOMY	1899	3.72
9	DON'T HAVE A DOCTOR	116	0.23
10	HAD HPV VACCINE	1	0.00
91	OTHER	1256	2.46

UNIVERSE: WOMEN WHO HAD PAP TEST MORE THAN 3 YRS AGO

INPUT VAR:

NOTES :

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AE71 QNAME07: QA07_E10 QPAGENUM: A-37

QNAME05: NA QNAME03: NA

LABEL: PAST 3 YRS, DR RECOMMEND PAP TEST

VALUE:		FREQ	%
-1	INAPPLICABLE	22406	43.89
1	YES	12259	24.01
2	NO	16383	32.09

UNIVERSE: WOMEN WHO HAVEN'T HAD HYSTERECTOMY

INPUT VAR:

NOTES:

VARNAME: AE79 QNAME07: QA07_E11 QPAGENUM: A-37

QNAME05: NA QNAME03: NA

LABEL: WHEN EXPECT TO HAVE NEXT PAP TEST

VALUE:		FREQ	%
-1	INAPPLICABLE	48981	95.95
1	A YEAR OR LESS FROM NOW	1633	3.20
2	1-3 YEARS FROM NOW	193	0.38
3	3-5 YEARS FROM NOW	17	0.03
4	MORE THAN 5 YEARS FROM NOW	14	0.03
5	WHEN DOCTOR RECOMMENDS IT	87	0.17
6	NEVER, HAD HPV DNA TEST	2	0.00
8	NEVER, OTHER REASON	121	0.24

UNIVERSE: WOMEN 27 OR YOUNGER WHO HAVEN'T HAD HSYTERECTOMY

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AD8 QNAME07: QA07_E12 QPAGENUM: A-38

QNAME05: NA QNAME03: NA

LABEL: EVER HAD ABNORMAL PAP TEST

VALUE:			FREQ	%
-1	INAPPLICABLE		23521	46.08
1	YES		6935	13.59
2	NO		20592	40.34

UNIVERSE: WOMEN WHO HAVEN'T HAD HYSTERECTOMY AND HAVE HAD PAP TEST

INPUT VAR:

NOTES:

VARNAME: AE72 QNAME07: QA07_E13 QPAGENUM: A-38

QNAME05: NA QNAME03: NA

LABEL: EVER HEARD OF HPV

VALUE:			FREQ	%
-2	PROXY SKIPPED		168	0.33
-1	INAPPLICABLE		29019	56.85
1	YES		17435	34.15
2	NO		4426	8.67

UNIVERSE: WOMEN 65 OR YOUNGER

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AE73_1 QNAME07: QA07_E14 QPAGENUM: A-38

QNAME05: NA QNAME03: NA

LABEL: HEARD ABOUT HPV: HEALTH CARE PROV/CLINIC

VALUE:			FREQ	%
-2	PROXY SKIPPED		168	0.33
-1	INAPPLICABLE		33445	65.52
1	YES		6405	12.55
2	NO		11030	21.61

UNIVERSE: WOMEN 65 OR YOUNGER WHO HAVE HEARD OF HPV

INPUT VAR:

NOTES:

VARNAME: AE73_2 QNAME07: QA07_E14 QPAGENUM: A-38

QNAME05: NA QNAME03: NA

LABEL: HEARD ABOUT HPV: FAMILY

VALUE:			FREQ	%
-2	PROXY SKIPPED		168	0.33
-1	INAPPLICABLE		33445	65.52
1	YES		1058	2.07
2	NO		16377	32.08

UNIVERSE: WOMEN 65 OR YOUNGER WHO HAVE HEARD OF HPV

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AE73_3 QNAME07: QA07_E14 QPAGENUM: A-38

QNAME05: NA QNAME03: NA

LABEL: HEARD ABOUT HPV: FRIENDS

VALUE:			FREQ	%
-2	PROXY SKIPPED		168	0.33
-1	INAPPLICABLE		33445	65.52
1	YES		1408	2.76
2	NO		16027	31.40

UNIVERSE: WOMEN 65 OR YOUNGER WHO HAVE HEARD OF HPV

INPUT VAR:

NOTES:

VARNAME: AE73_4 QNAME07: QA07_E14 QPAGENUM: A-38

QNAME05: NA QNAME03: NA

LABEL: HEARD ABOUT HPV: TV ADVERTISEMENT

VALUE:			FREQ	%
-2	PROXY SKIPPED		168	0.33
-1	INAPPLICABLE		33445	65.52
1	YES		8775	17.19
2	NO		8660	16.96

UNIVERSE: WOMEN 65 OR YOUNGER WHO HAVE HEARD OF HPV

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AE73_5 QNAME07: QA07_E14 QPAGENUM: A-38

QNAME05: NA QNAME03: NA

LABEL: HEARD ABOUT HPV: TV NEWS

VALUE:			FREQ	%
-2	PROXY SKIPPED		168	0.33
-1	INAPPLICABLE		33445	65.52
1	YES		3519	6.89
2	NO		13916	27.26

UNIVERSE: WOMEN 65 OR YOUNGER WHO HAVE HEARD OF HPV

INPUT VAR:

NOTES:

VARNAME: AE73_6 QNAME07: QA07_E14 QPAGENUM: A-38

QNAME05: NA QNAME03: NA

LABEL: HEARD ABOUT HPV: TV SHOW

VALUE:			FREQ	%
-2	PROXY SKIPPED		168	0.33
-1	INAPPLICABLE		33445	65.52
1	YES		1050	2.06
2	NO		16385	32.10

UNIVERSE: WOMEN 65 OR YOUNGER WHO HAVE HEARD OF HPV

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AE73_7 QNAME07: QA07_E14 QPAGENUM: A-38

QNAME05: NA QNAME03: NA

LABEL: HEARD ABOUT HPV: NEWSPAPER OR MAGAZINE

VALUE:			FREQ	%
-2	PROXY SKIPPED		168	0.33
-1	INAPPLICABLE		33445	65.52
1	YES		4600	9.01
2	NO		12835	25.14

UNIVERSE: WOMEN 65 OR YOUNGER WHO HAVE HEARD OF HPV

INPUT VAR:

NOTES:

VARNAME: AE73_8 QNAME07: QA07_E14 QPAGENUM: A-38

QNAME05: NA QNAME03: NA

LABEL: HEARD ABOUT HPV: INTERNET

VALUE:			FREQ	%
-2	PROXY SKIPPED		168	0.33
-1	INAPPLICABLE		33445	65.52
1	YES		923	1.81
2	NO		16512	32.35

UNIVERSE: WOMEN 65 OR YOUNGER WHO HAVE HEARD OF HPV

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AE73_9 QNAME07: QA07_E14 QPAGENUM: A-38

QNAME05: NA QNAME03: NA

LABEL: HEARD ABOUT HPV: SCHOOL

VALUE:			FREQ	%
-2	PROXY SKIPPED		168	0.33
-1	INAPPLICABLE		33445	65.52
1	YES		1445	2.83
2	NO		15990	31.32

UNIVERSE: WOMEN 65 OR YOUNGER WHO HAVE HEARD OF HPV

INPUT VAR:

NOTES:

VARNAME: AE73_10 QNAME07: QA07_E14 QPAGENUM: A-38

QNAME05: NA QNAME03: NA

LABEL: HEARD ABOUT HPV: OTHER

VALUE:			FREQ	%
-2	PROXY SKIPPED		168	0.33
-1	INAPPLICABLE		33445	65.52
1	YES		2286	4.48
2	NO		15149	29.68

UNIVERSE: WOMEN 65 OR YOUNGER WHO HAVE HEARD OF HPV

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AE73_A QNAME07: QA07_E14 QPAGENUM: A-38

QNAME05: NA QNAME03: NA

LABEL: WHERE HEARD ABOUT HPV: 1ST RESPONSE

VALUE:		FREQ	%
-2	PROXY SKIPPED	168	0.33
-1	INAPPLICABLE	33445	65.52
1	HEALTH CARE PROVIDER/CLINIC	4462	8.74
2	FAMILY	509	1.00
3	FRIENDS	544	1.07
4	TV ADVERTISEMENT	5404	10.59
5	TV NEWS	1778	3.48
6	TV SHOW	373	0.73
7	NEWSPAPER OR MAGAZINE	1956	3.83
8	INTERNET	259	0.51
9	SCHOOL	950	1.86
10	OTHER	1200	2.35

UNIVERSE: WOMEN 65 OR YOUNGER WHO HAVE HEARD OF HPV

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AE73_B QNAME07: QA07_E14 QPAGENUM: A-38

QNAME05: NA QNAME03: NA

LABEL: WHERE HEARD ABOUT HPV: 2ND RESPONSE

VALUE:		FREQ	%
-2	PROXY SKIPPED	168	0.33
-1	INAPPLICABLE	41608	81.51
1	HEALTH CARE PROVIDER/CLINIC	1408	2.76
2	FAMILY	334	0.65
3	FRIENDS	412	0.81
4	TV ADVERTISEMENT	2654	5.20
5	TV NEWS	1212	2.37
6	TV SHOW	261	0.51
7	NEWSPAPER OR MAGAZINE	1690	3.31
8	INTERNET	359	0.70
9	SCHOOL	311	0.61
10	OTHER	631	1.24

UNIVERSE: WOMEN 65 OR YOUNGER WHO HAVE HEARD OF HPV

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAM: AE73_C QNAME07: QA07_E14 QPAGENUM: A-38

QNAME05: NA QNAME03: NA

LABEL: WHERE HEARD ABOUT HPV: 3RD RESPONSE

VALUE:		FREQ	%
-2	PROXY SKIPPED	168	0.33
-1	INAPPLICABLE	47503	93.06
1	HEALTH CARE PROVIDER/CLINIC	405	0.79
2	FAMILY	131	0.26
3	FRIENDS	300	0.59
4	TV ADVERTISEMENT	572	1.12
5	TV NEWS	392	0.77
6	TV SHOW	246	0.48
7	NEWSPAPER OR MAGAZINE	708	1.39
8	INTERNET	187	0.37
9	SCHOOL	125	0.24
10	OTHER	311	0.61

UNIVERSE: WOMEN 65 OR YOUNGER WHO HAVE HEARD OF HPV

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AE73_D QNAME07: QA07_E14 QPAGENUM: A-38

QNAME05: NA QNAME03: NA

LABEL: WHERE HEARD ABOUT HPV: 4TH RESPONSE

VALUE:		FREQ	%
-2	PROXY SKIPPED	168	0.33
-1	INAPPLICABLE	49903	97.76
1	HEALTH CARE PROVIDER/CLINIC	105	0.21
2	FAMILY	55	0.11
3	FRIENDS	107	0.21
4	TV ADVERTISEMENT	121	0.24
5	TV NEWS	99	0.19
6	TV SHOW	107	0.21
7	NEWSPAPER OR MAGAZINE	173	0.34
8	INTERNET	73	0.14
9	SCHOOL	36	0.07
10	OTHER	101	0.20

UNIVERSE: WOMEN 65 OR YOUNGER WHO HAVE HEARD OF HPV

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AE73_E QNAME07: QA07_E14 QPAGENUM: A-38

QNAME05: NA QNAME03: NA

LABEL: WHERE HEARD ABOUT HPV: 5TH RESPONSE

VALUE:		FREQ	%
-2	PROXY SKIPPED	168	0.33
-1	INAPPLICABLE	50598	99.12
1	HEALTH CARE PROVIDER/CLINIC	17	0.03
2	FAMILY	24	0.05
3	FRIENDS	34	0.07
4	TV ADVERTISEMENT	20	0.04
5	TV NEWS	36	0.07
6	TV SHOW	39	0.08
7	NEWSPAPER OR MAGAZINE	47	0.09
8	INTERNET	18	0.04
9	SCHOOL	12	0.02
10	OTHER	35	0.07

UNIVERSE: WOMEN 65 OR YOUNGER WHO HAVE HEARD OF HPV

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAM: AE73_F QNAME07: QA07_E14 QPAGENUM: A-38

QNAME05: NA QNAME03: NA

LABEL: WHERE HEARD ABOUT HPV: 6TH RESPONSE

VALUE:			FREQ	%
-2	PROXY SKIPPED		168	0.33
-1	INAPPLICABLE		50804	99.52
1	HEALTH CARE PROVIDER/CLINIC		5	0.01
2	FAMILY		4	0.01
3	FRIENDS		8	0.02
4	TV ADVERTISEMENT		4	0.01
5	TV NEWS		2	0.00
6	TV SHOW		22	0.04
7	NEWSPAPER OR MAGAZINE		10	0.02
8	INTERNET		13	0.03
9	SCHOOL		3	0.01
10	OTHER		5	0.01

UNIVERSE: WOMEN 65 OR YOUNGER WHO HAVE HEARD OF HPV

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AE73_G QNAME07: QA07_E14 QPAGENUM: A-38

QNAME05: NA QNAME03: NA

LABEL: WHERE HEARD ABOUT HPV: 7TH RESPONSE

VALUE:			FREQ	%
-2	PROXY SKIPPED		168	0.33
-1	INAPPLICABLE		50846	99.60
1	HEALTH CARE PROVIDER/CLINIC		1	0.00
2	FAMILY		1	0.00
3	FRIENDS		2	0.00
6	TV SHOW		2	0.00
7	NEWSPAPER OR MAGAZINE		15	0.03
8	INTERNET		6	0.01
9	SCHOOL		5	0.01
10	OTHER		2	0.00

UNIVERSE: WOMEN 65 OR YOUNGER WHO HAVE HEARD OF HPV

INPUT VAR:

NOTES:

VARNAME: AE73_H QNAME07: QA07_E14 QPAGENUM: A-38

QNAME05: NA QNAME03: NA

LABEL: WHERE HEARD ABOUT HPV: 8TH RESPONSE

VALUE:			FREQ	%
-2	PROXY SKIPPED		168	0.33
-1	INAPPLICABLE		50864	99.64
1	HEALTH CARE PROVIDER/CLINIC		2	0.00
3	FRIENDS		1	0.00
7	NEWSPAPER OR MAGAZINE		1	0.00
8	INTERNET		8	0.02
9	SCHOOL		3	0.01
10	OTHER		1	0.00

UNIVERSE: WOMEN 65 OR YOUNGER WHO HAVE HEARD OF HPV

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AE74 QNAME07: QA07_E15A QPAGENUM: A-38

QNAME05: NA QNAME03: NA

LABEL: THINK HPV CAN CAUSE CERVICAL CANCER

VALUE:			FREQ	%
-9	NOT ASCERTAINED		113	0.22
-8	DON'T KNOW		3973	7.78
-7	REFUSED		68	0.13
-2	PROXY SKIPPED		168	0.33
-1	INAPPLICABLE		33445	65.52
1	YES		12747	24.97
2	NO		534	1.05

UNIVERSE: WOMEN 65 OR YOUNGER WHO HAVE HEARD OF HPV

INPUT VAR:

NOTES:

VARNAME: AE75 QNAME07: QA07_E15B QPAGENUM: A-39

QNAME05: NA QNAME03: NA

LABEL: THINK CAN GET HPV BY SEXUAL CONTACT

VALUE:			FREQ	%
-9	NOT ASCERTAINED		113	0.22
-8	DON'T KNOW		3930	7.70
-7	REFUSED		71	0.14
-2	PROXY SKIPPED		168	0.33
-1	INAPPLICABLE		33445	65.52
1	YES		11244	22.03
2	NO		2077	4.07

UNIVERSE: WOMEN 65 OR YOUNGER WHO HAVE HEARD OF HPV

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AE76 QNAME07: QA07_E15C QPAGENUM: A-39

QNAME05: NA QNAME03: NA

LABEL: THINK HPV CAUSES AIDS

VALUE:			FREQ	%
-9	NOT ASCERTAINED		113	0.22
-8	DON'T KNOW		3399	6.66
-7	REFUSED		80	0.16
-2	PROXY SKIPPED		168	0.33
-1	INAPPLICABLE		33445	65.52
1	YES		620	1.21
2	NO		13223	25.90

UNIVERSE: WOMEN 65 OR YOUNGER WHO HAVE HEARD OF HPV

INPUT VAR:

NOTES:

VARNAME: AE87 QNAME07: QA07_E15D QPAGENUM: A-39

QNAME05: NA QNAME03: NA

LABEL: THINKS HPV CAN GO AWAY ON OWN

VALUE:			FREQ	%
-9	NOT ASCERTAINED		113	0.22
-8	DON'T KNOW		2788	5.46
-7	REFUSED		66	0.13
-2	PROXY SKIPPED		168	0.33
-1	INAPPLICABLE		33445	65.52
1	YES		1401	2.74
2	NO		13067	25.60

UNIVERSE: WOMEN 65 OR YOUNGER WHO HAVE HEARD OF HPV

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AE77 QNAME07: QA07_E16 QPAGENUM: A-39

QNAME05: NA QNAME03: NA

LABEL: HEARD OF VACCINE TO PREVENT CERVICAL CAN

VALUE:			FREQ	%
-2	PROXY	SKIPPED	168	0.33
-1	INAPPLICABLE		48812	95.62
1	YES		1484	2.91
2	NO		584	1.14

UNIVERSE: WOMEN 27 OR YOUNGER

INPUT VAR:

NOTES:

VARNAME: AE78 QNAME07: QA07_E17 QPAGENUM: A-39

QNAME05: NA QNAME03: NA

LABEL: EVER RECEIVED HPV VACCINE

VALUE:			FREQ	%
-2	PROXY	SKIPPED	168	0.33
-1	INAPPLICABLE		49396	96.76
1	YES		190	0.37
2	NO		1294	2.53

UNIVERSE: WOMEN 27 OR YOUNGER WHO HAVE HEARD OF HPV VACCINE

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AE88 QNAME07: QA07_E17A QPAGENUM: A-39

QNAME05: NA QNAME03: NA

LABEL: RECEIVE ALL 3 DOSES OF HPV VACCINE

VALUE:			FREQ	%
-2	PROXY SKIPPED		168	0.33
-1	INAPPLICABLE		50690	99.30
1	YES		61	0.12
2	NO		129	0.25

UNIVERSE: WOMEN 27 OR YOUNGER WHO HAVE RECEIVED HPV VACCINE

INPUT VAR:

NOTES:

VARNAME: AE80 QNAME07: QA07_E18 QPAGENUM: A-40

QNAME05: NA QNAME03: NA

LABEL: INTERESTED IN GETTING HPV VACCINE

VALUE:			FREQ	%
-2	PROXY SKIPPED		168	0.33
-1	INAPPLICABLE		49002	95.99
1	YES		1073	2.10
2	NO		805	1.58

UNIVERSE: WOMEN 27 OR YOUNGER WHO DID NOT RECEIVE HPV VACCINE OR NEVER HEARD OF HPV VACCINE

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AE81_P QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: MAIN REASON NOT WANT HPV VACCINE (PUF RECODE)

VALUE:			FREQ	%
-2	PROXY SKIPPED		168	0.33
-1	INAPPLICABLE		50075	98.09
1	DOES NOT NEED VACCINE		90	0.18
2	NOT SEXUALLY ACTIVE		59	0.12
3	TOO EXPENSIVE		8	0.02
4	TOO OLD FOR VACCINE		18	0.04
5	DOCTOR DIDN'T RECOMMEND IT		35	0.07
6	WORRIED ABOUT SAFETY OF VACCINE		74	0.14
7	DON'T KNOW ENOUGH ABOUT VACCINE		237	0.46
8	OTHER		284	0.56

UNIVERSE: WOMEN 27 AND YOUNGER NOT INTERESTED IN GETTING HPV VACCINE

INPUT VAR: AE81

NOTES:

VARNAME: AE82 QNAME07: QA07_E20 QPAGENUM: A-40

QNAME05: NA QNAME03: NA

LABEL: WOULD PAY \$360 FOR HPV VACCINE

VALUE:			FREQ	%
-2	PROXY SKIPPED		168	0.33
-1	INAPPLICABLE		49807	97.57
1	YES		432	0.85
2	NO		641	1.26

UNIVERSE: WOMEN 27 OR YOUNGER INTERESTED IN RECEIVING HPV VACCINE

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AE83 QNAME07: QA07_E21 QPAGENUM: A-40

QNAME05: NA QNAME03: NA

LABEL: WOULD GET HPV VACCINE IF FREE/CHEAPER

VALUE:			FREQ	%
-2	PROXY SKIPPED		168	0.33
-1	INAPPLICABLE		50231	98.40
1	YES		642	1.26
2	NO		7	0.01

UNIVERSE: WOMEN 27 AND YOUNGER NOT INTERESTED IN RECEIVING HPV VACCINE FOR \$360

INPUT VAR:

NOTES:

VARNAME: AE85 QNAME07: QA07_E22 QPAGENUM: A-41

QNAME05: NA QNAME03: NA

LABEL: THINK CAN GET EMERG CONTR OVER COUNTER W/NO DOCT

VALUE:			FREQ	%
-9	NOT ASCERTAINED		3	0.01
-8	DON'T KNOW		2067	4.05
-7	REFUSED		68	0.13
-2	PROXY SKIPPED		168	0.33
-1	INAPPLICABLE		41398	81.10
1	YES		2327	4.56
2	NO		5017	9.83

UNIVERSE: WOMEN 45 OR YOUNGER

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AD14 QNAME07: QA07_E24 QPAGENUM: A-41
QNAME05: QA05_E16 QNAME03: QA03_115

LABEL: EVER HAD A MAMMOGRAM

VALUE:			FREQ	%
-1	INAPPLICABLE		23118	45.29
1	YES		23721	46.47
2	NO		4209	8.25

UNIVERSE: WOMEN 30 OR OLDER

INPUT VAR:

NOTES:

VARNAME: AD16 QNAME07: QA07_E25 QPAGENUM: A-41
QNAME05: QA05_E17 QNAME03: NA

LABEL: # OF MAMMOGRAMS IN LAST 6 YRS

MEAN STATISTICS	
N	23721
MIN	0
MAX	67
MEAN	4.20

UNIVERSE: WOMEN 30 OR OLDER WHO HAVE HAD A MAMMOGRAM

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AD17 QNAME07: QA07_E26 QPAGENUM: A-42
QNAME05: QA05_E18 QNAME03: QA03_116

LABEL: HOW LONG SINCE MOST RECENT MAMMOGRAM

VALUE:		FREQ	%
-1	INAPPLICABLE	28434	55.70
1	WITHIN THE PAST YEAR	16036	31.41
2	1 TO 2 YRS AGO	3688	7.22
3	2 TO 3 YRS AGO	1255	2.46
4	3 TO 5 YRS AGO	1035	2.03
5	MORE THAN 5 YRS AGO	600	1.18

UNIVERSE: WOMEN 30 AND OLDER WHO HAD MAMMOGRAM WITHIN 6 YRS

INPUT VAR:

NOTES:

VARNAME: AD26 QNAME07: QA07_E27 QPAGENUM: A-42
QNAME05: QA05_E28 QNAME03: NA

LABEL: DOCTOR RECOMMENDED MAMMOGRAM IN PAST TWO YRS

VALUE:		FREQ	%
-1	INAPPLICABLE	23118	45.29
1	YES	15299	29.97
2	NO	12631	24.74

UNIVERSE: WOMEN 30 AND OLDER

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: MAM_SCRN QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: MAMMOGRAM IN PAST 2 YRS

VALUE:			FREQ	%
-1	SKIP, MALE OR FEMALE AGE<30		23118	45.29
1	WITHIN PAST 2 YRS		19724	38.64
2	OVER 2 YEARS AGO		3997	7.83
3	NEVER		4209	8.25

UNIVERSE: ADULT WOMEN 30 AND OLDER

INPUT VAR: AD14, AD17, AD16

NOTES:

VARNAME: AD28 QNAME07: QA07_E28 QPAGENUM: A-42

QNAME05: QA05_E30 QNAME03: QA03_131

LABEL: CURRENTLY TAKING HORMONE REPLACEMENT SUPPLEMENTS FOR MENOPAUSE

VALUE:			FREQ	%
-1	INAPPLICABLE		27007	52.91
1	YES		2815	5.51
2	NO		21226	41.58

UNIVERSE: WOMEN 40 OR OLDER WHO ARE NOT PREGNANT

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AE84 QNAME07: QA07_E29 QPAGENUM: A-42

QNAME05: NA QNAME03: NA

LABEL: # YRS TAKEN HRT

VALUE:		FREQ	%
-1	INAPPLICABLE	48233	94.49
1	A YEAR OR LESS	229	0.45
2	MORE THAN 1 UP TO 2 YEARS	182	0.36
3	MORE THAN 2 UP TO 4 YEARS	236	0.46
4	MORE THAN 4 UP TO 8 YEARS	438	0.86
5	MORE THAN 8 YEARS	1730	3.39

UNIVERSE: WOMEN 40 OR OLDER WHO ARE NOT PREGNANT AND TAKING HRT

INPUT VAR:

NOTES:
-----**Section F: Mental Health**

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ29	QNAME07: QA07_F1	QPAGENUM: A-43
---------------	------------------	----------------

QNAME05: QA05_J10	QNAME03: NA
-------------------	-------------

LABEL: FEEL NERVOUS PAST 30 DAYS

VALUE:		FREQ	%
-2	PROXY SKIPPED	168	0.33
1	ALL OF THE TIME	816	1.60
2	MOST OF THE TIME	2022	3.96
3	SOME OF THE TIME	8574	16.80
4	A LITTLE OF THE TIME	18070	35.40
5	NOT AT ALL	21398	41.92

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AJ30	QNAME07: QA07_F2	QPAGENUM: A-43
---------------	------------------	----------------

QNAME05: QA05_J11	QNAME03: NA
-------------------	-------------

LABEL: FEEL HOPELESS PAST 30 DAYS

VALUE:		FREQ	%
-2	PROXY SKIPPED	168	0.33
1	ALL OF THE TIME	387	0.76
2	MOST OF THE TIME	888	1.74
3	SOME OF THE TIME	3813	7.47
4	A LITTLE OF THE TIME	7660	15.01
5	NOT AT ALL	38132	74.70

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ31 QNAME07: QA07_F3 QPAGENUM: A-43

QNAME05: QA05_J12 QNAME03: NA

LABEL: FEEL RESTLESS PAST 30 DAYS

VALUE:			FREQ	%
-2	PROXY SKIPPED		168	0.33
1	ALL OF THE TIME		1242	2.43
2	MOST OF THE TIME		1801	3.53
3	SOME OF THE TIME		9171	17.97
4	A LITTLE OF THE TIME		14511	28.43
5	NOT AT ALL		24155	47.32

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AJ32 QNAME07: QA07_F4 QPAGENUM: A-43

QNAME05: QA05_J13 QNAME03: NA

LABEL: FEEL DEPRESSED PAST 30 DAYS

VALUE:			FREQ	%
-2	PROXY SKIPPED		168	0.33
1	ALL OF THE TIME		354	0.69
2	MOST OF THE TIME		843	1.65
3	SOME OF THE TIME		3050	5.97
4	A LITTLE OF THE TIME		5710	11.19
5	NOT AT ALL		40923	80.17

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ33 QNAME07: QA07_F5 QPAGENUM: A-44

QNAME05: QA05_J14 QNAME03: NA

LABEL: FEEL EVERYTHING AN EFFORT PAST 30 DAYS

VALUE:			FREQ	%
-2	PROXY SKIPPED		168	0.33
1	ALL OF THE TIME		1757	3.44
2	MOST OF THE TIME		2316	4.54
3	SOME OF THE TIME		7013	13.74
4	A LITTLE OF THE TIME		10906	21.36
5	NOT AT ALL		28888	56.59

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AJ34 QNAME07: QA07_F6 QPAGENUM: A-44

QNAME05: QA05_J15 QNAME03: NA

LABEL: FEEL WORTHLESS PAST 30 DAYS

VALUE:			FREQ	%
-2	PROXY SKIPPED		168	0.33
1	ALL OF THE TIME		440	0.86
2	MOST OF THE TIME		707	1.38
3	SOME OF THE TIME		2440	4.78
4	A LITTLE OF THE TIME		4322	8.47
5	NOT AT ALL		42971	84.18

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: DISTRESS QNAME07: NA QPAGENUM: NA

 QNAME05: NA QNAME03: NA

LABEL: SERIOUS PSYCHOLOGICAL DISTRESS

MEAN STATISTICS

N	50880
MIN	0
MAX	24
MEAN	3.44

UNIVERSE: ALL ADULTS

INPUT VAR: AJ29, AJ30, AJ31, AJ32, AJ33, AJ34

NOTES: BASED ON KESSLER (K6) SCALE; PREVALENCE CALC USING UNADJUSTED DATA

VARNAME: DSTRS30 QNAME07: NA QPAGENUM: NA

 QNAME05: NA QNAME03: NA

LABEL: EXPERIENCED SERIOUS PSYCHOLOGICAL DISTRESS IN THE PAST MONTH

VALUE:		FREQ	%
-2	PROXY SKIPPED	168	0.33
1	YES	1876	3.67
2	NO	49004	96.00

UNIVERSE: ALL ADULTS

INPUT VAR: DISTRESS

NOTES: BASED on DISTRESS>=13

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AF62 QNAME07: QA07_F7 QPAGENUM: A-44

QNAME05: NA QNAME03: NA

LABEL: ANY MONTH PAST 12 MONTHS FELT WORSE

VALUE:			FREQ	%
-2	PROXY	SKIPPED	168	0.33
1	YES		10717	20.99
2	NO		40163	78.68

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AF63 QNAME07: QA07_F8 QPAGENUM: A-44

QNAME05: NA QNAME03: NA

LABEL: FEEL NERVOUS WORST MONTH

VALUE:			FREQ	%
-2	PROXY	SKIPPED	168	0.33
-1	INAPPLICABLE		40163	78.68
1	ALL OF THE TIME		1253	2.45
2	MOST OF THE TIME		2368	4.64
3	SOME OF THE TIME		3458	6.77
4	A LITTLE OF THE TIME		2230	4.37
5	NOT AT ALL		1408	2.76

UNIVERSE: ADULTS WHO FELT WORSE EMOTIONALLY MORE OFTEN IN ANY OF THE
PREVIOUS 12 MOS COMPARED TO CURRENT MO

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AF64 QNAME07: QA07_F9 QPAGENUM: A-45

QNAME05: NA QNAME03: NA

LABEL: FEEL HOPELESS WORST MONTH

VALUE:			FREQ	%
-2	PROXY SKIPPED		168	0.33
-1	INAPPLICABLE		40163	78.68
1	ALL OF THE TIME		773	1.51
2	MOST OF THE TIME		1605	3.14
3	SOME OF THE TIME		2836	5.56
4	A LITTLE OF THE TIME		2556	5.01
5	NOT AT ALL		2947	5.77

UNIVERSE: ADULTS WHO FELT WORSE EMOTIONALLY MORE OFTEN IN ANY OF THE
PREVIOUS 12 MOS COMPARED TO CURRENT MO

INPUT VAR:

NOTES:

VARNAME: AF65 QNAME07: QA07_F10 QPAGENUM: A-45

QNAME05: NA QNAME03: NA

LABEL: FEEL RESTLESS WORST MONTH

VALUE:			FREQ	%
-2	PROXY SKIPPED		168	0.33
-1	INAPPLICABLE		40163	78.68
1	ALL OF THE TIME		1020	2.00
2	MOST OF THE TIME		1814	3.55
3	SOME OF THE TIME		3565	6.98
4	A LITTLE OF THE TIME		2439	4.78
5	NOT AT ALL		1879	3.68

UNIVERSE: ADULTS WHO FELT WORSE EMOTIONALLY MORE OFTEN IN ANY OF THE
PREVIOUS 12 MOS COMPARED TO CURRENT MO

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AF66 QNAME07: QA07_F11 QPAGENUM: A-45

QNAME05: NA QNAME03: NA

LABEL: FEEL DEPRESSED WORST MONTH

VALUE:			FREQ	%
-2	PROXY SKIPPED		168	0.33
-1	INAPPLICABLE		40163	78.68
1	ALL OF THE TIME		732	1.43
2	MOST OF THE TIME		1506	2.95
3	SOME OF THE TIME		2448	4.80
4	A LITTLE OF THE TIME		2337	4.58
5	NOT AT ALL		3694	7.24

UNIVERSE: ADULTS WHO FELT WORSE EMOTIONALLY MORE OFTEN IN ANY OF THE
PREVIOUS 12 MOS COMPARED TO CURRENT MO

INPUT VAR:

NOTES:

VARNAME: AF67 QNAME07: QA07_F12 QPAGENUM: A-45

QNAME05: NA QNAME03: NA

LABEL: FEEL EVERYTHING AN EFFORT WORST MONTH

VALUE:			FREQ	%
-2	PROXY SKIPPED		168	0.33
-1	INAPPLICABLE		40163	78.68
1	ALL OF THE TIME		1408	2.76
2	MOST OF THE TIME		2261	4.43
3	SOME OF THE TIME		3140	6.15
4	A LITTLE OF THE TIME		2218	4.34
5	NOT AT ALL		1690	3.31

UNIVERSE: ADULTS WHO FELT WORSE EMOTIONALLY MORE OFTEN IN ANY OF THE
PREVIOUS 12 MOS COMPARED TO CURRENT MO

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AF68 QNAME07: QA07_F13 QPAGENUM: A-46

QNAME05: NA QNAME03: NA

LABEL: FEEL WORTHLESS WORST MONTH

VALUE:		FREQ	%
-2	PROXY SKIPPED	168	0.33
-1	INAPPLICABLE	40163	78.68
1	ALL OF THE TIME	605	1.19
2	MOST OF THE TIME	1047	2.05
3	SOME OF THE TIME	1981	3.88
4	A LITTLE OF THE TIME	1925	3.77
5	NOT AT ALL	5159	10.11

UNIVERSE: ADULTS WHO FELT WORSE EMOTIONALLY MORE OFTEN IN ANY OF THE
PREVIOUS 12 MOS COMPARED TO CURRENT MO

INPUT VAR:

NOTES:

VARNAME: DSTRSYR QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: SERIOUS PSYCHOLOGICAL DISTRESS FOR WORST MONTH PAST YR (K6 SCORE)

MEAN STATISTICS	
N	50880
MIN	0
MAX	24
MEAN	4.27

UNIVERSE: ALL ADULTS

INPUT VAR: DISTRESS, AF63, AF64, AF65, AF66, AF67, AF68

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: DSTRS12 QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: EXPERIENCED SERIOUS PSYCHOLOGICAL DISTRESS IN PAST YEAR

VALUE:			FREQ	%
-2	PROXY	SKIPPED	168	0.33
1	YES		4010	7.86
2	NO		46870	91.82

UNIVERSE: ALL ADULTS

INPUT VAR: DSTRSYR

NOTES: BASED ON DSTRSYR>=13

VARNAME: AF69 QNAME07: QA07_F14 QPAGENUM: A-46

QNAME05: NA QNAME03: NA

LABEL: EMOTIONS INTERFERE W/WORK WORST MONTH

VALUE:			FREQ	%
-2	PROXY	SKIPPED	168	0.33
-1	INAPPLICABLE		38498	75.42
1	A LOT		1943	3.81
2	SOME		4360	8.54
3	NOT AT ALL		2970	5.82
4	DOES NOT WORK		3109	6.09

UNIVERSE: ADULT 70 OR YOUNGER WHO EXPERIENCED MODERATE PSYCHOLOGICAL
DISTRESS IN THE PAST 12 MONTHS

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: WORK QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: WORK IMPAIRMENT PAST 12 MONTHS

VALUE:			FREQ	%
-2	PROXY	SKIPPED	168	0.33
-1	INAPPLICABLE		41607	81.51
0	NONE		2970	5.82
1	MODERATE		4360	8.54
2	SEVERE		1943	3.81

UNIVERSE: ADULT 70 OR YOUNGER WHO EXPERIENCED MODERATE PSYCHOLOGICAL DISTRESS IN THE PAST 12 MONTHS

INPUT VAR: AF69

NOTES:

VARNAME: AF70 QNAME07: QA07_F15 QPAGENUM: A-46

QNAME05: NA QNAME03: NA

LABEL: EMOTIONS INTERFERE W/CHORES WORST MONTH

VALUE:			FREQ	%
-2	PROXY	SKIPPED	168	0.33
-1	INAPPLICABLE		36869	72.22
1	A LOT		3830	7.50
2	SOME		6358	12.45
3	NOT AT ALL		3823	7.49

UNIVERSE: ADULT WHO EXPERIENCED MODERATE PSYCHOLOGICAL DISTRESS IN THE PAST 12 MONTHS

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: CHORES QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: CHORE IMPAIRMENT PAST 12 MONTHS

VALUE:			FREQ	%
-2	PROXY SKIPPED		168	0.33
-1	INAPPLICABLE		36869	72.22
0	NONE		3823	7.49
1	MODERATE		6358	12.45
2	SEVERE		3830	7.50

UNIVERSE: ADULT WHO EXPERIENCED MODERATE PSYCHOLOGICAL DISTRESS IN THE PAST 12 MONTHS

INPUT VAR: AF70

NOTES:

VARNAME: AF71 QNAME07: QA07_F16 QPAGENUM: A-47

QNAME05: NA QNAME03: NA

LABEL: EMOTIONS INTERFERE W/SOCIAL LIFE WORST MONTH

VALUE:			FREQ	%
-2	PROXY SKIPPED		168	0.33
-1	INAPPLICABLE		36869	72.22
1	A LOT		4148	8.13
2	SOME		6198	12.14
3	NOT AT ALL		3665	7.18

UNIVERSE: ADULT WHO EXPERIENCED MODERATE PSYCHOLOGICAL DISTRESS IN THE PAST 12 MONTHS

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: SOCIAL QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: SOCIAL LIFE IMPAIRMENT PAST 12 MONTHS

VALUE:			FREQ	%
-2	PROXY SKIPPED		168	0.33
-1	INAPPLICABLE		36869	72.22
0	NONE		3665	7.18
1	MODERATE		6198	12.14
2	SEVERE		4148	8.13

UNIVERSE: ADULT WHO EXPERIENCED MODERATE PSYCHOLOGICAL DISTRESS IN THE PAST 12 MONTHS

INPUT VAR: AF71

NOTES:

VARNAME: AF72 QNAME07: QA07_F17 QPAGENUM: A-47

QNAME05: NA QNAME03: NA

LABEL: EMOTIONS INTERFERE W/RELATIONSHIPS WORST MONTH

VALUE:			FREQ	%
-2	PROXY SKIPPED		168	0.33
-1	INAPPLICABLE		36869	72.22
1	A LOT		3234	6.34
2	SOME		7014	13.74
3	NOT AT ALL		3763	7.37

UNIVERSE: ADULT WHO EXPERIENCED MODERATE PSYCHOLOGICAL DISTRESS IN THE PAST 12 MONTHS

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: FAMILY QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: FAMILY LIFE IMPAIRMENT PAST 12 MONTHS

VALUE:			FREQ	%
-2	PROXY SKIPPED		168	0.33
-1	INAPPLICABLE		36869	72.22
0	NONE		3763	7.37
1	MODERATE		7014	13.74
2	SEVERE		3234	6.34

UNIVERSE: ADULT WHO EXPERIENCED MODERATE PSYCHOLOGICAL DISTRESS IN THE PAST 12 MONTHS

INPUT VAR: AF72

NOTES:

VARNAME: IMPAIR QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: FUNCTIONAL ROLE IMPAIRMENT DUE TO EMOTIONS PAST 12 MONTHS

MEAN STATISTICS	
N	14011
MIN	0
MAX	2
MEAN	0.98

UNIVERSE: ADULT WHO EXPERIENCED MODERATE PSYCHOLOGICAL DISTRESS IN THE PAST 12 MONTHS

INPUT VAR: AF69, AF70, AF71, AF72

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

Section G: Demographic Information, Part II

VARNAME: AH33NEW QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: BORN IN U.S.

VALUE:			FREQ	%
1	BORN IN U.S.		39973	78.30
2	BORN OUTSIDE U.S.		11075	21.70

UNIVERSE: ALL ADULTS

INPUT VAR: AH33

NOTES:

VARNAME: CNTRY5 QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: COUNTRY BORN

VALUE:			FREQ	%
1	UNITED STATES		39973	78.30
2	MEXICO		3708	7.26
3	CENTRAL AMERICA		723	1.42
4	OTHER LATIN AMERICA		448	0.88
5	ASIA & PACIFIC ISLANDS		4044	7.92
6	EUROPE		1468	2.88
7	OTHER		684	1.34

UNIVERSE: ALL ADULTS

INPUT VAR: AH33

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH34NEW QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: MOTHER BORN IN U.S.

VALUE:			FREQ	%
-1	INAPPLICABLE		11162	21.87
1	BORN IN U.S.		34606	67.79
2	BORN OUTSIDE U.S.		5280	10.34

UNIVERSE: ADULTS WHO WERE BORN IN THE UNITED STATES

INPUT VAR: AH34

NOTES:

VARNAME: CNTRYM QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: COUNTRY MOTHER BORN

VALUE:			FREQ	%
-1	INAPPLICABLE		11162	21.87
1	UNITED STATES		34606	67.79
2	MEXICO		1579	3.09
3	CENTRAL AMERICA		164	0.32
4	OTHER LATIN AMERICA		130	0.25
5	ASIA & PACIFIC ISLANDS		1005	1.97
6	EUROPE		1921	3.76
7	OTHER		481	0.94

UNIVERSE: ADULTS WHO WERE BORN IN US

INPUT VAR: AH34

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH35NEW QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: FATHER BORN IN U.S.

VALUE:			FREQ	%
-1	INAPPLICABLE		11162	21.87
1	BORN IN U.S.		34006	66.62
2	BORN OUTSIDE U.S.		5880	11.52

UNIVERSE: ADULTS WHO WERE BORN IN THE UNITED STATES

INPUT VAR: AH35

NOTES:

VARNAME: CNTRYF QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: COUNTRY FATHER BORN

VALUE:			FREQ	%
-1	INAPPLICABLE		11162	21.87
1	UNITED STATES		34006	66.62
2	MEXICO		1745	3.42
3	CENTRAL AMERICA		132	0.26
4	OTHER LATIN AMERICA		145	0.28
5	ASIA & PACIFIC ISLANDS		1133	2.22
6	EUROPE		2306	4.52
7	OTHER		419	0.82

UNIVERSE: ADULTS WHO WERE BORN IN US

INPUT VAR: AH35

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: LANGHOME QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: LANGUAGE SPOKEN AT HOME

VALUE :		FREQ	%
1	ENGLISH	37647	73.75
2	SPANISH	2006	3.93
3	CHINESE	426	0.83
4	VIETNAMESE	215	0.42
5	KOREAN	381	0.75
6	OTHER ASIAN LANGUAGE (1 ONLY)	126	0.25
7	OTHER NON-ASIAN LANGUAGE (1 ONLY)	131	0.26
8	ENGLISH & SPANISH	5459	10.69
9	ENGLISH & CHINESE	563	1.10
10	ENGLISH & EUROPEAN LANGUAGE	1094	2.14
11	ENGLISH & ANOTHER ASIAN LANGUAGE	1234	2.42
12	ENGLISH & ONE OTHER LANGUAGE	669	1.31
13	OTHER LANGUAGES (2+)	1097	2.15

UNIVERSE: ALL ADULTS

INPUT VAR: AH36_1-AH36_23

NOTES :

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AG20 QNAME07: QA07_G5A QPAGENUM: A-54

QNAME05: NA QNAME03: NA

LABEL: LANGUAGE SPEAK WITH FRIENDS

VALUE:			FREQ	%
-1	INAPPLICABLE		37648	73.75
1	ONLY ENGLISH		3912	7.66
2	BOTH ENGLISH AND OTHER LANGUAGE(S)		5557	10.89
3	ONLY OTHER LANGUAGE(S)		3931	7.70

UNIVERSE: ADULTS WHO WERE NOT INTERVIEWD IN ENGLISH OR SPEAK LANG OTHER THAN ENGLISH AT HOME

INPUT VAR:

NOTES:

VARNAME: AG21 QNAME07: QA07_G5B QPAGENUM: A-54

QNAME05: NA QNAME03: NA

LABEL: LANGUAGE OF TV, RADIO, NEWSPAPERS

VALUE:			FREQ	%
-1	INAPPLICABLE		37648	73.75
1	ONLY ENGLISH		5911	11.58
2	BOTH ENGLISH AND OTHER LANGUAGE(S)		4958	9.71
3	ONLY OTHER LANGUAGE(S)		2531	4.96

UNIVERSE: ADULTS WHO WERE NOT INTERVIEWD IN ENGLISH OR SPEAK LANG OTHER THAN ENGLISH AT HOME

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH37 QNAME07: QA07_G6 QPAGENUM: A-54
QNAME05: QA05_G6 QNAME03: QA03_142

LABEL: HOW WELL YOU SPEAK ENGLISH

VALUE:			FREQ	%
-1	INAPPLICABLE		37648	73.75
1	VERY WELL		5645	11.06
2	WELL		3804	7.45
3	NOT WELL		2695	5.28
4	NOT AT ALL		1256	2.46

UNIVERSE: ADULTS WHO SPEAK LANGUAGE OTHER THAN ENGLISH AT HOME AND/OR WERE
INTERVIEWED IN LANGUAGE OTHER THAN ENGLISH

INPUT VAR:

NOTES:

VARNAME: SPK_ENG QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: ENGLISH USE AND PROFICIENCY

VALUE:			FREQ	%
1	SPEAK ONLY ENGLISH		37648	73.75
2	VERY WELL/WELL		9449	18.51
3	NOT WELL/NOT AT ALL		3951	7.74

UNIVERSE: ALL ADULTS

INPUT VAR: AH36_1-AH36_23, AH37

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: CITIZEN2 QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: CITIZENSHIP STATUS - 3 LEVELS

VALUE:			FREQ	%
1	US-BORN CITIZEN		39973	78.30
2	NATURALIZED CITIZEN		6597	12.92
3	NON-CITIZEN		4478	8.77

UNIVERSE: ALL ADULTS

INPUT VAR: AH39, AH33, AH40

NOTES:

VARNAME: YRUS QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: YEARS LIVED IN THE U.S.

VALUE:			FREQ	%
-1	INAPPLICABLE		39973	78.30
1	<=1 YEAR		200	0.39
2	2-4 YEARS		563	1.10
3	5-9 YEARS		1200	2.35
4	10-14 YEARS		1209	2.37
5	15+ YEARS		7903	15.48

UNIVERSE: ADULTS BORN IN A COUNTRY OTHER THAN US SAMOA GUAM PUERTO RICO OR VIRGIN ISLANDS

INPUT VAR: AADATE, AH41FMT, AH41YR, AH41

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: PCTLF_P QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: PERCENT LIFE IN US (PUF RECODE)

VALUE:			FREQ	%
1	0-20		1594	3.12
2	21-40		2493	4.88
3	41-60		3299	6.46
4	61-80		2186	4.28
5	81+		41476	81.25

UNIVERSE: ALL ADULTS

INPUT VAR: PCTLF

NOTES:

VARNAME: AH44 QNAME07: QA07_G11 QPAGENUM: A-55

QNAME05: QA05_G11 QNAME03: QA03_147

LABEL: SPOUSE LIVING IN SAME HOUSEHOLD

VALUE:			FREQ	%
-1	INAPPLICABLE		24856	48.69
1	YES		25690	50.33
2	NO		502	0.98

UNIVERSE: ADULTS WHO ARE CURRENLTY MARRIED

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH43A QNAME07: QA07_G13 QPAGENUM: A-56

 QNAME05: QA05_G13 QNAME03: QA03_149

LABEL: LIVING WITH A PARENT

VALUE:	-2	PROXY SKIPPED	FREQ	%
	-1	INAPPLICABLE	168	0.33
	1	YES	47831	93.70
	2	NO	2137	4.19
			912	1.79

UNIVERSE: ADULTS UNDER 30 WHO ARE [(MARRIED AND LIVING W/ SPOUSE) OR (LIVING
W/ PARTNER AND AT LEAST 3 ADULTS) OR (NOT MARRIED AND LIVING W/
AT LEAST 2 ADULTS)]

INPUT VAR:

NOTES:

VARNAME: AH44A QNAME07: QA07_G19 QPAGENUM: A-57

 QNAME05: QA05_G19 QNAME03: QA03_159

LABEL: USED PAID CHILDCARE FOR CHILDREN UNDER 14 IN PAST MOS

VALUE:	-1	INAPPLICABLE	FREQ	%
	1	YES	38883	76.17
	2	NO	3235	6.34
			8930	17.49

UNIVERSE: ALL ADULTS LIVING WITH CHILDREN UNDER AGE 14

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AHCHLDC QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: AMOUNT SPENT ON CHILD CARE PER WEEK

VALUE:			FREQ	%
-1	INAPPLICABLE		47813	93.66
1	\$0-9/WEEK		251	0.49
2	\$10-24/WEEK		240	0.47
3	\$25-49/WEEK		343	0.67
4	\$50-99/WEEK		729	1.43
5	\$100-199/WEEK		973	1.91
6	\$200+/WEEK		699	1.37

UNIVERSE: ADULTS WHO HAVE CHILDREN UNDER AGE 14 AND PAID FOR CHILDCARE IN THE PAST MONTH.

INPUT VAR: AH44B, AH44BUNT

NOTES:

VARNAME: AHEDUC QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: EDUCATIONAL ATTAINMENT

VALUE:			FREQ	%
1	GRADE 1-8		2272	4.45
2	GRADE 9-11		2414	4.73
3	GRADE 12/H.S. DIPLOMA		11380	22.29
4	SOME COLLEGE		9196	18.01
5	VOCATIONAL SCHOOL		1450	2.84
6	AA OR AS DEGREE		3810	7.46
7	BA OR BS DEGREE		11436	22.40
8	SOME GRAD. SCHOOL		837	1.64
9	MA OR MS DEGREE		5505	10.78
10	PH.D. OR EQUIVALENT		2471	4.84
91	NO FORMAL EDUCATION		277	0.54

UNIVERSE: ALL ADULTS

INPUT VAR: AH47

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AK1 QNAME07: QA07_G22 QPAGENUM: A-59
QNAME05: QA05_G22 QNAME03: QA03_163

LABEL: WORK STATUS LAST WEEK

VALUE:		FREQ	%
1	WORKING AT A JOB/BUSINESS	26125	51.18
2	WITH A JOB/BUSINESS BUT NOT AT WORK	1445	2.83
3	LOOKING FOR WORK	1574	3.08
4	NOT WORKING JOB/BUSINESS (UNEMP)	21904	42.91

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AK2 QNAME07: QA07_G23 QPAGENUM: A-59
QNAME05: QA05_G23 QNAME03: QA03_164

LABEL: MAIN REASON FOR NOT WORKING LAST WEEK

VALUE:		FREQ	%
-1	INAPPLICABLE	26125	51.18
1	TAKING CARE OF HOUSE OR FAMILY	2595	5.08
2	ON PLANNED VACATION	1250	2.45
3	COULDN'T FIND A JOB	997	1.95
4	GOING TO SCHOOL/STUDENT	778	1.52
5	RETIRED	13115	25.69
6	PHYSICAL DISABILITY	2886	5.65
7	UNABLE TO WORK TEMPORARILY	401	0.79
8	ON LAYOFF OR STRIKE	290	0.57
9	ON FAMILY OR MATERNITY LEAVE	137	0.27
10	OFF SEASON	303	0.59
91	OTHER	2171	4.25

UNIVERSE: ADULTS WITH A JOB BUT NOT AT WORK LAST WEEK, LOOKING FOR WORK, OR
NOT WORKING AT A JOB LAST WEEK

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AG10 QNAME07: QA07_G24 QPAGENUM: A-59

QNAME05: QA05_G24 QNAME03: NA

LABEL: RESPONDENT USUALLY WORKS

VALUE:			FREQ	%
-1	INAPPLICABLE		42126	82.52
1	YES		3832	7.51
2	NO		4447	8.71
3	LOOKING FOR WORK		643	1.26

UNIVERSE: ADULTS (W/ A JOB OR BUSINESS BUT NOT AT WORK) OR (NOT WORKING AT A JOB OR BUSINESS) OR LOOKING FOR WORK (NOT INCL ADULTS WHO ARE RETIRED OR DISABLED)

INPUT VAR:

NOTES:

VARNAME: AL22 QNAME07: QA07_G25 QPAGENUM: A-59

QNAME05: QA05_G25 QNAME03: QA03_165

LABEL: RECEIVING SOCIAL SECURITY DISABILITY INS

VALUE:			FREQ	%
-1	INAPPLICABLE		42663	83.57
1	YES		2068	4.05
2	NO		6317	12.37

UNIVERSE: ADULTS UNDER 65 WHO ARE RETIRED, DISABLED, OR DO NOT USUALLY WORK

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AK4 QNAME07: QA07_G26 QPAGENUM: A-60
QNAME05: QA05_G26 QNAME03: QA03_166

LABEL: TYPE OF EMPLOYER AT MAIN JOB

VALUE:			FREQ	%
-1	INAPPLICABLE		21054	41.24
1	PRIVATE COMPANY, NON-PROFIT ORG		17485	34.25
2	GOVERNMENT		6216	12.18
3	SELF-EMPLOYED		5895	11.55
4	FAMILY BUSINESS OR FARM		398	0.78

UNIVERSE: ADULTS WITH A JOB OR WHO USUALLY WORK (EXCLUDING THOSE WHO ARE LESS THAN 65 AND DISABLED OR RETIRED LAST WEEK)

INPUT VAR:

NOTES:

VARNAME: AG8 QNAME07: QA07_G27 QPAGENUM: A-60
QNAME05: QA05_G29 QNAME03: QA03_167

LABEL: WORK STATUS OF SPOUSE LAST WEEK

VALUE:			FREQ	%
-1	INAPPLICABLE		24856	48.69
1	WORKING AT A JOB OR BUSINESS		15089	29.56
2	WITH A JOB/BUSINESS, BUT NOT AT WORK		708	1.39
3	LOOKING FOR WORK		420	0.82
4	NOT WORKING AT A JOB OR BUSINESS		9975	19.54

UNIVERSE: ADULTS WHO ARE MARRIED

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AG11 QNAME07: QA07_G28 QPAGENUM: A-60

QNAME05: QA05_G30 QNAME03: NA

LABEL: SPOUSE USUALLY WORKS

VALUE:			FREQ	%
-1	INAPPLICABLE		40653	79.64
1	YES		1042	2.04
2	NO		9140	17.90
3	LOOKING FOR WORK		213	0.42

UNIVERSE: MARRIED ADULTS WITH SPOUSE WHO IS LOOKING FOR WORK, NOT WORKING,
OR REFUSED/DIDN'T KNOW ANSWER TO QUESTION

INPUT VAR:

NOTES:

VARNAME: AG9 QNAME07: QA07_G29 QPAGENUM: A-60

QNAME05: QA05_G31 QNAME03: QA03_168

LABEL: TYPE OF EMPLOYER OF SPOUSE'S MAIN JOB

VALUE:			FREQ	%
-1	INAPPLICABLE		34209	67.01
1	PRIVATE COMPANY/NON-PROFIT ORG		10000	19.59
2	GOVERNMENT		3302	6.47
3	SELF-EMPLOYED		3333	6.53
4	FAMILY BUSINESS/FARM		204	0.40

UNIVERSE: ADULTS WITH SPOUSE THAT HAS JOB OR USUALLY WORKS

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

Section H: Health Insurance

VARNAME: AH12 QNAME07: QA07_H3 QPAGENUM: A-61
QNAME05: QA05_J9 QNAME03: QA03_313

LABEL: VISITED EMERGENCY ROOM FOR OWN HEALTH IN PAST 12 MOS

VALUE:			FREQ	%
-1	INAPPLICABLE		575	1.13
1	YES		9683	18.97
2	NO		40790	79.91

UNIVERSE: ADULTS WHO DID NOT VISIT ER FOR ASTHMA LAST 12 MOS

INPUT VAR:

NOTES:

VARNAME: ER QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: ER VISIT WITHIN THE PAST YEAR

VALUE:			FREQ	%
1	YES		10258	20.09
2	NO		40790	79.91

UNIVERSE: ADULTS WHO VISITED ER FOR OWN HEALTH OR VISITED DUE TO ASTHMA

INPUT VAR: AH12, AH13A, AB67

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH49 QNAME07: QA07_H7 QPAGENUM: A-63

QNAME05: QA05_H8 QNAME03: NA

LABEL: MEDICARE COVERAGE PROVIDED THROUGH HMO

VALUE:			FREQ	%
-9	NOT ASCERTAINED		126	0.25
-1	INAPPLICABLE		35274	69.10
1	YES		6628	12.98
2	NO		9020	17.67

UNIVERSE: ADULTS WITH MEDICARE

INPUT VAR:

NOTES:

VARNAME: AH50_P QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: NAME OF MEDICARE HMO PLAN (PUF RECODE)

VALUE:			FREQ	%
-9	NOT ASCERTAINED		364	0.71
-8	DON'T KNOW		877	1.72
-7	REFUSED		51	0.10
-1	INAPPLICABLE		44294	86.77
1	KAISER		2346	4.60
2	BLUE CROSS		356	0.70
3	PACIFICARE		1217	2.38
4	BLUE SHIELD		246	0.48
5	HEALTH NET		477	0.93
6	AETNA		102	0.20
8	OTHER		718	1.41

UNIVERSE: ADULTS WITH MEDICARE PROVIDED THROUGH HMO

INPUT VAR: AH50

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AI4 QNAME07: QA07_H9 QPAGENUM: A-65
QNAME05: QA05_H10 QNAME03: QA03_176

LABEL: COVERED BY MEDICARE SUPPL POLICY

VALUE:			FREQ	%
-1	INAPPLICABLE		41828	81.94
1	YES		5450	10.68
2	NO		3770	7.39

UNIVERSE: ADULTS WITH MEDICARE NOT PROVIDED THROUGH HMO

INPUT VAR:

NOTES:

VARNAME: AH52 QNAME07: QA07_H10 QPAGENUM: A-65
QNAME05: QA05_H11 QNAME03: NA

LABEL: SIGN UP FOR MEDICARE HMO DIRECTLY OR OTHERWISE

VALUE:			FREQ	%
-1	INAPPLICABLE		38780	75.97
1	DIRECTLY		5533	10.84
2	CURRENT EMPLOYER		276	0.54
3	FORMER EMPLOYER		3459	6.78
4	UNION		261	0.51
5	FAMILY BUSINESS		76	0.15
6	AARP		835	1.64
7	SPOUSE'S EMPLOYER		639	1.25
8	SPOUSE'S UNION		32	0.06
9	PROFESSIONAL/FRATERNAL ORGANIZATION		27	0.05
91	OTHER		1130	2.21

UNIVERSE: ADULTS WITH MEDICARE PROVIDED THROUGH HMO OR MEDIGAP/MEDICARE SUPPLEMENT

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: OFFTK QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: OFFER, ELIGIBILITY, ACCEPTANCE OF EMPLOYER BASED INS

VALUE:		FREQ	%
-1	UNEMPLOYED OR SELF-EMPLOYED	22686	44.44
1	ACCEPTED EBI	19541	38.28
2	NOT ACCEPT EBI, OFFERED AND ELIGIBLE	2990	5.86
3	WAS OFFERED EBI, NOT ELIGIBLE	2122	4.16
4	WAS NOT OFFERED EBI	3709	7.27

UNIVERSE: ADULTS WHO ARE WORKING FOR WAGES

INPUT VAR: INSEM, INSPS, AK1, AG10, AK4, AI13, AI14

NOTES:

VARNAME: AI15 QNAME07: QA07_H25 QPAGENUM: A-71

QNAME05: QA05_H25 QNAME03: QA03_187

LABEL: MAIN REASON NOT IN EMPLOYER'S HEALTH PLAN

VALUE:		FREQ	%
-1	INAPPLICABLE	48043	94.11
1	COVERED BY ANOTHER PLAN	1962	3.84
2	TOO EXPENSIVE	689	1.35
3	DIDNT LIKE PLAN OFFERED	164	0.32
4	DONT NEED OR BELIEVE IN HEALTH INSURANC	93	0.18
5	IN PROCESS	25	0.05
6	DIDNT TAKE UP - OTHER	61	0.12
7	RECEIVE EXTRA PAY/BENEFITS NOT TO ENROLL	11	0.02

UNIVERSE: ADULTS WHO WORKED IN PAST WK OR USUALLY WORK, ARE NOT
SELF-EMPLOYED, AND DO NOT HAVE EMPLOYER-BASED COVERAGE THOUGH
ELIGIBLE

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AI15A QNAME07: QA07_H26 QPAGENUM: A-71
QNAME05: QA05_H26 QNAME03: QA03_188

LABEL: MAIN REASON INELIGIBLE FOR EMPLOYER'S HEALTH PLAN

VALUE:			FREQ	%
-1	INAPPLICABLE		48921	95.83
1	HAVENT WORKED HERE LONG ENOUGH		541	1.06
2	CONTRACT OR TEMP EMPLOYEE		476	0.93
3	DONT WORK ENOUGH HOURS PER WEEK		1019	2.00
4	DOES NOT MEET AGE REQUIREMENTS		5	0.01
5	ONLY MANAGEMENT CAN GET HEALTH INSURANCE		6	0.01
6	NOT ELIGIBLE - OTHER		50	0.10
7	HAS LEFT POSITION/RETIRED/LAID OFF		30	0.06

UNIVERSE: ADULTS WHO WORKED IN PAST WEEK OR USUALLY WORK, ARE NOT
SELF-EMPLOYED, AND ARE NOT ELIGIBLE FOR THEIR EMPLOYER'S HEALTH
PLAN

INPUT VAR:

NOTES:

VARNAME: AI37A QNAME07: QA07_H37 QPAGENUM: A-76
QNAME05: QA05_H34B QNAME03: QA03_196

LABEL: SPOUSE COVERED BY MEDICARE SUPPL POLICY

VALUE:			FREQ	%
-1	INAPPLICABLE		47824	93.68
1	YES		2449	4.80
2	NO		775	1.52

UNIVERSE: ADULTS LIVING WITH SPOUSE AGE 65 OR OVER WITH MEDICARE NOT COVERED
BY HMO

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: OFFTK_S QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: OFFER, ELIGIBILITY, ACCEPTANCE OF EMPLOYER-BASED INS: SPOUSE

VALUE:		FREQ	%
-1	UNEMPLOYED OR SELF-EMPLOYED	36011	70.54
1	ACCEPTED EBI	10294	20.17
2	NOT ACCEPT EBI, OFFERED AND ELIGIBLE	2149	4.21
3	WAS OFFERED EBI, NOT ELIGIBLE	608	1.19
4	WAS NOT OFFERED EBI	1986	3.89

UNIVERSE: ADULTS WHO ARE WORKING FOR WAGES

INPUT VAR: INSEM_S, INSPS_S, AG8, AG11, AG9, AI43, AI44

NOTES:

VARNAME: AI45 QNAME07: QA07_H53 QPAGENUM: A-82

QNAME05: QA05_H48 QNAME03: QA03_210

LABEL: MAIN REASON SPOUSE NOT IN EMPLOYER'S HEALTH PLAN

VALUE:		FREQ	%
-1	INAPPLICABLE	48884	95.76
1	COVERED BY ANOTHER PLAN	1513	2.96
2	TOO EXPENSIVE	532	1.04
3	DIDNT LIKE PLAN OFFERED	71	0.14
4	DONT NEED OR BELIEVE IN HEALTH INSURANC	10	0.02
5	IN PROCESS	6	0.01
6	DIDNT TAKE UP - OTHER	22	0.04
7	RECEIVE EXTRA PAY/BENEFITS NOT TO ENROLL	10	0.02

UNIVERSE: ADULTS LIVING WITH EMPLOYED SPOUSE (OR USUALLY WORKS) WITH NO
EMPLOYER-BASED HEALTH INSURANCE IN OWN NAME EVEN THOUGH OFFERED
AND ELIGIBLE

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AI45A QNAME07: QA07_H54 QPAGENUM: A-82
QNAME05: QA05_H49 QNAME03: QA03_211

LABEL: MAIN REASON SPOUSE INELIGIBLE FOR EMPLOYER'S HEALTH PLAN

VALUE:		FREQ	%
-1	INAPPLICABLE	50437	98.80
1	HAVENT WORKED HERE LONG ENOUGH	125	0.24
2	CONTRACT OR TEMP EMPLOYEE	101	0.20
3	DONT WORK ENOUGH HOURS PER WEEK	338	0.66
5	ONLY MANAGEMENT CAN GET HEALTH INSURANCE	1	0.00
6	NOT ELIGIBLE - OTHER	26	0.05
7	HAS LEFT POSITION/RETIRED/LAID OFF	20	0.04

UNIVERSE: ADULTS LIVING WITH EMPLOYED SPOUSE (OR USUALLY WORKS) WHO IS NOT ELIGIBLE TO HAVE EMPLOYER-BASED HLTH INS COVERAGE WITH OWN NAME EVEN THOUGH OFFERED

INPUT VAR:

NOTES:

VARNAME: AI22C QNAME07: QA07_H55 QPAGENUM: A-82
QNAME05: QA05_H51 QNAME03: QA03_215

LABEL: MAIN HEALTH PLAN IS HMO

VALUE:		FREQ	%
-9	NOT ASCERTAINED	776	1.52
-1	INAPPLICABLE	11722	22.96
1	YES	16716	32.75
2	NO	21834	42.77

UNIVERSE: ADULTS WHO HAVE HEALTH INSURANCE COVERAGE OTHER THAN MEDICARE HMO

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AI22A_P QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: NAME OF HEALTH PLAN (PUF RECODE)

VALUE:			FREQ	%
-9	NOT ASCERTAINED		4116	8.06
-8	DON'T KNOW		4468	8.75
-7	REFUSED		426	0.83
-1	INAPPLICABLE		11724	22.97
1	KAISER		6154	12.06
2	BLUE CROSS		9388	18.39
3	PACIFICARE		1707	3.34
4	BLUE SHIELD		3554	6.96
5	HEALTH NET		2195	4.30
6	AETNA		1538	3.01
7	CIGNA HEALTH CARE		835	1.64
8	OTHER		4943	9.68

UNIVERSE: ADULTS WHO HAVE HEALTH INSURANCE COVERAGE OTHER THAN MEDICARE HMO

INPUT VAR: AI22A

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH71 QNAME07: QA07_H58 QPAGENUM: A-84

QNAME05: NA QNAME03: NA

LABEL: HEALTH PLAN DEDUCTIBLE MORE THAN \$1,000

VALUE:			FREQ	%
-1	INAPPLICABLE		21765	42.64
1	YES		5305	10.39
2	NO		23935	46.89
3	YES, BUT ONLY WHEN I GO OUT OF NETWORK		43	0.08

UNIVERSE: ADULTS COVERED BY EMPLOYER-BASED OR DIRECTLY PURCHASED HEALTH INS

INPUT VAR:

NOTES:

VARNAME: AH72 QNAME07: QA07_H59 QPAGENUM: A-85

QNAME05: NA QNAME03: NA

LABEL: HEALTH PLAN DEDUCTIBLE MORE THAN \$2,000

VALUE:			FREQ	%
-1	INAPPLICABLE		45700	89.52
1	YES		3213	6.29
2	NO		2122	4.16
3	YES, BUT ONLY WHEN I GO OUT OF NETWORK		13	0.03

UNIVERSE: ADULTS COVERED BY EMPLOYER-BASED OR DIRECTLY PURCHASED HEALTH INS
WITH DEDUCTIBLE GREATER THAN \$1,000

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AH73 QNAME07: QA07_H60 QPAGENUM: A-85

QNAME05: NA QNAME03: NA

LABEL: SPECIAL FUND TO PAY MEDICAL EXPENSES

VALUE:			FREQ	%
-1	INAPPLICABLE		45700	89.52
1	YES		1456	2.85
2	NO		3892	7.62

UNIVERSE: ADULTS COVERED BY EMPLOYER-BASED OR DIRECTLY PURCHASED HEALTH INS
WITH DEDUCTIBLE GREATER THAN \$1,000

INPUT VAR:

NOTES:

VARNAME: AH74 QNAME07: QA07_H67 QPAGENUM: A-87

QNAME05: NA QNAME03: NA

LABEL: TRIED TO FIND HEALTH INSURANCE ON OWN

VALUE:			FREQ	%
-1	INAPPLICABLE		49539	97.04
1	YES		619	1.21
2	NO		890	1.74

UNIVERSE: ADULTS WHO WERE NOT INSURED AT SOME POINT IN THE LAST 12 MOS

INPUT VAR:

NOTES:

QNAME07: NA

QPAGENUM: NA

QNAME03: NA

VALUE:		FREQ	%
-1	INAPPLICABLE- CURRENTLY INSURED	45952	90.02
1	CAN'T AFFORD/TOO EXPENSIVE	2862	5.61
2	NOT ELIGIBLE DUE TO WORKING STATUS	639	1.25
3	NOT ELIGIBLE DUE TO HEALTH OR OTHER PROB	101	0.20
4	NOT ELIGIBLE DUE TO CITIZENSHIP/IMMIGRAT	174	0.34
5	FAMILY SITUATION CHANGED	72	0.14
6	DON'T BELIEVE IN INSURANCE	119	0.23
7	SWITCHED INSURANCE COMPANIES, DELAY	26	0.05
8	CAN GET HEALTH CARE FOR FREE/PAY FOR OWN	137	0.27
9	CANT QUALIFY FOR PUBLIC PROGRAM COVERAGE	280	0.55
10	PROCRASTINATION/HASNT TAKEN STEPS TO GET	262	0.51
11	DONT KNOW WHERE OR HOW TO GET INSURANCE/	63	0.12
12	HEALTH INSURANCE WAS CANCELLED/WAS DROPP	22	0.04
13	NOT OFFERED AT JOB	46	0.09
14	NO NEED - GENERAL	24	0.05
15	IN PROCESS OF LOOKING FOR/GETTING INSURA	62	0.12
16	OTHER	207	0.41

INPUT VAR: AI24, AI36, INS

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: RSN_UNI2 QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: REASON FOR UNINSURED STATUS ANYTIME PAST 12 MONTHS

VALUE:		FREQ	%
-1	INAPPLICABLE- INSURED ALL YEAR	44344	86.87
1	CAN'T AFFORD/TOO EXPENSIVE	3309	6.48
2	NOT ELIGIBLE DUE TO WORKING STATUS	1087	2.13
3	NOT ELIGIBLE DUE TO HEALTH OR OTHER PROB	118	0.23
4	NOT ELIGIBLE DUE TO CITIZENSHIP/IMMIGRAT	186	0.36
5	FAMILY SITUATION CHANGED	127	0.25
6	DON'T BELIEVE IN INSURANCE	128	0.25
7	SWITCHED INSURANCE COMPANIES, DELAY	149	0.29
8	CAN GET HEALTH CARE FOR FREE/PAY FOR OWN	192	0.38
9	CANT QUALIFY FOR PUBLIC PROGRAM COVERAGE	300	0.59
10	PROCRASTINATION/HASNT TAKEN STEPS TO GET	322	0.63
11	DONT KNOW WHERE OR HOW TO GET INSURANCE/	76	0.15
12	HEALTH INSURANCE WAS CANCELLED/WAS DROPP	39	0.08
13	NOT OFFERED AT JOB	71	0.14
14	NO NEED - GENERAL	23	0.05
15	IN PROCESS OF LOOKING FOR/GETTING INSURA	68	0.13
16	OTHER	244	0.48
92	R THOUGHT WAS INSURED	265	0.52

UNIVERSE: ADULTS WHO ARE UNINSURED ANYTIME PAST 12 MONTHS

INPUT VAR: AI24, AI36, INSANY

NOTES :

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH75 QNAME07: QA07_H69 QPAGENUM: A-87

QNAME05: NA QNAME03: NA

LABEL: TRIED TO FIND HEALTH INSURANCE ON OWN

VALUE:			FREQ	%
-1	INAPPLICABLE		46110	90.33
1	YES		2101	4.12
2	NO		2837	5.56

UNIVERSE: ADULTS WHO WERE NOT INSURED IN THE LAST 12 MOS

INPUT VAR:

NOTES:

VARNAME: AI28 QNAME07: QA07_H71 QPAGENUM: A-87

QNAME05: QA05_H62 QNAME03: QA03_230

LABEL: HOW LONG SINCE LAST HAD HEALTH INS

VALUE:			FREQ	%
-1	INAPPLICABLE		47214	92.49
1	1 TO 3 YRS AGO		1064	2.08
2	MORE THAN 3 YRS AGO		1821	3.57
3	NEVER HAD HEALTH INSURANCE COVERAGE		949	1.86

UNIVERSE: ADULTS WHO WERE NOT COVERED BY HEALTH INSURANCE AT ANY TIME DURING
THE PAST 12 MONTHS

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH77 QNAME07: QA07_H76 QPAGENUM: A-89

QNAME05: NA QNAME03: NA

LABEL: FREE PRENATAL CARE DURING PAST 12 MOS

VALUE:		FREQ	%
-1	INAPPLICABLE	50965	99.84
1	YES	51	0.10
2	NO	32	0.06

UNIVERSE: WOMEN WHO DID NOT HAVE HLTH INSURANCE AT SOME POINT IN THE PAST 12 MOS

INPUT VAR:

NOTES:

VARNAME: AH92 QNAME07: QA07_H88 QPAGENUM: A-91

QNAME05: NA QNAME03: NA

LABEL: # OF MOS IN PAST 12 MOS HAD DENTAL INSURANCE

MEAN STATISTICS	
N	46338
MIN	0
MAX	12
MEAN	6.92

UNIVERSE: ADULTS NOT COVERED BY MEDI-CAL ALL OF LAST 12 MONS

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: IHS QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: COVERED BY INDIAN HEALTH SERVICES

VALUE:			FREQ	%
1	YES		163	0.32
2	NO		50885	99.68

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: INS QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: CURRENTLY INSURED

VALUE:			FREQ	%
1	YES		45952	90.02
2	NO		5096	9.98

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: INS12M QNAME07: NA QPAGENUM: NA
 QNAME05: NA QNAME03: NA

LABEL: MOS COVERED BY HEALTH PLANS LAST 12 MOS

MEAN STATISTICS

N	51048
MIN	0
MAX	12
MEAN	10.77

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: INS64_P QNAME07: NA QPAGENUM: NA
 QNAME05: NA QNAME03: NA

LABEL: CURRENT HEALTH COVERAGE - < 65 YRS (PUF RECODE)

VALUE:		FREQ	%
-1	SKIPPED - AGE >= 65	14653	28.70
1	UNINSURED	5032	9.86
2	MEDI-CAL (MEDICAID)	3738	7.32
3	MEDICARE	543	1.06
4	EMPLOYMENT-BASED	23652	46.33
5	PRIVATELY PURCHASED	2702	5.29
6	CHIP/OTHER PUBLIC PRGM	728	1.43

UNIVERSE: ADULTS UNDER 65

INPUT VAR: INS64

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: INS65 QNAME07: NA QPAGENUM: NA

 QNAME05: NA QNAME03: NA

LABEL: TYPE OF CURRENT HEALTH COVERAGE SOURCE FOR ELDERLY 65+

VALUE:			FREQ	%
-1	SKIPPED - AGE < 65		36395	71.30
1	MEDICARE + MEDI-CAL (MEDICAID)		2175	4.26
2	MEDICARE + OTHER		10757	21.07
3	MEDICARE ONLY		1040	2.04
4	OTHER ONLY		617	1.21
5	UNINSURED		64	0.13

UNIVERSE: ADULTS 65 YEARS AND OVER

INPUT VAR:

NOTES:

VARNAME: INSANY QNAME07: NA QPAGENUM: NA

 QNAME05: NA QNAME03: NA

LABEL: ANY INS IN LAST 12 MOS

VALUE:			FREQ	%
1	CURRENTLY UNINSURED		5096	9.98
2	UNINS. ANY PAST 12 MO		1608	3.15
3	INSURED ALL PAST 12 MO		44344	86.87

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: INSEM QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: COVERED BY EMPLOYER-BASED PLANS

VALUE:			FREQ	%
1	YES		26688	52.28
2	NO		24360	47.72

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: INST_12 QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: HEALTH INS COVERAGE IN LAST 12 MOS, INCL CURRENT STATUS:8 LVLS

VALUE:			FREQ	%
-1	INAPPLICABLE-AGE>=65		14653	28.70
1	MEDI-CAL (MEDICAID) ONLY		3216	6.30
2	EMPLOYER-BASED COVERAGE ONLY (EBI)		22354	43.79
3	PRIVATE COVERAGE ONLY		2451	4.80
4	OTHER COVERAGE ONLY		1099	2.15
5	ANY 2 OR MORE TYPES (NEVER UNINSURED)		745	1.46
6	UNINSURED ONLY		3961	7.76
7	UNINSURED + EMPLOYER-BASED ONLY		1084	2.12
8	ANY 1 OR MORE TYPES + UNINSURED		1485	2.91

UNIVERSE: ADULTS UNDER 65

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: UNINSANY QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: UNINSURED IN PAST 12 MOS

VALUE:			FREQ	%
-1	SKIPPED - AGES>=65		14653	28.70
1	UNINSURED ALL YEAR		3961	7.76
2	UNINSURED PART YEAR		2569	5.03
3	INSURED ALL YEAR		29865	58.50

UNIVERSE: ADULTS UNDER 65

INPUT VAR:

NOTES:

VARNAME: INSMC QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: COVERED BY MEDICARE

VALUE:			FREQ	%
1	YES		15297	29.97
2	NO		35751	70.03

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: INSMD QNAME07: NA QPAGENUM: NA

 QNAME05: NA QNAME03: NA

LABEL: COVERED BY MEDI-CAL

VALUE:	1	YES	FREQ	%
	2	NO	5985	11.72
			45063	88.28

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: INSOG QNAME07: NA QPAGENUM: NA

 QNAME05: NA QNAME03: NA

LABEL: COVERED BY OTHER GOVT PLANS

VALUE:	1	YES	FREQ	%
	2	NO	356	0.70
			50692	99.30

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: INSPR QNAME07: NA QPAGENUM: NA

 QNAME05: NA QNAME03: NA

LABEL: COVERED BY PLANS PURCHASED ON OWN

VALUE:	1	YES	FREQ	%
	2	NO	2766	5.42
			48282	94.58

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: INSTYP_P QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: TYPE OF CURRENT HEALTH COVERAGE SOURCE FOR ALL AGES(PUF RECODE)

VALUE:			FREQ	%
1	UNINSURED		5096	9.98
2	MEDICARE & MEDICAID		2957	5.79
3	MEDICARE & OTHERS		10642	20.85
4	MEDICARE ONLY		1698	3.33
5	MEDICAID		3028	5.93
6	EMPLOYMENT-BASED		24115	47.24
7	PRIVATELY PURCHASED		2754	5.39
8	HEALTHY FAM/OTHER PUBLIC		758	1.48

UNIVERSE: ALL ADULTS

INPUT VAR: INSTYPE

NOTES:

VARNAME: INSPS QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: PRIMARY OR SECONDARY COVERAGE

VALUE:			FREQ	%
-1	INAPPLICABLE		24360	47.72
1	PRIMARY		19541	38.28
2	SECONDARY		7147	14.00

UNIVERSE: ADULTS COVERED BY EMPLOYMENT-BASED INSURANCE PLANS

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: IHS_S QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: SPOUSE COVERED BY INDIAN HEALTH SERVICES

VALUE:			FREQ	%
-1	INAPPLICABLE		25358	49.67
1	YES		30	0.06
2	NO		25660	50.27

UNIVERSE: ADULTS WITH SPOUSE

INPUT VAR:

NOTES:

VARNAME: INS64S_P QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: SPOUSE'S CURRENT HEALTH COVG - < 65 YRS (PUF RECODE)

VALUE:			FREQ	%
-1	SKIPPED - AGE >= 65		31394	61.50
1	UNINSURED		1858	3.64
2	MEDI-CAL (MEDICAID)		754	1.48
3	MEDICARE		178	0.35
4	EMPLOYMENT-BASED		15327	30.02
5	PRIVATELY PURCHASED		1298	2.54
6	CHIP/OTHER PUBLIC PRGM		239	0.47

UNIVERSE: ADULTS WITH SPOUSE UNDER 65

INPUT VAR: INS64_S

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: INS65_S QNAME07: NA QPAGENUM: NA

 QNAME05: NA QNAME03: NA

LABEL: TYPE OF CURRENT HEALTH COVERAGE FOR SPOUSE 65+

VALUE:			FREQ	%
-1	NO SPOUSE IN HH OR AGE < 65		45012	88.18
1	MEDICARE + MEDICAID		384	0.75
2	MEDICARE + OTHER		1498	2.93
3	MEDICARE ONLY		3722	7.29
4	OTHER ONLY		400	0.78
5	UNINSURED		32	0.06

UNIVERSE: ADULTS WITH SPOUSE 65 YEARS AND OVER

INPUT VAR:

NOTES:

VARNAME: INSEM_S QNAME07: NA QPAGENUM: NA

 QNAME05: NA QNAME03: NA

LABEL: SPOUSE COVERED BY EMPLOYER-BASED PLANS

VALUE:			FREQ	%
-1	INAPPLICABLE		25358	49.67
1	YES		16999	33.30
2	NO		8691	17.03

UNIVERSE: ADULTS WITH SPOUSE

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: INSMC_S QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: SPOUSE COVERED BY MEDICARE

VALUE:			FREQ	%
-1	INAPPLICABLE		25358	49.67
1	YES		5813	11.39
2	NO		19877	38.94

UNIVERSE: ADULTS WITH SPOUSE

INPUT VAR:

NOTES :

VARNAME: INSMD_S QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: SPOUSE COVERED BY MEDICAL

VALUE:			FREQ	%
-1	INAPPLICABLE		25358	49.67
1	YES		1162	2.28
2	NO		24528	48.05

UNIVERSE: ADULTS WITH SPOUSE

INPUT VAR:

NOTES :

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: INSOG_S QNAME07: NA QPAGENUM: NA

 QNAME05: NA QNAME03: NA

LABEL: SPOUSE COVERED BY OTHER GOVT PLANS

VALUE: -1 INAPPLICABLE FREQ %

 1 YES 25358 49.67

 2 NO 254 0.50

 25436 49.83

UNIVERSE: ADULTS WITH SPOUSE

INPUT VAR:

NOTES:

VARNAME: INSPR_S QNAME07: NA QPAGENUM: NA

 QNAME05: NA QNAME03: NA

LABEL: SPOUSE COVERED BY PLANS PURCHASED ON OWN

VALUE: -1 INAPPLICABLE FREQ %

 1 YES 25358 49.67

 2 NO 1574 3.08

 24116 47.24

UNIVERSE: ADULTS WITH SPOUSE

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME:	INSPS_S	QNAME07:	NA	QPAGENUM:	NA
		QNAME05:	NA	QNAME03:	NA
LABEL:	SPOUSE PRIMARY OR SECONDARY COVERAGE				
VALUE:	-1	INAPPLICABLE		FREQ	%
	1	PRIMARY		34049	66.70
	2	SECONDARY		10294	20.17
				6705	13.13
UNIVERSE:	ADULTS WITH SPOUSE COVERED BY HIS/HER OWN EMPLOYMENT-BASED INSURANCE PLANS				
INPUT VAR:					
NOTES:					

VARNAME:	INS_S	QNAME07:	NA	QPAGENUM:	NA
		QNAME05:	NA	QNAME03:	NA
LABEL:	SPOUSE CURRENTLY INSURED				
VALUE:	-1	INAPPLICABLE		FREQ	%
	1	YES		25358	49.67
	2	NO		23800	46.62
				1890	3.70
UNIVERSE:	ADULTS WITH SPOUSE				
INPUT VAR:					
NOTES:					

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: ELIGPRG3 QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: MEDI-CAL (MEDICAID)/HEALTHY FAM ELIG. - UNINSURED

VALUE:			FREQ	%
-5	INSURED		31363	61.44
-1	INAPPLICABLE-AGES>=65		14653	28.70
1	MEDI-CAL (MEDICAID) ELIG.		313	0.61
2	HEALTHY FAM ELIG.		28	0.05
3	NOT ELIG.		4691	9.19

UNIVERSE: ADULTS UNDER AGE 65

INPUT VAR:

NOTES:

VARNAME: FAMTYP_P QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: FAMILY TYPE (PUF RECODE)

VALUE:			FREQ	%
1	SINGLE ADULT, 21+		20534	40.22
2	SINGLE YOUNG ADULT, 19-20		725	1.42
3	MARRIED, NO KIDS		15772	30.90
4	MARRIED WITH KIDS		10576	20.72
5	SINGLE WITH KIDS		2966	5.81
6	SINGLE, 18 YEARS OLD		475	0.93

UNIVERSE: ALL ADULTS

INPUT VAR: FAM_TYPE

NOTES: "SINGLE" CATEGORIES INCLUDE MARRIED R NOT LIVING WITH SPOUSE.

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: FAMT4 QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: FAMILY TYPE - 4 LVLS

VALUE:			FREQ	%
1	SINGLE, NO KIDS		21734	42.58
2	MARRIED, NO KIDS		15772	30.90
3	MARRIED WITH KIDS		10576	20.72
4	SINGLE WITH KIDS		2966	5.81

UNIVERSE: ALL ADULTS

INPUT VAR: FAM_TYPE

NOTES: "SINGLE" CATEGORIES INCLUDE MARRIED R NOT LIVING WITH SPOUSE.

VARNAME: POVGWD_P QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: FAMILY POVERTY THRESHOLD LEVEL(PUF RECODE)

MEAN STATISTICS	
N	51048
MIN	0
MAX	24
MEAN	4.87

UNIVERSE: ALL ADULTS

INPUT VAR: POVGWD

NOTES: TOPCODE=24

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

Section I: Child and Adolescent Health Insurance

VARNAME: AI72 QNAME07: QA07_I66 QPAGENUM: A-119

QNAME05: NA QNAME03: NA

LABEL: PARENT PERCEPTION: HEARD OF VACCINE AGAINST CERVICAL CANCER

VALUE:			FREQ	%
-2	PROXY SKIPPED		168	0.33
-1	INAPPLICABLE		45176	88.50
1	YES		4089	8.01
2	NO		1615	3.16

UNIVERSE: ADULTS WHO HAVE AT LEAST ONE DAUGHTER IN HH AGED 8 OR OLDER, AND
DID NOT ANSWER THIS QUESTION EARLIER

INPUT VAR:

NOTES:

VARNAME: AI73 QNAME07: QA07_I67 QPAGENUM: A-119

QNAME05: NA QNAME03: NA

LABEL: PARENT PERCEPTION: EVER GOT HPV VACCINE

VALUE:			FREQ	%
-2	PROXY SKIPPED		168	0.33
-1	INAPPLICABLE		46730	91.54
1	YES		869	1.70
2	NO		3281	6.43

UNIVERSE: ADULTS WHO HAVE AT LEAST ONE DAUGHTER IN HH AGED 8 OR OLDER, AND
HEARD OF HPV

INPUT VAR:

NOTES: NOT FOR PREVALENCE ESTIMATE. SEE TEEN VARIABLE TH40 FOR MORE INFO.

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AI78 QNAME07: QA07_I67A QPAGENUM: A-120

QNAME05: NA QNAME03: NA

LABEL: PARENT PERCEPTION: GOT ALL THREE DOSES HPV VACCINE

VALUE:			FREQ	%
-2	PROXY SKIPPED		168	0.33
-1	INAPPLICABLE		50011	97.97
1	YES		373	0.73
2	NO		496	0.97

UNIVERSE: ADULTS WITH AT LEAST ONE DAUGHTER IN HH AGED 8 OR OLDER WHO EVER
RECEIVED HPV VACCINE OR SHOTS

INPUT VAR:

NOTES:

VARNAME: AI74 QNAME07: QA07_I68 QPAGENUM: A-119

QNAME05: NA QNAME03: NA

LABEL: PARENT PERCEPTION: IF DR RECOMMENDED WOULD GET HPV VACCINE

VALUE:			FREQ	%
-2	PROXY SKIPPED		168	0.33
-1	INAPPLICABLE		45984	90.08
1	YES		2766	5.42
2	NO		2130	4.17

UNIVERSE: ADULTS WITH AT LEAST ONE DAUGHTER IN HH AGED 8 OR OLDER WHO HAD
NOT EVER RECEIVED HPV VACCINE OR SHOTS

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AI75_P QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: PARENT PERCEPTION: MAIN REASON NOT GET HPV VACCINE(PUF RECODE)

VALUE:			FREQ	%
-2	PROXY SKIPPED		168	0.33
-1	INAPPLICABLE		48750	95.50
1	DOES NOT NEED VACCINE		63	0.12
2	NOT SEXUALLY ACTIVE		112	0.22
3	TOO EXPENSIVE		7	0.01
4	TOO OLD FOR VACCINE		151	0.30
5	DOCTOR DIDN'T RECOMMEND IT		27	0.05
6	WORRIED ABOUT SAFETY OF VACCINE		325	0.64
7	DON'T KNOW ENOUGH ABOUT VACCINE		1114	2.18
8	OTHER		331	0.65

UNIVERSE: ADULTS WHO HAVE AT LEAST ONE DAUGHTER IN HH AGED 8 OR OLDER, AND
WOULD NOT HAVE THE DAUGHTER GET HPV VACCINE

INPUT VAR: AI75

NOTES:

VARNAME: AI76 QNAME07: QA07_I70 QPAGENUM: A-120

QNAME05: NA QNAME03: NA

LABEL: PARENT PERCEPTION: WOULD PAY \$360 FOR HPV VACCINE

VALUE:			FREQ	%
-2	PROXY SKIPPED		168	0.33
-1	INAPPLICABLE		48114	94.25
1	YES		2128	4.17
2	NO		638	1.25

UNIVERSE: ADULTS WHO HAVE AT LEAST ONE DAUGHTER IN HH AGED 8 OR OLDER, AND
WOULD HAVE THE DAUGHTER GET HPV VACCINE

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AI77 QNAME07: QA07_I71 QPAGENUM: A-120

QNAME05: NA QNAME03: NA

LABEL: PARENT PERCEPTION: WOULD GET FREE OR LOW-COST HPV VACCINE

VALUE:		FREQ	%
-2	PROXY SKIPPED	168	0.33
-1	INAPPLICABLE	50235	98.41
1	YES	633	1.24
2	NO	12	0.02

UNIVERSE: ADULTS WHO HAVE AT LEAST ONE DAUGHTER IN HH AGED 8 OR OLDER, AND
WOULD HAVE THE DAUGHTER GET HPV VACCINE BUT NOT AT \$360, OR
WOULD NOT HAVE HER GET IT BECAUSE TOO EXPENSIVE

INPUT VAR:

NOTES:

Section J: Health Care Utilization and Access, Violence

VARNAME: AH5 QNAME07: QA07_J1 QPAGENUM: A-121

QNAME05: QA05_J1 QNAME03: QA03_300

LABEL: # TIMES SAW MD IN PAST 12 MOS

MEAN STATISTICS	
N	51048
MIN	0
MAX	313
MEAN	4.95

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: ACMDNUM QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: # OF DOCTOR VISITS PAST YEAR

VALUE:			FREQ	%
0	0 TIME		7258	14.22
1	1 TIME		9007	17.64
2	2 TIMES		8493	16.64
3	3 TIMES		5886	11.53
4	4 TIMES		5361	10.50
5	5 TIMES		2608	5.11
6	6 TIMES		3141	6.15
7	7-8 TIMES		2091	4.10
8	9-12 TIMES		3952	7.74
9	13-24 TIMES		2026	3.97
10	25+ TIMES		1225	2.40

UNIVERSE: ALL ADULTS

INPUT VAR: AH5

NOTES:

VARNAME: DOCT_YR QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: VISITED DOCTOR IN PAST 12 MOS

VALUE:			FREQ	%
1	YES		43790	85.78
2	NO		7258	14.22

UNIVERSE: ALL ADULTS

INPUT VAR: AH5

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH6 QNAME07: QA07_J2 QPAGENUM: A-121
QNAME05: QA05_J2 QNAME03: QA03_301

LABEL: HOW LONG SINCE LAST SAW DOCTOR ABOUT OWN HEALTH

VALUE:		FREQ	%
-1	INAPPLICABLE	43790	85.78
0	WITHIN THE PAST YR	1022	2.00
1	1 TO 2 YRS AGO	3076	6.03
2	2 TO 5 YRS AGO	1964	3.85
3	MORE THAN 5 YRS AGO	1003	1.96
4	NEVER	193	0.38

UNIVERSE: ADULTS WHO HAVE NOT SEEN DR IN LAST 12 MONTHS

INPUT VAR:

NOTES:

VARNAME: AJ8 QNAME07: QA07_J3 QPAGENUM: A-121
QNAME05: QA05_J3 QNAME03: QA03_302

LABEL: HAD HARD TIME UNDERSTANDING DOCTOR LAST VISIT

VALUE:		FREQ	%
-2	PROXY SKIPPED	168	0.33
-1	INAPPLICABLE	3156	6.18
1	YES	1516	2.97
2	NO	46208	90.52

UNIVERSE: ADULTS WHO HAVE SEEN A DOCTOR IN THE PAST 2 YEARS

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ50_P QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: LANGUAGE DOCTOR SPEAKS TO R (PUF RECODE)

VALUE:			FREQ	%
-1	INAPPLICABLE		39460	77.30
1	ENGLISH		8495	16.64
2	SPANISH		1986	3.89
3	VIETNAMESE		170	0.33
4	KOREAN		365	0.72
5	CANTONESE		106	0.21
6	MANDARIN		250	0.49
7	OTHER		216	0.42

UNIVERSE: ADULTS WHO DID NOT HAVE HAD HARD TIME UNDERSTANDING MD AT LAST
APPT AND SPEAK LANG OTHER THAN ENGLISH AT HOME

INPUT VAR: AJ50

NOTES:

VARNAME: AJ9 QNAME07: QA07_J5 QPAGENUM: A-122

QNAME05: QA05_J4 QNAME03: QA03_303

LABEL: MD SPOKE DIFFERENT LANGUAGE REASON WHY DIFFICULT TO UNDERSTAND

VALUE:			FREQ	%
-2	PROXY SKIPPED		168	0.33
-1	INAPPLICABLE		49364	96.70
1	YES		860	1.68
2	NO		656	1.29

UNIVERSE: ADULTS WHO HAVE SEEN A DOCTOR IN THE PAST 2 YEARS, WERE NOT
INTERVIEWED IN ENGLISH, OR SPEAK LANG OTHER THAN ENGLISH AT HOME

INPUT VAR:

NOTES: DIFF RESTRICTIONS BTW 2005 AND 2007 BUT CONCEPTUALLY SAME UNIVERSE

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ10 QNAME07: QA07_J6 QPAGENUM: A-122
QNAME05: QA05_J5 QNAME03: QA03_304

LABEL: NEEDED SOMEONE ELSE TO HELP UNDERSTAND DOCTOR

VALUE:		FREQ	%
-2	PROXY SKIPPED	168	0.33
-1	INAPPLICABLE	40869	80.06
1	YES	980	1.92
2	NO	9031	17.69

UNIVERSE: ADULTS WHO HAD A HARD TIME UNDERSTANDING THE DOCTOR AT LAST VISIT

INPUT VAR:

NOTES: DIFF RESTRICTIONS BTW 2005 AND 2007 BUT CONCEPTUALLY SAME UNIVERSE

VARNAME: AJ11 QNAME07: QA07_J7 QPAGENUM: A-123
QNAME05: QA05_J6 QNAME03: QA03_305

LABEL: WHO HELPED YOU UNDERSTAND DOCTOR

VALUE:		FREQ	%
-2	PROXY SKIPPED	168	0.33
-1	INAPPLICABLE	49900	97.75
1	MINOR CHILD (UNDER AGE 18)	23	0.05
2	ADULT FAMILY MEMBER OF FRIEND OF MINE	295	0.58
3	NON-MEDICAL OFFICE STAFF	49	0.10
4	MEDICAL STAFF INCLUDING NURSES / DOCS	458	0.90
5	PROF INTERPRETER (PERSON/PHONE)	54	0.11
6	OTHER (PATIENTS, SOMEONE ELSE)	28	0.05
7	DID NOT HAVE SOMEONE TO HELP	73	0.14

UNIVERSE: ADULTS WHO HAVE SEEN A DOCTOR IN THE PAST 2 YEARS AND HAD A HARD TIME UNDERSTANDING THE DOCTOR ON LAST VISIT AND NEEDED SOMEONE ELSE'S HELP TO UNDERSTAND

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ53 QNAME07: QA07_J8 QPAGENUM: A-123

QNAME05: NA QNAME03: NA

LABEL: DR DISCUSS EMOTIONS DURING LAST ROUTINE EXAM

VALUE:			FREQ	%
-1	INAPPLICABLE		3160	6.19
1	YES		12837	25.15
2	NO		35051	68.66

UNIVERSE: ADULTS WHO SAW DR W/IN PAST 2 YEARS

INPUT VAR:

NOTES: SOURCE: HOW'S YOUR HEALTH SURVEY

VARNAME: AJ54 QNAME07: QA07_J9 QPAGENUM: A-123

QNAME05: NA QNAME03: NA

LABEL: DR DISCUSS EMOTIONS UNDERSTANDABLY

VALUE:			FREQ	%
-1	INAPPLICABLE		38211	74.85
1	YES		12568	24.62
2	NO		269	0.53

UNIVERSE: ADULTS WHO TALKED ABOUT EMOTIONS OR MOODS AT LAST MD VISIT

INPUT VAR:

NOTES: SOURCE: HOW'S YOUR HEALTH SURVEY

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ51 QNAME07: QA07_J12 QPAGENUM: A-124

 QNAME05: NA QNAME03: NA

LABEL: EASY TO READ INSTR ON PRESCRIPTION BOTTL

VALUE:			FREQ	%
-2	PROXY SKIPPED		168	0.33
1	VERY EASY		35642	69.82
2	SOMEWHAT EASY		10956	21.46
3	SOMEWHAT DIFFICULT		2538	4.97
4	VERY DIFFICULT		874	1.71
5	DON'T GET PRESCRIPTIONS		870	1.70

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AJ52 QNAME07: QA07_J13 QPAGENUM: A-124

 QNAME05: NA QNAME03: NA

LABEL: EASY TO UNDERSTAND WRITTEN INFO AT DR

VALUE:			FREQ	%
-2	PROXY SKIPPED		168	0.33
1	VERY EASY		28667	56.16
2	SOMEWHAT EASY		14418	28.24
3	SOMEWHAT DIFFICULT		4266	8.36
4	VERY DIFFICULT		1617	3.17
5	DON'T GET WRITTEN INFORMATION		1912	3.75

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH16 QNAME07: QA07_J14 QPAGENUM: A-124
QNAME05: NA QNAME03: QA03_314

LABEL: DELAY GETTING PRESCRIPTION IN PAST 12 MO

VALUE:			FREQ	%
1	YES		6875	13.47
2	NO		44173	86.53

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AJ19 QNAME07: QA07_J15 QPAGENUM: A-124
QNAME05: NA QNAME03: QA03_315

LABEL: COST/NO INSUR DELAYED GETTING PRESCRIP

VALUE:			FREQ	%
-1	INAPPLICABLE		44173	86.53
1	YES		2945	5.77
2	NO		3930	7.70

UNIVERSE: ADULTS WHO DELAYED/DID NOT GET TRTMENT MD PRESCRIBED IN LAST 12 MOS

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH22 QNAME07: QA07_J16 QPAGENUM: A-125
QNAME05: NA QNAME03: QA03_316

LABEL: DELAY OTHER MEDICAL CARE IN PAST 12 MOS

VALUE:			FREQ	%
1	YES		8500	16.65
2	NO		42548	83.35

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AJ20 QNAME07: QA07_J17 QPAGENUM: A-125
QNAME05: NA QNAME03: QA03_317

LABEL: COST/NO INSR DELAYED GETTING NEEDED CARE

VALUE:			FREQ	%
-1	INAPPLICABLE		42548	83.35
1	YES		4253	8.33
2	NO		4247	8.32

UNIVERSE: ADULTS WHO DELAYED/DID NOT GET NEEDED MEDICAL CARE IN LAST 12 MOS

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

Section K: Employment, Income, Poverty Status, Food Security

VARNAME: AK3 QNAME07: QA07_K1 QPAGENUM: A-131
QNAME05: QA05_K1 QNAME03: QA03_323

LABEL: # OF USUAL HRS WORKED PER WEEK

MEAN STATISTICS

N	30091
MIN	0
MAX	95
MEAN	38.94

UNIVERSE: ADULTS WHO CURRENTLY/USUALLY WORK

INPUT VAR:

NOTES:

VARNAME: WRKST QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: WORKING STATUS

VALUE:		FREQ	%
1	FULL-TIME EMPLOYMENT (21+ HRS/WEEK)	25450	49.86
2	PART-TIME EMPLOYMENT (0-20 HRS/WEEK)	3951	7.74
3	EMPLOYED, NOT AT WORK	169	0.33
4	UNEMPLOYED, LOOKING FOR WORK	1232	2.41
5	UNEMPLOYED, NOT LOOKING FOR WORK	20246	39.66

UNIVERSE: ALL ADULTS

INPUT VAR: AK3, AK1, AK2, AG10

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AK7 QNAME07: QA07_K2 QPAGENUM: A-131
QNAME05: QA05_K4 QNAME03: QA03_326

LABEL: LENGTH OF TIME WORKING AT MAIN JOB

MEAN STATISTICS

N	30091
MIN	0
MAX	70
MEAN	11.21

UNIVERSE: ADULTS WHO CURRENTLY/USUALLY WORK

INPUT VAR:

NOTES: PLEASE REFER TO "AK7UNT" FOR MEASUREMENT UNIT

VARNAME: AK7UNT QNAME07: QA07_K2 QPAGENUM: A-131
QNAME05: QA05_K4 QNAME03: QA03_326

LABEL: TIME AT MAIN JOB: UNIT OF TIME

VALUE:	-1	INAPPLICABLE	FREQ	%
	1	MONTHS	20957	41.05
	2	YEARS	5037	9.87
			25054	49.08

UNIVERSE: ADULTS WHO CURRENTLY/USUALLY WORK

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AKWKLNG QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: TIME AT MAIN JOB

VALUE:			FREQ	%
-1	INAPPLICABLE		20957	41.05
0	<1 YEAR		2626	5.14
1	1 YEAR		3353	6.57
2	2 YEARS		2744	5.38
3	3 YEARS		2076	4.07
4	4 YEARS		1431	2.80
5	5 YEARS		1550	3.04
6	6-9 YEARS		4231	8.29
7	10-14 YEARS		3675	7.20
8	15-19 YEARS		2595	5.08
9	20-29 YEARS		3573	7.00
10	30+ YEARS		2237	4.38

UNIVERSE: ALL ADULTS EXCEPT FOR (THOSE WHO ARE LOOKING FOR WORK OR NOT
WORKING LAST WEEK) OR (THOSE WHO USUALLY WORK ZERO HOURS)

INPUT VAR: AK7, AK7UNT

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AK8 QNAME07: QA07_K3 QPAGENUM: A-131
QNAME05: QA05_K5 QNAME03: QA03_327

LABEL: HOW MANY PEOPLE WORK FOR EMPLOYER/YOU

VALUE:			FREQ	%
-1	INAPPLICABLE		20957	41.05
1	FEWER THAN 10		8313	16.28
2	10-50		4234	8.29
3	51-99		1031	2.02
4	100-999		3920	7.68
5	1,000 OR MORE		12593	24.67

UNIVERSE: ADULTS WHO CURRENTLY/USUALLY WORK

INPUT VAR:

NOTES:

VARNAME: AK10_P QNAME07: NA QPAGENUM: NA
QNAME05: QA05_K7 QNAME03: NA

LABEL: RESPONDENT'S EARNINGS LAST MONTH (PUF RECODE)

MEAN STATISTICS	
N	30091
MIN	0
MAX	30000
MEAN	4615.05

UNIVERSE: ADULTS WHO CURRENTLY/USUALLY WORK

INPUT VAR: AK10

NOTES: TOPCODE=30,000

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AK20 QNAME07: QA07_K5 QPAGENUM: A-132
QNAME05: QA05_K9 QNAME03: QA03_331

LABEL: # OF HRS PER WEEK SPOUSE USUALLY WORKS

MEAN STATISTICS

N	16839
MIN	0
MAX	95
MEAN	40.44

UNIVERSE: ADULTS WHOSE SPOUSE IS CURRENTLY WORKING/USUALLY WORKING OR HAS
JOB/BUSINESS BUT NOT AT WORK

INPUT VAR:

NOTES:

VARNAME: WRKST_S QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: SPOUSE WORKING STATUS

VALUE:		FREQ	%
-1	INAPPLICABLE - NO SPOUSE	24856	48.69
1	FULL-TIME EMPLOYMENT (21+ HRS/WEEK)	14809	29.01
2	PART-TIME EMPLOYMENT (0-20 HRS/WEEK)	1688	3.31
3	EMPLOYED, NOT AT WORK	115	0.23
4	UNEMPLOYED, LOOKING FOR WORK	346	0.68
5	UNEMPLOYED, NOT LOOKING FOR WORK	9234	18.09

UNIVERSE: ADULTS LIVING WITH SPOUSE

INPUT VAR: AH43, AK20, AG8, AG11

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AK10A_P QNAME07: NA QPAGENUM: NA

QNAME05: QA05_K11 QNAME03: NA

LABEL: SPOUSE'S EARNINGS LAST MONTH (PUF RECODE)

MEAN STATISTICS

N	16497
MIN	0
MAX	30000
MEAN	5169.07

UNIVERSE: ADULTS WHOSE SPOUSE WORKS MORE THAN 0 HOURS PER WEEK

INPUT VAR: AK10A

NOTES: TOPCODE=30,000

VARNAME: AK22_P QNAME07: NA QPAGENUM: NA

QNAME05: QA05_K12 QNAME03: NA

LABEL: HOUSEHOLD'S TOTAL ANNUAL INC (PUF RECODE)

MEAN STATISTICS

N	51048
MIN	0
MAX	300000
MEAN	72034.77

UNIVERSE: ALL ADULTS

INPUT VAR: AK22

NOTES: TOPCODE=300,000

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AM1 QNAME07: QA07_K21 QPAGENUM: A-137
QNAME05: QA05_N1 QNAME03: QA03_383

LABEL: HOW OFTEN FOOD DIDN'T LAST, COULDN'T AFFORD MORE, PAST 12 MOS

VALUE:		FREQ	%
-1	INAPPLICABLE	37921	74.28
1	OFTEN TRUE	1084	2.12
2	SOMETIMES TRUE	3406	6.67
3	NEVER TRUE	8637	16.92

UNIVERSE: ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS 200% FPL OR LESS,
NOT KNOWN

INPUT VAR:

NOTES: PROXIES WERE ASKED QUESTION IN ONLY 2005, BUT NOT OTHER YEARS.

VARNAME: AM2 QNAME07: QA07_K22 QPAGENUM: A-137
QNAME05: QA05_N2 QNAME03: QA03_384

LABEL: HOW OFTEN COULDN'T AFFORD TO EAT BALANCED MEALS

VALUE:		FREQ	%
-1	INAPPLICABLE	37921	74.28
1	OFTEN TRUE	1112	2.18
2	SOMETIMES TRUE	3296	6.46
3	NEVER TRUE	8719	17.08

UNIVERSE: ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS 200% FPL OR LESS,
NOT KNOWN

INPUT VAR:

NOTES: PROXIES WERE ASKED QUESTION IN ONLY 2005, BUT NOT OTHER YEARS.

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AM3 QNAME07: QA07_K23 QPAGENUM: A-137
QNAME05: QA05_N3 QNAME03: QA03_385

LABEL: ADULTS CUT/SKIPPED MEALS IN PAST 12 MOS FOR MONEY

VALUE:		FREQ	%
-1	INAPPLICABLE	37921	74.28
1	YES	2357	4.62
2	NO	10770	21.10

UNIVERSE: ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS 200% FPL OR LESS,
NOT KNOWN

INPUT VAR:

NOTES: PROXIES WERE ASKED QUESTION IN ONLY 2005, BUT NOT OTHER YEARS.

VARNAME: AM3A QNAME07: QA07_K24 QPAGENUM: A-137
QNAME05: QA05_N4 QNAME03: QA03_386

LABEL: HOW OFTEN ADULTS CUT/SKIPPED MEALS IN PAST 12 MOS FOR MONEY

VALUE:		FREQ	%
-1	INAPPLICABLE	48691	95.38
1	ALMOST EVERY MONTH	830	1.63
2	SOME MONTHS BUT NOT EVERY MONTH	892	1.75
3	ONLY IN 1 OR 2 MONTHS	635	1.24

UNIVERSE: ADULTS W/ TOTAL ANNUAL HOUSEHOLD INCOME 200% FPL OR LESS OR NOT
KNOWN AND SKIPPED MEALS IN PAST 12 MOS

INPUT VAR:

NOTES: PROXIES WERE ASKED QUESTION IN ONLY 2005, BUT NOT OTHER YEARS.

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AM4 QNAME07: QA07_K25 QPAGENUM: A-138
QNAME05: QA05_N5 QNAME03: QA03_387

LABEL: ATE LESS THAN SHOULD BECAUSE OF MONEY IN PAST 12 MOS

VALUE:			FREQ	%
-1	INAPPLICABLE		37921	74.28
1	YES		2586	5.07
2	NO		10541	20.65

UNIVERSE: ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS 200% FPL OR LESS,
NOT KNOWN

INPUT VAR:

NOTES: PROXIES WERE ASKED QUESTION IN ONLY 2005, BUT NOT OTHER YEARS.

VARNAME: AM5 QNAME07: QA07_K26 QPAGENUM: A-138
QNAME05: QA05_N6 QNAME03: QA03_388

LABEL: HOW OFTEN HUNGRY BUT DIDN'T EAT B/C OF MONEY IN PAST 12 MOS

VALUE:			FREQ	%
-1	INAPPLICABLE		37921	74.28
1	YES		1548	3.03
2	NO		11579	22.68

UNIVERSE: ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS 200% FPL OR LESS,
NOT KNOWN

INPUT VAR:

NOTES: PROXIES WERE ASKED QUESTION IN ONLY 2005, BUT NOT OTHER YEARS.

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: POVLL QNAME07: NA QPAGENUM: NA

 QNAME05: NA QNAME03: NA

LABEL: POVERTY LEVEL

VALUE:	1	0-99% FPL	FREQ	%
	2	100-199% FPL	5096	9.98
	3	200-299% FPL	8031	15.73
	4	300% FPL AND ABOVE	6924	13.56
			30997	60.72

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: POVLL2_P QNAME07: NA QPAGENUM: NA

 QNAME05: NA QNAME03: NA

LABEL: POVERTY LEVEL - 100% FPL (PUF RECODE)

	MEAN STATISTICS	
N		51048
MIN		0
MAX		24
MEAN		5.15

UNIVERSE: ALL ADULTS

INPUT VAR: POVLL2

NOTES: TOPCODE=24. VALUES ROUNDED TO THE NEAREST 100th.

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: FSLEV QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: FOOD SECURITY STATUS LEVEL

VALUE:			FREQ	%
-1	INAPPLICABLE - >=200% FPL		37972	74.38
1	FOOD SECURITY		8958	17.55
2	FOOD INSECURITY W/O HUNGER		2629	5.15
3	FOOD INSECURITY W/ HUNGER		1489	2.92

UNIVERSE: ADULTS WHOSE POVERTY LEVEL IS LESS THAN 200% FPL (INCL PROXIES)

INPUT VAR: POVLL, AM1, AM2, AM3, AM3A, AM4, AM5, PROXY

NOTES: PROXIES WERE ASKED QUESTION IN ONLY 2005, BUT NOT OTHER YEARS.

VARNAME: FSLEVCB QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: FOOD SECURITY STATUS - 2 LVLS

VALUE:			FREQ	%
-1	INAPPLICABLE - >=200% FPL		37972	74.38
1	FOOD SECURITY		8958	17.55
2	FOOD INSECURITY WITH/ WITHOUT HUNGER		4118	8.07

UNIVERSE: ADULTS WHOSE POVERTY LEVEL IS LESS THAN 200% FPL (INCL PROXIES)

INPUT VAR: FSLEV

NOTES: PROXIES WERE ASKED QUESTION IN ONLY 2005, BUT NOT OTHER YEARS.

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME :	SRTENR	QNAME07 :	NA	QPAGENUM :	NA
		QNAME05 :	NA	QNAME03 :	NA
LABEL :	SELF-REPORTED HOUSEHOLD TENURE (HH)				
				FREQ	%
VALUE :	1	OWN		34884	68.34
	2	RENT/SOME OTHER ARRANGEMENT		16164	31.66
UNIVERSE :	ALL ADULTS				
INPUT VAR :					
NOTES :					

Section L: Public Program Participation

VARNAME:	AL2	QNAME07:	QA07_L1	QPAGENUM:	A-139
		QNAME05:	QA05_L1	QNAME03:	QA03_353
LABEL:	CURRENTLY ON TANF OR CALWORKS				
VALUE:	-1	INAPPLICABLE		FREQ	%
	1	YES		30997	60.72
	2	NO		641	1.26
				19410	38.02
UNIVERSE:	ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 300% FPL				
INPUT VAR:					
NOTES:					

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AL5 QNAME07: QA07_L3 QPAGENUM: A-139

QNAME05: QA05_L3 QNAME03: QA03_355

LABEL: RECEIVING FOOD STAMP BENEFITS

VALUE:			FREQ	%
-1	INAPPLICABLE		30997	60.72
1	YES		1244	2.44
2	NO		18807	36.84

UNIVERSE: ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS EQUAL TO OR LESS
THAN 300% FPL

INPUT VAR:

NOTES:

VARNAME: AL6 QNAME07: QA07_L5 QPAGENUM: A-140

QNAME05: QA05_L5 QNAME03: QA03_360

LABEL: RECEIVING SSI (SUPPLEMENTAL SECURITY INCOME)

VALUE:			FREQ	%
-1	INAPPLICABLE		30997	60.72
1	YES		2484	4.87
2	NO		17567	34.41

UNIVERSE: ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS EQUAL TO OR LESS
THAN 300% FPL

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AL7 QNAME07: QA07_L6 QPAGENUM: A-140
QNAME05: QA05_L6 QNAME03: QA03_361

LABEL: CURRENTLY ON WIC

VALUE:	-1	INAPPLICABLE	FREQ	%
	1	YES	48970	95.93
	2	NO	900	1.76
			1178	2.31

UNIVERSE: ADULT WOMEN WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 300% FPL AND HAS A CHILD UNDER AGE 7 OR IS PREGNANT

INPUT VAR:

NOTES:

VARNAME: AL15 QNAME07: QA07_L8 QPAGENUM: A-141
QNAME05: QA05_L8 QNAME03: QA03_363

LABEL: RECVD ALIMONY/CHILD SUPPORT/MONEY FROM GOVT LAST MONTH

VALUE:	-1	INAPPLICABLE	FREQ	%
	1	YES	30997	60.72
	2	NO	2247	4.40
			17804	34.88

UNIVERSE: ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 300% FPL

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AL16_P QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: TOTAL RECVD FROM ALIMONY/CHILD SUPPORT/GOVT (PUF RECODE)

MEAN STATISTICS

N	2247
MIN	5
MAX	4000
MEAN	936.57

UNIVERSE: ADULTS W/ TOTAL ANNUAL HOUSEHOLD INCOME EQUAL TO OR LESS THAN 300%
FPL AND SPOUSE AND/OR SELF RECEIVED MONEY LAST MONTH FOR
ALIMONEY CHILD SUPPORT OR MONEY FROM GOVERNMENT

INPUT VAR: AL16

NOTES: TOPCODE=4,000

VARNAME: AL17 QNAME07: QA07_L10 QPAGENUM: A-141

QNAME05: QA05_L10 QNAME03: QA03_365

LABEL: PAID ALIMONY OR CHILD SUPPORT LAST MONTH

VALUE:		FREQ	%
-1	INAPPLICABLE	30997	60.72
1	YES, RESPONDENT PAID	366	0.72
2	YES, SPOUSE/PARTNER PAID	155	0.30
3	YES, BOTH PAID	15	0.03
4	NO	19515	38.23

UNIVERSE: ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS EQUAL TO OR LESS
THAN 300% FPL

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AL18_P QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: TOTAL ALIMONY/CHILD SUPPORT PAID LAST MONTH (PUF RECODE)

MEAN STATISTICS

N	536
MIN	5
MAX	2000
MEAN	412.08

UNIVERSE: ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 300% FPL AND SPOUSE AND/OR SELF PAID ALIMONY/CHILD SUPPORT LAST MONTH

INPUT VAR: AL18

NOTES: TOPCODE=2,000

VARNAME: AL18A QNAME07: QA07_L12 QPAGENUM: A-142

QNAME05: QA05_L12 QNAME03: QA03_367

LABEL: RECVD SOCIAL SECURITY OR PENSION LAST MONTH

VALUE:		FREQ	%
-1	INAPPLICABLE	42780	83.80
1	YES	6540	12.81
2	NO	1728	3.39

UNIVERSE: (ADULTS 65 OR OLDER WHO ARE NOT MARRIED OR LIVING WITH PARTNER OR OVER 50 WHO ARE MARRIED AND LIVING WITH SPOUSE) AND TOTAL ANNUAL HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 300% FPL

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AL18B_P QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: TOTAL SOCIAL SECURITY/PENSION RECVD LAST MONTH (PUF RECODE)

MEAN STATISTICS

N	6540
MIN	1
MAX	3500
MEAN	1315.88

UNIVERSE: (ADULTS 65 OR OLDER WHO ARE NOT MARRIED OR LIVING W PARTNER OR
OVER 50 WHO ARE MARRIED AND LIVING W SPOUSE) AND ANNUAL HH
INCOME IS 300% FPL OR LESS AND RECEIVED SOCIAL SECURITY OR PENSION PYMT

INPUT VAR: AL18B

NOTES: TOPCODE=3,500

Section M: Housing, Parks, Transportation

VARNAME: AK23 QNAME07: QA07_M1 QPAGENUM: A-143

QNAME05: QA05_K26 QNAME03: QA03_348

LABEL: LIVE IN HOUSE, DUPLEX, BUILDING WITH 3+ UNITS, OR MOBILE HOME

VALUE:		FREQ	%
1	HOUSE	36029	70.58
2	DUPLEX	2125	4.16
3	BUILDING WITH 3 OR MORE UNITS	10215	20.01
4	MOBILE HOME	2679	5.25

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AK25 QNAME07: QA07_M2 QPAGENUM: A-143
QNAME05: QA05_K27 QNAME03: QA03_350

LABEL: OWN OR RENT HOME

VALUE:			FREQ	%
1	OWN		34899	68.37
2	RENT		14349	28.11
3	OTHER ARRANGEMENT		1800	3.53

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: TIMEAD QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: LENGTH OF TIME LIVED AT CURRENT ADDRESS

MEAN STATISTICS	
N	51048
MIN	1
MAX	1080
MEAN	155.91

UNIVERSE: ALL ADULTS

INPUT VAR: AM14UNT, AM14

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AK28 QNAME07: QA07_M4 QPAGENUM: A-143

QNAME05: QA05_K31 QNAME03: NA

LABEL: HOW OFTEN FEEL SAFE IN NEIGHBORHOOD

VALUE:			FREQ	%
1	ALL OF THE TIME		33202	65.04
2	MOST OF THE TIME		15007	29.40
3	SOME OF THE TIME		2378	4.66
4	NONE OF THE TIME		461	0.90

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AM18 QNAME07: QA07_M5 QPAGENUM: A-143

QNAME05: NA QNAME03: QA03_374

LABEL: PARK/PLAYGRND WALKING DISTANCE FROM HOME

VALUE:			FREQ	%
1	YES		40478	79.29
2	NO		10570	20.71

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AM27 QNAME07: QA07_M6 QPAGENUM: A-144
QNAME05: NA QNAME03: NA

LABEL: PAST 30 DAYS BEEN TO PARK, PLAYGROUND

VALUE:			FREQ	%
1	YES		32501	63.67
2	NO		18547	36.33

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AM28 QNAME07: QA07_M7 QPAGENUM: A-144
QNAME05: NA QNAME03: NA

LABEL: LAST TIME AT PARK PHYSICALLY ACTIVE

VALUE:			FREQ	%
-1	INAPPLICABLE		18547	36.33
1	YES		26101	51.13
2	NO		6400	12.54

UNIVERSE: ADULTS WHO HAVE BEEN TO A PARK, PLAYGROUND, OR OPEN SPACE IN LAST 30 DAYS

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AM29 QNAME07: QA07_M8 QPAGENUM: A-144

QNAME05: NA QNAME03: NA

LABEL: HAVE A CAR FOR REGULAR USE

VALUE:			FREQ	%
1	YES		47752	93.54
2	NO		3296	6.46

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AM30 QNAME07: QA07_M9 QPAGENUM: A-144

QNAME05: NA QNAME03: NA

LABEL: HOW USUALLY GET TO THE DOCTOR'S OFFICE

VALUE:			FREQ	%
-1	INAPPLICABLE		47752	93.54
1	PERSONAL VEHICLE AS DRIVER		98	0.19
2	PERSONAL VEHICLE AS PASSENGER		1115	2.18
3	PUBLIC TRANSPORTATION		1268	2.48
4	PARATRANSIT/TRANS PROVIDED BY HHS		304	0.60
5	TAXICAB OR OTHER PAID DRIVER		118	0.23
6	WALK OR RIDE BIKE		337	0.66
7	OTHER		56	0.11

UNIVERSE: ADULTS W/OUT CAR FOR REGULAR USE

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AM31 QNAME07: QA07_M10 QPAGENUM: A-144

QNAME05: NA QNAME03: NA

LABEL: HOW USUALLY GET TO GROCERY STORE

			FREQ	%
VALUE:	-1	INAPPLICABLE	47752	93.54
	1	PERSONAL VEHICLE AS DRIVER	99	0.19
	2	PERSONAL VEHICLE AS PASSENGER	1056	2.07
	3	PUBLIC TRANSPORTATION	681	1.33
	4	FOOD DELIVERED BY PUBLIC PROGRAM	46	0.09
	5	TAXICAB OR OTHER PAID DRIVER	76	0.15
	6	WALK OR RIDE BIKE	1002	1.96
	7	SOMEONE ELSE DOES SHOPPING	301	0.59
	8	OTHER	35	0.07

UNIVERSE: ADULTS W/OUT CAR FOR REGULAR USE

INPUT VAR:

NOTES :

Section N: Demographic Information, Part III

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME:	UR_CLRT	QNAME07:	NA	QPAGENUM:	NA
		QNAME05:	NA	QNAME03:	NA
LABEL:	RURAL AND URBAN - CLARITAS (BY ZIPCODE) (4 LVLS)				
VALUE:	1	URBAN		FREQ	%
	2	2ND CITY		17277	33.84
	3	SUBURBAN		13711	26.86
	4	TOWN AND RURAL		10367	20.31
				9693	18.99
UNIVERSE:	ALL ADULTS				
INPUT VAR:	BESTZIP				
NOTES:					

VARNAME:	UR_CLRT2	QNAME07:	NA	QPAGENUM:	NA
		QNAME05:	NA	QNAME03:	NA
LABEL:	RURAL AND URBAN - CLARITAS (BY ZIPCODE) (2 LVLS)				
				FREQ	%
VALUE:	1	URBAN		41355	81.01
	2	RURAL		9693	18.99
UNIVERSE:	ALL ADULTS				
INPUT VAR:	UR_CLRT				
NOTES:					

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: UR_IHS QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: RURAL AND URBAN - IHS

VALUE:			FREQ	%
1	URBAN		32264	63.20
2	RURAL		18784	36.80

UNIVERSE: ALL ADULTS

INPUT VAR: SRCNTY, BESTZIP

NOTES:

VARNAME: UR_OMB QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: RURAL AND URBAN - OMB

VALUE:			FREQ	%
1	METROPOLITAN		47265	92.59
2	NON-METROPOLITAN		3783	7.41

UNIVERSE: ALL ADULTS

INPUT VAR: SRCNTY

NOTES:

VARNAME: UR_RHP QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: RURAL AND URBAN - RHP

VALUE:			FREQ	%
1	URBAN		42564	83.38
2	RURAL		8484	16.62

UNIVERSE: ALL ADULTS

INPUT VAR: SRCNTY, CBLK

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: UR_BG QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: RURAL AND URBAN - CLARITAS (BY BLOCK GROUP)

VALUE:			FREQ	%
1	URBAN		15517	30.40
2	2ND CITY		10504	20.58
3	SUBURBAN		12526	24.54
4	TOWN AND RURAL		12501	24.49

UNIVERSE: ALL ADULTS

INPUT VAR: CBLK

NOTES:

VARNAME: UR_TRACT QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: RURAL AND URBAN - CLARITAS (BY CENSUS TRACT)

VALUE:			FREQ	%
1	URBAN		15781	30.91
2	2ND CITY		11132	21.81
3	SUBURBAN		12123	23.75
4	TOWN AND RURAL		12012	23.53

UNIVERSE: ALL ADULTS

INPUT VAR: CBLK

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AM33 QNAME07: QA07_N6A QPAGENUM: A-147

QNAME05: NA QNAME03: NA

LABEL: HAS A WORKING CELL PHONE

VALUE:			FREQ	%
-9	NOT ASCERTAINED		2952	5.78
-8	DON'T KNOW		20	0.04
-7	REFUSED		63	0.12
-1	INAPPLICABLE		1558	3.05
1	YES		32573	63.81
2	NO		13826	27.08
3	SHARES CELL PHONE		56	0.11

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AM34 QNAME07: QA07_N6B QPAGENUM: A-147

QNAME05: NA QNAME03: NA

LABEL: TELEPHONE CALLS RECEIVED

VALUE:			FREQ	%
-9	NOT ASCERTAINED		6	0.01
-8	DON'T KNOW		34	0.07
-7	REFUSED		35	0.07
-1	INAPPLICABLE		18419	36.08
1	ALL OR ALMOST ALL CALLS ON CELL PHONES		6278	12.30
2	SOME CALLS ON CELL, SOME REGULAR PHONES		13372	26.19
3	VERY FEW OR NO CALLS ON CELL PHONES		12904	25.28

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

Section O: Full Design and Replicate Weight Series 0-80

VARNAME:	RAKEDW1	QNAME07:	NA	QPAGENUM:	NA
		QNAME05:	NA	QNAME03:	NA
LABEL:	CHIS2007 RAKED WEIGHT - REPLICATE 1				
VALUE:	0-HIGH	CONTINUOUS		FREQ	%
				51048	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME:	RAKEDW2	QNAME07:	NA	QPAGENUM:	NA
		QNAME05:	NA	QNAME03:	NA
LABEL:	CHIS2007 RAKED WEIGHT - REPLICATE 2				
VALUE:	0-HIGH	CONTINUOUS		FREQ	%
				51048	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW3	QNAME07:	NA	QPAGENUM:	NA
		QNAME05:	NA	QNAME03:	NA
LABEL:	CHIS2007 RAKED WEIGHT - REPLICATE 3				
VALUE:	0-HIGH	CONTINUOUS		FREQ	%
				51048	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW4	QNAME07:	NA	QPAGENUM:	NA
		QNAME05:	NA	QNAME03:	NA
LABEL:	CHIS2007 RAKED WEIGHT - REPLICATE 4				
VALUE:	0-HIGH	CONTINUOUS		FREQ	%
				51048	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME:	RAKEDW5	QNAME07:	NA	QPAGENUM:	NA
		QNAME05:	NA	QNAME03:	NA
LABEL:	CHIS2007 RAKED WEIGHT - REPLICATE 5				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				51048	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW6	QNAME07:	NA	QPAGENUM:	NA
		QNAME05:	NA	QNAME03:	NA
LABEL:	CHIS2007 RAKED WEIGHT - REPLICATE 6				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				51048	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW7	QNAME07:	NA	QPAGENUM:	NA
		QNAME05:	NA	QNAME03:	NA
LABEL:	CHIS2007 RAKED WEIGHT - REPLICATE 7				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				51048	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME:	RAKEDW8	QNAME07:	NA	QPAGENUM:	NA
		QNAME05:	NA	QNAME03:	NA
LABEL:	CHIS2007 RAKED WEIGHT - REPLICATE 8				
VALUE:	0-HIGH	CONTINUOUS		FREQ	%
				51048	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW9	QNAME07:	NA	QPAGENUM:	NA
		QNAME05:	NA	QNAME03:	NA
LABEL:	CHIS2007 RAKED WEIGHT - REPLICATE 9				
VALUE:	0-HIGH	CONTINUOUS		FREQ	%
				51048	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW10	QNAME07:	NA	QPAGENUM:	NA
		QNAME05:	NA	QNAME03:	NA
LABEL:	CHIS2007 RAKED WEIGHT - REPLICATE 10				
VALUE:	0-HIGH	CONTINUOUS		FREQ	%
				51048	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME:	RAKEDW11	QNAME07:	NA	QPAGENUM:	NA
		QNAME05:	NA	QNAME03:	NA
LABEL:	CHIS2007 RAKED WEIGHT - REPLICATE 11				
VALUE:	0-HIGH	CONTINUOUS		FREQ	%
				51048	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW12	QNAME07:	NA	QPAGENUM:	NA
		QNAME05:	NA	QNAME03:	NA
LABEL:	CHIS2007 RAKED WEIGHT - REPLICATE 12				
VALUE:	0-HIGH	CONTINUOUS		FREQ	%
				51048	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW13	QNAME07:	NA	QPAGENUM:	NA
		QNAME05:	NA	QNAME03:	NA
LABEL:	CHIS2007 RAKED WEIGHT - REPLICATE 13				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				51048	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW14	QNAME07:	NA	QPAGENUM:	NA
		QNAME05:	NA	QNAME03:	NA
LABEL:	CHIS2007 RAKED WEIGHT - REPLICATE 14				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				51048	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW15	QNAME07:	NA	QPAGENUM:	NA
		QNAME05:	NA	QNAME03:	NA
LABEL:	CHIS2007 RAKED WEIGHT - REPLICATE 15				
VALUE:	0-HIGH	CONTINUOUS		FREQ	%
				51048	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW16	QNAME07:	NA	QPAGENUM:	NA
		QNAME05:	NA	QNAME03:	NA
LABEL:	CHIS2007 RAKED WEIGHT - REPLICATE 16				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				51048	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME:	RAKEDW17	QNAME07:	NA	QPAGENUM:	NA
		QNAME05:	NA	QNAME03:	NA
LABEL:	CHIS2007 RAKED WEIGHT - REPLICATE 17				
VALUE:	0-HIGH	CONTINUOUS		FREQ	%
				51048	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW18	QNAME07:	NA	QPAGENUM:	NA
		QNAME05:	NA	QNAME03:	NA
LABEL:	CHIS2007 RAKED WEIGHT - REPLICATE 18				
VALUE:	0-HIGH	CONTINUOUS		FREQ	%
				51048	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW19	QNAME07:	NA	QPAGENUM:	NA
		QNAME05:	NA	QNAME03:	NA
LABEL:	CHIS2007 RAKED WEIGHT - REPLICATE 19				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				51048	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW20	QNAME07:	NA	QPAGENUM:	NA
		QNAME05:	NA	QNAME03:	NA
LABEL:	CHIS2007 RAKED WEIGHT - REPLICATE 20				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				51048	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW21	QNAME07:	NA	QPAGENUM:	NA
		QNAME05:	NA	QNAME03:	NA
LABEL:	CHIS2007 RAKED WEIGHT - REPLICATE 21				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				51048	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW22	QNAME07:	NA	QPAGENUM:	NA
		QNAME05:	NA	QNAME03:	NA
LABEL:	CHIS2007 RAKED WEIGHT - REPLICATE 22				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				51048	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME:	RAKEDW23	QNAME07:	NA	QPAGENUM:	NA
		QNAME05:	NA	QNAME03:	NA
LABEL:	CHIS2007 RAKED WEIGHT - REPLICATE 23				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				51048	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW24	QNAME07:	NA	QPAGENUM:	NA
		QNAME05:	NA	QNAME03:	NA
LABEL:	CHIS2007 RAKED WEIGHT - REPLICATE 24				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				51048	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW25	QNAME07:	NA	QPAGENUM:	NA
		QNAME05:	NA	QNAME03:	NA
LABEL:	CHIS2007 RAKED WEIGHT - REPLICATE 25				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				51048	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME:	RAKEDW26	QNAME07:	NA	QPAGENUM:	NA
		QNAME05:	NA	QNAME03:	NA
LABEL:	CHIS2007 RAKED WEIGHT - REPLICATE 26				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				51048	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW27	QNAME07:	NA	QPAGENUM:	NA
		QNAME05:	NA	QNAME03:	NA
LABEL:	CHIS2007 RAKED WEIGHT - REPLICATE 27				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				51048	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW28	QNAME07:	NA	QPAGENUM:	NA
		QNAME05:	NA	QNAME03:	NA
LABEL:	CHIS2007 RAKED WEIGHT - REPLICATE 28				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				51048	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME:	RAKEDW29	QNAME07:	NA	QPAGENUM:	NA
		QNAME05:	NA	QNAME03:	NA
LABEL:	CHIS2007 RAKED WEIGHT - REPLICATE 29				
VALUE:	0-HIGH	CONTINUOUS		FREQ	%
				51048	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW30	QNAME07:	NA	QPAGENUM:	NA
		QNAME05:	NA	QNAME03:	NA
LABEL:	CHIS2007 RAKED WEIGHT - REPLICATE 30				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				51048	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW31	QNAME07:	NA	QPAGENUM:	NA
		QNAME05:	NA	QNAME03:	NA
LABEL:	CHIS2007 RAKED WEIGHT - REPLICATE 31				
VALUE:	0-HIGH	CONTINUOUS		FREQ	%
				51048	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME:	RAKEDW32	QNAME07:	NA	QPAGENUM:	NA
		QNAME05:	NA	QNAME03:	NA
LABEL:	CHIS2007 RAKED WEIGHT - REPLICATE 32				
VALUE:	0-HIGH	CONTINUOUS		FREQ	%
				51048	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW33	QNAME07:	NA	QPAGENUM:	NA
		QNAME05:	NA	QNAME03:	NA
LABEL:	CHIS2007 RAKED WEIGHT - REPLICATE 33				
VALUE:	0-HIGH	CONTINUOUS		FREQ	%
				51048	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW34	QNAME07:	NA	QPAGENUM:	NA
		QNAME05:	NA	QNAME03:	NA
LABEL:	CHIS2007 RAKED WEIGHT - REPLICATE 34				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				51048	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW35	QNAME07:	NA	QPAGENUM:	NA
		QNAME05:	NA	QNAME03:	NA
LABEL:	CHIS2007 RAKED WEIGHT - REPLICATE 35				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				51048	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW36	QNAME07:	NA	QPAGENUM:	NA
		QNAME05:	NA	QNAME03:	NA
LABEL:	CHIS2007 RAKED WEIGHT - REPLICATE 36				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				51048	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW37	QNAME07:	NA	QPAGENUM:	NA
		QNAME05:	NA	QNAME03:	NA
LABEL:	CHIS2007 RAKED WEIGHT - REPLICATE 37				
VALUE:	0-HIGH	CONTINUOUS		FREQ	%
				51048	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME:	RAKEDW38	QNAME07:	NA	QPAGENUM:	NA
		QNAME05:	NA	QNAME03:	NA
LABEL:	CHIS2007 RAKED WEIGHT - REPLICATE 38				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				51048	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW39	QNAME07:	NA	QPAGENUM:	NA
		QNAME05:	NA	QNAME03:	NA
LABEL:	CHIS2007 RAKED WEIGHT - REPLICATE 39				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				51048	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW40	QNAME07:	NA	QPAGENUM:	NA
		QNAME05:	NA	QNAME03:	NA
LABEL:	CHIS2007 RAKED WEIGHT - REPLICATE 40				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				51048	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME:	RAKEDW41	QNAME07:	NA	QPAGENUM:	NA
		QNAME05:	NA	QNAME03:	NA
LABEL:	CHIS2007 RAKED WEIGHT - REPLICATE 41				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				51048	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW42	QNAME07:	NA	QPAGENUM:	NA
		QNAME05:	NA	QNAME03:	NA
LABEL:	CHIS2007 RAKED WEIGHT - REPLICATE 42				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				51048	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW43	QNAME07:	NA	QPAGENUM:	NA
		QNAME05:	NA	QNAME03:	NA
LABEL:	CHIS2007 RAKED WEIGHT - REPLICATE 43				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				51048	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME:	RAKEDW44	QNAME07:	NA	QPAGENUM:	NA
		QNAME05:	NA	QNAME03:	NA
LABEL:	CHIS2007 RAKED WEIGHT - REPLICATE 44				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				51048	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW45	QNAME07:	NA	QPAGENUM:	NA
		QNAME05:	NA	QNAME03:	NA
LABEL:	CHIS2007 RAKED WEIGHT - REPLICATE 45				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				51048	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW46	QNAME07:	NA	QPAGENUM:	NA
		QNAME05:	NA	QNAME03:	NA
LABEL:	CHIS2007 RAKED WEIGHT - REPLICATE 46				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				51048	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME:	RAKEDW47	QNAME07:	NA	QPAGENUM:	NA
		QNAME05:	NA	QNAME03:	NA
LABEL:	CHIS2007 RAKED WEIGHT - REPLICATE 47				
VALUE:	0-HIGH	CONTINUOUS		FREQ	%
				51048	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW48	QNAME07:	NA	QPAGENUM:	NA
		QNAME05:	NA	QNAME03:	NA
LABEL:	CHIS2007 RAKED WEIGHT - REPLICATE 48				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				51048	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW49	QNAME07:	NA	QPAGENUM:	NA
		QNAME05:	NA	QNAME03:	NA
LABEL:	CHIS2007 RAKED WEIGHT - REPLICATE 49				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				51048	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME:	RAKEDW50	QNAME07:	NA	QPAGENUM:	NA
		QNAME05:	NA	QNAME03:	NA
LABEL:	CHIS2007 RAKED WEIGHT - REPLICATE 50				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				51048	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW51	QNAME07:	NA	QPAGENUM:	NA
		QNAME05:	NA	QNAME03:	NA
LABEL:	CHIS2007 RAKED WEIGHT - REPLICATE 51				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				51048	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW52	QNAME07:	NA	QPAGENUM:	NA
		QNAME05:	NA	QNAME03:	NA
LABEL:	CHIS2007 RAKED WEIGHT - REPLICATE 52				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				51048	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME:	RAKEDW53	QNAME07:	NA	QPAGENUM:	NA
		QNAME05:	NA	QNAME03:	NA
LABEL:	CHIS2007 RAKED WEIGHT - REPLICATE 53				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				51048	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW54	QNAME07:	NA	QPAGENUM:	NA
		QNAME05:	NA	QNAME03:	NA
LABEL:	CHIS2007 RAKED WEIGHT - REPLICATE 54				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				51048	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW55	QNAME07:	NA	QPAGENUM:	NA
		QNAME05:	NA	QNAME03:	NA
LABEL:	CHIS2007 RAKED WEIGHT - REPLICATE 55				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				51048	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME:	RAKEDW56	QNAME07:	NA	QPAGENUM:	NA
		QNAME05:	NA	QNAME03:	NA
LABEL:	CHIS2007 RAKED WEIGHT - REPLICATE 56				
VALUE:	0-HIGH CONTINUOUS	FREQ	%		
		51048	100.00		
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW57	QNAME07:	NA	QPAGENUM:	NA
		QNAME05:	NA	QNAME03:	NA
LABEL:	CHIS2007 RAKED WEIGHT - REPLICATE 57				
VALUE:	0-HIGH CONTINUOUS	FREQ	%		
		51048	100.00		
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW58	QNAME07:	NA	QPAGENUM:	NA
		QNAME05:	NA	QNAME03:	NA
LABEL:	CHIS2007 RAKED WEIGHT - REPLICATE 58				
VALUE:	0-HIGH CONTINUOUS	FREQ	%		
		51048	100.00		
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW59	QNAME07:	NA	QPAGENUM:	NA
		QNAME05:	NA	QNAME03:	NA
LABEL:	CHIS2007 RAKED WEIGHT - REPLICATE 59				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				51048	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW60	QNAME07:	NA	QPAGENUM:	NA
		QNAME05:	NA	QNAME03:	NA
LABEL:	CHIS2007 RAKED WEIGHT - REPLICATE 60				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				51048	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW61	QNAME07:	NA	QPAGENUM:	NA
		QNAME05:	NA	QNAME03:	NA
LABEL:	CHIS2007 RAKED WEIGHT - REPLICATE 61				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				51048	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME:	RAKEDW62	QNAME07:	NA	QPAGENUM:	NA
		QNAME05:	NA	QNAME03:	NA
LABEL:	CHIS2007 RAKED WEIGHT - REPLICATE 62				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				51048	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW63	QNAME07:	NA	QPAGENUM:	NA
		QNAME05:	NA	QNAME03:	NA
LABEL:	CHIS2007 RAKED WEIGHT - REPLICATE 63				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				51048	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW64	QNAME07:	NA	QPAGENUM:	NA
		QNAME05:	NA	QNAME03:	NA
LABEL:	CHIS2007 RAKED WEIGHT - REPLICATE 64				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				51048	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME:	RAKEDW65	QNAME07:	NA	QPAGENUM:	NA
		QNAME05:	NA	QNAME03:	NA
LABEL:	CHIS2007 RAKED WEIGHT - REPLICATE 65				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				51048	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW66	QNAME07:	NA	QPAGENUM:	NA
		QNAME05:	NA	QNAME03:	NA
LABEL:	CHIS2007 RAKED WEIGHT - REPLICATE 66				
VALUE:	0-HIGH	CONTINUOUS		FREQ	%
				51048	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW67	QNAME07:	NA	QPAGENUM:	NA
		QNAME05:	NA	QNAME03:	NA
LABEL:	CHIS2007 RAKED WEIGHT - REPLICATE 67				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				51048	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME:	RAKEDW68	QNAME07:	NA	QPAGENUM:	NA
		QNAME05:	NA	QNAME03:	NA
LABEL:	CHIS2007 RAKED WEIGHT - REPLICATE 68				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				51048	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW69	QNAME07:	NA	QPAGENUM:	NA
		QNAME05:	NA	QNAME03:	NA
LABEL:	CHIS2007 RAKED WEIGHT - REPLICATE 69				
VALUE:	0-HIGH	CONTINUOUS		FREQ	%
				51048	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW70	QNAME07:	NA	QPAGENUM:	NA
		QNAME05:	NA	QNAME03:	NA
LABEL:	CHIS2007 RAKED WEIGHT - REPLICATE 70				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				51048	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW71	QNAME07:	NA	QPAGENUM:	NA
		QNAME05:	NA	QNAME03:	NA
LABEL:	CHIS2007 RAKED WEIGHT - REPLICATE 71				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				51048	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:	-----				
VARNAME:	RAKEDW72	QNAME07:	NA	QPAGENUM:	NA
		QNAME05:	NA	QNAME03:	NA
LABEL:	CHIS2007 RAKED WEIGHT - REPLICATE 72				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				51048	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:	-----				
VARNAME:	RAKEDW73	QNAME07:	NA	QPAGENUM:	NA
		QNAME05:	NA	QNAME03:	NA
LABEL:	CHIS2007 RAKED WEIGHT - REPLICATE 73				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				51048	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME:	RAKEDW74	QNAME07:	NA	QPAGENUM:	NA
		QNAME05:	NA	QNAME03:	NA
LABEL:	CHIS2007 RAKED WEIGHT - REPLICATE 74				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				51048	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW75	QNAME07:	NA	QPAGENUM:	NA
		QNAME05:	NA	QNAME03:	NA
LABEL:	CHIS2007 RAKED WEIGHT - REPLICATE 75				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				51048	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW76	QNAME07:	NA	QPAGENUM:	NA
		QNAME05:	NA	QNAME03:	NA
LABEL:	CHIS2007 RAKED WEIGHT - REPLICATE 76				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				51048	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME:	RAKEDW77	QNAME07:	NA	QPAGENUM:	NA
		QNAME05:	NA	QNAME03:	NA
LABEL:	CHIS2007 RAKED WEIGHT - REPLICATE 77				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				51048	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW78	QNAME07:	NA	QPAGENUM:	NA
		QNAME05:	NA	QNAME03:	NA
LABEL:	CHIS2007 RAKED WEIGHT - REPLICATE 78				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				51048	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW79	QNAME07:	NA	QPAGENUM:	NA
		QNAME05:	NA	QNAME03:	NA
LABEL:	CHIS2007 RAKED WEIGHT - REPLICATE 79				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				51048	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME:	RAKEDW80	QNAME07:	NA	QPAGENUM:	NA
		QNAME05:	NA	QNAME03:	NA
LABEL:	CHIS2007 RAKED WEIGHT - REPLICATE 80				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				51048	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					
