
A


Difference in subjective SES coefficient
(Women minus men)
-0.05
0.00
0.05
Outcome
Meaningfulness of life
Evaluative wellbeing
Hedonic wellbeing
Loneliness (rev.)
Depression (rev.)
Anxiety (rev.)
Frailty (rev.)
Self-rated health
Mobility limitations (rev.)
IADL difficulties (rev.)
Fibrinogen (rev.)
ADL difficulties (rev.)
HDL/total cholesterol ratio
Physical activity
C-reactive protein (rev.)
Executive function
Memory
Gait speed
Triglycerides (rev.)
Allostatic load (rev.)
Processing speed
Glycated hemoglobin (rev.)
Grip strength

B


Difference in subjective SES coefficient
(Women minus men)
-0.040
-0.020
0.000
0.020
0.040
0.060
Outcome
Low peak expiratory flow (rev.)
Limiting longstanding illness (rev.)
Good hearing
Low forced vital capacity (rev.)
Low forced expiratory volume (rev.)
Pain (rev.)
Good eyesight
High blood pressure: diastolic (rev.)
Smoking (rev.)
High fasting blood glucose (rev.)
Central obesity (rev.)
High blood pressure: systolic (rev.)
Drinking alcohol (rev.)
BMI obesity (rev.)