

Template Week 4 – Software

Student number: 568670

Assignment 4.1: ARM assembly

Screenshot of working assembly code of factorial calculation:

Assignment 4.2: Programming languages

Take screenshots that the following commands work:

`javac --version`

`java --version`

`gcc --version`

`python3 --version`

`bash --version`

Assignment 4.3: Compile

Which of the above files need to be compiled before you can run them?

Which source code files are compiled into machine code and then directly executable by a processor?

Which source code files are compiled to byte code?

Which source code files are interpreted by an interpreter?

These source code files will perform the same calculation after compilation/interpretation. Which one is expected to do the calculation the fastest?

How do I run a Java program?

How do I run a Python program?

How do I run a C program?

How do I run a Bash script?

If I compile the above source code, will a new file be created? If so, which file?

Take relevant screenshots of the following commands:

- Compile the source files where necessary
- Make them executable
- Run them
- Which (compiled) source code file performs the calculation the fastest?

Assignment 4.4: Optimize

Take relevant screenshots of the following commands:

- a) Figure out which parameters you need to pass to **the gcc** compiler so that the compiler performs a number of optimizations that will ensure that the compiled source code will run faster. **Tip!** The parameters are usually a letter followed by a number. Also read **page 191** of your book, but find a better optimization in the man pages. Please note that Linux is case sensitive.
- b) Compile **fib.c** again with the optimization parameters
- c) Run the newly compiled program. Is it true that it now performs the calculation faster?
- d) Edit the file **runall.sh**, so you can perform all four calculations in a row using this Bash script. So the (compiled/interpreted) C, Java, Python and Bash versions of Fibonacci one after the other.

Bonus point assignment – week 4

Like the factorial example, you can also implement the calculation of a power of 2 in assembly. For example you want to calculate $2^4 = 16$. Use iteration to calculate the result. Store the result in r0.

(r1 will be the base 2, r2 will be the power 4)

Main:

```
Mov r0, #1
```

```
mov r1, #2
```

```
mov r2, #4
```

Loop:

```
CMP r2, #0
```

```
BEQ End
```

```
MUL r0, r0, r1
```

```
SUB r2, r2, #1
```

```
B Loop
```

End:

```
Bx lr
```

Ready? Save this file and export it as a pdf file with the name: [week4.pdf](#)