

## Linguistic Linked Open Data Cloud (PanLex)

#### Gliederung

- Aufgabenstellung
- PanLex
- Architektur
- Umsetzung



# Aufgabenstellung




Praktikum Semantic Web 03.07.0212 Patrick Westphal

#### PanLex


"As a contribution to long-term linguistic diversity, the PanLex project works to enable the translation of any word from any language into any other language." [0]

- multilingual
- ca. 150.000.000 Einträge in 36 Tabellen
- eher wissenschaftliches Projekt
- seit 2006





Sparql Server

PanLex



Praktikum Semantic Web · 03.07.0212 · Patrick Westphal






#### **SNORQL**

- AJAX-Frontend zum Erkunden der Datenbasis eines Sparql Endpoints

- HTML- undJavaScript-Dateien



Powered by Sparglify



8

## Sparqlify

- Java
- in der AKSW-Gruppe von Claus Stadler entwickelt
- seit März 2012
- eigene Mapping-Sprache



9

PostgreSQL 9.0.2

- nur lokaler Zugriff



10


```
plx=> \dt
         Liste der Relationen
                         l Eigentümer
 Schema | Name |
                   Тур
 public | af
               | Tabelle | apache
 public | ap
               | Tabelle |
                           apache
 public |
          aped | Tabelle |
                           apache
          apf
 public |
               | Tabelle
                           apache
 public | apli | Tabelle | apache
 public | au
               | Tabelle | apache
 public | av
               | Tabelle | apache
 public |
               | Tabelle | apache
          CD
               | Tabelle
                         I apache
 public |
          cu
 public |
               | Tabelle | apache
          df
 public | dfid | Tabelle | apache
 public |
         dfp
               | Tabelle | apache
 public |
          dm
                 Tabelle
                           apache
                           apache
 public |
          dmid |
                 Tabelle
                         I apache
 public |
          dn
               | Tabelle
 public | dnid | Tabelle | apache
 public | ex
               | Tabelle | apache
 public | exap | Tabelle
                           apache
 public | exid | Tabelle | apache
 public | exq | Tabelle | apache
[...]
```



11


plx=> \dS ap							
	Tabelle »public.ap«						
Spalte		Тур				Attrik	oute
	+		+				
ap	1	integer			null	_	
dt	ı	date	l not	_	null	Vorgabewert	('now'::text)::date
tt		text	l not	_	null		
ur		text					
bn		text					
au		text					
ti		text					
pb		text					
yr		smallint					
uq		smallint	I not	_	null		
ui		smallint					
ul		text					
li		character(2)					
ip		text					
CO	1	text					
ad	1	text	1				








13









15

```
// (df)
// mappings concerning meaning definitions
Create View df As
    Construct {
        ?mn a plx:meaning.
        ?mt a plx:meaningText.
        ?mn plx:hasMeaningText ?mt.
        ?mt plx:varietyOfMeaningText ?lv.
        ?mt plx:definitionText ?tt.
    With
        ?mn = uri(concat(plx:meaning,'/',?mn))
        ?mt = uri(concat(plx:meaningText,'/',?df))
        ?lv = uri(concat(plx:variety,'/',?lv))
        ?tt = typedLiteral(?tt, xsd:string)
    From
        df
```



16

```
<rdf:RDF
    xmlns:rdf="http://www.w3.org/1999/02/22-rdf-svntax-ns#"
    xmlns:plx="http://panlex.org/plx/#" >
  <rdf:Description rdf:about="http://panlex.org/plx/#meaningText/1145938">
    <pl><plx:definitionText rdf:datatype="http://www.w3.org/2001/XMLSchema#string"></pl>
     ன் இரும்பாயுகம்
    </pl></plx:definitionText>
  </rdf:Description>
  <rdf:Description rdf:about="http://panlex.org/plx/#meaningText/1145939">
    <pl><plx:definitionText rdf:datatype="http://www.w3.org/2001/XMLSchema#string"></pl>
      Iron rod used in making books out of palmyra leaves, two such being passed through and
      fastened with a screw
    </pl></plx:definitionText>
                                     Create View df As
  </rdf:Description>
  [...]
                                          Construct {
                                               ?mt a plx:meaningText.
                                               [ ... ]
                                               ?mt plx:definitionText ?tt.
                                          With
                                               ?mt = uri(concat(plx:meaningText,'/',?df))
                                               ?tt = typedLiteral(?tt, xsd:string)
                                          From
                                               df
```



- zur Erinnerung: ca. 150.000.000 Einträge in 36 Tabellen
- Load-Probleme auf Server
- DOS-anfällig
  - → Timeouts
  - → maximale Anzahl von Ergebnissen (server-seitig)



18

- apache httpd installieren und einrichten

- SNORQL-JavaScript anpassen

```
this._endpoint = 'http://139.18.2.158/sparklify';
this._poweredByLink = 'http://aksw.org/projects/Sparqlify';
this._poweredByLabel = 'Sparqlify';
```



Vielen Dank für die Aufmerksamkeit!

#### SPARQL results: meaning text <a href="http://panlex.org/plx/#meaningText/1">http://panlex.org/plx/#meaningText/1">http://panlex.org/plx/#meaningText/1</a> "of a fresh fish, to gut, scale and prepare for cooking"^^xsd:string <a href="http://panlex.org/plx/#meaningText/2">http://panlex.org/plx/#meaningText/2</a> "Form of aller"^^xsd:string <a href="http://panlex.org/plx/#meaningText/3">http://panlex.org/plx/#meaningText/3</a> "a canine character in Creole folktales, typically the dimwitted victim of Lapin's trickery."^^xsd:string "a type of soup made of organ meats"^^xsd:string <a href="http://panlex.org/plx/#meaningText/4">http://panlex.org/plx/#meaningText/4</a> <a href="http://panlex.org/plx/#meaningText/5">http://panlex.org/plx/#meaningText/5</a> "small ball of a substance, typically rolled by hand"^^xsd:string <a href="http://panlex.org/plx/#meaningText/6">http://panlex.org/plx/#meaningText/6">#meaningText/6</a> "past participle of boire"^^xsd:string "a mendical condition"^^xsd:string <a href="http://panlex.org/plx/#meaningText/7">http://panlex.org/plx/#meaningText/7">#

## Quellen

- [0] http://panlex.org
- [1] http://d2rq.org/d2r-server
- [2] http://aksw.org/projects/Sparqlify
- [3] http://www.postgresql.org/
- [4] https://github.com/kurtjx/SNORQL/
- [5] http://panlex.org/tech/doc/panlex-db-design.pdf
- [6] http://www.opensecurityarchitecture.org/cms/library/icon-library
- [7] http://www.icon-king.com/projects/nuvola/

Praktikum Semantic Web 03.07.0212 Patrick Westphal



```
<rdf:RDF
   xmlns:rdf="http://www.w3.org/1999/02/22-rdf-syntax-ns#"
   xmlns:owl="http://www.w3.org/2002/07/owl#" >
 <rdf:Description rdf:about="http://panlex.org/plx/#iso639-3/tuk">
    <owl:sameAs rdf:resource="http://lexvo.org/id/iso639-3/tuk"/>
 </rdf:Description>
 <rdf:Description rdf:about="http://panlex.org/plx/#iso639-1/bg">
    <owl:sameAs rdf:resource="http://lexvo.org/id/iso639-1/bg"/>
 </rdf:Description>
 <rdf:Description rdf:about="http://panlex.org/plx/#iso639-3/nau">
    <owl:sameAs rdf:resource="http://lexvo.org/id/iso639-3/nau"/>
 </rdf:Description>
 <rdf:Description rdf:about="http://panlex.org/plx/#iso639-3/ile">
    <owl:sameAs rdf:resource="http://lexvo.org/id/iso639-3/ile"/>
 </rdf:Description>
 <rdf:Description rdf:about="http://panlex.org/plx/#iso639-3/sna">
    <owl:sameAs rdf:resource="http://lexvo.org/id/iso639-3/sna"/>
 </rdf:Description>
 <rdf:Description rdf:about="http://panlex.org/plx/#iso639-1/nb">
    <owl:sameAs rdf:resource="http://lexvo.org/id/iso639-1/nb"/>
 </rdf:Description>
 <rdf:Description rdf:about="http://panlex.org/plx/#iso639-1/cv">
   <owl:sameAs rdf:resource="http://lexvo.org/id/iso639-1/cv"/>
 </rdf:Description>
  [...]
```