

Problem

A subsequence is a sequence that can be derived from another string by deleting some or no characters without changing the order of the remaining characters.

Print:

YES if "hackerrank" is a subsequence of s. NO otherwise.

Input Format

The first line contains an integer q, the number of test cases.

Each of the next q lines contains a string s.

Constraints

$1 \leq q \leq 100$ $1 \leq |s| \leq 10^5$

The sum of the lengths of all strings does not exceed 10^6 .

Output Format

For each test case, print:

YES

or

NO

Sample Input 0

hackerworld

[Change Theme](#)

Language

Java 15



```

1  import java.io.*;
2  import java.util.Scanner;
3  public class Solution {
4      public static void main(String[] args) {
5          Scanner sc = new Scanner(System.in);
6          char[] findtarget = {'h', 'a', 'c', 'k'}
7          while(sc.hasNext()) {
8              String word = sc.next();
9              if(word.charAt(0) >= '0' && word.charAt(0) <= '9')
10                 continue;
11             }
12             char[] s = word.toCharArray();
13             int ptr = 0;
14             for(int i=0; i<s.length; i++) {
15                 if(ptr < 10 && s[i] == findtarget[ptr])
16                     ptr++;
17             }
18             if(ptr == 10) {
19                 System.out.println("YES");
20             } else {
21                 System.out.println("NO");
22             }
23         }
24     }
25 }
26 
```

Line: 26 Col: 2