# http form input with php

# forms in php

- HTTP form input
  - shows up in two associative arrays:
  - \$\_GET or \$\_POST
    - depending on the form's method attribute ("get" or "post")
    - (defaults to \$\_GET)

## GET vs POST

- what is the difference between get and post?
- when would your form use one or the other?

action declaration optional-defaults to document's url

```
<form method="get" action="url/path/to/file.php">
    <label>
        <span>How many pickles would you like to make?</span>
        <input type="text" name="number-of-pickles">
        </label>
        <input type="submit" value="MAKE ME SOME PICKLES">
        </form>
```

what does the name attribute do?

# forms and php

```
<form>
  <label>
    <span>How many pickles would you like to make?</span>
    <input type="text" name="number-of-pickles">
  </label>
  <input type="submit" value="MAKE ME SOME PICKLES">
</form>
<d1>
<?php
  foreach ($_GET as $key => $value) {
    print
      <dt>'.$key.'</dt>
      <dd>'.$value.'</dd>
    6.
</dl>
```

# forms and php

```
<form>
    <label>
        <span>How many pickles would you like to make?</span>
        <input type="text" name="number-of-pickles">
        </label>
        <input type="submit" value="MAKE ME SOME PICKLES">
        </form>

        <?php print_r($_GET); ?>
```

# forms and php

- exercise: pickle-maker app
- print out "PICKLE!" for the number of pickles requested.
- extra credit: number the pickle output