UC-006 Map a table beside the documents

Map a table beside the documents

Use case, reversed from the implementation at 0.3.0. Draft.

The solution in one sentence


A curator maps a CSV, TSV or JSON table to the ontology's classes and attributes and publishes the mapping with the version, so that a question about a filter, a total or an exact value is answered from the table and cites the cell or the recomputed figure.

A table parsed as prose loses its schema; a total cannot be quoted. The table needs to stay a table, bound at a snapshot, with its cells citable.

What is different afterwards

Catalogue questions are answered from rows and figures, each citation opening the row with the cell highlighted; a metric is recomputed before it is shown.

The solution on one page



Generated from the Participants and Interactions tables with the model skill; `components.drawio` is the source.

Participants

Participant	Role in this use case	Kind
01 Curator	Writes mappings.yaml and metrics.osi.yaml	actor
02 Ontology store	The mapping published and rendered with the version	solution
03 Sweep	Binds the snapshot into gold	solution
04 Structured tools	describe, lookup_rows, aggregate	solution
05 Reader	Asks a catalogue question	actor

Interactions

Interface	Provider	Consumer	Purpose
IF-01	02 Ontology store	01 Curator	publish with the mapping; refused on an unknown term
IF-02	03 Sweep	02 Ontology store	read the structured rendition
IF-03	04 Structured tools	03 Sweep	cells and rows from the snapshot
IF-04	04 Structured tools	05 Reader	through the agent: a cell or a figure cited

Catalogue Mapping


What each local participant stands for in the catalogue: an actor or an external system is a gap by design (no artefact of this catalogue realises a person or a vendor); a solution participant realises or partly realises a building block.

Local ID	Maps To	Relationship
01	gap	gap
02	ABB-002 Lake	partial
03	ABB-024 Ingestion and extraction pipeline	realises
04	ABB-012 Graph tools	partial
05	gap	gap

The flow

UC-006 Map a table beside the documents: scenarios

S1 Main success scenario



S1 Main success scenario

◀ Prev | Next ▶ | ▶ Play | Restart | Zoom to step: on

Arrow keys step, space plays

1. write the mapping in the ontology's terms; publish the version
2. read structured/mapping.json
3. bind the file: rows as entities keyed by the key columns, values as cells with the snapshot hash; validate with SHACL
4. ask a catalogue question; the agent looks up rows or aggregates
5. the claim cites the cell or the figure; the check recomputes it

Data and measures

- The mapping and metrics, the binding record, the cells file