UC-002 Load documents into a collection

Load documents into a collection

Use case, reversed from the implementation at 0.3.0. Draft.

The solution in one sentence


An administrator puts documents into a collection's landing folder, or points the collection at a source, and the next sweep ingests, refines, extracts and projects them without anyone running a step, so that the store stays current with what is written.

A store that needs an operator to run a pipeline falls behind the documents. The sweep has to be something uploads start and a schedule backs up.

What is different afterwards

Upload and wait. The status page shows the stage; the chat answers from the new documents at the next sweep.

The solution on one page



Generated from the Participants and Interactions tables with the model skill; `components.drawio` is the source.

Participants

Participant	Role in this use case	Kind
01 Administrator	Uploads or configures a source	actor
02 Landing folder	The upload location in the lake	solution
03 Upload trigger	Object created event to the queue to the task	solution
04 Sweep	Ingest, refine, discover or publish, extract, bind, project, load	solution
05 Lake	Bronze, silver, gold and the ontology	solution

Interactions

Interface	Provider	Consumer	Purpose
IF-01	02 Landing folder	01 Administrator	upload
IF-02	03 Upload trigger	02 Landing folder	object created
IF-03	04 Sweep	03 Upload trigger	run task
IF-04	05 Lake	04 Sweep	read and write the layers

Catalogue Mapping


What each local participant stands for in the catalogue: an actor or an external system is a gap by design (no artefact of this catalogue realises a person or a vendor); a solution participant realises or partly realises a building block.

Local ID	Maps To	Relationship
01	gap	gap
02	ABB-002 Lake	partial
03	gap	gap
04	ABB-024 Ingestion and extraction pipeline	realises
05	ABB-002 Lake	realises

The flow

UC-002 Load documents into a collection: scenarios

S1 Main success scenario | S2 No ontology yet



S1 Main success scenario

◀ Prev | Next ▶ | ▶ Play

Restart | Zoom to step: on

Arrow keys step, space plays

1. upload files under landing/<collection>/
2. emit object created
3. start one task; a lock makes sure only one sweeps
4. ingest to bronze by content hash; refine to silver passages
5. extract against the active version; bind mapped tables; project; load the graph, the backends and the passage index
6. write portal/status.json ready

Data and measures

- Source configuration, scope per source
- Bronze meta per file: document id, source keys, scope, content type
- Status per collection