UC-009 Deploy the store in your own account

Deploy the store in your own account

Use case, reversed from the implementation at 0.3.0. Draft.

The solution in one sentence


An administrator applies one Terraform module, or launches one CloudFormation stack, into their own AWS account with their collections, models, network and valves, and has a working store after a second apply switches the agent on, so that nothing is run or hosted anywhere else.

A reference architecture that takes a platform team to stand up is not adopted. The deployment has to be one module with sane defaults, buildable from inside the account, and upgradable by moving a tag.

What is different afterwards

A portal URL, an upload location per collection, the pipeline logs and the evaluate command; images built in the account; a tag to move for the next release.

The solution on one page



Generated from the Participants and Interactions tables with the model skill; `components.drawio` is the source.

Participants

Participant	Role in this use case	Kind
01 Administrator	Configures, applies, upgrades	actor
02 Terraform module	Nine submodules under one	solution
03 Image build	CodeBuild from the uploaded source	solution
04 Launch stack	CloudFormation running the same Terraform	solution
05 AWS account	Where everything lands	external

Interactions

Interface	Provider	Consumer	Purpose
IF-01	02 Terraform module	01 Administrator	inputs in, outputs out
IF-02	03 Image build	02 Terraform module	source zip uploaded, builds started
IF-03	05 AWS account	02 Terraform module	resources created
IF-04	04 Launch stack	01 Administrator	parameters in, the same apply

Catalogue Mapping


What each local participant stands for in the catalogue: an actor or an external system is a gap by design (no artefact of this catalogue realises a person or a vendor); a solution participant realises or partly realises a building block.

Local ID	Maps To	Relationship
01	gap	gap
02	gap	gap
03	gap	gap
04	gap	gap
05	gap	gap

The flow

UC-009 Deploy the store in your own account: scenarios

S1 Main success scenario | S2 Upgrade | S3 Without Terraform



S1 Main success scenario

◀ Prev | Next ▶ | ▶ Play

Restart | Zoom to step: on

Arrow keys step, space plays

1. set admin_email, name, collections, models, network, valves; init, plan, apply
2. create the lake, network, pipeline, graph, knowledge base, identity, portal, gateway and tools
3. upload the source; the rule starts both builds
4. set agent.runtime true; apply again
5. output the portal URL, upload locations, logs and the evaluate command

Data and measures

- The module inputs and outputs (CT-010)
- The release tag