

Assignment X

Week x - x

XXXXXXXXXX Your Name

Collaborators.


1 PUT THE SECTION HERE

Problem 1. Here’s problem statement.

```
1 print("You can insert code like this")
```

- You can insert sub-problem
- 1.1 Here’s sub-problem a.
 - 1.2 Here’s sub-problem b.
 - 1.3 Here’s sub-problem c.

Solution. The solution goes here. Supporting figures can be inserted with `\fig:`



n	fibonacci(n)
1	1
2	1
3	2
4	3
5	5
6	8
7	13
8	21
9	34

Figure 1: Example figure – swap in your own image under `images/`.

Problem 2. codingbox defaults to Python, but any language listings ships a `\lstdefinelanguage` for works via its language option, e.g. `[language=C++]` or `[language=bash]`.

```
1 #include <iostream>
2
3 int main() {
4     // Compute the first 10 Fibonacci numbers
5     int a = 0, b = 1;
6     for (int i = 0; i < 10; ++i) {
7         std::cout << a << " ";
8         int next = a + b;
9         a = b;
10        b = next;
11    }
12    return 0;
13 }
```

```
1  #!/usr/bin/env bash
2  # Print the first 10 Fibonacci numbers
3  a=0
4  b=1
5  for _ in $(seq 1 10); do
6      echo -n "$a "
7      next=$((a + b))
8      a=b
9      b=$next
10 done
```

Problem 3. Here's the problem statement for **MANDATORY** problem.

TO SUBMIT

Solution. Here's the solution for the **MANDATORY** problem.
ABC.

Problem 4. Here's the problem statement for **PROVING** problem.

Proof. Here's the proof for the **PROVING** problem.

Problem 5. Here's a **multiple choice** problem statement. Use \choices to lay out the options; it defaults to 4 choices and picks 4, 2, or 1 columns on its own depending on how long the choices are.

5.1 Short choices sit four to a row.

- | | | | |
|---------|----------|----------|------------|
| A. True | B. False | C. Maybe | D. Unknown |
|---------|----------|----------|------------|

5.2 Longer choices wrap down to two columns automatically.

- | | |
|-----------------------------------|-----------------------------------|
| A. The probability increases | B. The probability decreases |
| C. The probability stays the same | D. Not enough information to tell |

5.3 Pass the choice count explicitly when it isn't 4.

- | | | | |
|------|------|------|------|
| A. A | B. B | C. C | D. D |
| E. E | F. F | | |

APPENDIX 1

notebook-template | Code Solution

notebook-template

September 2, 2026

1 Example Notebook

This notebook is a worked example of `templates/nbconvert/cedt-assignment/` — the shared `jupyter nbconvert` LaTeX template in this repo. Convert it yourself with:

```
make nb-pdf NB=templates/notebook-template.ipynb
```

(from a subject repo that vendors this template, with `course-config.tex` filled in) to see the same header, 9pt font, and GitHub-style code boxes as `templates/assignment-template.tex`.

1.1 Problem

Write a function that returns the n -th Fibonacci number (0-indexed), then print the first ten values.

```
[1]: def fibonacci(n):  
    """Return the n-th Fibonacci number (0-indexed)."""  
    a, b = 0, 1  
    for _ in range(n):  
        a, b = b, a + b  
    return a  
  
    # A short comment, to show off comment styling too  
values = [fibonacci(n) for n in range(10)]  
print("First 10 Fibonacci numbers:", values)
```

First 10 Fibonacci numbers: [0, 1, 1, 2, 3, 5, 8, 13, 21, 34]

1.2 Notes

- Markdown cells render as normal LaTeX prose.
- Code cells get GitHub-style syntax highlighting via the `cedt-assignment` nbconvert template, matching `CEDT-Assignment-style.sty`'s `codingbox`.
- Both this source `.ipynb` and its compiled `.pdf` are committed here purely as a reference; nothing in this repo actually builds them itself (this repo isn't a subject repo — it has no `course-config.tex/vendor/` of its own).