Jenkins and GitLab configurations trigger build

Table of Contents

Create a GitLab key	1
Jenkins file configuration	1
Jenkins configuration	2
Requirement	2
GitLab Jenkinsfile	2
How to add credentials	2

This document is a step by step configuration in order to activate automatique build on all behavior of GitLab. This setting is a trigger to multibranch job configuration, all modication on GitLab implies automatic build in CloudUni/Jenkins.

id: johndoe pwd: abc2015

hello

Create a GitLab key

Jenkins need the access token to listen to GitLab behaviors. 1. go to Profile Settings 2. Access Todkens 3. Add a Personnal Access Token

name: cloudunit Expire at: xxx

xxx: leave it blanc to set it never or give expiration date.

[important]: don't forget to save the token ID.

Jenkins file configuration

- 1. in your project, make sure that you have Jenkins file
- 2. open your Jenkinsfile
- 3. add athe first line a GitLab Jenkins plugin properties

```
`properties([gitLabConnection('cloudunit')])`
```

Jenkins configuration

Requirement

• Jenkins version 2.46.1 (Tested)

GitLab Jenkinsfile

- 1. go to Jenkins management
- 2. system configuration
- 3. got to Gitlab panel 1. Connection name: cloudunit 2. Gitlab host URL: https://gitlab-cu02.cloudunit.io/3. Credentials: Jenkins go to How to add credentials 4. Add button
- 4. Save button Make sure that you have credentials token, go to Identities

How to add credentials

In the Jenkins Credentials Provider: Jenkins, 1. Domain: Global identity 2. Domain: GitLab API token 3. Scope: Global 4. API token : Paste TOKEN ID HERE 5. ID: cloudunit 6. Description: My cloudunit GitLab/Jenkins 7. Add