

### Native Platforms

I love great design. Especially that "native look". So i built 2 apps, 1 for iOS and one for android. Seperate, partially for the looks, and partially so both can lock the screen from the core.

### Stage Grammar

**6 courses × 6 lessons × 5 stages = 180 stages.** Every lesson opens on a story and closes on the AI challenge; between them, three tasks drawn from five types: Quiz, Spot-It, Sort-It, Build-It, Grid. If the child guesses randomly they don't get screen time:(


### Premack Contingency

Premack (1959): The higher-probability behaviour reinforces the lower one. A solved lesson pays **+5 min and 20–25 pts** into a ledger the child spends inside parent-allowed hours; so a child can spend their screentime instantly on TikTok, or save up to watch a moview on the weekend.

### Constrained Gemini

The challenge is the app's only AI surface and always the last stage. The system prompt forbids stating the answer and caps every reply at three sentences, here the child argues against the ai, which then fairly judges the argument.

## The Child’s Side • iPad, iPhone, Android




### Why the lock is in the OS

Making entertainment contingent on reasoning only works if it cannot be negotiated. So the lock and the key are both in the OS, not in the app, so a tech savvy 15 year old can't hack the system without knowing the password set by the parent.

## The Parent’s Side

Set once, enforced by iOS



The parent sets the economy once: daily ceiling, allowed window, whitelisted apps, one account per child. From then on FamilyControls enforces it and the app only keeps the ledger.

### Opaque Token Shielding

The system picker returns **opaque tokens**, so LogicLab Kids never accesses which apps the parent selected. Shields are applied directly by iOS ManagedSettings, not in-app.

## Inside a Lesson

Story → Task → Explanation → Challenge



The “Daily Patterns” lesson: the concept arrives inside a scene the child knows, becomes a task the child must solve, and a wrong answer ends in an explanation, never a penalty. A socratic AI chat comes last to make sure the child understood the concept, and isn't just mashing buttons.

### 5 Core Task Types

**Quiz** (sound continuation), **Spot-It** (faulty step), **Sort-It** (inference chain), **Build-It** (conclusion assembly) and **Grid** (entity–attribute matching). In every type the child acts on the argument instead of reading a definition of it.

36

Interactive Lessons  
6 courses across 6 thinking domains

+5 minutes

Earned Screen Time  
The parent can change this

180

Authored Stages  
story + 3 tasks + challenge, every lesson

0

Network Calls per Lesson  
shield applied by iOS ManagedSettings

#### REFERENCES

[1] Apple Inc. FamilyControls, ManagedSettings & DeviceActivity Frameworks.

[2] Premack, D. (1959). Toward empirical behavior laws: I. Positive reinforcement.

[3] Kosmyna et al. (2025). Your Brain on ChatGPT. MIT Media Lab.

[4] LogicLab Kids System Architecture & Build Specification (2026).