This seminar, it's about nectec company and deep learning (AI). First, NECTEC. The National Electronics and Computer Technology Center (NECTEC) was established on 16 September 1986 under the Ministry of Science, Technology and Energy (the former name of Ministry of Science and Technology). On 30 December 1991, following the enactment of the Science and Technology Development Act of 1991, NECTEC was transformed into a national technology center under the National Science and Technology Development Agency (NSTDA), Ministry of Science and Technology. At present, NECTEC is a statutory government organisation with its main responsibilities of under taking, supporting and promoting the research and development of electronics and computer technologies. NECTEC also provides linkage between research communities and industries through the established industrial clusters and programmers. They are being a research organisation collaborating with alliances for achieving practical works excellence that contributes to the economic and social impacts of the country and region.

Next, deep learning. Deep learning (also known as deep structured learning or hierarchical learning) is part of a broader family of machine learning methods based on learning data representations, as opposed to task-specific algorithms. Learning can be supervised, semi-supervised or unsupervised. Deep learning models are loosely related to information processing and communication patterns in a biological nervous system, such as neural coding that attempts to define a relationship between various stimuli and associated neuronal responses in the brain.

Deep learning architectures such as deep neural networks, deep belief networks and recurrent neural networks have been applied to fields including computer vision, speech recognition, natural language processing, audio recognition, social network filtering, machine translation, bioinformatics and drug design, where they have produced results comparable to and in some cases superior to human experts. Most modern deep learning models are based on an artificial neural network, although they can also include propositional formulas or latent variables organized layer-wise in deep generative models such as the nodes in Deep Belief Networks and Deep Boltzmann Machines. In deep learning, each level learns to transform its input data into a slightly more abstract and composite representation. In an image recognition application, the raw input may be a matrix of pixels; the first representational layer may abstract the pixels and encode edges; the second layer may compose and encode arrangements of edges; the third layer may encode a nose and eyes; and the fourth layer may recognize that the image contains a face. Importantly, a deep learning process can learn which features to optimally place in which level on its own. (Of course, this does not completely obviate the need for hand-tuning; for example, varying numbers of layers and layer sizes can provide different degrees of abstraction.) The "deep" in "deep learning" refers to the number of layers through which the data is transformed. More precisely, deep learning systems have a substantial *credit assignment path* (CAP) depth. The CAP is the chain of transformations from input to output. CAPs describe potentially causal connections between input and output. For a feedforward neural network, the depth of the CAPs is that of the network and is the number of hidden layers plus one (as the output layer is also parameterized).

For recurrent neural networks, in which a signal may propagate through a layer more than once, the CAP depth is potentially unlimited. No universally agreed upon threshold of depth divides shallow learning from deep learning, but most researchers agree that deep learning involves CAP depth > 2. CAP of depth 2 has been shown to be a universal approximator in the sense that it can emulate any function. Beyond that more layers do not add to the function approximator ability of the network. The extra layers help in learning features.

Deep learning architectures are often constructed with a greedy layer-by-layer method. Deep learning helps to disentangle these abstractions and pick out which features improve performance. For supervised learning tasks, deep learning methods obviate feature engineering, by translating the data into compact intermediate representations akin to principal components, and derive layered structures that remove redundancy in representation.

Deep learning algorithms can be applied to unsupervised learning tasks. This is an important benefit because unlabeled data are more abundant than labeled data. Examples of deep structures that can be trained in an unsupervised manner are neural history compressors and deep belief networks.