

Lecture slides by Kevin Wayne Copyright © 2005 Pearson-Addison Wesley


http://www.cs.princeton.edu/~wayne/kleinberg-tardos

### 4. GREEDY ALGORITHMS II

Prim's algorithm demo


Initialize S = any node,  $T = \emptyset$ .

- Add to *T* a min-weight edge with one endpoint in *S*.
- Add new node to S.




Initialize S = any node,  $T = \emptyset$ .

- Add to *T* a min-weight edge with one endpoint in *S*.
- Add new node to S.




Initialize S = any node,  $T = \emptyset$ .

- Add to *T* a min-weight edge with one endpoint in *S*.
- Add new node to S.




Initialize S = any node,  $T = \emptyset$ .

- Add to *T* a min-weight edge with one endpoint in *S*.
- Add new node to S.




Initialize S = any node,  $T = \emptyset$ .

- Add to *T* a min-weight edge with one endpoint in *S*.
- Add new node to S.




Initialize S = any node,  $T = \emptyset$ .

- Add to *T* a min-weight edge with one endpoint in *S*.
- Add new node to S.




Initialize S = any node,  $T = \emptyset$ .

- Add to *T* a min-weight edge with one endpoint in *S*.
- Add new node to S.




Initialize S = any node,  $T = \emptyset$ .

- Add to *T* a min-weight edge with one endpoint in *S*.
- Add new node to S.




Initialize S = any node,  $T = \emptyset$ .

- Add to *T* a min-weight edge with one endpoint in *S*.
- Add new node to S.




Initialize S = any node,  $T = \emptyset$ .

- Add to *T* a min-weight edge with one endpoint in *S*.
- Add new node to S.




Initialize S = any node,  $T = \emptyset$ .

- Add to *T* a min-weight edge with one endpoint in *S*.
- Add new node to S.




Initialize S = any node,  $T = \emptyset$ .

- Add to *T* a min-weight edge with one endpoint in *S*.
- Add new node to S.




Initialize S = any node,  $T = \emptyset$ .

- Add to *T* a min-weight edge with one endpoint in *S*.
- Add new node to S.




Initialize S = any node,  $T = \emptyset$ .

- Add to *T* a min-weight edge with one endpoint in *S*.
- Add new node to S.




Initialize S = any node,  $T = \emptyset$ .

- Add to *T* a min-weight edge with one endpoint in *S*.
- Add new node to S.



Initialize S = any node,  $T = \emptyset$ .

- Add to *T* a min-weight edge with one endpoint in *S*.
- Add new node to S.



Initialize S = any node,  $T = \emptyset$ .

- Add to *T* a min-weight edge with one endpoint in *S*.
- Add new node to S.

