



patxmay /
gyrobab



Code



Issues



Pull requests



Actions



Projects




Wiki





Secur

General

Access

 Collaborators

 Moderation options 

Code and automation


 Branches

 Tags


 Rules 

 Actions 

 Webhooks

 Environments



 Codespaces

 Pages

Security


 Code Security


 Deploy keys

 Secrets and variables 

Integrations

 GitHub Apps

 Email notifications

 Autolink references

General

Repository name

Rename

☐ Template repository

Template repositories let users generate new repositories with the same directory structure and files. [Learn more about template repositories.](#)

☐ Require contributors to sign off on web-based commits

Enabling this setting will require contributors to sign off on commits made through GitHub's web interface. Signing off is a way for contributors to affirm that their commit complies with the repository's terms, commonly the [Developer Certificate of Origin \(DCO\)](#). [Learn more about signing off on commits.](#)

Default branch

The default branch is considered the “base” branch in your repository, against which all pull requests and code commits are automatically made, unless you specify a different branch.



Social preview

Upload an image to customize your repository's social media preview.

Images should be at least 640×320px (1280×640px for best display).

[Download template](#)



Edit

Features



Wikis

Wikis host documentation for your repository.



Restrict editing to collaborators only

Public wikis will still be readable by everyone.



Issues

Issues integrate lightweight task tracking into your repository. Keep projects on track with issue labels and milestones, and reference them in commit messages.

Get organized with issue templates

Give contributors issue templates that help you cut through the noise and help them push your project forward.

Set up templates

☐ Sponsorships

Sponsorships help your community know how to financially support this repository.

Display a "Sponsor" button

Add links to GitHub Sponsors or third-party methods your repository accepts for financial contributions to your project.

Set up sponsor button

☒ Preserve this repository

Include this code in the [GitHub Archive Program](#).

☐ Discussions

Discussions is the space for your community to have conversations, ask questions and post answers without opening issues.

Get started with Discussions

Engage your community by having discussions right in your repository, where your community already lives

Set up discussions

☒ Projects

Projects on GitHub are created at the repository owner's level (organization or user) and can be linked to a repository's Projects tab. Projects are suitable for cross-repository development efforts such as feature work, complex product roadmaps or even Issue

triage.

Pull Requests

When merging pull requests, you can allow any combination of merge commits, squashing, or rebasing. At least one option must be enabled. If you have linear history requirement enabled on any protected branch, you must enable squashing or rebasing.

☒ **Allow merge commits**

Add all commits from the head branch to the base branch with a merge commit.

Default commit message

Presented when merging a pull request with merge.

Default message ▼

☒ **Allow squash merging**

Combine all commits from the head branch into a single commit in the base branch.

Default commit message

Presented when merging a pull request with squash.

Default message ▼

☒ **Allow rebase merging**

Add all commits from the head branch onto the base branch individually.

Control how and when users are prompted to update their branches if there are new changes available in the base branch.

☐ **Always suggest updating pull request branches**

Whenever there are new changes available in the base branch, present an “update branch” option in the pull request.

You can allow setting pull requests to merge automatically once all required reviews and status checks have passed.

☐ **Allow auto-merge**

Waits for merge requirements to be met and then merges automatically. [Learn more](#)

After pull requests are merged, you can have head branches deleted automatically.

☐ **Automatically delete head branches**

Deleted branches will still be able to be restored.

Archives

When creating source code archives, you can choose to include files stored using Git LFS in the archive.

☐ **Include Git LFS objects in archives**

Git LFS usage in archives is billed at the same rate as usage with the client.

Pushes

☐ **Limit how many branches and tags can be updated in a single push** Preview

Pushes will be rejected if they attempt to update more than this. [Learn more about this setting](#), and send us your [feedback](#).

Danger Zone

Change repository visibility

This repository is currently public.

[Change visibility](#)**Disable branch protection rules**

Disable branch protection rules enforcement and APIs

[Disable branch protection rules](#)**Transfer ownership**

Transfer this repository to another user or to an organization where you have the ability to create repositories.

[Transfer](#)

Archive this repository

Mark this repository as archived and read-only.

[Archive this repository](#)**Delete this repository**

Once you delete a repository, there is no going back. Please be certain.

[Delete this repository](#)