

File: Naive_bayes/accuracy_scores.py

Purpose: Source code implementation for study and analysis

=== Functions ===

Logic Focus: Defined task specifically for 'accuracy_score'

```
def accuracy_score(y_true, y_pred):  
    """Compute simple accuracy (fraction correct). Works with lists or arrays."""  
    if len(y_true) == 0:  
        return 0.0  
    correct = sum(1 for a, b in zip(y_true, y_pred) if a == b)  
    return correct / len(y_true)
```

Logic Focus: Defined task specifically for 'classification_report_simple'

```
def classification_report_simple(y_true, y_pred):  
    """Return per-class precision/recall/support in a dict."""
```

=== Imports ===

```
from collections import defaultdict  
tp = defaultdict(int)  
fp = defaultdict(int)  
fn = defaultdict(int)  
support = defaultdict(int)  
labels = set(y_true) | set(y_pred)  
for t, p in zip(y_true, y_pred):  
    support[t] += 1  
    if t == p:  
        tp[t] += 1  
    else:  
        fp[p] += 1  
        fn[t] += 1  
report = {}  
for l in labels:  
    prec = tp[l] / (tp[l] + fp[l]) if (tp[l] + fp[l]) > 0 else 0.0  
    rec = tp[l] / support[l] if support[l] > 0 else 0.0  
    report[l] = {"precision": prec, "recall": rec, "support": support[l]}  
return report
```