

Notebook: EDA/try_/kaggle_retail_sales.ipynb

[--- CODE CELL ---]

```
import pandas as pd
import numpy as np
import seaborn as sns
import matplotlib.pyplot as plt
```

[--- CODE CELL ---]

```
df = 'Retail and warehouse Sale.csv'
df = pd.read_csv(df)
```

[--- CODE CELL ---]

```
df.info()
```

[--- CODE CELL ---]

```
df.head()
```

[--- CODE CELL ---]

```
df.columns
```

[--- CODE CELL ---]

```
df.isna().sum()
```

[--- CODE CELL ---]

```
df.duplicated().values.any()
```

[--- CODE CELL ---]

```
df['MONTH'].unique()
```

[--- CODE CELL ---]

```
df['MONTH'].value_counts()
```

[--- CODE CELL ---]

```
df['SUPPLIER'].unique()
```

[--- CODE CELL ---]

```
df['ITEM DESCRIPTION'].unique()
```

[--- CODE CELL ---]

```
df['ITEM TYPE'].unique()
```

[--- CODE CELL ---]

```
sales_items = df[df['ITEM TYPE'].isin(['STR_SUPPLIES', 'KEGS', 'REF', 'DUNNAGE'])][['ITEM TYPE', 'ITEM DESCRIPTION']]
```

[--- CODE CELL ---]

```
sales_items.head()
```

[--- CODE CELL ---]

```
df[df.duplicated(keep=False)]
```

```
[ --- CODE CELL --- ]
```

```
df.isnull().values.any()
```

```
[ --- CODE CELL --- ]
```

```
df.isnull().any()
```

```
[ --- CODE CELL --- ]
```

```
df_cleaned = df.dropna(subset=['RETAIL SALES'])
```

```
[ --- CODE CELL --- ]
```

```
print(df_cleaned)
```

```
[ --- CODE CELL --- ]
```

```
df_cleaned = df.dropna(subset=['SUPPLIER'])
```

```
print(df_cleaned)
```

```
[ --- CODE CELL --- ]
```

```
df_cleaned = df.dropna(how='all')
```

```
print(df_cleaned)
```

```
[ --- CODE CELL --- ]
```