



SAVITRIBAI PHULE PUNE UNIVERSITY

Verified all entries & found correct

Supplement

LR

Jr. Supervisor's Name, Signature & Date

Seat No. (in figures) MIS 2506 Centre :

Seat No. (in words) M S Two five zero six

Day & Date : Tuesday, 26 Aug 2025 Examination : Adff Test 2

Subject : Section : Medium of Answer: English

Course/Paper No. = Total

Supplement No.:

Write the answer book in blue or black ink/ball pen only and use of pencils in case of diagrams & sketches.

प्र. क्र./Q. No.

Q1.

a) #include <stdio.h>

int main()

{
int amt;
float discount = amt;printf("Enter amount in rupees: \n");
scanf("%d", &amt);
discount = amt;if (amt < 50)
{printf("The discount you get is
discount_amt = amt - (0 * amt);
Total is %d", discount_amt);
}

INSTRUCTIONS

सूचना

- DO NOT WRITE NUMBER ANYWHERE EXCEPT AT THE PLACE PROVIDED FOR. IF SEAT NUMBER WRITTEN ANY WHERE ELSE IT WILL BE TREATED AS UNFAIRMEANS AND THE PERFORMANCE WILL BE TREATED AS NULL AND VOID FOR THE ENTIRE EXAMINATION.
- नियोजित जागेशिवाय अन्यत्र आसन क्रमांक लिहू नका. अन्यत्र आसन क्रमांक लिहिल्यास ती गोष्ट अनुचित जाईल आणि त्या संपूर्ण परीक्षेच्या संदर्भात परीक्षार्थी म्हणून त्यास बाद ठरविले जाईल.
- WRITE YOUR ANSWERS IN LEGIBLE HAND. ANSWERS WRITTEN IN AN UNDECIPHERABLE HAND ARE LIABLE TO BE MARKED AS ZERO.
- उत्तरे सुवाच्य अक्षरांत असावीत. अवाचनीय आणि अनाकलनीय अक्षरांत लिहिलेल्या उत्तरांना शून्य गुण दिले जातील.
- AN ACT OF COPYING OR OF IMPERSONATION AT AN EXAMINATION IS PUNISHABLE UNDER 'THE MAHARASHTRA PREVENTION OF MALPRACTICE AT UNIVERSITY, BOARD AND OTHER SPECIFIED EXAMINATIONS ORDINANCE, 1982'. THE ACT PASSED TO THE EFFECT.
- कोंपी करणे किंवा दुसऱ्याच्या नावावर परीक्षेस बसणे यांसारख्या कृती 'महाराष्ट्र-प्रीव्हेंशन ऑफ मालप्रॅक्टिस अँड युनिव्हर्सिटी बोर्ड अँड अदर स्पेसिफाईड एक्झामिनेशन्स ऑर्डिनन्स, १९८२' त्यानुसार संमत केलेला कायदा या अन्वये दंडनीय असतील.
- Hollow Craft is to be pasted on space marked with dotted line.
- होलो क्राफ्ट स्टीकर विहित जागेवर लावावी.

प्र. क्र./Q. No.

Q1.

a)

```
else if (amt >= 50 && amt <= 100)
```

```
{
    printf("Discount is 10 %");
```

```
discount_amt = amt - (0.1 * amt);
```

```
printf("Total is %.d", discount_amt);
```

```
}
```

```
else if (amt >= 101 && amt <= 200)
```

```
{
    printf("The discount you get is 20 %");
```

```
discount_amt = amt - (0.2 * amt);
```

```
printf("Total is %.d", discount_amt);
```

```
}
```

```
else if (amt > 200)
```

```
{
```

```
printf("Congrats, The discount you get is
```




Q. No.

Q3

a) 20%";
discount_amt = amt - (0.2 * amt);
printf("Total = %.d", discount_amt);
}

return 0;
}

5



Q1.

b)

#include <stdio.h>

int main()

{
 int n1, n2;

 printf("Enter a number n1");
 scanf("%d", &n1);

 printf("Enter a number n2");
 scanf("%d", &n2);

 if (n1 == n2) {

 printf("The numbers are not distinct");
 return 0;
 }

 else

 {
 if (n1 < n2) { printf("Number 2 is greater than
 Number 1");

 : printf("Number 1 is greater than
 number 2");

 }

 (n1 < n2) ? (printf("Larger: %d", n2)) :

 printf("Larger: %d", n1);

 return 0;



No./Q. No.

81.

c) // roll number even

#include <stdio.h>

```
int main()
{
```

```
    int n, i;
```

```
    printf("Enter a number n: \n");
```

```
    scanf("%d", &n);
```

```
    i = n;
```

```
    while (i > 0 i > 0) // positive numbers
```

```
    {
        printf("%d", i i--);
```

```
        if (i == 0)
```

```
            break;
```

```
        else
```

```
            printf("-");
```

```
    }
```

```
    return 0;
```

```
}
```

Good
it will skip
printing last -
avoiding an
extra "

5



Q. No.

Q. 1

d) // even roll number

#include <stdio.h>

int main()

{

int n, i;

printf("Enter a number n: \n");

scanf("%d", &n);

if (n < 0)

{ printf("enter the number");

return 0;

}

{

for (i = 1; i <= n; i++)

{

~~if (i % 4 == 0 && i % 2 == 0)~~~~printf("%d → Even and multiple of 4", i);~~~~printf~~~~else if (i % 2 == 0 && i % 4 != 0)~~

if (i % 2 == 1) ✓

printf("%d → Odd", i);

}

else if (i % 2 == 0 && i % 4 == 0) ✓

printf("%d → Even and multiple of 4", i);

Bitwise & ?

else if (i % 2 == 0 && i % 4 != 0) ✓
printf("%d → Even but not a multiple of 4");

}
return 0;
}

6



R. E. / Q. No.