m_utl_get_java_info.sas File Reference

Utilities

Utility macro to collect the Java environment information

Description

This program collects the Java environment information from the server machine or client system where SAS is installed.

Autors

Paul Alexander Canals y Trocha (paul.canals@gmail.com)

Date

2021-10-22 00:00:00

Version

21.1.10

Link

https://github.com/paul-canals/toolbox

Parameters

Input		Parameter, if set (Help or ?) to print the Help information in the log. In all other cases this parameter should be left out from the macro call.
Input	outlib	Specifies the LIBNAME name in which the output SAS datasets or database tables will be stored. The default value for OUTLIB is: _NONE
Input	debug	Boolean [Y N] parameter to provide verbose mode information. The default value is: N.

Returns

• WORK.sys_info

Calls

- m_log_set_options.sas
- m_utl_delete_file.sas
- m_utl_nlobs.sas
- m_utl_print_message.sas
- m_utl_print_mtrace.sas
- m_utl_printto.sas
- m_utl_unique_number.sas

Usage

Example 1: Show help information:

```
%m_utl_get_java_info(?)
```

Example 2: Get the Java system and environment information:

```
%m_utl_get_java_info(
   outlib = WORK
, debug = Y
   );
```

Copyright

Copyright 2008-2021 Paul Alexander Canals y Trocha.

This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program. If not, see https://www.gnu.org/licenses/>.