m_utl_get_auto_info.sas File Reference

Utilities

Utility macro to collect the SAS autocall library information

---

Description

This program collects the SAS autocall library information from the server machine or client system where SAS is installed.

Autors

Paul Alexander Canals y Trocha (paul.canals@gmail.com)

Date

2023-09-26 00:00:00

Version

23.1.09

Link

https://github.com/paul-canals/toolbox

Parameters

Input	help	Parameter, if set (Help or ?) to print the Help information in the log. In all other cases this parameter should be left out from the macro call.
Input	outlib	Specifies the LIBNAME name in which the output SAS datasets or database tables will be stored. The default value for OUTLIB is: _NONE_.
Input	debug	Boolean [Y|N] parameter to provide verbose mode information. The default value is: N.

Returns

- WORK.auto_info

Calls

- m_utl_nlobs.sas
- m_utl_print_message.sas
- m_utl_print_mtrace.sas

Usage

Example 1: Show help information:

```
%m_utl_get_auto_info(?)
```

Example 2: Get the SAS autocall library information:

```
%m_utl_get_auto_info(
   outlib = WORK
 , debug  = Y
   );
```

Copyright

Copyright 2008-2023 Paul Alexander Canals y Trocha.

This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program. If not, see <https://www.gnu.org/licenses/>.