

nodejscourse

NewImport

Collections

API

API Prototyping

Api18

DashboardAPI

Express example

Lesson 18

MoviesTB

Nasa Project

petstore

- User
 - GET getUser
 - POST createUser
 - GET userLogin
 - PUT updateUser
 - GET userLogout
 - DEL deleteUser
- store
 - GET inventory
 - POST order
 - GET Id
 - DEL orderId

r/SpaceX API V4

PUT updateUserGET getUserPOST createUserGET userLoginOverviewPOST orderGET inventoryDEL orderId+petstore

HTTPpetstore / User / createUser

POST{{url}}/user

ParamsAuthorizationHeaders (8)BodyScriptsSettings

none

form-data

x-www-form-urlencoded

raw

binary

GraphQL

JSON

Send

Cookies

Beautify

```
1  {
2    "id": 0,
3    "username": "Joh",
4    "firstName": "Joh",
5    "lastName": "Joh",
6    "email": "Joh@gmail.com",
7    "password": "password",
8    "phone": "password",
9    "userStatus": 1
10 }
```

BodyCookiesHeaders (8)Test Results (2/2)200 OK • 124 ms • 387 BSave Response

{}JSON

PreviewVisualize

```
1  {
2    "code": 200,
3    "type": "unknown",
4    "message": "9223372036854773337"
5  }
```

Collections

Environments

Flows

History

+ ☰

> API

> API Prototyping

> Api18

> DashboardAPI

> Express example

> Lesson 18

> MoviesTB

> Nasa Project

> petstore

- User
 - GET getUser
 - POST createUser
 - GET userLogin
 - PUT updateUser
 - GET userLogout
 - DEL deleteUser
- store
 - GET inventory
 - POST order
 - GET Id
 - DEL orderId

> r/SpaceX API V4

PUT updateUser GET getUser POST createUser GET userLogin Overview POST order GET inventory DEL orderId + petstore Save Share

HTTP petstore / User / getUser

GET {{url}} /user/Joh

Send

Params Authorization Headers (6) Body Scripts Settings

Pre-request

Post-response

```
1 pm.test("Status code is 200", function () {
2   pm.response.to.have.status(200);
3 });
4 pm.test("Person is Pavlo", () => {
5   const responseJson = pm.response.json();
6   pm.expect(responseJson.username).to.string("Joh");
7   pm.expect(responseJson.lastName).to.string("Josh");
8 });
```

Cookies

Packages + Add to package Open package library

Snippets

- Get an environment variable
- Get a global variable
- Get a variable
- Get a collection variable
- Set an environment variable
- Set a global variable
- Set a collection variable
- Clear an environment variable
- Clear a global variable
- Clear a collection variable
- Send a request

Body Cookies Headers (8) Test Results (1/2) 200 OK 123 ms 484 B Save Response

Filter Results

PASSED Status code is 200

FAILED Person is Pavlo | AssertionError: expected 'Joh' to contain 'Josh'

<input checked="" type="checkbox"/>	Key	Value	Description	⋮ Bulk Edit
<input checked="" type="checkbox"/>	username	Joh		
<input checked="" type="checkbox"/>	password	password		
	Key	Value	Description	

```
1 {
2   "code": 200,
3   "type": "unknown",
4   "message": "logged in user session:1739372136502"
5 }
```

nodejscourse

NewImport

Collections

Environments

Flows

History

+

☰

...

> API

> API Prototyping

> Api18

> DashboardAPI

> Express example

> Lesson 18

> MoviesTB

> Nasa Project

> petstore

> User

GET getUser

POST createUser

GET userLogin

PUT updateUser

GET userLogout

DEL deleteUser

> store

GET inventory

POST order

GET Id

DEL orderId

> r/SpaceX API V4

PUT updateUser • GET getUser POST createUser GET userLogin Overview POST order GET inventory • DEL orderId + ▾ petstore ▾

HTTP petstore / User / updateUser

PUT ▾ {{url}}/user/Joh

Send ▾

Params Authorization Headers (8) Body • Scripts • Settings

none

form-data

x-www-form-urlencoded

raw

binary

GraphQL

JSON ▾

1 {

2 "id": 9223372036854760743,

3 "username": "James",

4 "firstName": "James",

5 "lastName": "James",

6 "email": "James@gmail.com",

7 "password": "password",

8 "phone": "password",

9 "userStatus": 1

10 }

Body Cookies Headers (8) Test Results (2/2) ⌚

200 OK • 537 ms • 387 B • 🌐 📄 Save Response ⋮

{ } JSON ▾ ▶ Preview 🔄 Visualize ▾

1 {

2 "code": 200,

3 "type": "unknown",

4 "message": "9223372036854760743"

5 }

🔗 Postbot 📄 Runner ⚙️ Start Proxv 🍪 Cookies 🏠 Vault 🗑️ Trash 🌐

nodejscourse

NewImport

PUT updateUsGET getUserPOST createUsGET userLogirOverviewPOST orderGET inventorDEL orderIdGET userLogouDEL deleteUs+petstore

Collections

APIAPI PrototypingApi18DashboardAPIExpress exampleLesson 18MoviesTBNASA ProjectpetstoreUserGET getUserPOST createUserGET userLoginPUT updateUserGET userLogoutDEL deleteUserstoreGET inventoryPOST orderGET IdDEL orderId

r/SpaceX API V4

petstore / User / deleteUser

DELETE{{url}} /user/James

ParamsAuthorizationHeaders (6)BodyScriptsSettings

Pre-request

Post-response*

1pm.test("Status code is 200", function () {
2 pm.response.to.have.status(200);
3
4 pm.test("Person is James", () => {
5 const responseJson = pm.response.json();
6 pm.expect(responseJson.message).to.eql("James");
7 });
8

View more actions

200 OK123 ms373 BSave Response

Filter Results

PASSEDStatus code is 200

PASSEDPerson is James

PackagesAdd to packageOpen package library

Snippets

Get an environment variable

Get a global variable

Get a variable

Get a collection variable

Set an environment variable

Set a global variable

Set a collection variable

Clear an environment variable

Clear a global variable

Clear a collection variable

Send a request

OnlineFind and replaceConsolePostbotRunnerStart ProxyCookiesVaultTrash