

Last login: Fri May 1 21:47:21 on ttys000

Paul@supports-MBP-4 ~ % pwd

/Users/Paul

Paul@supports-MBP-4 ~ % cd

Paul@supports-MBP-4 ~ % pwd

/Users/Paul

Paul@supports-MBP-4 ~ % ls

Applications	Library
Creative Cloud Files	Movies
Desktop	Music
Documents	Pictures
Downloads	Public
Google Drive File Stream	PycharmProjects

Paul@supports-MBP-4 ~ % cd Documents

Paul@supports-MBP-4 Documents % ls

12Program_Plan	Year8Test
91582- possible-assessments	airbnb
AI	code_activities
Adobe	databasematerial
Algebra_TEX_2019	fruitbowl_from_github
CodeTests	github_testing
DB_Testing_C	iCloudSet_latest
DTech	iCloud_big_old_set
Ilustrator_summer	iCloud_intermediate_set
JS_Programming_Done	illustrator_block.ai
Machine_Learning	illustrator_block.gif
Machine_Learning_Hidden	images
Nature_Of_Code	nocharacter.txt
Olympics	onecharacter.txt
Pages from Workbook - Teacher Copy.pdf	quatrefoil.ai
Python_projects	sample_sites
Roll.xlsx	statistics_assessments
Statistical_Reports_Tex	training
TestClone	unit_conversions
Untitled.txt	~\$Roll.xlsx

Year10

Paul@supports-MBP-4 Documents % cd DTech

Paul@supports-MBP-4 DTech % ls

DBases Year10

Year 11 chinook_database

Paul@supports-MBP-4 DTech % pwd

Paul@supports-MBP-4 DTech % git clone https://github.com/paul-khouri/year11_2020.git

Cloning into 'year11_2020'...

remote: Enumerating objects: 3, done.

remote: Counting objects: 100% (3/3), done.

remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0

Unpacking objects: 100% (3/3), done.

Paul@supports-MBP-4 DTech % pwd

/Users/Paul/Documents/DTech

Paul@supports-MBP-4 DTech % ls

DBases Year 11

Year10

chinook_database year11_2020

Paul@supports-MBP-4 DTech % cd year11_2020

```
Paul@supports-MBP-4 year11_2020 % git status
On branch master
Your branch is up to date with 'origin/master'.
```

```
nothing to commit, working tree clean
```

```
Paul@supports-MBP-4 year11_2020 % git remote
origin
```

```
Paul@supports-MBP-4 year11_2020 % ls
```

```
Molley_read_and make_a_new_file.pdf  README.md
                                other_work
```

```
Quiz_assessment  jade_v4.pdf
```

```
Paul@supports-MBP-4 year11_2020 % git status
```

```
On branch master
```

```
Your branch is up to date with 'origin/master'.
```

```
Untracked files:
```

```
(use "git add <file>..." to include in what will be committed)
```

```
.DS_Store
Molley_read_and make_a_new_file.pdf
jade_v4.pdf
other_work/
```

← have added files into the folder

← new files recognised but need to be added to the repository

```
nothing added to commit but untracked files present (use "git add" to track)
```

```
Paul@supports-MBP-4 year11_2020 % git status
```

```
On branch master
```

```
Your branch is up to date with 'origin/master'.
```

```
Untracked files:
```

```
(use "git add <file>..." to include in what will be committed)
```

```
.DS_Store
Molley_read_and make_a_new_file.pdf
jade_v4.pdf
other_work/
```

```
nothing added to commit but untracked files present (use "git add" to track)
```

```
Paul@supports-MBP-4 year11_2020 % git commit -a -m "Adding large File Block"
```

```
On branch master
```

```
Your branch is up to date with 'origin/master'.
```

← trying to commit, but the files need to be "added" first.

```
Untracked files:
```

```
.DS_Store
Molley_read_and make_a_new_file.pdf
jade_v4.pdf
other_work/
```

```
nothing added to commit but untracked files present
```

```
Paul@supports-MBP-4 year11_2020 % git add -a
```

```
error: unknown switch `a'
```

```
usage: git add [<options>] [--] <paths>...
```

```
-n, --dry-run
```

```
dry run
```

-v, --verbose	be verbose
-i, --interactive	interactive picking
-p, --patch	select hunks interactively
-e, --edit	edit current diff and apply
-f, --force	allow adding otherwise ignored files
-u, --update	update tracked files
--renormalize	renormalize EOL of tracked files (implies
-u)	
-N, --intent-to-add	record only the fact that the path will be added later
-A, --all	add changes from all tracked and untracked files
--ignore-removal (same as --no-all)	ignore paths removed in the working tree
--refresh	don't add, only refresh the index
--ignore-errors	just skip files which cannot be added because of errors
--ignore-missing	check if - even missing - files are ignored in dry run
--chmod (+ -)x	override the executable bit of the listed files

```
Paul@supports-MBP-4 year11_2020 % git status
On branch master
Your branch is up to date with 'origin/master'.
```

```
Untracked files:
(use "git add <file>..." to include in what will be committed)
.DS_Store
Molley_read_and make_a_new_file.pdf
jade_v4.pdf
other_work/
```

nothing added to commit but untracked files present (use "git add" to track)

```
Paul@supports-MBP-4 year11_2020 % git add
```

```
Nothing specified, nothing added.
```

```
Maybe you wanted to say 'git add .'?
```

```
Paul@supports-MBP-4 year11_2020 % git add .
```

```
Paul@supports-MBP-4 year11_2020 % git status
```

```
On branch master
```

```
Your branch is up to date with 'origin/master'.
```

Changes to be committed:

(use "git restore --staged <file>..." to unstage)

```
new file:   .DS_Store
new file:   Molley_read_and make_a_new_file.pdf
new file:   jade_v4.pdf
new file:   other_work/.DS_Store
new file:   other_work/Tree_test.py
new file:   other_work/Tree_test_1.py
new file:   other_work/__pycache__/questions.cpython-37.pyc
new file:   other_work/binary_tree_1.py
```

← Trying to add files

← helpful hint.

← add the files.

they now need
to be
committed

```

new file:   other_work/class_adding_nums.py
new file:   other_work/class_functions_with_arguments.py
new file:   other_work/conditions_examples.py
new file:   other_work/dict_multi_adds.py
new file:   other_work/dictionaries_class.py
new file:   other_work/dictionaries_class_1.py
new file:   other_work/dictionary_tree.py
new file:   other_work/dictionary_tree_rpg.py
new file:   other_work/dictionary_tree_rpg_grace.py
new file:   other_work/dictionary_tree_rpg_grace_simple.py
new file:   other_work/dictionary_update_using_key.py
new file:   other_work/dinner_order_basic.py
new file:   other_work/dinner_order_basic_part.py
new file:   other_work/dinner_order_basic_v3.py
new file:   other_work/dinner_order_loop_version.py
new file:   other_work/first_file.py
new file:   other_work/full game v1.py
new file:   other_work/full game v1_update.py
new file:   other_work/full_game_v1_update.py
new file:   other_work/function_arguments.py
new file:   other_work/function_arguments_simple.py
new file:   other_work/functions_set_up_loop.py
new file:   other_work/getting_input.py
new file:   other_work/little_dictionary.py
new file:   other_work/loops_cond_class.py
new file:   other_work/loops_input_cond.py
new file:   other_work/loops_list.py
new file:   other_work/loops_with_lists.py
new file:   other_work/nodes/__pycache__/
node_set.cpython-37.pyc
new file:   other_work/nodes/node_left_right.py
new file:   other_work/nodes/node_set.py
new file:   other_work/questions.py
new file:   other_work/random_examples.py
new file:   other_work/running_questions.py
new file:   other_work/running_questions_v2.py
new file:   other_work/running_questions_v3.py
new file:   other_work/shuffle.py
new file:   other_work/stringmethod.py
new file:   other_work/unicorn_with_validation.py
new file:   other_work/user_input_function.py
new file:   other_work/validation1.py
new file:   other_work/validation_game.py

```

```

Paul@supports-MBP-4 year11_2020 % git status
On branch master
Your branch is up to date with 'origin/master'.

```

Changes to be committed:

(use "git restore --staged <file>..." to unstage)

```

new file:   .DS_Store
new file:   Molley_read_and make_a_new_file.pdf
new file:   jade_v4.pdf
new file:   other_work/.DS_Store

```

```

new file:   other_work/Tree_test.py
new file:   other_work/Tree_test_1.py
new file:   other_work/__pycache__/questions.cpython-37.pyc
new file:   other_work/binary_tree_1.py
new file:   other_work/class_adding_nums.py
new file:   other_work/class_functions_with_arguments.py
new file:   other_work/conditions_examples.py
new file:   other_work/dict_multi_adds.py
new file:   other_work/dictionaries_class.py
new file:   other_work/dictionaries_class_1.py
new file:   other_work/dictionary_tree.py
new file:   other_work/dictionary_tree_rpg.py
new file:   other_work/dictionary_tree_rpg_grace.py
new file:   other_work/dictionary_tree_rpg_grace_simple.py
new file:   other_work/dictionary_update_using_key.py
new file:   other_work/dinner_order_basic.py
new file:   other_work/dinner_order_basic_part.py
new file:   other_work/dinner_order_basic_v3.py
new file:   other_work/dinner_order_loop_version.py
new file:   other_work/first_file.py
new file:   other_work/full game v1.py
new file:   other_work/full game v1_update.py
new file:   other_work/full_game_v1_update.py
new file:   other_work/function_arguments.py
new file:   other_work/function_arguments_simple.py
new file:   other_work/functions_set_up_loop.py
new file:   other_work/getting_input.py
new file:   other_work/little_dictionary.py
new file:   other_work/loops_cond_class.py
new file:   other_work/loops_input_cond.py
new file:   other_work/loops_list.py
new file:   other_work/loops_with_lists.py
new file:   other_work/nodes/__pycache__/
node_set.cpython-37.pyc
new file:   other_work/nodes/node_left_right.py
new file:   other_work/nodes/node_set.py
new file:   other_work/questions.py
new file:   other_work/random_examples.py
new file:   other_work/running_questions.py
new file:   other_work/running_questions_v2.py
new file:   other_work/running_questions_v3.py
new file:   other_work/shuffle.py
new file:   other_work/stringmethod.py
new file:   other_work/unicorn_with_validation.py
new file:   other_work/user_input_function.py
new file:   other_work/validation1.py
new file:   other_work/validation_game.py

```

Paul@supports-MBP-4 year11_2020 % `git commit -a -m "Large file block to add"`

[master b3a0e9f] Large file block to add

50 files changed, 3025 insertions(+)

create mode 100644 .DS_Store

create mode 100644 Molley_read_and make_a_new_file.pdf

Commit files.
they are now
part of the
"laptop" repository
but not on the remote
repository. (Github).

```
create mode 100644 jade_v4.pdf
create mode 100644 other_work/.DS_Store
create mode 100644 other_work/Tree_test.py
create mode 100644 other_work/Tree_test_1.py
create mode 100644 other_work/__pycache__/questions.cpython-37.pyc
create mode 100644 other_work/binary_tree_1.py
create mode 100644 other_work/class_adding_nums.py
create mode 100644 other_work/class_functions_with_arguments.py
create mode 100644 other_work/conditions_examples.py
create mode 100644 other_work/dict_multi_adds.py
create mode 100644 other_work/dictionaries_class.py
create mode 100644 other_work/dictionaries_class_1.py
create mode 100644 other_work/dictionary_tree.py
create mode 100644 other_work/dictionary_tree_rpg.py
create mode 100644 other_work/dictionary_tree_rpg_grace.py
create mode 100644 other_work/dictionary_tree_rpg_grace_simple.py
create mode 100644 other_work/dictionary_update_using_key.py
create mode 100644 other_work/dinner_order_basic.py
create mode 100644 other_work/dinner_order_basic_part.py
create mode 100644 other_work/dinner_order_basic_v3.py
create mode 100644 other_work/dinner_order_loop_version.py
create mode 100644 other_work/first_file.py
create mode 100644 other_work/full game v1.py
create mode 100644 other_work/full game v1_update.py
create mode 100644 other_work/full_game_v1_update.py
create mode 100644 other_work/function_arguments.py
create mode 100644 other_work/function_arguments_simple.py
create mode 100644 other_work/functions_set_up_loop.py
create mode 100644 other_work/getting_input.py
create mode 100644 other_work/little_dictionary.py
create mode 100644 other_work/loops_cond_class.py
create mode 100644 other_work/loops_input_cond.py
create mode 100644 other_work/loops_list.py
create mode 100644 other_work/loops_with_lists.py
create mode 100644 other_work/nodes/__pycache__/
node_set.cpython-37.pyc
create mode 100644 other_work/nodes/node_left_right.py
create mode 100644 other_work/nodes/node_set.py
create mode 100644 other_work/questions.py
create mode 100644 other_work/random_examples.py
create mode 100644 other_work/running_questions.py
create mode 100644 other_work/running_questions_v2.py
create mode 100644 other_work/running_questions_v3.py
create mode 100644 other_work/shuffle.py
create mode 100644 other_work/stringmethod.py
create mode 100644 other_work/unicorn_with_validation.py
create mode 100644 other_work/user_input_function.py
create mode 100644 other_work/validation1.py
create mode 100644 other_work/validation_game.py
Paul@supports-MBP-4 year11_2020 % git status
```

On branch master

Your branch is ahead of 'origin/master' by 1 commit.
(use "git push" to publish your local commits)

← Files are
now committed
and (master) branch
is now ahead
of remote branch

nothing to commit, working tree clean

Paul@supports-MBP-4 year11_2020 % git config --global

usage: git config [<options>]

Config file location

--global	use global config file
--system	use system config file
--local	use repository config file
--worktree	use per-worktree config file
-f, --file <file>	use given config file
--blob <blob-id>	read config from given blob object

Action

--get	get value: name [value-regex]
--get-all	get all values: key [value-regex]
--get-regexp	get values for regexp: name-regex [value-regex]
--get-urlmatch	get value specific for the URL:
section[.var] URL	
--replace-all	replace all matching variables: name value [value_regex]
--add	add a new variable: name value
--unset	remove a variable: name [value-regex]
--unset-all	remove all matches: name [value-regex]
--rename-section	rename section: old-name new-name
--remove-section	remove a section: name
-l, --list	list all
-e, --edit	open an editor
--get-color	find the color configured: slot [default]
--get-colorbool	find the color setting: slot [stdout-is-tty]

Type

-t, --type <>	value is given this type
--bool	value is "true" or "false"
--int	value is decimal number
--bool-or-int	value is --bool or --int
--path	value is a path (file or directory name)
--expiry-date	value is an expiry date

Other

-z, --null	terminate values with NUL byte
--name-only	show variable names only
--includes	respect include directives on lookup
--show-origins	show origin of config (file, standard input, blob, command line)
--default <value>	with --get, use default value when missing entry

Paul@supports-MBP-4 year11_2020 % git config --global user.name paul-khoury

Paul@supports-MBP-4 year11_2020 % git config --global user.email paul.khoury@marsden.school.nz

Paul@supports-MBP-4 year11_2020 % git config --list

get list of settings

check settings
correct so can push to
remote repository


```
credential.helper=osxkeychain
user.name=paul-khouri
user.email=paul.khouri@marsden.school.nz
core.repositoryformatversion=0
core.filemode=true
core.bare=false
core.logallrefupdates=true
core.ignorecase=true
core.precomposeunicode=true
remote.origin.url=https://github.com/paul-khouri/year11_2020.git
remote.origin.fetch=+refs/heads/*:refs/remotes/origin/*
branch.master.remote=origin
branch.master.merge=refs/heads/master
Paul@supports-MBP-4 year11_2020 % git log
commit b3a0e9fcaff32cbaf0f22e47449ec98e248a6d50 (HEAD -> master)
Author: paul-khouri <paul.khouri@marsden.school.nz>
Date: Fri May 1 22:08:51 2020 +1200
```

Large file block to add

```
commit 818bb95a452b93374d02630a4201c9e9c99f10dc (origin/master,
origin/HEAD)
Author: paul-khouri <45544400+paul-khouri@users.noreply.github.com>
Date: Fri May 1 21:55:59 2020 +1200
```

Initial commit

```
Paul@supports-MBP-4 year11_2020 % git status
On branch master
Your branch is ahead of 'origin/master' by 1 commit.
(use "git push" to publish your local commits)
```

```
nothing to commit, working tree clean
Paul@supports-MBP-4 year11_2020 % git push origin
Enumerating objects: 57, done.
Counting objects: 100% (57/57), done.
Delta compression using up to 4 threads
Compressing objects: 100% (56/56), done.
Writing objects: 100% (56/56), 3.62 MiB | 590.00 KiB/s, done.
Total 56 (delta 5), reused 0 (delta 0)
remote: Resolving deltas: 100% (5/5), done.
To https://github.com/paul-khouri/year11_2020.git
818bb95..b3a0e9f master -> master
```

```
Paul@supports-MBP-4 year11_2020 % git status
On branch master
```

```
Your branch is up to date with 'origin/master'.
```

```
nothing to commit, working tree clean
Paul@supports-MBP-4 year11_2020 %
```

← name of remote repository is origin

← now push to remote repository

← status check