



تدريب ميداني

12:00-2:00

17/1/2023

Python ITI

Faculty of Computers & Information, Assiut University

Course code: (Add the course code)

3rd Level

Final Exam

Duration: 2 hours

Total Marks: 50

Reviewer: (Add the name)

This exam for the following program(s) : (Add the program's name(s))

Hi, Islam. When you submit this form, the owner will see your name and email address.

* Required

1

* الإسم الرباعي (بالعربي فقط)

Enter your answer

* رقم الجلوس

Enter your answer

3

* المستوي

- ☐ الاول
- ☐ الثاني
- ☐ الثالث
- ☐ الرابع 2013
- ☐ الرابع 2014
- ☐ الرابع 2015
- ☐ الرابع 2016
- ☐ الرابع 2017
- ☐ الرابع 2018
- ☐ الرابع 2019

* البرنامج

- ☐ عام
- ☐ بايو
- ☐ هندسة
- ☐ ذكاء صناعي

5

* رقم المعمل

Select your answer



6

* رقم الكمبيوتر

Enter your answer

7

* الكود (قد تمت مراجعة بيانات الطالب ورقم الجلوس)

Enter your answer

python has Built-in *Data Types*
(1 Point)

- ☐ True
- ☐ False

9

python is an compiled language
(1 Point)

- ☐ True
- ☐ False

10

output of `print 'hi fci '`
(1 Point)

- ☐ hi fci
- ☐ SyntaxError

Python is loosely typed language
(1 Point)

- ☐ True
- ☐ False

12

Output of True and False
(1 Point)

- ☐ True
- ☐ False

13

Using python2 what the output of print("Hello, World")
(1 Point)

- ☐ SyntaxError: invalid syntax
- ☐ Hello, World

output of
(1 Point)

```
1 print(2 and 1)
```

- ☐ True
- ☐ False
- ☐ 2
- ☐ 1

15

Used to multi line string
(1 Point)

- ☐ ""
- ☐ ''
- ☐ """ """

16

output of
(1 Point)

```
1 name = "information technology institute"
2 name.capitalize()
3 print(name)
```

- ☐ Information technology institute
- ☐ information technology institute
- ☐ None

Which used for return True if a equals b
(1 Point)

☐ ==

☐ >=

☐ <=

18

function used to convert to intager
(1 Point)

☐ int(age)

☐ float(age)

☐ str(age)

19

(1 Point)

☐ range(1, 10, 2)

☐ 1 2 3 4 5 6 7 8 9

☐ 1 3 5 7 9

☐ 1 3 5 7 9 11

```
1 #output of  
2 print(range(1,10,2))  
-
```

Question
(1 Point)

```
2 for i in range(10):  
3     if (i == 5):  
4         break  
5     print(i)
```

- ☐ IndentationError: expected an indented block after 'for' statement on line 2
- ☐ IndentationError: expected an indented block after 'for' statement on line 3

21

Question
(1 Point)

```
1 #output of  
2 for i in range(10):  
3     if (i == 5):  
4         continue  
5     print(i,end=' ')
```

- ☐ 0 1 2 3 4
- ☐ 0 1 2 3 4 6 7 8 9
- ☐ 0 1 2 3 4 5 6 7 8 9

22

Output of True or False
(1 Point)

- ☐ True
- ☐ False

tuple is Immutable list
(1 Point)

- ☐ True
- ☐ False

24

Question
(1 Point)

```
1  #output of  
2  t = (1 )  
3  print(t)
```

- ☐ 1
- ☐ (1,)
- ☐ None

25

List is A collection of same data types
(1 Point)

- ☐ True
- ☐ False

tuple is A collection of various data types
(1 Point)

- ☐ True
- ☐ False

27

Question
(1 Point)

```
1  #output of  
2  newList = [1, 'hi', True]  
3  print(newList[3])  
4  print(newList[1])
```

- ☐ syntaxError
- ☐ IndexError: list index out of range
- ☐ True \n hi

28

Question
(1 Point)

```
1  #output of  
2  newList = [1, 'hi', True]  
3  newList.pop()  
4  print(newList)
```

- ☐ [1, 'hi']
- ☐ [1, 'hi', True]
- ☐ ['hi', True]

function used to convert to float
(1 Point)

- ☐ int(age)
- ☐ float(age)
- ☐ str(age)

30

Question
(1 Point)

```
1  #output of
2  newList = [1, 'hi', True]
3  l2 = [1, 'hi', True, 'test']
4  newList+l2
5  print(newList)
```

- ☐ [1, 'hi', True]
- ☐ [1, 'hi', True, 1, 'hi', True, 'test']
- ☐ TypeError: unsupported operand type(s) for +: 'list' and 'list'
- ☐ None of above

31

Question
(1 Point)

```
1  #to call this function
2  def doSum(**kwargs):
3      for k in kwargs:
4          print(kwargs[k])
```

- ☐ doSum(x=1,y=2)
- ☐ doSum({x=1,y=2})
- ☐ doSum({'x':1,'y':2})

output of `16%5` is
(1 Point)

☐ 3.5

☐ 3

☐ 1

33

output of `16 // 5` is
(1 Point)

☐ 3.5

☐ 3

☐ 1

34

Which used for return True if a not equals
(1 Point)

☐ `==`

☐ `>=`

☐ `<=`

☐ `!=`

Errors may be
(1 Point)

- ☐ Syntax Errors
- ☐ Runtime Errors
- ☐ Logical Errors
- ☐ all of above

36

Runtime Errors handled by
(1 Point)

- ☐ if statment
- ☐ try except
- ☐ all of above

37

Logical Errors handled by
(1 Point)

- ☐ if statment
- ☐ try except
- ☐ Debugger
- ☐ all of the above

Python identifiers can Contain Punctuations Characters (1 Point)

- ☐ True
- ☐ False

39

A Python identifier doesn't be one of these words (1 Point)

- ☐ Name
- ☐ Else
- ☐ Grade

40

```
Level 1
|
|   Level 2
|   |
|   |   if True:
|   |       print("Hello, World")
|   |   else:
|   |       print("Bye, World")
```

Choose error type in the following code (1 Point)

- ☐ Exception
- ☐ Indentations
- ☐ None of the above

Which of The following are some examples of invalid identifiers:
(1 Point)

- ☐ wordCount
- ☐ y_axis
- ☐ _logFile
- ☐ won't_work

42

function used to get variable type
(1 Point)

- ☐ list(var)
- ☐ print(var)
- ☐ type(var)

43

Which of the following is Falsy Values
(1 Point)

- ☐ ""
- ☐ 'asd'
- ☐ 1
- ☐ 1.2

Output of min(4.4,5,16) is
(1 Point)

- ☐ 5
- ☐ 4.4
- ☐ 16

45

You have

```
myList = ["C", "JavaScript", "Python", "Java", "php"];
```

what the output of

```
print(myList.pop(4))
```

(1 Point)

- ☐ php
- ☐ C
- ☐ Java
- ☐ javascript

Which of the following A key: value comma separated elements Data Structure

(1 Point)

- ☐ List
- ☐ Tuple
- ☐ Dictionary

47

To get dictionary keys which method of the following used

(1 Point)

- ☐ Keys
- ☐ Items
- ☐ update

python advanced datatype Same as Lists but are immutable

(1 Point)

- ☐ Dictionary
- ☐ tuple
- ☐ List

49

output of `len((1, 2, 3))` is
(1 Point)

- ☐ 3
- ☐ 2

50

Which allows you to logically organize your Python code? Grouping related code into a file makes the code easier to understand and use
(1 Point)

- ☐ Function
- ☐ Module
- ☐ file

output of L = [x**2 **for** x **in** range(10) **if** x%2 == 0]

(1 Point)

☐ [0, 4, 16, 36, 64]

☐ [0, 2, 18, 36, 64]

52

In python everything is an ____.

(1 Point)

☐ Variable.

☐ Class.

☐ Object.

53

Python identifiers can Contain '_'

(1 Point)

☐ True

☐ False

Python is Case Sensitive Language
(1 Point)

- ☐ True
- ☐ False

55

A Python identifier can contain reserved words
(1 Point)

- ☐ True
- ☐ False

56

Used to single line comment

(1 Point)

- ☐ ''' '''
- ☐ ''
- ☐ #

Python identifiers can Contain digits
(1 Point)

☐ True

☐ False

☐ Send me an email receipt of my responses

This content is created by the owner of the form. The data you submit will be sent to the form owner. Microsoft is not responsible for the privacy or security practices of its customers, including those of this form owner. Never give out your password.

Powered by Microsoft Forms | [Privacy and cookies \(https://go.microsoft.com/fwlink/p/?linkid=857875\)](https://go.microsoft.com/fwlink/p/?linkid=857875) | [Terms of use \(https://go.microsoft.com/fwlink/p/?LinkId=2083423\)](https://go.microsoft.com/fwlink/p/?LinkId=2083423)