

1 - The number of layers in ISO OSI reference model is _____

- a- 5
- b- 7**
- c- 6
- d- 10

2 - A _____ set of rules that governs data communication.

- a- Protocols**
- b- Standards
- c- RFCs
- d- Servers

3 - The structure or format of data is called _____

- a- Syntax**
- b- Semantics
- c- Struct
- d- Formatting

4 - A _____ is the physical path over which a message travels.

- a- Path
- b- Medium**
- c- Protocol
- d- Route

5 - Which of this is not a network edge device?

- a- PC
- b- Smartphones
- c- Servers
- d- Switch**

6 - A _____ is a device that forwards packets between networks by processing the routing information included in the packet.

a- bridge

b- firewall

c- router

d- hub

7 - A list of protocols used by a system, one protocol per layer, is called _____

a- protocol architecture

b- protocol stack

c- protocol suite

d- protocol system

8 - Network congestion occurs _____

a- in case of traffic overloading

b- when a system terminates

c- when connection between two nodes terminates

d- in case of transfer failure

9 - P2P applications face the challenge

a- ISP Friendly

b- Security

c- all of the mentioned

10 - the rate at which data is transferred is referred to _____

a- transmission rate

b- transfer ratio

c- compression rate

11 - End systems access the Internet through _____

a- Internet Service Providers ISPs

b- Customer premises Equipment CPE

c- Digital subscriber line DSL

12 - The only control that the application developer has on the transport-layer side is

a- the choice of transport protocol

b- perhaps the ability to fix a few transport-layer parameters

c- all of the mentioned

13 - Processes on two different end systems communicate with each other

a- by exchanging messages across the computer network

b- with interprocess communication

c- all of the mentioned

14 - Two devices are in network if _____

a- a process in one device is able to exchange information with a process in another device

b- a process is running on both devices

c- PIDs of the processes running on different devices are same

15 - What is client process

a- Process that initiates communication

b- Process that waits to be contacted

c- protocol in the application layer

16 - When this client-server interaction is taking place over TCP, the application developer needs to make an important decision—should each request/response pair be sent over a separate TCP connection, or should all of the requests and their corresponding responses be sent over the same TCP connection? In the former approach, the application is said to use ---

a- non-persistent connections

b- persistent connections

c- none of the above

17 - The RTT includes

a- packet-propagation delays

b- packet-queuing delays

c- all of the mentioned

18 - malware can record keystrokes, web sites visited, upload info to collection site

a- virus

b- worm

c- spyware

19 - Which is not a application layer protocol

a- HTTP

b- SMTP

c- TCP

20 - What is the HTTP port number

a- 25

b- 110

c- 80

21 - ----- can make use of as much, or as little, throughput as happens to be available

a- bandwidth-sensitive applications

b- elastic applications

c- all of the mentioned

22 - Which protocol is a protocol of application layer

a- HTTP

b- TCP

c- IP

23 - The structure or format of data is called _____

a- Syntax

b- Semantics

c- Struct

24 - data over DSL phone line goes to.....

a- internet

b- telephone net

c- none of the above

25 - In computer network nodes are _____

a- the computer that originates the data

b- the computer that routes the data

c- all of the mentioned