

8

 ?How do you create a jagged array that contains strings



`;[]string[][] jaggedStrings = new string[2]` ☒

`;string[] jaggedStrings = new string[2][3]` ☐

`;[][]string jaggedStrings` ☐

`;string[2] jaggedStrings` ☐

ستتم المراجعة 

9

the ToolTip will always remain visible until the user clicks on the control



True ☐

False ☒

ستتم المراجعة 

10

you call the SetError method with an empty string as the error message



The error icon is hidden for the specified control ☒

The error icon is displayed with no message ☐

An exception is thrown ☐

ستتم المراجعة 

11

property of a ScrollBar determines the current position of the scroll box



Position ☐

Value ☒

Location ☐

CurrentScroll ☐

ستتم المراجعة 

12

: Given the following method

```
public void DisplayMessage(string title, string content, int duration = 5)
{
```

```
    Implementation //
```

```
{
```

 ?Which call is **invalid**

;DisplayMessage("Warning", content: "Low Battery") ☐

;DisplayMessage(title: "Warning", content: "Low Battery", duration: 10) ☐

;DisplayMessage(content: "Low Battery", "Warning",10) ☒

;DisplayMessage("Warning", "Low Battery", duration: 10) ☐

ستتم المراجعة 

13

?What will the following code output

```
;" string str1 = " Hello  
;char str2 = str1.Remove(1)  
;MessageBox.Show(str2.ToString())
```



Hello ☐

H ☐

Space ☐

Error ☒

ستتم المراجعة 

14

?Which method is used to programmatically add an item to a ListBox

()ListBox.AddItem ☐

()ListBox.Items.Add ☒

()ListBox.Items.Insert ☐

()ListBox.Item.adds ☐

ستتم المراجعة ☐

15

The default value of the AutoSize property of a Label control is False.

True ☐

False ☒

ستتم المراجعة ☐

16

will be the output of the following code when the button is clicked twice

```
private int counter = 0;

private void button1_Click(object sender, EventArgs e)
{
    counter++;
    MessageBox.Show("Button clicked " + counter + " times");
}
```

"Button clicked 1 times" on the first click, and "Button clicked 2 times" on the second click.

.A message box showing "Button clicked 1 times" every time

Error ☐

ستتم المراجعة 

17

h property of the Label control is used to align the text within the Label

TextAlign ☒

Alignment ☐

TextPosition ☐

Layout ☐

ستتم المراجعة 

18

.The Load event takes place after the form is displayed on the screen

True ☐

False ☒

ستتم المراجعة 

19

 ?Which property of a TabControl contains the collection of tabs

Tabs ☐TabPage ☒TabCollection ☐Pages ☐ستتم المراجعة 

20

 ?You can use an ImageList control to store images of different sizes

True ☐False ☒ستتم المراجعة 

21

utton with the Text property set to "&Open", which key combination will
activate

 ?it

Alt + O ☒Ctrl + O ☐

Shift + O ☐Ctrl+ Alt + O ☐ستتم المراجعة 

22

?When the button is clicked, what will be the output

```
struct Point1
{
    ;public int X
    ;public int Y
}
private void button1_Click(object sender, EventArgs e)
{
    ;Point1[] points = new Point1[2]
    ;points[0].X = 5
    ;points[0].Y = 10
    MessageBox.Show(points[1].X.ToString())
}
```

0 ☒5 ☐10 ☐Error ☐ستتم المراجعة 

23

📄 ?How can you disable a ToolStripMenuItem in a MenuStrip control



Set the Enabled property of the ToolStripMenuItem to false ☒



Set the Visible property of the ToolStripMenuItem to false ☐

Set the Enabled property of the MenuStrip to false ☐

Set the Text property of the ToolStripMenuItem to disabled ☐

ستتم المراجعة

24

SelectedItem property of a ComboBox always corresponds to the value of the selected item



?

True ☒

False ☐

ستتم المراجعة

25

Method is used to generate a random floating-point number between 0.0 and 1.0 (exclusive) (inclusive)



()random.NextFloat ☐

()random.NextDouble ☒

☐ ()random.Double

☐ ()random.Float

ستتم المراجعة

26

Specify a path as well as a filename in the argument that you pass to the File.CreateText method, but not to File.AppendText method

☐ True

☒ False

ستتم المراجعة

27

```
object sender, EventArgs e)
```

When the button is clicked, what will be the output?

☐ ?output

```
private void button1_Click(object sender, EventArgs e)
{
    int x = 10;
    DisplayNumber(x);
    MessageBox.Show(x.ToString());
}

private void DisplayNumber(int x)
{
    x = 20;
}
```

☒ "A message box showing "10"

☐ "A message box showing "20"



Error ☐ستتم المراجعة 

28

ms application, what is the visual indicator of an access key on a button

The letter is bold ☐The letter is underlined ☒The letter is highlighted ☐The letter is grayed out ☐ستتم المراجعة 

29

```
;"string str1 = "hello  
;"string str2 = "HELLO  
;String.Compare(str1, str2, true)  
 The method return
```

0 ☒True ☐False ☐Error ☐

ستتم المراجعة 

30

 ?How can you retrieve an image from the ImageListImageList.GetImage(index) ☐ImageList.Images[index] ☒ImageList[index] ☐ImageList.Image(index) ☐ستتم المراجعة 

31

?What will the following code output

```
;string text = "C# Programming  
;string result = text.Substring(3)  
;MessageBox.Show (result)
```

#C ☐Programming ☒Programming # ☐P ☐

ستتم المراجعة

32

decimal or int values to decimal variables, but you cannot assign double
values to decimal variables 

True ☒False ☐ستتم المراجعة

33

?Which namespace must be included to use the File.CreateText method

System.Windows.Forms ☐System.IO ☒System.Text ☐System.Collections ☐ستتم المراجعة

34

?What will the following code output
;!string text = "Hello, World
;int position = text.IndexOf('o', 5)

`;MessageBox.Show (position.ToString())`



4 ☐

8 ☒

5 ☐

1- ☐

ستتم المراجعة

35

What event is typically used to detect when a RadioButton has been selected

Click ☐



Selected ☐

CheckedChanged ☒

Checked ☐

ستتم المراجعة

36

: TextBox control to receive focus first when the form loads, what would you

?do



Set its TabIndex property to -1 ☐

Set its TabIndex property to 0 ☒

Set its TabOrder property to -1 ☐

Set its TabOrder property to 0 ☐

ستتم المراجعة

37

can you define multiple delimiters for tokenizing a string using the Split
method



By passing a string containing all delimiters ☐

By passing a char array of delimiters ☒

By passing a List<char> of delimiters ☐

By passing a delimiter string separated by commas ☐

ستتم المراجعة

38

AppendText method **creates a new file** if the specified file does not exist

True ☒

False ☐

ستتم المراجعة 

39

The default behavior of a TextBox is to select all text when it gains focus

True ☐False ☒ستتم المراجعة 

40

How can you open a second form as a modal form from the main form

()Form2.Show ☐()Form2.ShowDialog ☒()Form2.Open ☐()Form2.Run ☐ستتم المراجعة 

41

erty that determines how a background image is displayed on a form is

BackgroundImageAlignment ☐

BackgroundImageDisplayMode ☒

BackgroundImageLayout ☐

BackgroundImageStyle ☐

ستتم المراجعة 

42

ou use to ensure a control retains focus after an event such as a button

 ?click

;()Control.Focus ☒

;()Control.Select ☐

;()Control.SetFocus ☐

;()Control.GainFocus ☐

ستتم المراجعة 

43

?What will the following code output

```
;"string Name = "hmed
```

```
;'Name[0] = 'A
```

```
;MessageBox.Show(Name)
```



Ahmed ☐

hmed ☐

A ☐Error ☒ستتم المراجعة 

44

 .A ComboBox can display multiple columns of data simultaneouslyTrue ☐False ☒

يتم إنشاء هذا المحتوى بواسطة مالك النموذج. سيتم إرسال البيانات التي ترسلها إلى مالك النموذج. Microsoft غير م
لعملائها، بما في ذلك ممارسات مالك هذا النموذج. لا تفصح أبداً عن كلمة مرورك.

Microsoft Forms | استطلاعات واختبارات واستقصاءات قائمة على تكنولوجيا الذكاء الصناعي [إنشاء نموذجي الخاص](#)
[الخصوصية وملفات تعريف الارتباط](#) | [شروط الاستخدام](#)