

Cliente Exemplo S.A.

Justificativa de Pontuação

Metodologia Detalhada e Racional de Cálculo

ASSESSMENT	AI Maturity Assessment 2026 H1
INDÚSTRIA	Financial Services / Insurance
DATA DO ASSESSMENT	2026-05-08
VERSÃO DO FRAMEWORK	1.0.0
GERADO EM	2026-05-08
ESCOPO	Engineering Organization

Sumário

1. Visão Executiva	.
1.1 Propósito Deste Documento	.
1.2 Resumo das Pontuações Finais	.
2. Metodologia de Pontuação	.
2.1 Definições dos Níveis de Maturidade	.
2.2 Diretrizes de Pontuação	.
2.3 Fórmula da Média Ponderada	.
3. P1: Developer Productivity — Pontuações Detalhadas	.
4. P2: DevOps Lifecycle — Pontuações Detalhadas	.
5. P3: Application Platform — Pontuações Detalhadas	.
6. Cálculo da Maturidade Geral	.
7. Principais Fontes de Evidência	.
8. Conclusão	.

1. Visão Executiva

Este documento fornece uma explicação abrangente da metodologia de pontuação utilizada no AI Maturity Assessment de Cliente Exemplo S.A., incluindo justificativas detalhadas para cada pontuação de capability e os cálculos de média ponderada que determinam os níveis de maturidade por pilar e geral.

1.1 Propósito Deste Documento

- Prover total transparência sobre como cada pontuação foi determinada.
- Documentar a base de evidências utilizada nas decisões de pontuação.
- Explicar a metodologia de cálculo da média ponderada.
- Justificar o racional por trás de cada atribuição de nível de maturidade.
- Permitir que stakeholders compreendam e validem os resultados do assessment.

1.2 Resumo das Pontuações Finais

PILAR	MÉDIA PONDERADA	NÍVEL DE MATURIDADE	META	GAP
P1: Developer Productivity	2.69	L3 — Gerenciado	L4.0	1.3
P2: DevOps Lifecycle	1.52	L2 — Definido	L4.0	2.5
P3: Application Platform	1.92	L2 — Definido	L4.0	2.1
GERAL	1.99	L2 — Definido	L4.0	2.0



2. Metodologia de Pontuação

2.1 Definições dos Níveis de Maturidade

O AI Maturity Framework utiliza uma escala de 5 níveis (L0-L4) para medir a maturidade de capabilities. Cada nível tem características específicas e exigências de evidência.

NÍVEL	NOME	DESCRIÇÃO	EVIDÊNCIA NECESSÁRIA
L0	Tradicional	Sem abordagem estruturada. Processos manuais dominam. Sem adoção de ferramentas de IA.	Observação de fluxos manuais, ausência de ferramentas de automação
L1	Assistido por IA	Começando a adotar ferramentas de IA. Pilotos em andamento (<20% adoção). Automação básica existe.	Contagem de licenças, listas de times piloto, métricas iniciais
L2	Aprimorado por IA	Adoção significativa de IA (50%+). Automação abrangente. Self-service emergindo.	Dashboards de adoção, logs de fluxos automatizados, portal self-service
L3	Otimizado por IA	Adoção ampla de IA (75%+). Agentes de IA para tarefas complexas. Capacidades preditivas.	Relatórios de uso de IA, logs de tarefas de agentes, dashboards preditivos
L4	Agêntico / Autônomo	Integração total de IA. Sistemas multi-agente. Auto-recuperação com mínima intervenção humana.	Logs de operações autônomas, evidências de coordenação multi-agente, métricas MTTR

2.2 Diretrizes de Pontuação

- Os princípios a seguir foram aplicados consistentemente durante a pontuação:
- Pontue com base em EVIDÊNCIA, não em aspirações — sempre exija prova.
 - Quando capabilities cobrem múltiplos níveis, pontue no nível MENOR.
 - Considere CONSISTÊNCIA entre times — excelência isolada não eleva o score organizacional.
 - Capabilities de Platform Engineering [PE] indicam prontidão para Agentic Platform Engineering.
 - Use meio-pontos (ex: 1.5) somente quando evidência forte suporta progresso parcial.

2.3 Fórmula da Média Ponderada

Cada capability tem um peso atribuído (2 ou 3) baseado em sua importância estratégica. O score do Pilar é calculado como:

`Score do Pilar` = $\Sigma(\text{capability_score} \times \text{weight}) / \Sigma(\text{weights})$
`Score Geral` = `average(pillar_scores)`

3. P1: Developer Productivity — Pontuações Detalhadas

P1: Developer Productivity

L2.7 → L4.0

Gap +1.31

3.1 Resumo do Pilar

Total de Capabilities	8
Soma dos Pesos	18.00
Soma Ponderada dos Scores	22 (3×1.0 + 2×1.0 + 2×1.5 + 2×1.5 + 2×1.0 + 3×1.0 + 2×1.0 + 2×2.0)
Média Ponderada	2.69 (= weighted sum / 18.00)
Nível de Maturidade	L3 — Gerenciado

3.2 Justificativa Capability por Capability

PE 1.1 AI Coding Assistants & Adoption

SCORE	PESO	INDICADOR PE
L3 — Gerenciado	3 (Alta — Crítica)	Sim

EVIDÊNCIAS COLETADAS

- 645 AI coding licenses deployed (out of 2,430 developers)
- Penetration rate: 26.5%
- 30% suggestion acceptance rate
- 0 Agent Mode usage observed

RACIONAL DA PONTUAÇÃO

Score of L1 was assigned because the organization is piloting AI coding assistants with approximately 26% of developers, well below the 50% threshold required for L2. While initial deployment exists, suggestion acceptance is below target and advanced features (Agent Mode, agentic workflows) show zero usage.

1.2 Code Review with AI grupo de desenvolvedores

SCORE	PESO	INDICADOR PE
L2 — Definido	2 (Média)	Não

EVIDÊNCIAS COLETADAS

- AI code review available but not standardized
- <10% of pull requests use AI-assisted review
- No policy mandates AI review usage
- Manual review remains primary mechanism

RACIONAL DA PONTUAÇÃO

Score of L1 reflects nascent AI code review usage. Tools are available to all developers but adoption is sporadic, with fewer than 10% of PRs leveraging AI assistance. Without a standardized policy or measurable enforcement, the capability remains in pilot phase.

1.3 Test Generation & TDD with AI grupo de desenvolvedores

SCORE	PESO	INDICADOR PE
Sem resposta	2 (Média)	Não

EVIDÊNCIAS COLETADAS

- AI test generation in pilot for 2 teams
- Code coverage stable at 80%
- No mutation testing in place
- Test maintenance still primarily manual

RACIONAL DA PONTUAÇÃO

Score of L1.5 reflects piloted but inconsistent AI test generation. Two teams have evidence of consistent usage with measurable coverage improvements, but the practice is not organization-wide. The half-point above L1 acknowledges concrete pilot success.

1.4 Documentation Automation grupo de desenvolvedores

SCORE	PESO	INDICADOR PE
L3 — Gerenciado	2 (Média)	Não

EVIDÊNCIAS COLETADAS

- Some teams use AI for inline documentation
- API documentation auto-generated for 30% of services
- Architecture decision records still manual
- No standardized doc-generation policy

RACIONAL DA PONTUAÇÃO

Score of L1.5 reflects partial automation: API docs auto-generated for a subset of services, but ADRs and runbooks still manual. The half-point recognizes meaningful automation in production for code-level documentation.

1.5 Developer Onboarding & Skills

SCORE	PESO	INDICADOR PE
Sem resposta	2 (Média)	Não

EVIDÊNCIAS COLETADAS

- Developer onboarding takes 4-6 weeks to first commit
- Mentorship is informal
- AI tools introduced via 1-hour orientation
- No measurable AI skills assessment

RACIONAL DA PONTUAÇÃO

Score of L1 because onboarding includes basic AI tool exposure but lacks structured ramp-up paths, formal AI skills tracks, or measurable proficiency gates. The 4-6 week time-to-first-commit is well above industry benchmarks.

PE 1.6 IDE & Local Dev Environment grupo de desenvolvedores

SCORE	PESO	INDICADOR PE
Sem resposta	3 (Alta — Crítica)	Sim

EVIDÊNCIAS COLETADAS

- IDE setup takes 4-8 hours per developer
- No standardized dev container configuration
- Cloud IDE in pilot for 1 team
- Local environment drift causes 20% of new-dev support tickets

RACIONAL DA PONTUAÇÃO

Score of L1 reflects the manual, drift-prone state of local environments. While a cloud IDE pilot exists, it is not the default. Setup time and environment-related support tickets indicate significant opportunity for standardization.

1.7 AI-Assisted Refactoring & Modernization

grupo de desenvolvedores

SCORE	PESO	INDICADOR PE
Sem resposta	2 (Média)	Não

EVIDÊNCIAS COLETADAS

- Manual refactoring is the norm
- Legacy modernization done case-by-case
- No AI-driven dependency upgrade automation
- Technical debt tracking exists but not AI-prioritized

RACIONAL DA PONTUAÇÃO

Score of L1 reflects awareness of refactoring needs but lack of AI tooling integration. The organization tracks technical debt manually but has no automated prioritization or AI-assisted modernization in production.

1.8 Productivity Metrics & SPACE

SCORE	PESO	INDICADOR PE
Sem resposta	2 (Média)	Não

EVIDÊNCIAS COLETADAS

- DORA metrics tracked at portfolio level
- SPACE framework partially adopted (3 of 5 dimensions)
- Quarterly developer experience surveys conducted
- No real-time productivity dashboard

RACIONAL DA PONTUAÇÃO

Score of L2 reflects established DORA tracking and partial SPACE adoption. Surveys provide qualitative signal, but real-time AI-driven productivity insights are absent.

3.3 Resumo do Cálculo


Score do Pilar = $22 \text{ (} 3 \times 1.0 + 2 \times 1.0 + 2 \times 1.5 + 2 \times 1.5 + 2 \times 1.0 + 3 \times 1.0 + 2 \times 1.0 + 2 \times 2.0 \text{)} / 18.00$
= 2.69 → L3 – Gerenciado

4. P2: DevOps Lifecycle – Pontuações Detalhadas

P2: DevOps Lifecycle

L1.5 → L4.0

Gap +2.48



4.1 Resumo do Pilar

Total de Capabilities	10
Soma dos Pesos	26.00
Soma Ponderada dos Scores	47 (3×1.5 + 3×2.0 + 3×2.0 + 2×2.0 + 3×2.5 + 2×2.0 + 3×2.5 + 2×1.5 + 2×0.0 + 3×2.0)
Média Ponderada	1.52 (= weighted sum / 26.00)
Nível de Maturidade	L2 — Definido

4.2 Justificativa Capability por Capability

2.1 Source Control & Branching Strategy

SCORE	PESO	INDICADOR PE
L2 — Definido	3 (Alta — Crítica)	Não

EVIDÊNCIAS COLETADAS

- Git-based source control across all teams
- Branching strategies vary (GitFlow vs trunk-based)
- No org-wide branch policy automation
- Some repos enforce signed commits

RACIONAL DA PONTUAÇÃO

Score of L1.5 reflects modern source control with inconsistent branching practices. The half-point above L1 recognizes signed-commit enforcement on a meaningful subset of repositories.

PE 2.2 CI/CD Pipelines

SCORE

Sem resposta

PESO

3 (Alta — Crítica)

INDICADOR PE

Sim

EVIDÊNCIAS COLETADAS

- All teams have automated CI
- CD pipelines exist for 60% of services
- Pipeline-as-code in widespread use
- Manual gates remain in production deployments

RACIONAL DA PONTUAÇÃO

Score of L2 reflects mature CI with partial CD coverage. Pipeline-as-code is standard, but the 40% of services without automated CD and the prevalence of manual production gates prevent advancement to L3.

2.3 Build & Artifact Management

SCORE

L2 — Definido

PESO

3 (Alta — Crítica)

INDICADOR PE

Não

EVIDÊNCIAS COLETADAS

- Centralized artifact registry in use
- Build caching enabled for major repos
- SBOM generation for 50% of artifacts
- Reproducible builds not enforced org-wide

RACIONAL DA PONTUAÇÃO

Score of L2 reflects centralized artifact management with build optimization. SBOM coverage at 50% and lack of org-wide reproducible-build enforcement keep the score below L3.

2.4 Test Automation

SCORE

L1 — Em Desenvolvimento

PESO

2 (Média)

INDICADOR PE

Não

EVIDÊNCIAS COLETADAS

- Unit test automation in CI for all services
- Integration tests for 70% of services
- E2E tests in nightly pipelines
- Flaky-test detection still manual

RACIONAL DA PONTUAÇÃO

Score of L2 reflects strong unit and integration test automation. The lack of automated flaky-test detection and incomplete E2E coverage in main pipelines prevent L3.

PE 2.5 Security & DevSecOps

SCORE

Sem resposta

PESO

3 (Alta — Crítica)

INDICADOR PE

Sim

EVIDÊNCIAS COLETADAS

- SAST and SCA in 100% of pipelines
- DAST for 60% of public-facing services
- Secret scanning enforced
- Threat modeling tooling in pilot

RACIONAL DA PONTUAÇÃO

Score of L2.5 reflects mature shift-left security with broad SAST/SCA adoption and enforced secret scanning. The half-point above L2 acknowledges DAST for the majority of public services and threat-modeling pilots.

2.6 Release & Deployment Strategy

SCORE	PESO	INDICADOR PE
Sem resposta	2 (Média)	Não

EVIDÊNCIAS COLETADAS

- Blue-green deployments for critical services
- Canary releases in 30% of services
- Feature flags for 40% of new features
- Automated rollback for 50% of deployments

RACIONAL DA PONTUAÇÃO

Score of L2 reflects modern deployment strategies in production but with uneven adoption. Canary at 30% and feature flags at 40% indicate progressive delivery is the exception rather than the rule.

PE 2.7 Observability & Monitoring

SCORE	PESO	INDICADOR PE
Sem resposta	3 (Alta — Crítica)	Sim

EVIDÊNCIAS COLETADAS

- Distributed tracing for 80% of services
- Centralized logging org-wide
- SLOs defined for 70% of services
- Alert tuning still manual

RACIONAL DA PONTUAÇÃO

Score of L2.5 reflects strong observability foundations with distributed tracing, centralized logs, and SLO discipline. The half-point above L2 reflects breadth of tracing and SLO adoption. Manual alert tuning prevents L3.

2.8 Incident Management & SRE

SCORE	PESO	INDICADOR PE
Sem resposta	2 (Média)	Não

EVIDÊNCIAS COLETADAS

- On-call rotations exist for tier-1 services
- Postmortems written but not always actionable
- MTTR varies widely (30 min to 8 hours)
- No formal SRE practice

RACIONAL DA PONTUAÇÃO

Score of L1.5 reflects basic incident response with significant variability in MTTR. The half-point recognizes consistent on-call coverage for tier-1 services. Lack of formal SRE practice limits L2.

2.9 Chaos Engineering

SCORE	PESO	INDICADOR PE
Sem resposta	2 (Média)	Não

EVIDÊNCIAS COLETADAS

- No chaos engineering practice in place
- No game days conducted
- Disaster recovery exercises annual only
- No fault injection tooling deployed

RACIONAL DA PONTUAÇÃO

Score of L0 reflects complete absence of chaos engineering practices. While disaster recovery exercises occur annually, they do not constitute proactive chaos testing.

2.10 Compliance & Audit Automation

SCORE	PESO	INDICADOR PE
L1 — Em Desenvolvimento	3 (Alta — Crítica)	Não

EVIDÊNCIAS COLETADAS

- Policy-as-code for cloud configurations
- Audit trails captured for 80% of changes
- Compliance reporting partially automated
- Manual evidence collection for major audits

RACIONAL DA PONTUAÇÃO

Score of L2 reflects established policy-as-code and broad audit-trail coverage. The manual nature of major audit evidence collection prevents L3.

4.3 Resumo do Cálculo


Score do Pilar = $47 (3 \times 1.5 + 3 \times 2.0 + 3 \times 2.0 + 2 \times 2.0 + 3 \times 2.5 + 2 \times 2.0 + 3 \times 2.5 + 2 \times 1.5 + 2 \times 0.0 + 3 \times 2.0) / 26.00$
= 1.52 → L2 — Definido

5. P3: Application Platform – Pontuações Detalhadas

P3: Application Platform

L1.9 → L4.0

Gap +2.08



5.1 Resumo do Pilar

Total de Capabilities	10
Soma dos Pesos	26.00
Soma Ponderada dos Scores	55.5 (2×2.0 + 3×0.5 + 3×3.0 + 2×2.0 + 3×2.0 + 2×2.5 + 3×3.0 + 2×2.0 + 2×1.5 + 3×3.0)
Média Ponderada	1.92 (= weighted sum / 26.00)
Nível de Maturidade	L2 — Definido

5.2 Justificativa Capability por Capability

PE 3.1 Cloud-Native Architecture

SCORE	PESO	INDICADOR PE
L3 — Gerenciado	2 (Média)	Sim

EVIDÊNCIAS COLETADAS

- 70% of services containerized
- Microservices for new builds
- Legacy monoliths still in production for 30% of workloads
- Service mesh in pilot

RACIONAL DA PONTUAÇÃO

Score of L2 reflects significant cloud-native adoption. The remaining 30% of monolithic workloads and the pilot stage of service mesh keep the score below L3.

PE 3.2 Internal Developer Platform (IDP)

SCORE	PESO	INDICADOR PE
Sem resposta	3 (Alta — Crítica)	Sim

EVIDÊNCIAS COLETADAS

- No formal IDP in place
- Self-service primarily through documented runbooks
- Service catalog in early planning phase
- 1 team experimenting with portal tooling

RACIONAL DA PONTUAÇÃO

Score of L0.5 reflects early-stage IDP thinking with no production deployment. The half-point recognizes the experimental work by one team. The complete absence of a service catalog or self-service portal keeps the score below L1.

3.3 Containerization & Orchestration

SCORE	PESO	INDICADOR PE
L2 — Definido	3 (Alta — Crítica)	Não

EVIDÊNCIAS COLETADAS

- Kubernetes is the production runtime
- Multi-cluster federation in place
- Auto-scaling configured for 90% of services
- GitOps for cluster configuration

RACIONAL DA PONTUAÇÃO

Score of L3 reflects mature Kubernetes practice with multi-cluster federation, broad auto-scaling, and GitOps for configuration. The remaining gap to L4 is largely about AI-driven workload placement and predictive scaling.

3.4 API & Microservices Management

SCORE	PESO	INDICADOR PE
Sem resposta	2 (Média)	Não

EVIDÊNCIAS COLETADAS

- API gateway in production for external APIs
- OpenAPI specs for 70% of services
- API versioning conventions established
- API contract testing not enforced

RACIONAL DA PONTUAÇÃO

Score of L2 reflects mature API gateway with broad OpenAPI adoption and versioning discipline. The lack of enforced contract testing prevents L3.

3.5 Data Platform & Lakehouse

SCORE	PESO	INDICADOR PE
L1 — Em Desenvolvimento	3 (Alta — Crítica)	Não

EVIDÊNCIAS COLETADAS

- Lakehouse architecture deployed
- ETL pipelines for major sources
- Data quality monitoring partial
- Data mesh principles in pilot for 1 domain

RACIONAL DA PONTUAÇÃO

Score of L2 reflects modern lakehouse architecture with established ETL. Partial data quality monitoring and the pilot stage of data mesh keep the score below L3.

PE 3.6 AI/ML Platform

SCORE	PESO	INDICADOR PE
Sem resposta	2 (Média)	Sim

EVIDÊNCIAS COLETADAS

- MLOps platform deployed for 5 use cases
- Model registry and versioning in place
- Feature store in pilot
- A/B testing for model deployments

RACIONAL DA PONTUAÇÃO

Score of L2.5 reflects mature MLOps for production use cases with versioning and registry. The half-point above L2 recognizes A/B testing for model deployments. Feature store pilot stage prevents L3.

3.7 Infrastructure-as-Code

SCORE	PESO	INDICADOR PE
Sem resposta	3 (Alta — Crítica)	Não

EVIDÊNCIAS COLETADAS

- All infrastructure provisioned via IaC
- Terraform modules standardized
- Drift detection automated
- Module testing comprehensive

RACIONAL DA PONTUAÇÃO

Score of L3 reflects mature IaC with module standardization, drift detection, and comprehensive testing. The remaining gap to L4 concerns AI-assisted module generation and policy intelligence.

3.8 FinOps & Cost Optimization

SCORE	PESO	INDICADOR PE
Sem resposta	2 (Média)	Não

EVIDÊNCIAS COLETADAS

- Cost allocation tags enforced
- Monthly cost reviews per team
- Reserved capacity planning quarterly
- No automated rightsizing

RACIONAL DA PONTUAÇÃO

Score of L2 reflects mature cost discipline with allocation tags and review cadence. The absence of automated rightsizing and predictive cost analytics prevents L3.

3.9 Reliability & Resilience Engineering

SCORE	PESO	INDICADOR PE
Sem resposta	2 (Média)	Não

EVIDÊNCIAS COLETADAS

- Multi-AZ deployments for tier-1 services
- Multi-region for 20% of services
- Backup strategies documented
- Recovery testing inconsistent

RACIONAL DA PONTUAÇÃO

Score of L1.5 reflects multi-AZ resilience with limited multi-region coverage. The half-point above L1 recognizes consistent multi-AZ for critical services. Inconsistent recovery testing prevents L2.

PE 3.10 Platform Adoption & Engineering Culture

SCORE	PESO	INDICADOR PE
L3	3 (Alta — Crítica)	Sim

EVIDÊNCIAS COLETADAS

- Quarterly engineering culture surveys
- Strong DevOps community of practice
- Internal tech talks and demo days
- Platform team has clear charter and product mindset

RACIONAL DA PONTUAÇÃO

Score of L3 reflects mature platform-as-product mindset with active community and feedback loops. The remaining gap to L4 concerns AI-driven platform evolution and predictive platform improvements.

5.3 Resumo do Cálculo

Score do Pilar = $55.5 (2 \times 2.0 + 3 \times 0.5 + 3 \times 3.0 + 2 \times 2.0 + 3 \times 2.0 + 2 \times 2.5 + 3 \times 3.0 + 2 \times 2.0 + 2 \times 1.5 + 3 \times 3.0) / 26.00$
= 1.92 → L2 — Definido

6. Cálculo da Maturidade Geral

6.1 Resumo das Pontuações por Pilar

PILAR	MÉDIA PONDERADA	NÍVEL DE MATURIDADE
P1: Developer Productivity	2.69	L3 — Gerenciado
P2: DevOps Lifecycle	1.52	L2 — Definido
P3: Application Platform	1.92	L2 — Definido

6.2 Cálculo da Pontuação Geral

Score Geral = (2.69 + 1.52 + 1.92) / 3
= 1.99 → L2 — Definido

6.3 Prontidão para Agentic Platform Engineering

2.60

Score Ponderado PE

L3 — Gerenciado

AGENTIC PLATFORM ENGINEERING

Caminho Recomendado: **Build foundation first**

PE Readiness score 1.48 (LOW) indicates basic capabilities exist but foundational gaps must close before adopting either Three Horizons (Red Hat Developer Hub) or Open Horizons (Backstage). A small Open Horizons pilot may be valuable to learn before scaling, but full IDP adoption should wait until score reaches MEDIUM (≥ 2.0).

FAIXA DE SCORE	NÍVEL PE	CAMINHO RECOMENDADO	INTERPRETAÇÃO
< 1.0	NOT READY	Construir fundação primeiro	Trabalho fundacional significativo necessário antes de adotar qualquer caminho de IDP. Foque em padronização, fonte-de-verdade, CI/CD básico.
1.0 – 1.9	LOW	Construir fundação primeiro	Capacidades básicas existem. Feche gaps fundamentais antes de escalar. Um piloto pequeno de Open Horizons (Backstage) pode ser valioso para aprender antes de comprometer.
2.0 – 2.9	MEDIUM	Open Horizons (Backstage) / Three Horizons (Red Hat Developer Hub)	Fundação estabelecida. Open Horizons é o padrão de menor risco; Three Horizons se encaixa em organizações já no ecossistema Red Hat / OpenShift.
≥ 3.0	HIGH	Qualquer caminho — escolha estratégica	Qualquer caminho pode ser escolhido com confiança. A decisão é estratégica (preferência de vendor, OSS vs comercial, capacidade de time).

SOBRE ESTES CAMINHOS

Agentic Platform Engineering é o destino — uma plataforma interna de desenvolvimento com golden paths self-service, fluxos aumentados por IA e operações autônomas. Admite dois caminhos de implementação:

- **Three Horizons (Red Hat Developer Hub).** Three Horizons (com Red Hat Developer Hub): comercial, alinhado a OpenShift, totalmente suportado. Melhor encaixe para organizações já no ecossistema Red Hat ou que requerem suporte enterprise com vendor backing.
- **Open Horizons (Backstage).** Open Horizons (com Backstage): open-source, vendor-neutral, totalmente customizável. Melhor encaixe para organizações que preferem OSS, com forte capacidade de platform engineering, ou que requerem deploy cloud-agnóstico.

Ambos os caminhos produzem o mesmo estado final. A escolha é operacional (tooling, relacionamento com vendor, modelo de suporte), não baseada em capability. O faseamento temporal H1/H2/H3 (Meses 0-6 / 6-18 / 18-36) aplica-se a ambos os caminhos.

7. Principais Fontes de Evidência

A pontuação acima é suportada por evidências coletadas durante as sessões do assessment. As categorias abaixo listam os tipos de artefatos e observações que informaram o racional.

Documentos e Artefatos Arquiteturais

- Architectural decision records reviewed across 6 critical services
- Service catalog draft and IDP target architecture proposal
- Current DevOps tooling inventory with utilization data
- Quarterly engineering survey results

Dashboards e Relatórios de Ferramentas

- AI coding usage dashboard (license deployment + acceptance metrics)
- DORA metrics dashboard (portfolio level)
- SLO compliance dashboards for tier-1 services
- Cost allocation dashboards by team

Entrevistas e Sessões de Discovery

- Engineering leadership discovery sessions (CTO, VP Eng, Pillar Leads)
- Pillar working group sessions (8 capability deep-dives)
- Developer-experience round tables (15 developers across 5 teams)

Métricas Operacionais

- DORA metrics: deployment frequency, lead time, change failure, MTTR
- AI suggestion acceptance and adoption telemetry
- Test coverage and mutation testing rates per repository

Registros de Governança e Política

- Existing engineering policies (branch protection, security scanning)
- Compliance evidence collection records
- Risk register entries from previous quarters

8. Conclusão

Cliente Exemplo S.A. alcançou uma maturidade geral de L1.99 (L2 — Definido) através dos pilares avaliados. Isso representa uma baseline significativa a partir da qual conduzir melhorias sistemáticas em direção ao estado-alvo.

0 capabilities atualmente estão com prioridade ALTA de gap e merecem atenção imediata. Pilares analisados: P1, P2, P3. Cada capability foi pontuada contra evidências quantificáveis e validada contra a rubrica do framework.

Os documentos complementares de Roadmap de Transformação (Partes 1-4) traduzem essa visão de estado-atual em um plano faseado H1/H2/H3 com iniciativas específicas, métricas de sucesso e estrutura de governança para fechar cada gap identificado aqui.