

Cliente Ejemplo S.A.

Justificación de Puntuación

Metodología Detallada y Razonamiento del Cálculo

ASSESSMENT	AI Maturity Assessment 2026 H1
INDUSTRIA	Financial Services / Insurance
FECHA DEL ASSESSMENT	2026-05-08
VERSIÓN DEL FRAMEWORK	1.0.0
GENERADO EL	2026-05-08
ALCANCE	Engineering Organization

Índice

1. Visión Ejecutiva	.
1.1 Propósito de Este Documento	.
1.2 Resumen de Puntuaciones Finales	.
2. Metodología de Puntuación	.
2.1 Definición de Niveles de Madurez	.
2.2 Directrices de Puntuación	.
2.3 Fórmula del Promedio Ponderado	.
3. P1: Developer Productivity — Puntuaciones Detalladas	.
4. P2: DevOps Lifecycle — Puntuaciones Detalladas	.
5. P3: Application Platform — Puntuaciones Detalladas	.
6. Cálculo de Madurez Global	.
7. Fuentes Clave de Evidencia	.
8. Conclusión	.

1. Visión Ejecutiva

Este documento provee una explicación integral de la metodología de puntuación utilizada en el AI Maturity Assessment de Cliente Exemplo S.A., incluyendo justificaciones detalladas para cada puntuación de capability y los cálculos de promedio ponderado que determinan los niveles de madurez por pilar y global.

1.1 Propósito de Este Documento

- Proveer plena transparencia sobre cómo se determinó cada puntuación.
- Documentar la base de evidencia utilizada en las decisiones de puntuación.
- Explicar la metodología de cálculo del promedio ponderado.
- Justificar el razonamiento detrás de cada asignación de nivel de madurez.
- Permitir que stakeholders comprendan y validen los resultados del assessment.

1.2 Resumen de Puntuaciones Finales

PILAR	PROMEDIO PONDERADO	NIVEL DE MADUREZ	OBJETIVO	GAP
P1: Developer Productivity	2.69	L3 — Gerenciado	L4.0	1.3
P2: DevOps Lifecycle	1.52	L2 — Definido	L4.0	2.5
P3: Application Platform	1.92	L2 — Definido	L4.0	2.1
GLOBAL	1.99	L2 — Definido	L4.0	2.0



2. Metodología de Puntuación

2.1 Definición de Niveles de Madurez

El AI Maturity Framework usa una escala de 5 niveles (L0-L4) para medir la madurez de capabilities. Cada nivel tiene características específicas y exigencias de evidencia.

NIVEL	NOMBRE	DESCRIPCIÓN	EVIDENCIA REQUERIDA
L0	Tradicional	Sin enfoque estructurado. Procesos manuales dominantes. Sin adopción de herramientas de IA.	Observación de flujos manuales, ausencia de herramientas de automatización
L1	Asistido por IA	Comenzando a adoptar herramientas de IA. Pilotos en curso (<20% adopción). Existe automatización básica.	Conteo de licencias, listas de equipos piloto, métricas iniciales
L2	Mejorado por IA	Adopción significativa de IA (50%+). Automatización integral. Self-service emergiendo.	Dashboards de adopción, logs de flujos automatizados, portal self-service
L3	Optimizado por IA	Adopción amplia de IA (75%+). Agentes de IA para tareas complejas. Capacidades predictivas.	Reportes de uso de IA, logs de tareas de agentes, dashboards predictivos
L4	Agéntico / Autónomo	Integración total de IA. Sistemas multi-agente. Auto-recuperación con mínima intervención humana.	Logs de operaciones autónomas, evidencias de coordinación multi-agente, métricas MTTR

2.2 Directrices de Puntuación

Los siguientes principios fueron aplicados consistentemente durante la puntuación:


- Puntúe basado en EVIDENCIA, no aspiraciones — siempre exija prueba.
- Cuando capabilities cubren múltiples niveles, puntúe en el nivel MENOR.
- Considere CONSISTENCIA entre equipos — excelencia aislada no eleva el score organizacional.
- Capabilities de Platform Engineering [PE] indican preparación para Agentic Platform Engineering.
- Use medios puntos (ej. 1.5) solo cuando evidencia fuerte soporta progreso parcial.

2.3 Fórmula del Promedio Ponderado

Cada capability tiene un peso asignado (2 o 3) basado en su importancia estratégica. El score del Pilar se calcula como:

`Score del Pilar` = $\Sigma(\text{capability_score} \times \text{weight}) / \Sigma(\text{weights})$
`Score Global` = `average(pillar_scores)`

3. P1: Developer Productivity — Puntuaciones Detalladas



3.1 Resumen del Pilar

Total de Capabilities	8
Suma de Pesos	18.00
Suma Ponderada de Scores	22 (3×1.0 + 2×1.0 + 2×1.5 + 2×1.5 + 2×1.0 + 3×1.0 + 2×1.0 + 2×2.0)
Promedio Ponderado	2.69 (= weighted sum / 18.00)
Nivel de Madurez	L3 — Gerenciado

3.2 Justificación Capability por Capability

PE 1.1 AI Coding Assistants & Adoption

SCORE	PESO	INDICADOR PE
L3 — Gerenciado	3 (Alta — Crítica)	Sí

EVIDENCIAS RECOPIADAS

- 645 AI coding licenses deployed (out of 2,430 developers)
- Penetration rate: 26.5%
- 30% suggestion acceptance rate
- 0 Agent Mode usage observed

RAZONAMIENTO DE LA PUNTUACIÓN

Score of L1 was assigned because the organization is piloting AI coding assistants with approximately 26% of developers, well below the 50% threshold required for L2. While initial deployment exists, suggestion acceptance is below target and advanced features (Agent Mode, agentic workflows) show zero usage.

1.2 Code Review with AI grupo de desarrolladores

SCORE	PESO	INDICADOR PE
L2 — Definido	2 (Media)	No

EVIDENCIAS RECOPIADAS

- AI code review available but not standardized
- <10% of pull requests use AI-assisted review
- No policy mandates AI review usage
- Manual review remains primary mechanism

RAZONAMIENTO DE LA PUNTUACIÓN

Score of L1 reflects nascent AI code review usage. Tools are available to all developers but adoption is sporadic, with fewer than 10% of PRs leveraging AI assistance. Without a standardized policy or measurable enforcement, the capability remains in pilot phase.

1.3 Test Generation & TDD with AI grupo de desarrolladores

SCORE	PESO	INDICADOR PE
Sem respuesta	2 (Media)	No

EVIDENCIAS RECOPIADAS

- AI test generation in pilot for 2 teams
- Code coverage stable at 80%
- No mutation testing in place
- Test maintenance still primarily manual

RAZONAMIENTO DE LA PUNTUACIÓN

Score of L1.5 reflects piloted but inconsistent AI test generation. Two teams have evidence of consistent usage with measurable coverage improvements, but the practice is not organization-wide. The half-point above L1 acknowledges concrete pilot success.

1.4 Documentation Automation grupo de desarrolladores

SCORE	PESO	INDICADOR PE
L3 — Gerenciado	2 (Media)	No

EVIDENCIAS RECOPIADAS

- Some teams use AI for inline documentation
- API documentation auto-generated for 30% of services
- Architecture decision records still manual
- No standardized doc-generation policy

RAZONAMIENTO DE LA PUNTUACIÓN

Score of L1.5 reflects partial automation: API docs auto-generated for a subset of services, but ADRs and runbooks still manual. The half-point recognizes meaningful automation in production for code-level documentation.

1.5 Developer Onboarding & Skills

SCORE	PESO	INDICADOR PE
Sem respuesta	2 (Media)	No

EVIDENCIAS RECOPIADAS

- Developer onboarding takes 4-6 weeks to first commit
- Mentorship is informal
- AI tools introduced via 1-hour orientation
- No measurable AI skills assessment

RAZONAMIENTO DE LA PUNTUACIÓN

Score of L1 because onboarding includes basic AI tool exposure but lacks structured ramp-up paths, formal AI skills tracks, or measurable proficiency gates. The 4-6 week time-to-first-commit is well above industry benchmarks.

PE 1.6 IDE & Local Dev Environment grupo de desarrolladores

SCORE	PESO	INDICADOR PE
Sem respuesta	3 (Alta — Crítica)	Sí

EVIDENCIAS RECOPIADAS

- IDE setup takes 4-8 hours per developer
- No standardized dev container configuration
- Cloud IDE in pilot for 1 team
- Local environment drift causes 20% of new-dev support tickets

RAZONAMIENTO DE LA PUNTUACIÓN

Score of L1 reflects the manual, drift-prone state of local environments. While a cloud IDE pilot exists, it is not the default. Setup time and environment-related support tickets indicate significant opportunity for standardization.

1.7 AI-Assisted Refactoring & Modernization

grupo de desarrolladores

SCORE	PESO	INDICADOR PE
Sem respuesta	2 (Media)	No

EVIDENCIAS RECOPIADAS

- Manual refactoring is the norm
- Legacy modernization done case-by-case
- No AI-driven dependency upgrade automation
- Technical debt tracking exists but not AI-prioritized

RAZONAMIENTO DE LA PUNTUACIÓN

Score of L1 reflects awareness of refactoring needs but lack of AI tooling integration. The organization tracks technical debt manually but has no automated prioritization or AI-assisted modernization in production.

1.8 Productivity Metrics & SPACE

SCORE	PESO	INDICADOR PE
Sem respuesta	2 (Media)	No

EVIDENCIAS RECOPIADAS

- DORA metrics tracked at portfolio level
- SPACE framework partially adopted (3 of 5 dimensions)
- Quarterly developer experience surveys conducted
- No real-time productivity dashboard

RAZONAMIENTO DE LA PUNTUACIÓN

Score of L2 reflects established DORA tracking and partial SPACE adoption. Surveys provide qualitative signal, but real-time AI-driven productivity insights are absent.

3.3 Resumen del Cálculo


Score del Pilar = $22 \ (3 \times 1.0 + 2 \times 1.0 + 2 \times 1.5 + 2 \times 1.5 + 2 \times 1.0 + 3 \times 1.0 + 2 \times 1.0 + 2 \times 2.0) \ / \ 18.00$
= 2.69 → L3 – Gerenciado

4. P2: DevOps Lifecycle – Puntuaciones Detalladas

P2: DevOps Lifecycle

L1.5 → L4.0

Gap +2.48



4.1 Resumen del Pilar

Total de Capabilities	10
Suma de Pesos	26.00
Suma Ponderada de Scores	47 (3×1.5 + 3×2.0 + 3×2.0 + 2×2.0 + 3×2.5 + 2×2.0 + 3×2.5 + 2×1.5 + 2×0.0 + 3×2.0)
Promedio Ponderado	1.52 (= weighted sum / 26.00)
Nivel de Madurez	L2 — Definido

4.2 Justificación Capability por Capability

2.1 Source Control & Branching Strategy

SCORE	PESO	INDICADOR PE
L2 — Definido	3 (Alta — Crítica)	No

EVIDENCIAS RECOPIADAS

- Git-based source control across all teams
- Branching strategies vary (GitFlow vs trunk-based)
- No org-wide branch policy automation
- Some repos enforce signed commits

RAZONAMIENTO DE LA PUNTUACIÓN

Score of L1.5 reflects modern source control with inconsistent branching practices. The half-point above L1 recognizes signed-commit enforcement on a meaningful subset of repositories.

PE 2.2 CI/CD Pipelines

SCORE	PESO	INDICADOR PE
Sem resposta	3 (Alta — Crítica)	Sí

EVIDENCIAS RECOPIADAS

- All teams have automated CI
- CD pipelines exist for 60% of services
- Pipeline-as-code in widespread use
- Manual gates remain in production deployments

RAZONAMIENTO DE LA PUNTUACIÓN

Score of L2 reflects mature CI with partial CD coverage. Pipeline-as-code is standard, but the 40% of services without automated CD and the prevalence of manual production gates prevent advancement to L3.

2.3 Build & Artifact Management

SCORE	PESO	INDICADOR PE
L2 — Definido	3 (Alta — Crítica)	No

EVIDENCIAS RECOPIADAS

- Centralized artifact registry in use
- Build caching enabled for major repos
- SBOM generation for 50% of artifacts
- Reproducible builds not enforced org-wide

RAZONAMIENTO DE LA PUNTUACIÓN

Score of L2 reflects centralized artifact management with build optimization. SBOM coverage at 50% and lack of org-wide reproducible-build enforcement keep the score below L3.

2.4 Test Automation

SCORE	PESO	INDICADOR PE
L1 — Em Desenvolvimento	2 (Media)	No

EVIDENCIAS RECOPIADAS

- Unit test automation in CI for all services
- Integration tests for 70% of services
- E2E tests in nightly pipelines
- Flaky-test detection still manual

RAZONAMIENTO DE LA PUNTUACIÓN

Score of L2 reflects strong unit and integration test automation. The lack of automated flaky-test detection and incomplete E2E coverage in main pipelines prevent L3.

PE 2.5 Security & DevSecOps

SCORE	PESO	INDICADOR PE
Sem resposta	3 (Alta — Crítica)	Sí

EVIDENCIAS RECOPIADAS

- SAST and SCA in 100% of pipelines
- DAST for 60% of public-facing services
- Secret scanning enforced
- Threat modeling tooling in pilot

RAZONAMIENTO DE LA PUNTUACIÓN

Score of L2.5 reflects mature shift-left security with broad SAST/SCA adoption and enforced secret scanning. The half-point above L2 acknowledges DAST for the majority of public services and threat-modeling pilots.

2.6 Release & Deployment Strategy

SCORE	PESO	INDICADOR PE
Sem resposta	2 (Media)	No

EVIDENCIAS RECOPIADAS

- Blue-green deployments for critical services
- Canary releases in 30% of services
- Feature flags for 40% of new features
- Automated rollback for 50% of deployments

RAZONAMIENTO DE LA PUNTUACIÓN

Score of L2 reflects modern deployment strategies in production but with uneven adoption. Canary at 30% and feature flags at 40% indicate progressive delivery is the exception rather than the rule.

PE 2.7 Observability & Monitoring

SCORE	PESO	INDICADOR PE
Sem resposta	3 (Alta — Crítica)	Sí

EVIDENCIAS RECOPIADAS

- Distributed tracing for 80% of services
- Centralized logging org-wide
- SLOs defined for 70% of services
- Alert tuning still manual

RAZONAMIENTO DE LA PUNTUACIÓN

Score of L2.5 reflects strong observability foundations with distributed tracing, centralized logs, and SLO discipline. The half-point above L2 reflects breadth of tracing and SLO adoption. Manual alert tuning prevents L3.

2.8 Incident Management & SRE

SCORE	PESO	INDICADOR PE
Sem resposta	2 (Media)	No

EVIDENCIAS RECOPIADAS

- On-call rotations exist for tier-1 services
- Postmortems written but not always actionable
- MTTR varies widely (30 min to 8 hours)
- No formal SRE practice

RAZONAMIENTO DE LA PUNTUACIÓN

Score of L1.5 reflects basic incident response with significant variability in MTTR. The half-point recognizes consistent on-call coverage for tier-1 services. Lack of formal SRE practice limits L2.

2.9 Chaos Engineering

SCORE	PESO	INDICADOR PE
Sem resposta	2 (Media)	No

EVIDENCIAS RECOPIADAS

- No chaos engineering practice in place
- No game days conducted
- Disaster recovery exercises annual only
- No fault injection tooling deployed

RAZONAMIENTO DE LA PUNTUACIÓN

Score of L0 reflects complete absence of chaos engineering practices. While disaster recovery exercises occur annually, they do not constitute proactive chaos testing.

2.10 Compliance & Audit Automation

SCORE	PESO	INDICADOR PE
L1 — Em Desenvolvimento	3 (Alta — Crítica)	No

EVIDENCIAS RECOPIADAS

- Policy-as-code for cloud configurations
- Audit trails captured for 80% of changes
- Compliance reporting partially automated
- Manual evidence collection for major audits

RAZONAMIENTO DE LA PUNTUACIÓN

Score of L2 reflects established policy-as-code and broad audit-trail coverage. The manual nature of major audit evidence collection prevents L3.

4.3 Resumen del Cálculo

Score del Pilar = $47 (3 \times 1.5 + 3 \times 2.0 + 3 \times 2.0 + 2 \times 2.0 + 3 \times 2.5 + 2 \times 2.0 + 3 \times 2.5 + 2 \times 1.5 + 2 \times 0.0 + 3 \times 2.0) / 26.00$
= 1.52 → L2 — Definido

5. P3: Application Platform – Puntuaciones Detalladas

P3: Application Platform

L1.9 → L4.0

Gap +2.08

5.1 Resumen del Pilar

Total de Capabilities	10
Suma de Pesos	26.00
Suma Ponderada de Scores	55.5 (2×2.0 + 3×0.5 + 3×3.0 + 2×2.0 + 3×2.0 + 2×2.5 + 3×3.0 + 2×2.0 + 2×1.5 + 3×3.0)
Promedio Ponderado	1.92 (= weighted sum / 26.00)
Nivel de Madurez	L2 — Definido

5.2 Justificación Capability por Capability

PE 3.1 Cloud-Native Architecture

SCORE	PESO	INDICADOR PE
L3 — Gerenciado	2 (Media)	Sí

EVIDENCIAS RECOPIADAS

- 70% of services containerized
- Microservices for new builds
- Legacy monoliths still in production for 30% of workloads
- Service mesh in pilot

RAZONAMIENTO DE LA PUNTUACIÓN

Score of L2 reflects significant cloud-native adoption. The remaining 30% of monolithic workloads and the pilot stage of service mesh keep the score below L3.

PE 3.2 Internal Developer Platform (IDP)

SCORE	PESO	INDICADOR PE
Sem resposta	3 (Alta — Crítica)	Sí

EVIDENCIAS RECOPIADAS

- No formal IDP in place
- Self-service primarily through documented runbooks
- Service catalog in early planning phase
- 1 team experimenting with portal tooling

RAZONAMIENTO DE LA PUNTUACIÓN

Score of L0.5 reflects early-stage IDP thinking with no production deployment. The half-point recognizes the experimental work by one team. The complete absence of a service catalog or self-service portal keeps the score below L1.

3.3 Containerization & Orchestration

SCORE	PESO	INDICADOR PE
L2 — Definido	3 (Alta — Crítica)	No

EVIDENCIAS RECOPIADAS

- Kubernetes is the production runtime
- Multi-cluster federation in place
- Auto-scaling configured for 90% of services
- GitOps for cluster configuration

RAZONAMIENTO DE LA PUNTUACIÓN

Score of L3 reflects mature Kubernetes practice with multi-cluster federation, broad auto-scaling, and GitOps for configuration. The remaining gap to L4 is largely about AI-driven workload placement and predictive scaling.

3.4 API & Microservices Management

SCORE	PESO	INDICADOR PE
Sem resposta	2 (Media)	No

EVIDENCIAS RECOPIADAS

- API gateway in production for external APIs
- OpenAPI specs for 70% of services
- API versioning conventions established
- API contract testing not enforced

RAZONAMIENTO DE LA PUNTUACIÓN

Score of L2 reflects mature API gateway with broad OpenAPI adoption and versioning discipline. The lack of enforced contract testing prevents L3.

3.5 Data Platform & Lakehouse

SCORE	PESO	INDICADOR PE
L1 — Em Desenvolvimento	3 (Alta — Crítica)	No

EVIDENCIAS RECOPIADAS

- Lakehouse architecture deployed
- ETL pipelines for major sources
- Data quality monitoring partial
- Data mesh principles in pilot for 1 domain

RAZONAMIENTO DE LA PUNTUACIÓN

Score of L2 reflects modern lakehouse architecture with established ETL. Partial data quality monitoring and the pilot stage of data mesh keep the score below L3.

PE 3.6 AI/ML Platform

SCORE	PESO	INDICADOR PE
Sem resposta	2 (Media)	Sí

EVIDENCIAS RECOPIADAS

- MLOps platform deployed for 5 use cases
- Model registry and versioning in place
- Feature store in pilot
- A/B testing for model deployments

RAZONAMIENTO DE LA PUNTUACIÓN

Score of L2.5 reflects mature MLOps for production use cases with versioning and registry. The half-point above L2 recognizes A/B testing for model deployments. Feature store pilot stage prevents L3.

3.7 Infrastructure-as-Code

SCORE	PESO	INDICADOR PE
Sem resposta	3 (Alta — Crítica)	No

EVIDENCIAS RECOPIADAS

- All infrastructure provisioned via IaC
- Terraform modules standardized
- Drift detection automated
- Module testing comprehensive

RAZONAMIENTO DE LA PUNTUACIÓN

Score of L3 reflects mature IaC with module standardization, drift detection, and comprehensive testing. The remaining gap to L4 concerns AI-assisted module generation and policy intelligence.

3.8 FinOps & Cost Optimization

SCORE	PESO	INDICADOR PE
Sem resposta	2 (Media)	No

EVIDENCIAS RECOPIADAS

- Cost allocation tags enforced
- Monthly cost reviews per team
- Reserved capacity planning quarterly
- No automated rightsizing

RAZONAMIENTO DE LA PUNTUACIÓN

Score of L2 reflects mature cost discipline with allocation tags and review cadence. The absence of automated rightsizing and predictive cost analytics prevents L3.

3.9 Reliability & Resilience Engineering

SCORE	PESO	INDICADOR PE
Sem resposta	2 (Media)	No

EVIDENCIAS RECOPIADAS

- Multi-AZ deployments for tier-1 services
- Multi-region for 20% of services
- Backup strategies documented
- Recovery testing inconsistent

RAZONAMIENTO DE LA PUNTUACIÓN

Score of L1.5 reflects multi-AZ resilience with limited multi-region coverage. The half-point above L1 recognizes consistent multi-AZ for critical services. Inconsistent recovery testing prevents L2.

PE 3.10 Platform Adoption & Engineering Culture

SCORE	PESO	INDICADOR PE
L3	3 (Alta — Crítica)	Sí

EVIDENCIAS RECOPIADAS

- Quarterly engineering culture surveys
- Strong DevOps community of practice
- Internal tech talks and demo days
- Platform team has clear charter and product mindset

RAZONAMIENTO DE LA PUNTUACIÓN

Score of L3 reflects mature platform-as-product mindset with active community and feedback loops. The remaining gap to L4 concerns AI-driven platform evolution and predictive platform improvements.

5.3 Resumen del Cálculo

Score del Pilar = $55.5 (2 \times 2.0 + 3 \times 0.5 + 3 \times 3.0 + 2 \times 2.0 + 3 \times 2.0 + 2 \times 2.5 + 3 \times 3.0 + 2 \times 2.0 + 2 \times 1.5 + 3 \times 3.0) / 26.00$
= 1.92 → L2 — Definido

6. Cálculo de Madurez Global

6.1 Resumen de Puntuaciones por Pilar

PILAR	PROMEDIO PONDERADO	NIVEL DE MADUREZ
P1: Developer Productivity	2.69	L3 — Gerenciado
P2: DevOps Lifecycle	1.52	L2 — Definido
P3: Application Platform	1.92	L2 — Definido

6.2 Cálculo de la Puntuación Global

Score Global = $(2.69 + 1.52 + 1.92) / 3$
= 1.99 → L2 — Definido

6.3 Preparación para Agentic Platform Engineering

2.60

Score Ponderado PE

L3 — Gerenciado

AGENTIC PLATFORM ENGINEERING

Camino Recomendado: **Build foundation first**

PE Readiness score 1.48 (LOW) indicates basic capabilities exist but foundational gaps must close before adopting either Three Horizons (Red Hat Developer Hub) or Open Horizons (Backstage). A small Open Horizons pilot may be valuable to learn before scaling, but full IDP adoption should wait until score reaches MEDIUM (≥ 2.0).

RANGO DE SCORE	NIVEL PE	CAMINO RECOMENDADO	INTERPRETACIÓN
< 1.0	NOT READY	Construir fundación primero	Trabajo fundacional significativo necesario antes de adoptar cualquier camino de IDP. Enfóquese en estandarización, fuente-de-verdad, CI/CD básico.
1.0 – 1.9	LOW	Construir fundación primero	Capacidades básicas existen. Cierre gaps fundamentales antes de escalar. Un piloto pequeño de Open Horizons (Backstage) puede ser valioso para aprender antes de comprometerse.
2.0 – 2.9	MEDIUM	Open Horizons (Backstage) / Three Horizons (Red Hat Developer Hub)	Fundación establecida. Open Horizons es el predeterminado de menor riesgo; Three Horizons encaja en organizaciones ya en el ecosistema Red Hat / OpenShift.
≥ 3.0	HIGH	Cualquier camino — elección estratégica	Cualquier camino puede elegirse con confianza. La decisión es estratégica (preferencia de vendor, OSS vs comercial, capacidad de equipo).

SOBRE ESTOS CAMINOS

Agentic Platform Engineering es el destino — una plataforma interna de desarrollo con golden paths self-service, flujos aumentados por IA y operaciones autónomas. Admite dos caminos de implementación:

- **Three Horizons (Red Hat Developer Hub).** Three Horizons (con Red Hat Developer Hub): comercial, alineado con OpenShift, totalmente soportado. Mejor encaje para organizaciones ya en el ecosistema Red Hat o que requieren soporte enterprise con vendor backing.
- **Open Horizons (Backstage).** Open Horizons (con Backstage): open-source, vendor-neutral, totalmente personalizable. Mejor encaje para organizaciones que prefieren OSS, con fuerte capacidad de platform engineering, o que requieren despliegue cloud-agnóstico.

Ambos caminos producen el mismo estado final. La elección es operacional (tooling, relación con vendor, modelo de soporte), no basada en capability. El faseo temporal H1/H2/H3 (Meses 0-6 / 6-18 / 18-36) aplica a ambos caminos.

7. Fuentes Clave de Evidencia

La puntuación anterior está soportada por evidencias recopiladas durante las sesiones del assessment. Las categorías abajo listan los tipos de artefactos y observaciones que informaron el razonamiento.

Documentos y Artefactos Arquitectónicos

- Architectural decision records reviewed across 6 critical services
- Service catalog draft and IDP target architecture proposal
- Current DevOps tooling inventory with utilization data
- Quarterly engineering survey results

Dashboards y Reportes de Herramientas

- AI coding usage dashboard (license deployment + acceptance metrics)
- DORA metrics dashboard (portfolio level)
- SLO compliance dashboards for tier-1 services
- Cost allocation dashboards by team

Entrevistas y Sesiones de Discovery

- Engineering leadership discovery sessions (CTO, VP Eng, Pillar Leads)
- Pillar working group sessions (8 capability deep-dives)
- Developer-experience round tables (15 developers across 5 teams)

Métricas Operacionales

- DORA metrics: deployment frequency, lead time, change failure, MTTR
- AI suggestion acceptance and adoption telemetry
- Test coverage and mutation testing rates per repository

Registros de Gobernanza y Política

- Existing engineering policies (branch protection, security scanning)
- Compliance evidence collection records
- Risk register entries from previous quarters

8. Conclusión

Cliente Exemplo S.A. ha alcanzado una madurez global de L1.99 (L2 — Definido) a través de los pilares evaluados. Esto representa una baseline significativa desde la cual conducir mejoras sistemáticas hacia el estado-objetivo.

0 capabilities actualmente están con prioridad ALTA de gap y merecen atención inmediata. Pilares analizados: P1, P2, P3. Cada capability fue puntuada contra evidencias cuantificables y validada contra la rúbrica del framework.

Los documentos complementarios de Roadmap de Transformación (Partes 1-4) traducen esta visión de estado-actual en un plan faseado H1/H2/H3 con iniciativas específicas, métricas de éxito y estructura de gobernanza para cerrar cada gap identificado aquí.