

P8130 Final Project

Abstract

Introduction (brief context and background of the problem)

Methods (data description and statistical methods)

Results

Conclusions/Discussion

```
library(tidyverse)
library(ggplot2)
library(GGally)
library(PerformanceAnalytics)
library(performance)
```

Read in dataset

```
cdi = read_csv("./cdi.csv") %>%
  janitor::clean_names()

## no missing value
cdi %>%
  select(everything()) %>%
  summarise_all(funs(sum(is.na(.)))) %>%
  knitr::kable()
```

id	cty	state	area	pop	pop18	pop65	docs	beds	crimes	hsgrad	bagrad	poverty	unempp	pcincom	totalinc	region
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Data cleaning

```
# some normalization for better comparison
cdi =
  cdi %>%
  mutate(crm_1000 = crimes/pop*1000, # as indicated by the project prompt
         docs_1000 = docs/pop*1000, # every 1000 people how many doctors
         beds_1000 = beds/pop*1000, # ratio of beds per doctor
         pop_density = pop/area, # how many people per square miles
         region = factor(region)) %>%
  dplyr::select(-id, -crimes, -area, -docs, -beds, -totalinc)
```

Data Exploration

```
## summary statistics, tentative, NOT FINAL
sum_cdi =
```

```

cdi %>%
  dplyr::select(crm_1000, docs_1000, pop_density, pop, pop18, pop65, hsgrad, bagrad, poverty, unemp, pcincome)
summary(sum_cdi)

```

```

##      crm_1000      docs_1000      pop_density      pop
## Min.   : 4.601   Min.   : 0.3559   Min.   : 13.26   Min.   : 100043
## 1st Qu.: 38.102   1st Qu.: 1.2127   1st Qu.: 192.34   1st Qu.: 139027
## Median : 52.429   Median : 1.7509   Median : 335.91   Median : 217280
## Mean   : 57.286   Mean   : 2.1230   Mean   : 888.44   Mean   : 393011
## 3rd Qu.: 72.597   3rd Qu.: 2.4915   3rd Qu.: 756.55   3rd Qu.: 436064
## Max.   :295.987   Max.   :17.0377   Max.   :32403.72   Max.   :8863164
##      pop18      pop65      hsgrad      bagrad
## Min.   :16.40   Min.   : 3.000   Min.   :46.60   Min.   : 8.10
## 1st Qu.:26.20   1st Qu.: 9.875   1st Qu.:73.88   1st Qu.:15.28
## Median :28.10   Median :11.750   Median :77.70   Median :19.70
## Mean   :28.57   Mean   :12.170   Mean   :77.56   Mean   :21.08
## 3rd Qu.:30.02   3rd Qu.:13.625   3rd Qu.:82.40   3rd Qu.:25.32
## Max.   :49.70   Max.   :33.800   Max.   :92.90   Max.   :52.30
##      poverty      unemp      pcincome      beds_1000
## Min.   : 1.400   Min.   : 2.200   Min.   : 8899   Min.   : 0.1649
## 1st Qu.: 5.300   1st Qu.: 5.100   1st Qu.:16118   1st Qu.: 2.1972
## Median : 7.900   Median : 6.200   Median :17759   Median : 3.3287
## Mean   : 8.721   Mean   : 6.597   Mean   :18561   Mean   : 3.6493
## 3rd Qu.:10.900   3rd Qu.: 7.500   3rd Qu.:20270   3rd Qu.: 4.5649
## Max.   :36.300   Max.   :21.300   Max.   :37541   Max.   :19.6982


```

```

mean_crm = mean(sum_cdi$crm_1000)
cdi_state = cdi %>%
  group_by(state) %>%
  summarize(crime_rate = mean(crm_1000)) %>%
  mutate(low_high = ifelse(crime_rate>mean_crm, TRUE,FALSE))


cdi_state %>%
  mutate(state = fct_reorder(state, crime_rate)) %>%
  ggplot(aes(x = state, y = crime_rate))+
  geom_hline(yintercept = mean_crm, color = "red")+
  geom_point(aes(color = low_high),size = 3)+
  theme(axis.text.x = element_text(angle = 90, vjust = 0.5, hjust= 1),
        legend.position = "none")

```




boxplot for each variable

```
par(mfrow=c(2,3))
boxplot(sum_cdi$crm_1000, main='Crime Rate')
boxplot(sum_cdi$docs_1000, main='Doctor Density')
boxplot(sum_cdi$pop_density, main='Population Density' )
boxplot(sum_cdi$hsgrad, main='High School Graduate')
boxplot(sum_cdi$bagrad, main='Bachelor Graduate')
boxplot(sum_cdi$poverty, main='Poverty')
```




```
par(mfrow=c(2,3))
boxplot(sum_cdi$unemp, main='Unemployment Rate')
boxplot(sum_cdi$pcincome, main='Per capita Income')
boxplot(sum_cdi$beds_1000, main='Beds Rate')
boxplot(sum_cdi$pop, main='Population')
boxplot(sum_cdi$pop18, main='PP aged 18-34')
boxplot(sum_cdi$pop65, main='PP aged 65+')
```




Marginal Correlation and Correlation martix

```
corr_matrix =
  #cdi %>%
  #dplyr::select(-state, -region, -cty) %>%
  sum_cdi %>%
  chart.Correlation(histogram = TRUE, method = "pearson")
```



Correlation Heatmap

```
cdi %>%
  dplyr::select(-state, -region, -cty) %>%
  # sum_cdi %>%
  ggcorr(label=TRUE, hjust = 0.9, layout.exp = 2, label_size = 3, label_round = 2)
```



```
#corrplot(cor(cdi_1), type = "upper", diag = FALSE)
```

Build Model

Backward Elimination

```
mult_fit = lm(crm_1000 ~ ., data = sum_cdi)
summary(mult_fit)
```

```
##
## Call:
## lm(formula = crm_1000 ~ ., data = sum_cdi)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -61.873 -12.099  -1.752  12.515  68.501
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept) -1.212e+01  2.979e+01  -0.407  0.684403
## docs_1000    -1.671e-01  1.128e+00  -0.148  0.882350
## pop_density   4.278e-03  5.095e-04   8.397 6.76e-16 ***
## pop           6.141e-06  1.756e-06   3.496 0.000521 ***
```

```

## pop18      3.287e-01  3.686e-01  0.892 0.373062
## pop65     -2.195e-01  3.388e-01 -0.648 0.517367
## hsgrad     3.306e-01  2.761e-01  1.198 0.231744
## bagrad     2.536e-02  3.247e-01  0.078 0.937773
## poverty    2.930e+00  4.170e-01  7.026 8.40e-12 ***
## unemp      -1.043e+00  5.688e-01 -1.833 0.067424 .
## pcincome    2.881e-04  5.297e-04  0.544 0.586836
## beds_1000   1.816e+00  8.431e-01  2.154 0.031778 *
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 20.15 on 428 degrees of freedom
## Multiple R-squared:  0.4698, Adjusted R-squared:  0.4561
## F-statistic: 34.47 on 11 and 428 DF,  p-value: < 2.2e-16
multi_back = step(mult_fit, direction='backward')

## Start:  AIC=2654.79
## crm_1000 ~ docs_1000 + pop_density + pop + pop18 + pop65 + hsgrad +
##      bagrad + poverty + unemp + pcincome + beds_1000
##
##           Df Sum of Sq  RSS   AIC
## - bagrad    1      2.5 173835 2652.8
## - docs_1000  1      8.9 173841 2652.8
## - pcincome   1     120.1 173953 2653.1
## - pop65      1     170.5 174003 2653.2
## - pop18      1     322.9 174155 2653.6
## - hsgrad     1     582.5 174415 2654.3
## <none>                173832 2654.8
## - unemp      1    1365.3 175198 2656.2
## - beds_1000  1    1884.9 175717 2657.5
## - pop        1    4964.9 178797 2665.2
## - poverty    1   20052.0 193885 2700.8
## - pop_density 1   28640.6 202473 2719.9
##
## Step:  AIC=2652.8
## crm_1000 ~ docs_1000 + pop_density + pop + pop18 + pop65 + hsgrad +
##      poverty + unemp + pcincome + beds_1000
##
##           Df Sum of Sq  RSS   AIC
## - docs_1000  1      7.1 173842 2650.8
## - pop65      1     169.0 174004 2651.2
## - pcincome   1     271.2 174106 2651.5
## - pop18      1     457.8 174293 2652.0
## <none>                173835 2652.8
## - hsgrad     1     877.1 174712 2653.0
## - unemp      1    1509.9 175345 2654.6
## - beds_1000  1    2020.8 175856 2655.9
## - pop        1    4988.1 178823 2663.2
## - poverty    1   25605.9 199441 2711.3
## - pop_density 1   28692.4 202527 2718.0
##
## Step:  AIC=2650.82
## crm_1000 ~ pop_density + pop + pop18 + pop65 + hsgrad + poverty +
##      unemp + pcincome + beds_1000

```



```
##
##           Df Sum of Sq    RSS    AIC
## - pop65      1      168.8 174011 2649.2
## - pcincome    1      286.7 174129 2649.5
## - pop18       1      455.4 174297 2650.0
## <none>                173842 2650.8
## - hsgrad      1      870.6 174713 2651.0
## - unemp       1     1504.9 175347 2652.6
## - beds_1000   1     3329.7 177172 2657.2
## - pop         1     4981.0 178823 2661.2
## - poverty     1    25960.5 199803 2710.1
## - pop_density 1    28823.8 202666 2716.3
##
## Step: AIC=2649.24
## crm_1000 ~ pop_density + pop + pop18 + hsgrad + poverty + unemp +
##          pcincome + beds_1000
##
##           Df Sum of Sq    RSS    AIC
## - pcincome    1      312.0 174323 2648.0
## <none>                174011 2649.2
## - hsgrad      1      997.6 175009 2649.8
## - pop18       1     1206.5 175217 2650.3
## - unemp       1     1663.8 175675 2651.4
## - beds_1000   1     3248.7 177260 2655.4
## - pop         1     4957.7 178969 2659.6
## - pop_density 1    28656.0 202667 2714.3
## - poverty     1    28689.5 202700 2714.4
##
## Step: AIC=2648.03
## crm_1000 ~ pop_density + pop + pop18 + hsgrad + poverty + unemp +
##          beds_1000
##
##           Df Sum of Sq    RSS    AIC
## <none>                174323 2648.0
## - pop18       1      1042 175365 2648.7
## - hsgrad      1      1383 175706 2649.5
## - unemp       1      1608 175931 2650.1
## - beds_1000   1      3763 178086 2655.4
## - pop         1      5976 180299 2660.9
## - poverty     1     32317 206640 2720.9
## - pop_density 1     34197 208520 2724.8
```

Forward Selection

```
multi_forward = step(mult_fit, direction = 'forward')
```

```
## Start: AIC=2654.79
## crm_1000 ~ docs_1000 + pop_density + pop + pop18 + pop65 + hsgrad +
##          bagrad + poverty + unemp + pcincome + beds_1000
```

Both direction

```
multi_both = step(mult_fit, direction = "both")
```

```

## Start:  AIC=2654.79
## crm_1000 ~ docs_1000 + pop_density + pop + pop18 + pop65 + hsgrad +
##      bagrad + poverty + unemp + pcincome + beds_1000
##
##           Df Sum of Sq    RSS    AIC
## - bagrad      1      2.5 173835 2652.8
## - docs_1000    1      8.9 173841 2652.8
## - pcincome     1     120.1 173953 2653.1
## - pop65        1     170.5 174003 2653.2
## - pop18        1     322.9 174155 2653.6
## - hsgrad       1     582.5 174415 2654.3
## <none>                173832 2654.8
## - unemp        1    1365.3 175198 2656.2
## - beds_1000    1    1884.9 175717 2657.5
## - pop          1    4964.9 178797 2665.2
## - poverty      1   20052.0 193885 2700.8
## - pop_density  1   28640.6 202473 2719.9
##
## Step:  AIC=2652.8
## crm_1000 ~ docs_1000 + pop_density + pop + pop18 + pop65 + hsgrad +
##      poverty + unemp + pcincome + beds_1000
##
##           Df Sum of Sq    RSS    AIC
## - docs_1000    1      7.1 173842 2650.8
## - pop65        1     169.0 174004 2651.2
## - pcincome     1     271.2 174106 2651.5
## - pop18        1     457.8 174293 2652.0
## <none>                173835 2652.8
## - hsgrad       1     877.1 174712 2653.0
## - unemp        1    1509.9 175345 2654.6
## + bagrad       1      2.5 173832 2654.8
## - beds_1000    1    2020.8 175856 2655.9
## - pop          1    4988.1 178823 2663.2
## - poverty      1   25605.9 199441 2711.3
## - pop_density  1   28692.4 202527 2718.0
##
## Step:  AIC=2650.82
## crm_1000 ~ pop_density + pop + pop18 + pop65 + hsgrad + poverty +
##      unemp + pcincome + beds_1000
##
##           Df Sum of Sq    RSS    AIC
## - pop65        1     168.8 174011 2649.2
## - pcincome     1     286.7 174129 2649.5
## - pop18        1     455.4 174297 2650.0
## <none>                173842 2650.8
## - hsgrad       1     870.6 174713 2651.0
## - unemp        1    1504.9 175347 2652.6
## + docs_1000    1      7.1 173835 2652.8
## + bagrad       1      0.7 173841 2652.8
## - beds_1000    1    3329.7 177172 2657.2
## - pop          1    4981.0 178823 2661.2
## - poverty      1   25960.5 199803 2710.1
## - pop_density  1   28823.8 202666 2716.3
##

```

```
## Step: AIC=2649.24
## crm_1000 ~ pop_density + pop + pop18 + hsgrad + poverty + unemp +
##      pcincome + beds_1000
##
##           Df Sum of Sq    RSS    AIC
## - pcincome      1      312.0 174323 2648.0
## <none>                174011 2649.2
## - hsgrad        1      997.6 175009 2649.8
## - pop18         1     1206.5 175217 2650.3
## + pop65         1      168.8 173842 2650.8
## + docs_1000     1        6.9 174004 2651.2
## + bagrad        1         0.1 174011 2651.2
## - unemp         1     1663.8 175675 2651.4
## - beds_1000     1     3248.7 177260 2655.4
## - pop          1     4957.7 178969 2659.6
## - pop_density   1    28656.0 202667 2714.3
## - poverty       1    28689.5 202700 2714.4
##
## Step: AIC=2648.03
## crm_1000 ~ pop_density + pop + pop18 + hsgrad + poverty + unemp +
##      beds_1000
##
##           Df Sum of Sq    RSS    AIC
## <none>                174323 2648.0
## - pop18          1     1042 175365 2648.7
## + pcincome       1      312 174011 2649.2
## - hsgrad        1     1383 175706 2649.5
## + pop65         1      194 174129 2649.5
## + bagrad        1      177 174146 2649.6
## + docs_1000     1        26 174297 2650.0
## - unemp         1     1608 175931 2650.1
## - beds_1000     1     3763 178086 2655.4
## - pop          1     5976 180299 2660.9
## - poverty       1     32317 206640 2720.9
## - pop_density   1     34197 208520 2724.8
```

Residuals vs. Fitted & QQ Plots

Check Multicollinearity

```
check_collinearity(multi_forward)
```

```
## # Check for Multicollinearity
##
## Low Correlation
##
##           Term  VIF Increased SE Tolerance
##      docs_1000 2.63      1.62      0.38
##    pop_density 1.00      1.00      1.00
##           pop  1.00      1.00      1.00
##         pop18 2.52      1.59      0.40
##         pop65 1.97      1.40      0.51
##        hsgrad 2.71      1.65      0.37
##        bagrad 3.47      1.86      0.29
```

```
##      poverty 2.26      1.50      0.44
##      unemp 1.69      1.30      0.59
##      pcincome 1.02      1.01      0.98
##      beds_1000 2.91      1.71      0.34
```

```
check_collinearity(multi_back)
```

```
## # Check for Multicollinearity
##
## Low Correlation
##
##      Term  VIF Increased SE Tolerance
## pop_density 1.00      1.00      1.00
##      pop 1.00      1.00      1.00
##      pop18 1.23      1.11      0.81
##      hsgrad 2.60      1.61      0.38
##      poverty 2.38      1.54      0.42
##      unemp 1.74      1.32      0.57
##      beds_1000 1.25      1.12      0.80
```

```
check_collinearity(multi_both)
```

```
## # Check for Multicollinearity
##
## Low Correlation
##
##      Term  VIF Increased SE Tolerance
## pop_density 1.00      1.00      1.00
##      pop 1.00      1.00      1.00
##      pop18 1.23      1.11      0.81
##      hsgrad 2.60      1.61      0.38
##      poverty 2.38      1.54      0.42
##      unemp 1.74      1.32      0.57
##      beds_1000 1.25      1.12      0.80
```