Exercises Set 5

Paul Dubois

September 27, 2023

Abstract

Only the questions with a * are compulsory (but do all of them!).

1 Change of Basis

Let $\mathcal{B} = \{\mathbf{e}_1, \mathbf{e}_2, \mathbf{e}_3\}$ be the standard canonical basis for \mathbb{R}^3 .

Suppose we have another basis $\mathcal{B}' = \{\mathbf{u}_1, \mathbf{u}_2, \mathbf{u}_3\}$ for \mathbb{R}^3 and let Q be the matrix whose columns are the coordinates of

$$\mathbf{u}_1 = \begin{pmatrix} 0.5 \\ -1 \\ 1 \end{pmatrix}_{\mathcal{B}}, \ \mathbf{u}_2 = \begin{pmatrix} 2 \\ 0 \\ -1 \end{pmatrix}_{\mathcal{B}}, \ \text{and} \ \mathbf{u}_3 = \begin{pmatrix} -0.25 \\ 0.5 \\ 0 \end{pmatrix}_{\mathcal{B}}$$

with respect to the standard basis. That is, $Q = \begin{bmatrix} \mathbf{u}_1 & \mathbf{u}_2 & \mathbf{u}_3 \end{bmatrix}$.

Let
$$\mathbf{v} = \begin{pmatrix} -1\\3\\2 \end{pmatrix}_{\mathcal{B}'}$$
. Express \mathbf{v} in the standard basis \mathcal{B} .

Let $\mathbf{w} = \begin{pmatrix} -1\\3\\2 \end{pmatrix}_{\mathcal{B}}$. Express \mathbf{w} in the basis \mathcal{B}' .

2 Variance and Covariance

Calculate the variance of the following set:

$$S_1 = \{1.5, 3, 5, 7.5, 8, 9\}$$

Calculate the variance of the following set:

$$S_2 = \{2, 4, 6, 8, 10\}$$

Calculate the covariance of S_1 and S_2 .

Compute \hat{S}_1 and \hat{S}_2 , the standardized version of S_1 and S_2 (shifted to mean 0 and scaled to have a variance of 1).

Calculate the covariance of \hat{S}_1 and \hat{S}_2 . What do you remark?

Principal Component Analysis

Let
$$S = \{\mathbf{x}_1, \mathbf{x}_2, \mathbf{x}_3, \mathbf{x}_4, \mathbf{x}_5\}$$
 be a set of 5 points in \mathbb{R}^3 .
 $\mathbf{x}_1 = \begin{pmatrix} 1 \\ 2 \\ 3 \end{pmatrix}, \mathbf{x}_2 = \begin{pmatrix} 2 \\ 4 \\ 6 \end{pmatrix}, \mathbf{x}_3 = \begin{pmatrix} 3 \\ 6 \\ 9 \end{pmatrix}, \mathbf{x}_4 = \begin{pmatrix} 4 \\ 8 \\ 12 \end{pmatrix}, \text{ and } \mathbf{x}_5 = \begin{pmatrix} 5 \\ 10 \\ 15 \end{pmatrix}.$