dz_json_deploy.sql

Summary

dz_json_deploy.sql

CONSTANTS

dz_json_constants. c_json_unescaped_slashes	Flag to control whether to escape forward slashes.
dz_json_constants. c_json_unescaped_unicode	Flag to control escaping of unicode characters into /u format.
dz_json_constants. c_json_escape_all_nonascii	Flag to control whether to escape all non-ascii characters into /u format.

FILES

DZ_JSON	

FUNCTIONS

dz_json_main.geojson2sdo	Unimplemented function to convert GeoJSON into SDO_GEOMETRY.
dz_json_main.sdo2geojson	Function to convert SDO_GEOMETRY into GeoJSON geometry object.
dz_json_main.sdo2bbox	Function to convert SDO_GEOMETRY into four ordinate JSON array of [minx,miny,max,maxy]
dz_json_main. sdo2geojson_feature	Function to convert SDO_GEOMETRY into a GeoJSON feature object.
dz_json_main.fastname	Utility function to format a json name attribute.
dz_json_main.json_format	Utility function to format a json name attribute.
dz_json_main.value2json	Utility function to format a json named attribute.
dz_json_main. formatted2json	Utility function to wrap a preformatted JSON value with an attribute name.
dz_json_main. empty_scalar2json	Utility function to create a null JSON attribute.
dz_json_main. empty_scalar2json	Utility function to create an empty JSON array attribute.

CONSTANTS

dz_json_constants.c_json_unescaped_slashes

Flag to control whether to escape forward slashes. Certain libraries may or may not require such escaping.

dz_json_constants.c_json_unescaped_unicode

Flag to control escaping of unicode characters into /u format. Set to TRUE to leave all unicode text as received. Note this is not recommended for most JSON handling.

dz_json_constants.c_json_escape_all_nonascii

Flag to control whether to escape all non-ascii characters into /u format. May be helpful for certain character sets or use cases.

FILES

DZ_JSON

- Build ID: 51
- Change Set: acc78b726846553f324d43d4951bf24453c71115

Utility for the creation of JSON and GeoJSON from Oracle data types and structures. Support for the deserialization of JSON is not implemented.

FUNCTIONS

dz_json_main.geojson2sdo

Unimplemented function to convert GeoJSON into SDO_GEOMETRY. The plan as much as there is one is to implement this using Oracle 12c JSON toolset.

Parameters

p_input   GeoJSON geometry as CLOB

p_srid   Optional SRID value to apply to resulting SDO_GEOMETRY.

Returns

MDSYS.SDO_GEOMETRY spatial type

Notes

- If no SRID is provided, then the resulting SDO_GEOMETRY will receive WGS84 geodetic SRID 8307 per GeoJSON specifications.

dz_json_main.sdo2geojson

Function to convert SDO_GEOMETRY into GeoJSON geometry object. Currently supports simple point, linestring, polygon, multipoint, point cluster, multilinestring, multipolygon and collection geometry types. As GeoJSON does not currently support complex curve geometries, use SDO_ARC_DENSIFY to densify any such geometries before using this function.

Parameters

p_input   SDO_GEOMETRY

p_pretty_print   Optional JSON formatter.

p_2d_flag   Optional TRUE/FALSE flag to remove 3rd and 4th dimensions.

p_prune_number   Optional length to truncate precision of ordinates.

Returns

CLOB of GeoJSON geometry object

Notes

- Leave pretty print value NULL to output compact JSON. Use zero for pretty print formatting. Larger values will continually indent the JSON three spaces to the right.

dz_json_main.sdo2bbox

Function to convert SDO_GEOMETRY into four ordinate JSON array of [minx,miny,max,maxy]

Parameters

p_input   SDO_GEOMETRY

p_prune_number   Optional length to truncate precision of ordinates.

Returns

    CLOB of JSON array of four bbox ordinates

dz_json_main.sdo2geojson_feature

    Function to convert SDO_GEOMETRY into a GeoJSON feature object.

Parameters

p_input	SDO_GEOMETRY
p_pretty_print	Optional JSON formatter.
p_2d_flag	Optional TRUE/FALSE flag to remove 3rd and 4th dimensions.
p_prune_number	Optional length to truncate precision of ordinates.
p_add_bbox	Optional TRUE/FALSE flag to add bbox element.
p_properties	Optional properties to add to the output.

Returns

    CLOB of GeoJSON feature object

Notes

- Leave pretty print value NULL to output compact JSON. Use zero for pretty print formatting. Larger values will continually indent the JSON three spaces to the right.
- Properties must be provided as valid CLOB of GeoJSON properties array.

dz_json_main.fastname

    Utility function to format a json name attribute.

Parameters

p_name	name for JSON attribute.
p_pretty_print	Optional JSON formatter.

Returns

    VARCHAR2 snippet for JSON attribute name

dz_json_main.json_format

    Utility function to format a json name attribute.

Parameters

p_input	value to format as JSON.
p_quote_strings	Optional TRUE/FALSE flag whether to quote the JSON value.

Returns

    VARCHAR2 snippet for JSON attribute name.

Notes

- Input values may be VARCHAR2, NUMBER, DATE or CLOB.

dz_json_main.value2json

    Utility function to format a json named attribute.

Parameters

p_name	JSON attribute name
p_input	value to format as JSON.
p_pretty_print	Optional JSON formatter.

Returns

CLOB of JSON attribute.

Notes

- Input values may be VARCHAR2, NUMBER, DATE, CLOB, MDSYS.SDO_STRING2_ARRAY or MDSYS.SDO_NUMBER_ARRAY.

dz_json_main.formatted2json

Utility function to wrap a preformatted JSON value with an attribute name.

Parameters

p_name	JSON attribute name
p_input	JSON value (preformatted as proper JSON).
p_pretty_print	Optional JSON formatter.

Returns

CLOB of JSON attribute.

dz_json_main.empty_scalar2json

Utility function to create a null JSON attribute.

Parameters

p_name	JSON attribute name
p_comma_flag	optional TRUE/FALSE flag to add a trailing comma to results.
p_pretty_print	Optional JSON formatter.

Returns

VARCHAR2 of null JSON attribute.

dz_json_main.empty_scalar2json

Utility function to create an empty JSON array attribute.

Parameters

p_name	JSON attribute name
p_comma_flag	optional TRUE/FALSE flag to add a trailing comma to results.
p_pretty_print	Optional JSON formatter.

Returns

VARCHAR2 of null JSON attribute.