

Pascal Documentation

Constants

3.1415	PI_VALUE
	This is the documentation for the PI const
'MyApp'	APP_NAME
	This is the application name
\$1001	APP_VERSION
	This is the Version

Global Variables

Integer	score_board
	point score board
string	score_text
	player name text
Integer	main_width
Integer	main_height

Classes

TBaseClass

Basisklasse

Public Methods

procedure	BaseMethod
-----------	-------------------

Member Function Documentation

```
procedure TBaseClass.BaseMethod
```

TChildClass

Abgeleitete Klasse

Inherits: TBaseClass

Public Methods

procedure	ChildMethod
-----------	--------------------

Member Function Documentation

```
procedure TChildClass.ChildMethod
```

TSprite

Sprite class implementing IDrawable

Inherits: TObject, IDrawable

Public Methods

procedure	Draw
-----------	------

Member Function Documentation

```
procedure TSprite.Draw
```

TWeapon

TInventory

TPlayer

Inherits: TObject, IRenderable

Public Methods

procedure	Equip (AWeapon: TWeapon)
procedure	Render

Private Fields

TWeapon	FWeapon
TInventory	FInventory

Member Function Documentation

```
procedure TPlayer.Equip(AWeapon: TWeapon)
```

```
procedure TPlayer.Render
```

Field Documentation

FWeapon: **TWeapon**

No documentation for this Field.

FInventory: **TInventory**

No documentation for this Field.

TPerson

This is the TPerson class

Inherits: TObject

Public Methods

constructor	Create
	Erzeugt ein neues Objekt
destructor	Destroy ; override
procedure	Save (S1: string ; S2: string) ; virtual
	Speichert die aktuellen Daten
procedure	Point (A: TPoint ; B: TPoint)
function	GetName : string
	Get the name of the class

Protected Methods

procedure	Paint
-----------	--------------

Public Properties

property	Name : string read FName write FName
----------	---

Private Fields

string	FName
Integer	FAge

Constructors and Destructor

constructor **TPerson**.Create

Erzeugt ein neues Objekt

```
destructor TPerson.Destroy ; override
```

Member Function Documentation

```
procedure TPerson.Paint
```

```
procedure TPerson.Save(  
    S1: string;  
    S2: string  
); virtual
```

Speichert die aktuellen Daten

Parameters

S1 string 1

S2 string 2

Note

Wird intern gecached.

Info

Diese Methode ist thread-safe.

Warning

X und Y dürfen nicht negativ sein.

```
procedure TPerson.Point(  
    A: TPoint;  
    B: TPoint  
)
```

```
function TPerson.GetName: string
```

Get the name of the class

Returns

string - Ein String als Rückgabe

Property Documentation

```
property Name: string  
    read FName
```

write FName

Type

Datentyp

Read

getter of Name

Write

setter of Name

Field Documentation

FName: string

No documentation for this Field.

FAge: Integer

No documentation for this Field.

TRepository<T>

Generic repository class

Public Methods

procedure	Add (Entity: T)
	Add entity
function	FindById (Id: Integer): T
	Find entity by id

Public Properties

property	Items: IList < T > read FItems
----------	---------------------------------------

Private Fields

IList < T >	FItems
-------------	---------------

Member Function Documentation

```
procedure TRepository<T>.Add(Entity: T)
```

Add entity

```
function TRepository<T>.FindById(Id: Integer): T
```

Find entity by id

Property Documentation

```
property Items: IList < T >  
  read FItems
```

Type

list datatype

Read

returns internal list

Field Documentation

```
FItems: IList < T >
```

No documentation for this Field.

Interfaces

IDrawable

Basis-Interface für zeichnbare Objekte

Methods

procedure	Draw
	Basis-Interface für zeichnbare Objekte

Properties

property	Visible: Boolean read FVisible write FVisible
	Sichtbarkeit des Objekts

Member Function Documentation

procedure IDrawable.Draw

Basis-Interface für zeichnbare Objekte

Property Documentation

property Visible: Boolean
read FVisible
write FVisible

Sichtbarkeit des Objekts

Read
Liefert den Sichtbarkeitsstatus

Write
Setzt den Sichtbarkeitsstatus

IShape

Interface für geometrische Formen

Inherits: IDrawable

Inheritance Diagram

IDrawable



IShape

Methods

function	Area: Double
	Interface für geometrische Formen

Properties

property	Name: string read FName write FName
	Name der Form

Member Function Documentation

```
function IShape.Area: Double
```

Interface für geometrische Formen

Property Documentation

```
property Name: string  
    read FName  
    write FName
```

Name der Form

Read

Liefert den Namen

Write

Setzt den Namen

IList<T>

Generisches Listen-Interface

Methods

procedure	Add (Item: T) Generisches Listen-Interface
function	GetItem (Index: Integer): T Liefert ein Element anhand des Index

Properties

property	Count : Integer read FCount Anzahl der Elemente
----------	---

Member Function Documentation

```
procedure IList<T>.Add(Item: T)
```

Generisches Listen-Interface

```
function IList<T>.GetItem(Index: Integer): T
```

Liefert ein Element anhand des Index

Property Documentation

`property` Count: Integer
read FCount

Anzahl der Elemente

Read
Liefert die Anzahl

IRenderable

Methods

procedure	<code>Render</code>
-----------	---------------------

Member Function Documentation

`procedure` `IRenderable`.Render

IList<T>

Generic list interface

Methods

procedure	<code>Add</code> (Item: T) Generic list interface
function	<code>GetItem</code> (Index: Integer): T Get item by index

Properties

property	<code>Count</code> : Integer read GetCount
----------	--

Member Function Documentation

`procedure` `IList`<T>.Add(Item: T)

Generic list interface

`function` `IList`<T>.GetItem(Index: Integer): T

Get item by index

Property Documentation

```
property Count: Integer  
  read GetCount
```

Type

number datatype

Read

returns item count

Records

TPoint

```
record X: Integer ;  Y: Integer ;  end
```

Fields

Integer	X
	give the X position
Integer	Y
	give the Y position

TPair<TKey, TValue>

Generic key value pair record

```
record Key: TKey ;  Value: TValue ;  end
```

Fields

TKey	Key
	key value
TValue	Value
	stored value

Arrays

TIntArray

this is a integer array 0 .. 10

```
array [0 ..10] of Integer
```

Sets

TCharSet

a char set

set of Char

Enums

TCard

available cards

(One, Two, Three)

enum	One
enum	Two
enum	Three

TColor

available colors

(Red, Green, Blue)

enum	Red
	red color
enum	Green
	green color
enum	Blue
	blue color