# Commit 92fa1f3

**paulinholimalondrina** committed 4 minutes ago · ✕ 0 / 1

```
chore: update deployment config and pathing

Enable GitHub Pages deployment for the project and adjust file references to use relative paths for
better portability across environments.
```

main

1 parent aa948ab commit 92fa1f3

**19 files changed** +5.001 -24

Top

Filter files...

- .github/workflows
  - deploy-pages.yml
- docs
  - .nojekyll
  - MacroFit-Pro.apk.idsig
  - MacroFit-Pro.apk
  - apple-touch-icon.png
  - assets
    - index-55u0-dnL.css
    - index-Brwf9m8T.js
  - icon.svg
  - index.html
  - manifest.webmanifest
  - pwa-192x192.png

### Customizable line height

The default line height has been increased for improved accessibility. You can choose to enable a more compact line height from the view settings menu.

Enable compact line height

Dismiss

- pwa-512x512.png
- pwa-maskable-512x512.png
- registerSW.js
- sw.js
- workbox-afac4cd2.js
- public/assets/aistudio
  - image_ebe39f89.png
- src
  - App.tsx
  - components
    - PWAInstallModal.tsx

Search within code

.github/workflows/deploy-pages.yml

```
@@ -15,36 +15,23 @@ concurrency:
15 15     cancel-in-progress: true
16 16
17 17   jobs:
18    -   build:
   18 +   deploy:
   19 +     environment:
   20 +       name: github-pages
   21 +       url: ${{ steps.deployment.outputs.page_url }}
19 22       runs-on: ubuntu-latest
20 23       steps:
21 24         - name: Checkout repository
22 25           uses: actions/checkout@v4
23 26
24    -       - name: Setup Node.js 22
25    -         uses: actions/setup-node@v4
26    -         with:
27    -           node-version: 22
28    -           cache: 'npm'
29    -
30    -       - name: Install dependencies
31    -         run: npm install
32    -
```

```
33        -       - name: Build production bundle
34        -         run: npx vite build --base=./
      27  +       - name: Configure Pages
      28  +         uses: actions/configure-pages@v5
35    29
36    30          - name: Upload Pages artifact
37    31            uses: actions/upload-pages-artifact@v3
38    32            with:
39        -           path: ./dist
      33  +           path: ./docs
40    34
41        -   deploy:
42        -     environment:
43        -       name: github-pages
44        -       url: ${{ steps.deployment.outputs.page_url }}
45        -     runs-on: ubuntu-latest
46        -     needs: build
47        -     steps:
48    35            - name: Deploy to GitHub Pages
49    36              id: deployment
50    37              uses: actions/deploy-pages@v4
```

docs/.nojekyll

Whitespace-only changes.

docs/MacroFit-Pro.apk 121 KB

Binary file not shown.

docs/MacroFit-Pro.apk.idsig 5.52 KB

Binary file not shown.

docs/apple-touch-icon.png 1.16 KB



docs/assets/index-55u0-dnL.css

Load diff

Some generated files are not rendered by default. Learn more about customizing how changed files appear on GitHub.

docs/assets/index-Brwf9m8T.js

Load diff

Some generated files are not rendered by default. Learn more about customizing how changed files appear on GitHub.

docs/icon.svg



docs/index.html

```
@@ -0,0 +1,29 @@
+ <!doctype html>
+ <html lang="pt-BR" class="dark">
```

```
+   <head>
+     <meta charset="UTF-8" />
+     <meta name="viewport" content="width=device-width, initial-scale=1.0, maximum-scale=5.0, viewport-fit=cover" />
+     <title>MacroFit Pro — Nutrição & Controle de Macronutrientes</title>
+     <meta name="description" content="Aplicativo Android e Web para controle de macronutrientes, cálculo metabólico TMB/GET, hidratação e base TACO + FatSecret sincronizada na nuvem." />
+     <meta property="og:title" content="MacroFit Pro — Nutrição & Controle de Macronutrientes" />
+     <meta property="og:description" content="Aplicativo Android e Web para controle de macronutrientes, cálculo metabólico TMB/GET, hidratação e base TACO + FatSecret sincronizada na nuvem." />
+     <meta property="og:type" content="website" />
+     <meta name="twitter:card" content="summary_large_image" />
+     <meta name="theme-color" content="#090D16" />
+     <meta name="mobile-web-app-capable" content="yes" />
+     <meta name="apple-mobile-web-app-capable" content="yes" />
+     <meta name="apple-mobile-web-app-status-bar-style" content="black-translucent" />
+     <meta name="apple-mobile-web-app-title" content="MacroFit" />
+     <link rel="apple-touch-icon" href="./apple-touch-icon.png" />
+     <link rel="icon" type="image/svg+xml" href="./icon.svg" />
+     <link rel="preconnect" href="https://fonts.googleapis.com" />
+     <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin />
+     <link href="https://fonts.googleapis.com/css2?family=JetBrains+Mono:wght@400;600;700&family=Outfit:wght@500;600;700;800&family=Plus+Jakarta+Sans:wght@400;500;600;700&display=swap" rel="stylesheet" />
+     <script type="module" crossorigin src="./assets/index-Brwf9m8T.js"></script>
+     <link rel="stylesheet" crossorigin href="./assets/index-55u0-dnL.css">
+   <link rel="manifest" href="./manifest.webmanifest"><script id="vite-plugin-pwa:register-sw" src="./registerSW.js"></script></head>
+   <body class="bg-[#090D16] text-slate-100 antialiased selection:bg-emerald-500 selection:text-slate-950">
+     <div id="root"></div>
+   </body>
+ </html>
+
```

docs/manifest.webmanifest

```
@@ -0,0 +1 @@
+ {"name":"MacroFit Pro — Nutrição & Macros","short_name":"MacroFit","description":"Calculadora inteligente de
```

macronutrientes, TMB/GET, hidratação e base TACO + FatSecret sincronizada na nuvem.","start_url":"/","display":"standalone","background_color":"#090D16","theme_color":"#090D16","lang":"en","scope":"/","id":"/","orientation":"portrait","icons":[{"src":"/pwa-192x192.png","sizes":"192x192","type":"image/png","purpose":"any"},{"src":"/pwa-512x512.png","sizes":"512x512","type":"image/png","purpose":"any"},{"src":"/pwa-maskable-512x512.png","sizes":"512x512","type":"image/png","purpose":"maskable"}]}

docs/pwa-192x192.png 1.3 KB



docs/pwa-512x512.png 5.85 KB



docs/pwa-maskable-512x512.png 5.12 KB



docs/registerSW.js

Load diff

Some generated files are not rendered by default. Learn more about customizing how changed files appear on GitHub.

docs/sw.js

```
@@ -0,0 +1,149 @@
+ /**
+  * Copyright 2018 Google Inc. All Rights Reserved.
+  * Licensed under the Apache License, Version 2.0 (the "License");
+  * you may not use this file except in compliance with the License.
+  * You may obtain a copy of the License at
+  *     http://www.apache.org/licenses/LICENSE-2.0
+  * Unless required by applicable law or agreed to in writing, software
+  * distributed under the License is distributed on an "AS IS" BASIS,
```

```
 9  +  * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
10  +  * See the License for the specific language governing permissions and
11  +  * limitations under the License.
12  +  */
13  +
14  + // If the loader is already loaded, just stop.
15  + if (!self.define) {
16  +   let registry = {};
17  +
18  +   // Used for `eval` and `importScripts` where we can't get script URL by other
      means.
19  +   // In both cases, it's safe to use a global var because those functions are
      synchronous.
20  +   let nextDefineUri;
21  +
22  +   const singleRequire = (uri, parentUri) => {
23  +     uri = new URL(uri + ".js", parentUri).href;
24  +     return registry[uri] || (
25  +
26  +         new Promise(resolve => {
27  +           if ("document" in self) {
28  +             const script = document.createElement("script");
29  +             script.src = uri;
30  +             script.onload = resolve;
31  +             document.head.appendChild(script);
32  +           } else {
33  +             nextDefineUri = uri;
34  +             importScripts(uri);
35  +             resolve();
36  +           }
37  +         })
38  +
39  +       .then(() => {
40  +         let promise = registry[uri];
41  +         if (!promise) {
42  +           throw new Error(`Module ${uri} didn’t register its module`);
43  +         }
44  +         return promise;
45  +       })
46  +     );
47  +   };
48  +
49  +   self.define = (depsNames, factory) => {
```

```
50  +      const uri = nextDefineUri || ("document" in self ? document.currentScript.src :
      "") || location.href;
51  +      if (registry[uri]) {
52  +        // Module is already loading or loaded.
53  +        return;
54  +      }
55  +      let exports = {};
56  +      const require = depUri => singleRequire(depUri, uri);
57  +      const specialDeps = {
58  +        module: { uri },
59  +        exports,
60  +        require
61  +      };
62  +      registry[uri] = Promise.all(depsNames.map(
63  +        depName => specialDeps[depName] || require(depName)
64  +      )).then(deps => {
65  +        factory(...deps);
66  +        return exports;
67  +      });
68  +    };
69  + }
70  + define(['./workbox-afac4cd2'], (function (workbox) { 'use strict';
71  +
72  +   self.skipWaiting();
73  +   workbox.clientsClaim();
74  +   /**
75  +    * The precacheAndRoute() method efficiently caches and responds to
76  +    * requests for URLs in the manifest.
77  +    * See https://goo.gl/S9QRab
78  +    */
79  +   workbox.precacheAndRoute([{
80  +     "url": "registerSW.js",
81  +     "revision": "402b66900e731ca748771b6fc5e7a068"
82  +   }, {
83  +     "url": "pwa-maskable-512x512.png",
84  +     "revision": "ddc07b59935eb62b6f9df9b5a6e2e35e"
85  +   }, {
86  +     "url": "pwa-512x512.png",
87  +     "revision": "c1c158690ad18894e11c9f295798f4e6"
88  +   }, {
89  +     "url": "pwa-192x192.png",
90  +     "revision": "34cb238e5746038bb41b2721deb81f7a"
91  +   }, {
```

```
92  +      "url": "index.html",
93  +      "revision": "6650dc713639c21bdf9ddc3114569fe4"
94  +    }, {
95  +      "url": "icon.svg",
96  +      "revision": "3f315297892248a7cbae20dbef3f9090"
97  +    }, {
98  +      "url": "apple-touch-icon.png",
99  +      "revision": "926f5f16a20da8aa0014ef69e1a5365d"
100 +    }, {
101 +      "url": "assets/index-Brwf9m8T.js",
102 +      "revision": null
103 +    }, {
104 +      "url": "assets/index-55u0-dnL.css",
105 +      "revision": null
106 +    }, {
107 +      "url": "assets/aistudio/image_ebe39f89.png",
108 +      "revision": null
109 +    }, {
110 +      "url": "apple-touch-icon.png",
111 +      "revision": "926f5f16a20da8aa0014ef69e1a5365d"
112 +    }, {
113 +      "url": "icon.svg",
114 +      "revision": "3f315297892248a7cbae20dbef3f9090"
115 +    }, {
116 +      "url": "pwa-192x192.png",
117 +      "revision": "34cb238e5746038bb41b2721deb81f7a"
118 +    }, {
119 +      "url": "pwa-512x512.png",
120 +      "revision": "c1c158690ad18894e11c9f295798f4e6"
121 +    }, {
122 +      "url": "pwa-maskable-512x512.png",
123 +      "revision": "ddc07b59935eb62b6f9df9b5a6e2e35e"
124 +    }, {
125 +      "url": "manifest.webmanifest",
126 +      "revision": "8c3ad40ea4f8c73f96737680bfff15d9"
127 +    }], {});
128 +    workbox.cleanupOutdatedCaches();
129 +    workbox.registerRoute(new
    workbox.NavigationRoute(workbox.createHandlerBoundToURL("index.html")));
130 +    workbox.registerRoute(/^https:\/\/fonts\.googleapis\.com\/.*/i, new
    workbox.CacheFirst({
131 +      "cacheName": "google-fonts-cache",
132 +      plugins: [new workbox.ExpirationPlugin({
```


```
133 +       maxEntries: 10,
134 +       maxAgeSeconds: 31536000
135 +     }), new workbox.CacheableResponsePlugin({
136 +       statuses: [0, 200]
137 +     })]
138 +   }), 'GET');
139 +   workbox.registerRoute(/^https:\/\/fonts\.gstatic\.com\/.*/i, new
    workbox.CacheFirst({
140 +     "cacheName": "gstatic-fonts-cache",
141 +     plugins: [new workbox.ExpirationPlugin({
142 +       maxEntries: 10,
143 +       maxAgeSeconds: 31536000
144 +     }), new workbox.CacheableResponsePlugin({
145 +       statuses: [0, 200]
146 +     })]
147 +   }), 'GET');
148 +
149 + }));
```

docs/workbox-afac4cd2.js

Load diff

Large diffs are not rendered by default.

public/assets/aistudio/image_ebe39f89.png 67 KB




src/App.tsx

```
@@ -123,7 +123,10 @@ export default function App() {
123 123   const [apiBaseUrl, setApiBaseUrl] = useState<string>(() => {
124 124     const saved = localStorage.getItem('macrofit_backend_url');
125 125     if (saved !== null) return saved;
126     -   if (typeof window !== 'undefined' && window.location.protocol === 'file:') {
    126 +   if (
    127 +     typeof window !== 'undefined' &&
    128 +     (window.location.protocol === 'file:' || window.location.hostname.endsWith('github.io'))
    129 +   ) {
127 130       return 'https://ais-pre-bni4jp6evocwom3vuscuhd-481614738372.us-east5.run.app';
128 131     }
129 132     return '';
```

src/components/PWAInstallModal.tsx

```
@@ -20,7 +20,7 @@ export const PWAInstallModal: React.FC<PWAInstallModalProps> = ({ isOpen, onClos
20 20     if (isDownloadingApk) return;
21 21     setIsDownloadingApk(true);
22 22     try {
23     -     const response = await fetch('/MacroFit-Pro.apk');
```

```
      23  +         const response = await fetch('./MacroFit-Pro.apk');
24    24            if (!response.ok) throw new Error('Falha no download');
25    25            const blob = await response.blob();
26    26            const apkBlob = new Blob([blob], { type: 'application/vnd.android.package-
                    archive' });
                    @@ -36,7 +36,7 @@ export const PWAInstallModal: React.FC<PWAInstallModalProps>
                    = ({ isOpen, onClos
36    36            } catch {
37    37              // Fallback to direct link
38    38              const link = document.createElement('a');
39          -         link.href = '/MacroFit-Pro.apk';
      39  +         link.href = './MacroFit-Pro.apk';
40    40              link.download = 'MacroFit-Pro.apk';
41    41              link.target = '_blank';
42    42              link.rel = 'noopener noreferrer';
                    @@ -94,7 +94,7 @@ export const PWAInstallModal: React.FC<PWAInstallModalProps>
                    = ({ isOpen, onClos
94    94                  Baixe o arquivo <strong className="text-white">.apk</strong> nativo com
                    a base TACO embutida e sincronização com a nuvem pronta para o seu celular Android:
95    95                </p>
96    96                <a
97          -             href="/MacroFit-Pro.apk"
      97  +             href="./MacroFit-Pro.apk"
98    98                  download="MacroFit-Pro.apk"
99    99                  onClick={handleDownloadApk}
100   100                 className="w-full min-h-[48px] rounded-xl bg-emerald-500 hover:bg-
                    emerald-400 text-slate-950 font-bold text-sm flex items-center justify-center gap-2
                    transition-colors cursor-pointer"
```

## Comments 0

Lock conversation

Comment

Subscribe You're not receiving notifications from this thread.