Lead Inspection Checklist for OSHA 29 CFR 1910.1025 Lead Exposure

Use on walk-throughs of general industry lead work areas, after process changes and before the annual review of the compliance program.

OSHA 29 CFR 1910.1025

DATE	SHIFT
INSPECTOR	AREA / EQUIPMENT ID

Before you start

1. Mark every item OK, Defect or N/A, and note the area, date and inspector.
2. For each Defect, record what was found, who will correct it and by when, then recheck the item once it is fixed.
3. Manufacturer's instructions for respirators, ventilation and vacuums, and your site rules, may add checks to this list.

Legal basis: 29 CFR 1910.1025: Lead (Part 1910 Subpart Z, Toxic and Hazardous Substances) Source: eCFR, Title 29, text as of 2026-11-09
Online version and sources: https://safetyindex.blog/us/standards/1910-1025-lead

SECTION A | Exposure assessment and monitoring

No.	Check item	What to look for	OK	Defect	N/A	Notes
1	**Initial determination** Ref. 1910.1025(d)(2)	An initial determination covers each workplace or operation with lead and states whether anyone may be exposed at or above the action level of 30 µg/m³.	☐	☐	☐	
2	**Negative determination record** Ref. 1910.1025(d)(5)	If the determination was negative, a written record shows the basis, date, worksite location and employees monitored.	☐	☐	☐	
3	**Sampling method** Ref. 1910.1025(d)(1)(ii)	Personal samples run 7 or more continuous hours, with one or more per shift for every job classification and work area.	☐	☐	☐	
4	**Monitoring between action level and PEL** Ref. 1910.1025(d)(6)(ii)	Exposures at or above the action level but below the PEL are re-sampled at 6-month intervals or more often.	☐	☐	☐	
5	**Monitoring above the PEL** Ref. 1910.1025(d)(6)(iii)	Results above 50 µg/m³ are followed by quarterly monitoring.	☐	☐	☐	
6	**Monitoring after changes** Ref. 1910.1025(d)(7)	Each production, process, control or personnel change that may add lead exposure since the last sampling was followed by additional monitoring.	☐	☐	☐	
7	**Results given to employees** Ref. 1910.1025(d)(8)(i)	Each affected employee received results in writing or by posting within 15 working days of the employer receiving them.	☐	☐	☐	
8	**Over-PEL notice** Ref. 1910.1025(d)(8)(ii)	Written notices for results over the PEL say the PEL was exceeded and describe the corrective action taken or planned.	☐	☐	☐	

General guidance only, not legal advice. Check the current regulation and your employer's procedures.

SECTION A | Exposure assessment and monitoring

No.	Check item	What to look for	OK	Defect	N/A	Notes
9	Monitoring records Ref. 1910.1025(n)(1)(ii)	Records list sample dates, number, duration, location and results, methods with evidence of accuracy, any respirators worn, names and job classifications of employees monitored and represented, and environmental variables.	☐	☐	☐	

SECTION B | Controls, ventilation and respirators

No.	Check item	What to look for	OK	Defect	N/A	Notes
10	Written compliance program content Ref. 1910.1025(e)(3)(ii)	The written program describes each lead-emitting operation, the chosen controls, technology considered, monitoring data on emission sources and an implementation schedule.	☐	☐	☐	
11	Program kept current Ref. 1910.1025(e)(3)(iv)	The written program shows a revision within the last 12 months.	☐	☐	☐	
12	Program available on site Ref. 1910.1025(e)(3)(iii)	A copy is kept at the worksite and can be examined and copied by affected employees and their representatives.	☐	☐	☐	
13	Ventilation performance checks Ref. 1910.1025(e)(4)(i)	Capture velocity, duct velocity or static pressure readings are logged at least every 3 months and within 5 days of any production, process or control change.	☐	☐	☐	
14	Recirculated air Ref. 1910.1025(e)(4)(ii)	Any recirculating exhaust has a high efficiency filter, a back-up filter, and working lead monitoring with automatic bypass.	☐	☐	☐	
15	Job rotation schedule Ref. 1910.1025(e)(5)	Where rotation is used, the schedule lists each employee's name or ID number, time spent and exposure levels at each job or station.	☐	☐	☐	
16	Respiratory protection program Ref. 1910.1025(f)(2)(i)	A respiratory protection program meeting 1910.134 covers every employee required to wear a respirator.	☐	☐	☐	
17	Respirator filters Ref. 1910.1025(f)(3)(i)(C)	Every powered and non-powered air-purifying respirator in use has HEPA filters.	☐	☐	☐	
18	Full facepiece where aerosols irritate Ref. 1910.1025(f)(3)(i)(B)	Full facepiece respirators, not half masks, are worn where lead aerosols irritate eyes or skin.	☐	☐	☐	
19	Respirators on request Ref. 1910.1025(f)(1)(iii)	An employee who asks for a respirator is given one.	☐	☐	☐	

SECTION C | Protective clothing and housekeeping

No.	Check item	What to look for	OK	Defect	N/A	Notes
20	Protective clothing issued Ref. 1910.1025(g)(1)	Employees over the PEL or at risk of irritation to skin or eyes wear coveralls, gloves, hats, shoes or shoe covers and eye or face protection, issued free.	☐	☐	☐	

SECTION C | Protective clothing and housekeeping

No.	Check item	What to look for	OK	Defect	N/A	Notes
21	Clean clothing supply Ref. 1910.1025(g)(2)(i)	Clean, dry clothing is issued at least weekly, and daily to anyone whose exposure, without regard to respirators, is over 200 µg/m³ as an 8-hour TWA.	☐	☐	☐	
22	Contaminated clothing containers Ref. 1910.1025(g)(2)(v)	Used clothing goes into closed containers in the change room.	☐	☐	☐	
23	Container labels Ref. 1910.1025(g)(2)(vii)(A)	Bags and containers of contaminated clothing carry the full DANGER label wording set out in the standard.	☐	☐	☐	
24	Launderer informed Ref. 1910.1025(g)(2)(vi)	Whoever cleans or launders the clothing has been told in writing about lead's harmful effects.	☐	☐	☐	
25	No blowing or shaking Ref. 1910.1025(g)(2)(viii)	No one blows, shakes or otherwise dusts off clothing or equipment.	☐	☐	☐	
26	Surfaces Ref. 1910.1025(h)(1)	Floors, ledges and equipment show no lead dust buildup that could practicably be removed.	☐	☐	☐	
27	No compressed air cleaning Ref. 1910.1025(h)(2)(i)	No compressed air is used to clean floors or surfaces where lead collects.	☐	☐	☐	
28	Sweeping justified Ref. 1910.1025(h)(2)(ii)	Sweeping, shoveling or brushing is used only where vacuuming or an equally effective method was tried and failed.	☐	☐	☐	
29	Vacuum handling Ref. 1910.1025(h)(3)	Vacuums are used and emptied in a way that minimises lead dust returning to the work area.	☐	☐	☐	

SECTION D | Hygiene facilities

No.	Check item	What to look for	OK	Defect	N/A	Notes
30	No eating, drinking or smoking Ref. 1910.1025(i)(1)	No food, drinks, tobacco products or cosmetic use in above-PEL areas outside change rooms, lunchrooms and showers.	☐	☐	☐	
31	Clean change rooms Ref. 1910.1025(i)(2)(i)	Clean change rooms are provided for employees working where airborne exposure is above the PEL, without regard to respirators.	☐	☐	☐	
32	Separate storage Ref. 1910.1025(i)(2)(ii)	Change rooms have separate storage for protective clothing and equipment and for street clothes that prevents cross-contamination.	☐	☐	☐	
33	End-of-shift showers Ref. 1910.1025(i)(3)(i)	Employees working over the PEL shower at the end of the shift.	☐	☐	☐	
34	Work clothing stays on site Ref. 1910.1025(i)(3)(iii)	No one required to shower leaves wearing shift clothing or equipment.	☐	☐	☐	
35	Lunchroom air Ref. 1910.1025(i)(4)(ii)	The lunchroom has a temperature-controlled, positive-pressure, filtered air supply and is readily accessible.	☐	☐	☐	
36	Hand and face washing Ref. 1910.1025(i)(4)(iii)	Employees wash hands and face before eating, drinking, smoking or applying cosmetics.	☐	☐	☐	

General guidance only, not legal advice. Check the current regulation and your employer's procedures.

SECTION D | Hygiene facilities						
No.	**Check item**	**What to look for**	**OK**	**Defect**	**N/A**	**Notes**
37	Clothing in the lunchroom Ref. 1910.1025(i)(4)(iv)	Protective clothing brought into the lunchroom has had surface lead dust removed by vacuuming, downdraft booth or other cleaning.	☐	☐	☐	

SECTION E | Medical surveillance, training and signs						
No.	**Check item**	**What to look for**	**OK**	**Defect**	**N/A**	**Notes**
38	Surveillance enrolment Ref. 1910.1025(j)(1)(i)	Everyone who is or may be exposed at or above the action level for more than 30 days per year is enrolled in medical surveillance.	☐	☐	☐	
39	Routine blood testing Ref. 1910.1025(j)(2)(i)(A)	Each covered employee has been offered blood lead and ZPP testing no less often than every 6 months.	☐	☐	☐	
40	Elevated blood lead testing Ref. 1910.1025(j)(2)(i)(B)	Employees whose last result was at or over 40 µg/100 g are retested at least every two months.	☐	☐	☐	
41	Medical removal Ref. 1910.1025(k)(1)(i)(A)	No employee whose periodic and follow-up tests both showed at least 60 µg/100 g remains in work with lead exposure at or above the action level.	☐	☐	☐	
42	Written medical opinions Ref. 1910.1025(j)(3)(v)(A)	Each examined employee has a copy of every examining or consulting physician's written opinion.	☐	☐	☐	
43	Appendix information Ref. 1910.1025(l)(1)(i)	Employees in any area with potential airborne lead exposure have been told what the two appendices (A and B) contain.	☐	☐	☐	
44	Annual training Ref. 1910.1025(l)(1)(iv)	Each employee in the training program has been trained within the past 12 months.	☐	☐	☐	
45	Labels and safety data sheets Ref. 1910.1025(m)(1)(iii)	Containers of lead are labelled and employees can reach the safety data sheets.	☐	☐	☐	
46	Warning signs posted Ref. 1910.1025(m)(2)(i)	Required DANGER lead signs are posted at every work area where the PEL is exceeded.	☐	☐	☐	
47	Signs legible Ref. 1910.1025(m)(2)(iii)	Signs are lit and clean so the legend is readily visible.	☐	☐	☐	

DEFECTS FOUND AND ACTION TAKEN

Item no.	Defect description	Reported to	Action taken / date closed

SIGN-OFF

SAFE TO OPERATE?	☐ Yes ☐ No: tagged out of service	
INSPECTOR SIGNATURE		DATE / TIME
SUPERVISOR REVIEW		DATE / TIME

General guidance only, not legal advice. Check the current regulation and your employer's procedures.