

PATIENT n°: 1

MRC mean score

Infraspinatus: 1



Deltoid: 1




Biceps brachii: 1



Triceps: 1



Wrist extensors: 1




Wrist flexors: 1



Finger extensors: 1



Finger flexors: 1



Finger spreaders: 1



total score: 88

Iliopsoas: 1



Adductors: 1



Quadriceps: 1



Gleteus medius: 1



Anterior tibial: 1



Plantar flexors: 1



Harmstrings: 1



Gluteus maximus: 1



PATIENT n°: 2

MRC mean score

Infraspinatus: 1

Deltoid: 1

Biceps brachii: 1

Triceps: 1

Wrist extensors: 1

Wrist flexors: 1

Finger extensors: 3.5

Finger flexors: 1

Finger spreaders: 1

MRC mean

1

1

1.5

1.1

total score: 100

Iliopsoas: 1

Adductors: 1

Quadriceps: 1

Gleteus medius: 1

Anterior tibial: 1

Plantar flexors: 1

Harmstrings: 1.5

Gluteus maximus: 1



PATIENT n°: 3

MRC mean score

Infraspinatus: 1

Deltoid: 1

Biceps brachii: 1.5

Triceps: 1

Wrist extensors: 1

Wrist flexors: 1

Finger extensors: 1

Finger flexors: 2.5

Finger spreaders: 1

MRC mean

1.1

1.1

1.1

1.6

total score: 105

Iliopsoas: 1

Adductors: 2

Quadriceps: 1

Gleteus medius: 1

Anterior tibial: 1

Plantar flexors: 1



Harmstrings: 1

Gluteus maximus: 1





PATIENT n°: 4

MRC mean score





PATIENT n°: 5

MRC mean score



PATIENT n°: 6

MRC mean score



PATIENT n°: 7

MRC mean score

Infraspinatus: 2

Deltoid: 1

Biceps brachii: 2

Triceps: 1.5

Wrist extensors: 1

Wrist flexors: 1

Finger extensors: 2

Finger flexors: 2

Finger spreaders: 2

MRC mean

1.6

1.5

1.5

1.9

total score: 134



Iliopsoas: 1.5

Adductors: 1.5

Quadriceps: 1

Gleteus medius: 1.5

Anterior tibial: 1.5

Plantar flexors: 1.5

Harmstrings: 2

Gluteus maximus: 1.5

1.3

1.3

1.4



1.6

1.6

1.5

PATIENT n°: 8

MRC mean score



PATIENT n°: 9

MRC mean score

Infraspinatus: 1

Deltoid: 1

Biceps brachii: 1

Triceps: 1

Wrist extensors: 2

Wrist flexors: 3.5

Finger extensors: 4

Finger flexors: 3

Finger spreaders: 2.5

MRC mean

1

1.4

2.7

2.7

total score: 139



Iliopsoas: 1

Adductors: 1

Quadriceps: 1

Gleteus medius: 1

Anterior tibial: 1

Plantar flexors: 1

Harmstrings: 1

Gluteus maximus: 1

1

1

1


1

1

1

1

1



PATIENT n°: 10

MRC mean score

Infraspinatus: 1

Deltoid: 1

Biceps brachii: 3

Triceps: 2

Wrist extensors: 2

Wrist flexors: 2

Finger extensors: 2

Finger flexors: 3

Finger spreaders: 1

MRC mean

1.4

1.8

2

2

total score: 140

Iliopsoas: 1

Adductors: 1.5

Quadriceps: 1


Gleteus medius: 1.5

Anterior tibial: 1

Plantar flexors: 1

Harmstrings: 2

Gluteus maximus: 1



PATIENT n°: 11

MRC mean score

Infraspinatus: 1

Deltoid: 1

Biceps brachii: 3

Triceps: 2

Wrist extensors: 1

Wrist flexors: 3

Finger extensors: 2.5

Finger flexors: 3

Finger spreaders: 2.5

MRC mean

1.4

1.8

2.2

2.6

total score: 142



Iliopsoas: 1

Adductors: 1

Quadriceps: 1

Gleteus medius: 1

Anterior tibial: 1

Plantar flexors: 2

Harmstrings: 1

Gluteus maximus: 1

1


1

1

1.2

1.2

1



PATIENT n°: 12

MRC mean score

Infraspinatus: 0

Deltoid: 1

Biceps brachii: 3.5

Triceps: 2.5

Wrist extensors: 3

Wrist flexors: 3

Finger extensors: 3

Finger flexors: 3

Finger spreaders: 1

MRC mean

1.1

1.9

2.8

2.2

total score: 147

Iliopsoas: 1

Adductors: 1

Quadriceps: 1


Gleteus medius: 1

Anterior tibial: 1

Plantar flexors: 1

Harmstrings: 1

Gluteus maximus: 1



PATIENT n°: 13

MRC mean score

Infraspinatus: 1

Deltoid: 1

Biceps brachii: 3.5

Triceps: 2

Wrist extensors: 1

Wrist flexors: 3

Finger extensors: 1.5

Finger flexors: 2

Finger spreaders: 1

MRC mean

1.5

1.9

1.8

1.6

total score: 148



Iliopsoas: 1

Adductors: 3

Quadriceps: 1

Gleteus medius: 2

Anterior tibial: 2

Plantar flexors: 1

Harmstrings: 1

Gluteus maximus: 1

1

PATIENT n°: 14

MRC mean score

Infraspinatus: 1

Deltoid: 1

Biceps brachii: 1

Triceps: 1

Wrist extensors: 2.5

Wrist flexors: 3

Finger extensors: 3

Finger flexors: 3

Finger spreaders: 2

MRC mean

1

1.4

2.4

2.5

total score: 149

Iliopsoas: 1

Adductors: 1

Quadriceps: 1

Gleteus medius: 1

Anterior tibial: 1

Plantar flexors: 3

Harmstrings: 3

Gluteus maximus: 1

1

1

1

1.8


1.8

1





PATIENT n°: 15

MRC mean score



PATIENT n°: 16

MRC mean score



PATIENT n°: 17

MRC mean score

Infraspinatus: 1

Deltoid: 1

Biceps brachii: 1

Triceps: 1

Wrist extensors: 3

Wrist flexors: 3

Finger extensors: 3

Finger flexors: 3

Finger spreaders: 3

MRC mean

1

1.4

2.6

2.9

total score: 152

Iliopsoas: 1

Adductors: 1

Quadriceps: 1

Gleteus medius: 1

Anterior tibial: 3

Plantar flexors: 1



Harmstrings: 1

Gluteus maximus: 1




PATIENT n°: 18

MRC mean score




PATIENT n°: 19

MRC mean score



document compiled on: 2020-04-12



data extracted from Wadman 2018

PATIENT n°: 20

MRC mean score

Infraspinatus: 1

Deltoid: 1

Biceps brachii: 3.5

Triceps: 2.5

Wrist extensors: 1.5

Wrist flexors: 3

Finger extensors: 1

Finger flexors: 3

Finger spreaders: 1

MRC mean

1.5

2

2

2

total score: 154

Iliopsoas: 1

Adductors: 3

Quadriceps: 1

Gleteus medius: 2

Anterior tibial: 1

Plantar flexors: 1.5

Harmstrings: 1

Gluteus maximus: 1

1

1.7

1.7

1.6

1.3

1.3



PATIENT n°: 21

MRC mean score

Infraspinatus: 1

Deltoid: 1

Biceps brachii: 3

Triceps: 3

Wrist extensors: 3

Wrist flexors: 3

Finger extensors: 3

Finger flexors: 3

Finger spreaders: 3

MRC mean

1.4

2.1

3

3

total score: 160

Iliopsoas: 1

Adductors: 1

Quadriceps: 1


Gleteus medius: 1

Anterior tibial: 1

Plantar flexors: 1



Harmstrings: 1

Gluteus maximus: 1





PATIENT n°: 22

MRC mean score




PATIENT n°: 23

MRC mean score





PATIENT n°: 24

MRC mean score





PATIENT n°: 25

MRC mean score





PATIENT n°: 26

MRC mean score




PATIENT n°: 27

MRC mean score




PATIENT n°: 28

MRC mean score



PATIENT n°: 29

MRC mean score



PATIENT n°: 30

MRC mean score

Infraspinatus: 1

Deltoid: 1

Biceps brachii: 3.5

Triceps: 2

Wrist extensors: 3

Wrist flexors: 3

Finger extensors: 3

Finger flexors: 3

Finger spreaders: 2.5

MRC mean

1.5

2.1

2.8

2.8

total score: 170



Iliopsoas: 1

Adductors: 3

Quadriceps: 1

Gleteus medius: 1

Anterior tibial: 1

Plantar flexors: 1



Harmstrings: 2

Gluteus maximus: 1

1

PATIENT n°: 31

MRC mean score



PATIENT n°: 32

MRC mean score

Infraspinatus: 1

Deltoid: 1

Biceps brachii: 3

Triceps: 4

Wrist extensors: 4

Wrist flexors: 3

Finger extensors: 3

Finger flexors: 3

Finger spreaders: 3

MRC mean

1.4

2.3

3.4

3.1

total score: 172



Iliopsoas: 1

Adductors: 1

Quadriceps: 1

Gleteus medius: 1

Anterior tibial: 1

Plantar flexors: 1

Harmstrings: 1

Gluteus maximus: 1

1

1

1

1

1

1

1

1

PATIENT n°: 33

MRC mean score

Infraspinatus: 1

Deltoid: 1

Biceps brachii: 3

Triceps: 4

Wrist extensors: 4

Wrist flexors: 3

Finger extensors: 3

Finger flexors: 3

Finger spreaders: 3

MRC mean


1.4

2.3

3.4

3.1

total score: 172



Iliopsoas: 1

Adductors: 1

Quadriceps: 1

Gleteus medius: 1

Anterior tibial: 1

Plantar flexors: 1

Harmstrings: 1

Gluteus maximus: 1

1

1

1

1

1



1

1

1

PATIENT n°: 34

MRC mean score



PATIENT n°: 35

MRC mean score

Infraspinatus: 1

Deltoid: 1

Biceps brachii: 2

Triceps: 1

Wrist extensors: 4

Wrist flexors: 3

Finger extensors: 3.5

Finger flexors: 3

Finger spreaders: 4

MRC mean

1.2

1.8

2.9

3.4

total score: 174

Iliopsoas: 1

Adductors: 1

Quadriceps: 1


Gleteus medius: 2

Anterior tibial: 3

Plantar flexors: 1



Harmstrings: 1

Gluteus maximus: 1





PATIENT n°: 36

MRC mean score



PATIENT n°: 37

MRC mean score



PATIENT n°: 38

MRC mean score

Infraspinatus: 3

Deltoid: 1

Biceps brachii: 3.5

Triceps: 3

Wrist extensors: 3

Wrist flexors: 3

Finger extensors: 3

Finger flexors: 3

Finger spreaders: 2.5

MRC mean

2.3

2.7

3

2.8

total score: 179



Iliopsoas: 1

Adductors: 1.5

Quadriceps: 1

Gleteus medius: 1

Anterior tibial: 2

Plantar flexors: 1

Harmstrings: 1.5

Gluteus maximus: 1

1

1.2

1.2

1.3

1.3

1.3

1

PATIENT n°: 39

MRC mean score

Infraspinatus: 0

Deltoid: 3

Biceps brachii: 4

Triceps: 3

Wrist extensors: 3

Wrist flexors: 4

Finger extensors: 3

Finger flexors: 3

Finger spreaders: 3

MRC mean

2

2.7

3.2

3.1

total score: 182



Iliopsoas: 1

Adductors: 1

Quadriceps: 1

Gleteus medius: 1

Anterior tibial: 1

Plantar flexors: 3

Harmstrings: 1

Gluteus maximus: 1

1

1

1

1.4

1.4

1

PATIENT n°: 40

MRC mean score

Infraspinatus: 2

Deltoid: 1

Biceps brachii: 3.5

Triceps: 3

Wrist extensors: 3

Wrist flexors: 3.5

Finger extensors: 3

Finger flexors: 3.5

Finger spreaders: 2.5

MRC mean

1.9

2.5

3.1

3

total score: 182

Iliopsoas: 1

Adductors: 1

Quadriceps: 1

Gleteus medius: 1

Anterior tibial: 1

Plantar flexors: 3

Harmstrings: 2

Gluteus maximus: 1



PATIENT n°: 41

MRC mean score

Infraspinatus: 1

Deltoid: 1

Biceps brachii: 4

Triceps: 3

Wrist extensors: 3

Wrist flexors: 3

Finger extensors: 3

Finger flexors: 3

Finger spreaders: 2

MRC mean


1.6

2.3

2.9



2.6

total score: 182



PATIENT n°: 42

MRC mean score



PATIENT n°: 43

MRC mean score

Infraspinatus: 1

Deltoid: 1

Biceps brachii: 3

Triceps: 2

Wrist extensors: 2

Wrist flexors: 3

Finger extensors: 3

Finger flexors: 2.5

Finger spreaders: 3

MRC mean


1.4

1.9

2.5

2.7

total score: 188



PATIENT n°: 44

MRC mean score

Infraspinatus: 1

Deltoid: 1

Biceps brachii: 4

Triceps: 3

Wrist extensors: 1

Wrist flexors: 1

Finger extensors: 3

Finger flexors: 3

Finger spreaders: 3

MRC mean

1.6

1.9

2.2

2.8

total score: 188

Iliopsoas: 1

Adductors: 2

Quadriceps: 1


Gleteus medius: 3

Anterior tibial: 2

Plantar flexors: 2

Harmstrings: 3

Gluteus maximus: 3



PATIENT n°: 45

MRC mean score

Infraspinatus: 1

Deltoid: 3

Biceps brachii: 4

Triceps: 2.5

Wrist extensors: 3

Wrist flexors: 3

Finger extensors: 3

Finger flexors: 3

Finger spreaders: 3

MRC mean

2.4

2.7

2.9

3

total score: 189

Iliopsoas: 1

Adductors: 1

Quadriceps: 1

Gleteus medius: 1

Anterior tibial: 3

Plantar flexors: 2

Harmstrings: 2

Gluteus maximus: 1



PATIENT n°: 46

MRC mean score

Infraspinatus: 1

Deltoid: 1

Biceps brachii: 4

Triceps: 1

Wrist extensors: 4

Wrist flexors: 4

Finger extensors: 4

Finger flexors: 4

Finger spreaders: 3

MRC mean

1.6

2.3

3.3

3.4

total score: 189

Iliopsoas: 1

Adductors: 1

Quadriceps: 1

Gleteus medius: 1.5

Anterior tibial: 1

Plantar flexors: 4

Harmstrings: 1

Gluteus maximus: 1

1

1

1.1



1.7

1





PATIENT n°: 47

MRC mean score



PATIENT n°: 48

MRC mean score



PATIENT n°: 49

MRC mean score

Infraspinatus: 1

Deltoid: 3

Biceps brachii: 4

Triceps: 2

Wrist extensors: 2

Wrist flexors: 4

Finger extensors: 3

Finger flexors: 4

Finger spreaders: 3

MRC mean


2.4

2.7

2.9

3.3

total score: 196



PATIENT n°: 50

MRC mean score

Infraspinatus: 1

Deltoid: 2

Biceps brachii: 4

Triceps: 2.5

Wrist extensors: 3

Wrist flexors: 3

Finger extensors: 4

Finger flexors: 4

Finger spreaders: 2

MRC mean

2

2.5

3.1

3

total score: 197

Iliopsoas: 3

Adductors: 3

Quadriceps: 1


Gleteus medius: 1

Anterior tibial: 1

Plantar flexors: 1


Harmstrings: 3

Gluteus maximus: 0




PATIENT n°: 51

MRC mean score





document compiled on: 2020-04-12



data extracted from Wadman 2018



PATIENT n°: 52

MRC mean score





PATIENT n°: 53

MRC mean score



PATIENT n°: 54

MRC mean score



PATIENT n°: 55

MRC mean score

Infraspinatus: 1

Deltoid: 1

Biceps brachii: 3

Triceps: 1

Wrist extensors: 3

Wrist flexors: 4

Finger extensors: 4

Finger flexors: 3

Finger spreaders: 4

MRC mean

1.4

2

3.1

3.4

total score: 206

Iliopsoas: 3

Adductors: 3

Quadriceps: 1


Gleteus medius: 1

Anterior tibial: 1

Plantar flexors: 1.5

Harmstrings: 2.5

Gluteus maximus: 3



PATIENT n°: 56

MRC mean score

Infraspinatus: 0

Deltoid: 2

Biceps brachii: 3

Triceps: 3

Wrist extensors: 4

Wrist flexors: 4

Finger extensors: 4

Finger flexors: 4

Finger spreaders: 3

Iliopsoas: 1

Adductors: 1

Quadriceps: 1

Gleteus medius: 1

Anterior tibial: 3

Plantar flexors: 2

Harmstrings: 3

Gluteus maximus: 1

MRC mean

1.4

2.3

3.7

3.6

total score: 206



PATIENT n°: 57

MRC mean score

Infraspinatus: 2

Deltoid: 2

Biceps brachii: 3

Triceps: 2.5

Wrist extensors: 4

Wrist flexors: 4

Finger extensors: 4

Finger flexors: 4

Finger spreaders: 4

MRC mean

2.2

2.7

3.7

3.9

total score: 209

Iliopsoas: 1

Adductors: 1.5

Quadriceps: 1

Gleteus medius: 2.5

Anterior tibial: 1

Plantar flexors: 2.5

Harmstrings: 1

Gluteus maximus: 1



PATIENT n°: 58

MRC mean score

Infraspinatus: 1

Deltoid: 1

Biceps brachii: 4

Triceps: 3

Wrist extensors: 3

Wrist flexors: 3

Finger extensors: 3

Finger flexors: 4

Finger spreaders: 2

MRC mean

1.6

2.3

3

3

total score: 210

Iliopsoas: 1

Adductors: 2

Quadriceps: 1


Gleteus medius: 3

Anterior tibial: 2

Plantar flexors: 2



Harmstrings: 3.5

Gluteus maximus: 2





PATIENT n°: 59

MRC mean score





PATIENT n°: 60

MRC mean score




PATIENT n°: 61

MRC mean score



PATIENT n°: 62

MRC mean score



PATIENT n°: 63

MRC mean score

Infraspinatus: 1

Deltoid: 2

Biceps brachii: 4

Triceps: 2

Wrist extensors: 4

Wrist flexors: 4

Finger extensors: 4

Finger flexors: 4

Finger spreaders: 2

MRC mean

2

2.7

3.5

3.1

total score: 216

Iliopsoas: 1

Adductors: 2

Quadriceps: 1


Gleteus medius: 2

Anterior tibial: 2

Plantar flexors: 2



Harmstrings: 3

Gluteus maximus: 2





PATIENT n°: 64

MRC mean score



PATIENT n°: 65

MRC mean score



PATIENT n°: 66

MRC mean score

Infraspinatus: 2

Deltoid: 1

Biceps brachii: 3

Triceps: 2.5

Wrist extensors: 3

Wrist flexors: 4

Finger extensors: 4

Finger flexors: 4

Finger spreaders: 3

MRC mean

1.8

2.4

3.4

3.5

total score: 217



Iliopsoas: 1

Adductors: 1

Quadriceps: 1

Gleteus medius: 1

Anterior tibial: 4

Plantar flexors: 5

Harmstrings: 2.5

Gluteus maximus: 1

1

1

1.6



2.7

2.7

1



PATIENT n°: 67

MRC mean score





PATIENT n°: 68

MRC mean score





PATIENT n°: 69

MRC mean score





PATIENT n°: 70

MRC mean score




PATIENT n°: 71

MRC mean score




PATIENT n°: 72

MRC mean score





document compiled on: 2020-04-12



data extracted from Wadman 2018



PATIENT n°: 73

MRC mean score





PATIENT n°: 74

MRC mean score



PATIENT n°: 75

MRC mean score



PATIENT n°: 76

MRC mean score

Infraspinatus: 3

Deltoid: 2

Biceps brachii: 4

Triceps: 1

Wrist extensors: 4

Wrist flexors: 4

Finger extensors: 4

Finger flexors: 4

Finger spreaders: 4

MRC mean

2.8

3

3.4

3.8

total score: 238



Iliopsoas: 1

Adductors: 1

Quadriceps: 1

Gleteus medius: 2

Anterior tibial: 4

Plantar flexors: 4

Harmstrings: 2.5

Gluteus maximus: 2

1

1

1.8

2.9

2.9

2

PATIENT n°: 77

MRC mean score

Infraspinatus: 3

Deltoid: 2.5

Biceps brachii: 4

Triceps: 2

Wrist extensors: 4

Wrist flexors: 4

Finger extensors: 4

Finger flexors: 4

Finger spreaders: 3

MRC mean

3

3.2

3.5

total score: 244

Iliopsoas: 1

Adductors: 1.5

Quadriceps: 1

Gleteus medius: 2

Anterior tibial: 4

Plantar flexors: 4

Harmstrings: 0

Gluteus maximus: 3.5

1.2

1.2

1.9

2.7



2.7

3.5



PATIENT n°: 78

MRC mean score



PATIENT n°: 79

MRC mean score

Infraspinatus: 3

Deltoid: 3.5

Biceps brachii: 4

Triceps: 3

Wrist extensors: 4

Wrist flexors: 4

Finger extensors: 4

Finger flexors: 4

Finger spreaders: 3

MRC mean

3.4

3.6

3.7

3.6

total score: 247

Iliopsoas: 1

Adductors: 3

Quadriceps: 1

Gleteus medius: 2

Anterior tibial: 2.5

Plantar flexors: 3

Harmstrings: 3


Gluteus maximus: 1

1





PATIENT n°: 80

MRC mean score





PATIENT n°: 81

MRC mean score





PATIENT n°: 82

MRC mean score



PATIENT n°: 83

MRC mean score



PATIENT n°: 84

MRC mean score

Infraspinatus: 1

Deltoid: 3

Biceps brachii: 4

Triceps: 3

Wrist extensors: 4

Wrist flexors: 4

Finger extensors: 4

Finger flexors: 4

Finger spreaders: 3.5

MRC mean

2.4

3

3.8

3.8

total score: 253



Iliopsoas: 1

Adductors: 4

Quadriceps: 1

Gleteus medius: 1

Anterior tibial: 3

Plantar flexors: 4

Harmstrings: 4

Gluteus maximus: 1.5

2

2

2



2.7

2.7

1.5



PATIENT n°: 85

MRC mean score




PATIENT n°: 86

MRC mean score



PATIENT n°: 87

MRC mean score



PATIENT n°: 88

MRC mean score

Infraspinatus: 4

Deltoid: 3

Biceps brachii: 3.5

Triceps: 3

Wrist extensors: 3.5

Wrist flexors: 3.5

Finger extensors: 4

Finger flexors: 4

Finger spreaders: 4

MRC mean

3.5

3.4

3.6

3.9

total score: 258

Iliopsoas: 1

Adductors: 2

Quadriceps: 1


Gleteus medius: 3

Anterior tibial: 4.5

Plantar flexors: 4



Harmstrings: 3

Gluteus maximus: 0.5





PATIENT n°: 89

MRC mean score



PATIENT n°: 90

MRC mean score



PATIENT n°: 91

MRC mean score

Infraspinatus: 3

Deltoid: 3

Biceps brachii: 4

Triceps: 4

Wrist extensors: 4

Wrist flexors: 4

Finger extensors: 4

Finger flexors: 4

Finger spreaders: 4

MRC mean


3.2

3.6

4

4

total score: 260



PATIENT n°: 92

MRC mean score

Infraspinatus: 1

Deltoid: 1

Biceps brachii: 4

Triceps: 3

Wrist extensors: 4

Wrist flexors: 3

Finger extensors: 4

Finger flexors: 5

Finger spreaders: 3

MRC mean


1.6

2.4

3.6


3.9

total score: 260




PATIENT n°: 93

MRC mean score





PATIENT n°: 94

MRC mean score





PATIENT n°: 95

MRC mean score





PATIENT n°: 96

MRC mean score



PATIENT n°: 97

MRC mean score



PATIENT n°: 98

MRC mean score

Infraspinatus: 2

Deltoid: 3

Biceps brachii: 4

Triceps: 3

Wrist extensors: 4

Wrist flexors: 4

Finger extensors: 4

Finger flexors: 4

Finger spreaders: 3.5

MRC mean

2.8

3.2

3.8

3.8

total score: 264

Iliopsoas: 2

Adductors: 3

Quadriceps: 1

Gleteus medius: 3

Anterior tibial: 4

Plantar flexors: 4

Harmstrings: 2

Gluteus maximus: 1

2

2

2

2

2.6

2.8


2.8

1




PATIENT n°: 99

MRC mean score



document compiled on: 2020-04-12



data extracted from Wadman 2018

PATIENT n°: 100

MRC mean score

Infraspinatus: 1

Deltoid: 4

Biceps brachii: 4

Triceps: 3

Wrist extensors: 3

Wrist flexors: 4

Finger extensors: 3.5

Finger flexors: 3.5

Finger spreaders: 4

MRC mean

2.8

3.1

3.4

3.7

total score: 265

Iliopsoas: 4

Adductors: 2.5

Quadriceps: 1

Gleteus medius: 3

Anterior tibial: 3

Plantar flexors: 3



Harmstrings: 4

Gluteus maximus: 1.5




PATIENT n°: 101

MRC mean score



PATIENT n°: 102

MRC mean score



PATIENT n°: 103

MRC mean score

Infraspinatus: 3

Deltoid: 2

Biceps brachii: 3.5

Triceps: 3

Wrist extensors: 3

Wrist flexors: 4

Finger extensors: 3

Finger flexors: 4

Finger spreaders: 3

MRC mean

2.7

3

3.3

3.4

total score: 269

Iliopsoas: 1

Adductors: 4

Quadriceps: 1

Gleteus medius: 2

Anterior tibial: 3

Plantar flexors: 5

Harmstrings: 5

Gluteus maximus: 3.5

2

2

2.2

3.7

3.7

3.5



PATIENT n°: 104

MRC mean score

Infraspinatus: 1

Deltoid: 3

Biceps brachii: 4

Triceps: 3

Wrist extensors: 4

Wrist flexors: 4

Finger extensors: 4

Finger flexors: 4

Finger spreaders: 4.5

MRC mean

2.4

3

3.8

4.1

total score: 273



Iliopsoas: 1

Adductors: 4.5

Quadriceps: 3

Gleteus medius: 3

Anterior tibial: 3

Plantar flexors: 3


Harmstrings: 3

Gluteus maximus: 1


1

PATIENT n°: 105

MRC mean score





document compiled on: 2020-04-12



data extracted from Wadman 2018


PATIENT n°: 106

MRC mean score




PATIENT n°: 107

MRC mean score





PATIENT n°: 108

MRC mean score





PATIENT n°: 109

MRC mean score



PATIENT n°: 110

MRC mean score



PATIENT n°: 111

MRC mean score

Infraspinatus: 1

Deltoid: 3

Biceps brachii: 4.5

Triceps: 3

Wrist extensors: 4

Wrist flexors: 5

Finger extensors: 4

Finger flexors: 4

Finger spreaders: 4

MRC mean

2.5 3.2

4 4

4

total score: 285

Iliopsoas: 1

Adductors: 3

Quadriceps: 3

Gleteus medius: 2.5

Anterior tibial: 3

Plantar flexors: 4

Harmstrings: 3.5

Gluteus maximus: 3



PATIENT n°: 112

MRC mean score

Infraspinatus: 4

Deltoid: 4

Biceps brachii: 4

Triceps: 4

Wrist extensors: 4

Wrist flexors: 4

Finger extensors: 4

Finger flexors: 4

Finger spreaders: 4

MRC mean


4

4

4


4

total score: 286




PATIENT n°: 113

MRC mean score



PATIENT n°: 114

MRC mean score



PATIENT n°: 115

MRC mean score

Infraspinatus: 3

Deltoid: 4

Biceps brachii: 4

Triceps: 3

Wrist extensors: 4

Wrist flexors: 4

Finger extensors: 4

Finger flexors: 3.5

Finger spreaders: 4

MRC mean


3.6

3.7

3.7

3.8

total score: 291



PATIENT n°: 116

MRC mean score

Infraspinatus: 4

Deltoid: 3

Biceps brachii: 4

Triceps: 2

Wrist extensors: 4

Wrist flexors: 4

Finger extensors: 4

Finger flexors: 4

Finger spreaders: 3.5

MRC mean


3.6

3.6

3.5

3.7

total score: 295



Iliopsoas: 1

Adductors: 4

Quadriceps: 1

Gleteus medius: 3.5

Anterior tibial: 4

Plantar flexors: 4

Harmstrings: 4

Gluteus maximus: 4

2

2

2.7

3.9

3.9

4

PATIENT n°: 117

MRC mean score

Infraspinatus: 4

Deltoid: 3

Biceps brachii: 4

Triceps: 4

Wrist extensors: 5

Wrist flexors: 4

Finger extensors: 4.5

Finger flexors: 4

Finger spreaders: 4

MRC mean


3.6

3.9

4.3

4.1

total score: 296



PATIENT n°: 118

MRC mean score

Infraspinatus: 3

Deltoid: 1

Biceps brachii: 4

Triceps: 3

Wrist extensors: 4

Wrist flexors: 3.5

Finger extensors: 5

Finger flexors: 5

Finger spreaders: 4.5

MRC mean

2.4

2.9

4

4.6

total score: 297



Iliopsoas: 1

Adductors: 4

Quadriceps: 1.5

Gleteus medius: 3

Anterior tibial: 3

Plantar flexors: 4

Harmstrings: 4

Gluteus maximus: 4.5

2.2

2.2

2.5

3.7

3.7

4.5

PATIENT n°: 119

MRC mean score

Infraspinatus: 3

Deltoid: 1

Biceps brachii: 4

Triceps: 3

Wrist extensors: 4

Wrist flexors: 4

Finger extensors: 4.5

Finger flexors: 5

Finger spreaders: 5

MRC mean

2.4

3

4

4.8

total score: 299



Iliopsoas: 1

Adductors: 3

Quadriceps: 4

Gleteus medius: 1

Anterior tibial: 4.5

Plantar flexors: 5

Harmstrings: 3.5

Gluteus maximus: 3

2.7

2.7



2.7

3.4

3



PATIENT n°: 120

MRC mean score




PATIENT n°: 121

MRC mean score





PATIENT n°: 122

MRC mean score





PATIENT n°: 123

MRC mean score



PATIENT n°: 124

MRC mean score



PATIENT n°: 125

MRC mean score

Infraspinatus: 1

Deltoid: 4

Biceps brachii: 4

Triceps: 3

Wrist extensors: 4

Wrist flexors: 4

Finger extensors: 4

Finger flexors: 5

Finger spreaders: 4

MRC mean


2.8

3.2

3.9


4.3

total score: 317




PATIENT n°: 126

MRC mean score





PATIENT n°: 127

MRC mean score



PATIENT n°: 128

MRC mean score



PATIENT n°: 129

MRC mean score

Infraspinatus: 2

Deltoid: 3

Biceps brachii: 4

Triceps: 3

Wrist extensors: 5

Wrist flexors: 5

Finger extensors: 5

Finger flexors: 5

Finger spreaders: 5

MRC mean


2.8

3.4

4.6

4.9

total score: 323



Iliopsoas: 2

Adductors: 3

Quadriceps: 2.5

Gleteus medius: 3

Anterior tibial: 4

Plantar flexors: 5

Harmstrings: 3.5

Gluteus maximus: 3

3

3.7

2.5

2.5

2.9

3.7

3.7

3

PATIENT n°: 130

MRC mean score

Infraspinatus: 4

Deltoid: 3

Biceps brachii: 4

Triceps: 3

Wrist extensors: 4

Wrist flexors: 5

Finger extensors: 4

Finger flexors: 3.5

Finger spreaders: 3

MRC mean

3.6

3.8

3.9

3.4

total score: 323

Iliopsoas: 3

Adductors: 4

Quadriceps: 3


Gleteus medius: 3

Anterior tibial: 3

Plantar flexors: 4.5

Harmstrings: 5

Gluteus maximus: 4



PATIENT n°: 131

MRC mean score

Infraspinatus: 4

Deltoid: 1

Biceps brachii: 4.5

Triceps: 3

Wrist extensors: 5

Wrist flexors: 4.5

Finger extensors: 4

Finger flexors: 4

Finger spreaders: 5

MRC mean

4.2

4.4

total score: 327

Iliopsoas: 1

Adductors: 2

Quadriceps: 3


Gleteus medius: 4

Anterior tibial: 5

Plantar flexors: 5


Harmstrings: 5

Gluteus maximus: 4



PATIENT n°: 132

MRC mean score



PATIENT n°: 133

MRC mean score

Infraspinatus: 3

Deltoid: 3

Biceps brachii: 4

Triceps: 3

Wrist extensors: 4

Wrist flexors: 4

Finger extensors: 4

Finger flexors: 4

Finger spreaders: 4

MRC mean


3.2

3.4

3.8

3.9

total score: 328



PATIENT n°: 134

MRC mean score

Infraspinatus: 2

Deltoid: 4

Biceps brachii: 4

Triceps: 4

Wrist extensors: 4

Wrist flexors: 4

Finger extensors: 5

Finger flexors: 5

Finger spreaders: 4

total score: 337

Iliopsoas: 2.5

Adductors: 4

Quadriceps: 3

Gleteus medius: 4

Anterior tibial: 5

Plantar flexors: 5

Harmstrings: 4

Gluteus maximus: 2

MRC mean

3.2

3.6

4.3

4.4



PATIENT n°: 135

MRC mean score

Infraspinatus: 5

Deltoid: 4

Biceps brachii: 5

Triceps: 4

Wrist extensors: 5

Wrist flexors: 4

Finger extensors: 5

Finger flexors: 5

Finger spreaders: 5

MRC mean

4.6

4.6

4.6

4.9

total score: 342

Iliopsoas: 2

Adductors: 3

Quadriceps: 3

Gleteus medius: 4

Anterior tibial: 4

Plantar flexors: 4



Harmstrings: 5

Gluteus maximus: 1




PATIENT n°: 136

MRC mean score



PATIENT n°: 137

MRC mean score



PATIENT n°: 138

MRC mean score

Infraspinatus: 3

Deltoid: 4

Biceps brachii: 4

Triceps: 4

Wrist extensors: 5

Wrist flexors: 4

Finger extensors: 5

Finger flexors: 5

Finger spreaders: 5

total score: 351

Iliopsoas: 2.5

Adductors: 3

Quadriceps: 3

Gleteus medius: 4

Anterior tibial: 5

Plantar flexors: 5

Harmstrings: 4

Gluteus maximus: 3

MRC mean

3.6

3.9

4.6

4.9

total score: 351

3



PATIENT n°: 139

MRC mean score

Infraspinatus: 4

Deltoid: 4

Biceps brachii: 4

Triceps: 3

Wrist extensors: 5

Wrist flexors: 4

Finger extensors: 5

Finger flexors: 4.5

Finger spreaders: 4.5

MRC mean

4

4

4.3

4.4

total score: 358



Iliopsoas: 3

Adductors: 3

Quadriceps: 3

Gleteus medius: 5

Anterior tibial: 5

Plantar flexors: 5

Harmstrings: 3

Gluteus maximus: 4.5

3

3

3.8

4.5

4.5



PATIENT n°: 140

MRC mean score

Infraspinatus: 4

Deltoid: 4

Biceps brachii: 5

Triceps: 3

Wrist extensors: 5

Wrist flexors: 5

Finger extensors: 5

Finger flexors: 5

Finger spreaders: 5

MRC mean

4.2

4.3

4.6

4.9

total score: 360

Iliopsoas: 3

Adductors: 4

Quadriceps: 3

Gleteus medius: 4

Anterior tibial: 5

Plantar flexors: 5



Harmstrings: 5

Gluteus maximus: 1




PATIENT n°: 141

MRC mean score



PATIENT n°: 142

MRC mean score



PATIENT n°: 143

MRC mean score

Infraspinatus: 3

Deltoid: 5

Biceps brachii: 5

Triceps: 4

Wrist extensors: 5

Wrist flexors: 5

Finger extensors: 5

Finger flexors: 4

Finger spreaders: 5

MRC mean


4.2

4.4

4.7



4.6

total score: 368



PATIENT n°: 144

MRC mean score



PATIENT n°: 145

MRC mean score

Infraspinatus: 1

Deltoid: 5

Biceps brachii: 5

Triceps: 4

Wrist extensors: 5

Wrist flexors: 4.5

Finger extensors: 5

Finger flexors: 5

Finger spreaders: 5

MRC mean

3.4

3.9

4.7

4.9

total score: 368

Iliopsoas: 3

Adductors: 4

Quadriceps: 0.5


Gleteus medius: 5

Anterior tibial: 5

Plantar flexors: 5

Harmstrings: 4.5

Gluteus maximus: 5



PATIENT n°: 146

MRC mean score

Infraspinatus: 3

Deltoid: 4

Biceps brachii: 4.5

Triceps: 4

Wrist extensors: 5

Wrist flexors: 5

Finger extensors: 5

Finger flexors: 5

Finger spreaders: 5

MRC mean

3.7

4.1

4.8

4.9

total score: 370



Iliopsoas: 3

Adductors: 3

Quadriceps: 3

Gleteus medius: 4

Anterior tibial: 5

Plantar flexors: 5

Harmstrings: 4.5

Gluteus maximus: 4


3

3

3.6


4.5

4



PATIENT n°: 147

MRC mean score



PATIENT n°: 148

MRC mean score

Infraspinatus: 5

Deltoid: 5

Biceps brachii: 5

Triceps: 4

Wrist extensors: 5

Wrist flexors: 5

Finger extensors: 4

Finger flexors: 5

Finger spreaders: 4

MRC mean

5

4.9

4.5

4.5

total score: 371

Iliopsoas: 4

Adductors: 3

Quadriceps: 4


Gleteus medius: 4

Anterior tibial: 2.5

Plantar flexors: 5


Harmstrings: 4

Gluteus maximus: 4



PATIENT n°: 149

MRC mean score



PATIENT n°: 150

MRC mean score

Infraspinatus: 4

Deltoid: 3

Biceps brachii: 5

Triceps: 3.5

Wrist extensors: 5

Wrist flexors: 5

Finger extensors: 5

Finger flexors: 5

Finger spreaders: 4.5

MRC mean

3.8

4.2

4.7

4.7

total score: 374

Iliopsoas: 3.5

Adductors: 2

Quadriceps: 3


Gleteus medius: 5

Anterior tibial: 5

Plantar flexors: 5

Harmstrings: 4

Gluteus maximus: 5



PATIENT n°: 151

MRC mean score

Infraspinatus: 5

Deltoid: 4

Biceps brachii: 4

Triceps: 4

Wrist extensors: 5

Wrist flexors: 5

Finger extensors: 5

Finger flexors: 5

Finger spreaders: 5

MRC mean

4.4

4.4

4.8

4.9

total score: 374

Iliopsoas: 2

Adductors: 4

Quadriceps: 3


Gleteus medius: 4

Anterior tibial: 5

Plantar flexors: 5

Harmstrings: 4

Gluteus maximus: 4



PATIENT n°: 152

MRC mean score

Infraspinatus: 4

Deltoid: 4

Biceps brachii: 4

Triceps: 4

Wrist extensors: 5

Wrist flexors: 5

Finger extensors: 5

Finger flexors: 5

Finger spreaders: 4

MRC mean

4

4.2

4.7

4.6

total score: 375

Iliopsoas: 3

Adductors: 4

Quadriceps: 4


Gleteus medius: 3.5

Anterior tibial: 5

Plantar flexors: 5

Harmstrings: 4

Gluteus maximus: 4



PATIENT n°: 153

MRC mean score

Infraspinatus: 4

Deltoid: 5

Biceps brachii: 4.5

Triceps: 3

Wrist extensors: 4

Wrist flexors: 5

Finger extensors: 4

Finger flexors: 5

Finger spreaders: 4

MRC mean

4.5

4.3

4.1

4.4

total score: 377



Iliopsoas: 3

Adductors: 3

Quadriceps: 4.5

Gleteus medius: 5

Anterior tibial: 5

Plantar flexors: 5

Harmstrings: 4

Gluteus maximus: 5

5

4.8

4.1

3.5

3.5


4.8

4.8

4.4


4.1

4.5




PATIENT n°: 154

MRC mean score





PATIENT n°: 155

MRC mean score




PATIENT n°: 156

MRC mean score



PATIENT n°: 157

MRC mean score



PATIENT n°: 158

MRC mean score

Infraspinatus: 5

Deltoid: 4

Biceps brachii: 4

Triceps: 4

Wrist extensors: 5

Wrist flexors: 5

Finger extensors: 5

Finger flexors: 5

Finger spreaders: 5

MRC mean


4.4

4.4

4.8

4.9

total score: 383



Iliopsoas: 3

Adductors: 2.5

Quadriceps: 4

Gleteus medius: 5

Anterior tibial: 5

Plantar flexors: 5

Harmstrings: 4

Gluteus maximus: 4

3.2

3.2

3.9

4.6

4.6

4

PATIENT n°: 159

MRC mean score

Infraspinatus: 4

Deltoid: 4

Biceps brachii: 5

Triceps: 4

Wrist extensors: 5

Wrist flexors: 5

Finger extensors: 5

Finger flexors: 5

Finger spreaders: 4.5

MRC mean

4.2

4.4

4.8

4.8

total score: 384



Iliopsoas: 4

Adductors: 4

Quadriceps: 4

Gleteus medius: 4

Anterior tibial: 4

Plantar flexors: 5

Harmstrings: 4

Gluteus maximus: 4


4

4

4

4.2

4



PATIENT n°: 160

MRC mean score

Infraspinatus: 4

Deltoid: 5

Biceps brachii: 4

Triceps: 4

Wrist extensors: 4

Wrist flexors: 4

Finger extensors: 4

Finger flexors: 5

Finger spreaders: 4

MRC mean


4.4

4.2

4.1

4.4

total score: 385



PATIENT n°: 161

MRC mean score

Infraspinatus: 4

Deltoid: 4

Biceps brachii: 5

Triceps: 4

Wrist extensors: 4.5

Wrist flexors: 5

Finger extensors: 5

Finger flexors: 5

Finger spreaders: 5

MRC mean

4.2

4.4

4.7

4.9

total score: 388



Iliopsoas: 3

Adductors: 3

Quadriceps: 4

Gleteus medius: 5

Anterior tibial: 5

Plantar flexors: 5

Harmstrings: 4.5

Gluteus maximus: 4.5

3.3

3.3

4

4.8

4.8

4.5

PATIENT n°: 162

MRC mean score

Infraspinatus: 3

Deltoid: 3

Biceps brachii: 5

Triceps: 4

Wrist extensors: 5

Wrist flexors: 5

Finger extensors: 5

Finger flexors: 5

Finger spreaders: 5

MRC mean

3.4

4

4.8

4.9

total score: 390

Iliopsoas: 4

Adductors: 4

Quadriceps: 4

Gleteus medius: 4

Anterior tibial: 5

Plantar flexors: 5

Harmstrings: 4

Gluteus maximus: 5

4


4

4.2

4.6


4.6

5



PATIENT n°: 163

MRC mean score



PATIENT n°: 164

MRC mean score

Infraspinatus: 4

Deltoid: 4

Biceps brachii: 5

Triceps: 3.5

Wrist extensors: 5

Wrist flexors: 5

Finger extensors: 5

Finger flexors: 5

Finger spreaders: 5

total score: 394

Iliopsoas: 3.5

Adductors: 4

Quadriceps: 5

Gleteus medius: 3

Anterior tibial: 5

Plantar flexors: 5

Harmstrings: 4.5

Gluteus maximus: 5

MRC mean

4.2

4.4

4.7

4.9



PATIENT n°: 165

MRC mean score

Infraspinatus: 5

Deltoid: 4

Biceps brachii: 5

Triceps: 5

Wrist extensors: 5

Wrist flexors: 5

Finger extensors: 5

Finger flexors: 5

Finger spreaders: 5

MRC mean

4.6

4.8

5

5

5

total score: 396

Iliopsoas: 4

Adductors: 4

Quadriceps: 4

Gleteus medius: 4

Anterior tibial: 4

Plantar flexors: 5

Harmstrings: 4

Gluteus maximus: 4

4

4

4


4.2

4




PATIENT n°: 166

MRC mean score



PATIENT n°: 167

MRC mean score



PATIENT n°: 168

MRC mean score

Infraspinatus: 4

Deltoid: 4

Biceps brachii: 5

Triceps: 5

Wrist extensors: 5

Wrist flexors: 5

Finger extensors: 5

Finger flexors: 5

Finger spreaders: 5

MRC mean

4.2

4.6

5

5

5

total score: 408

Iliopsoas: 3

Adductors: 4

Quadriceps: 5

Gleteus medius: 4

Anterior tibial: 5

Plantar flexors: 5

Harmstrings: 5

Gluteus maximus: 5

4

4

4.2

4.8

4.8

5

PATIENT n°: 169

MRC mean score

Infraspinatus: 4

Deltoid: 4

Biceps brachii: 5

Triceps: 5

Wrist extensors: 5

Wrist flexors: 5

Finger extensors: 5

Finger flexors: 5

Finger spreaders: 5

MRC mean

4.2

4.6

5

5

5

total score: 410

Iliopsoas: 3

Adductors: 5

Quadriceps: 5


Gleteus medius: 4

Anterior tibial: 5

Plantar flexors: 5

Harmstrings: 4

Gluteus maximus: 5



PATIENT n°: 170

MRC mean score

Infraspinatus: 5

Deltoid: 5

Biceps brachii: 5

Triceps: 5

Wrist extensors: 5

Wrist flexors: 5

Finger extensors: 5

Finger flexors: 5

Finger spreaders: 5

MRC mean

5

5

5

5

total score: 410

Iliopsoas: 4

Adductors: 4

Quadriceps: 4

Gleteus medius: 4

Anterior tibial: 5

Plantar flexors: 5

Harmstrings: 5

Gluteus maximus: 4

4

4

4.2

4.6

4.6

4

PATIENT n°: 171

MRC mean score

Infraspinatus: 5

Deltoid: 5

Biceps brachii: 5

Triceps: 5

Wrist extensors: 5

Wrist flexors: 5

Finger extensors: 5

Finger flexors: 5

Finger spreaders: 5

MRC mean

5

5

5

5

total score: 410



Iliopsoas: 4

Adductors: 3

Quadriceps: 4

Gleteus medius: 4

Anterior tibial: 5

Plantar flexors: 5

Harmstrings: 5

Gluteus maximus: 5

5

3.7

3.7

4

4.8

4.8

PATIENT n°: 172

MRC mean score

Infraspinatus: 4

Deltoid: 5

Biceps brachii: 5

Triceps: 5

Wrist extensors: 5

Wrist flexors: 5

Finger extensors: 5

Finger flexors: 5

Finger spreaders: 5

MRC mean

4.6

4.8

5

5

5

total score: 411

Iliopsoas: 3.5

Adductors: 4

Quadriceps: 4

Gleteus medius: 5

Anterior tibial: 5

Plantar flexors: 5

Harmstrings: 4

Gluteus maximus: 5

3.8

3.8

4.3

4.8

4.8

5



PATIENT n°: 173

MRC mean score

Infraspinatus: 5

Deltoid: 5

Biceps brachii: 5

Triceps: 5

Wrist extensors: 5

Wrist flexors: 5

Finger extensors: 5

Finger flexors: 5

Finger spreaders: 5

MRC mean

5

5

5

5

total score: 414

Iliopsoas: 3.5

Adductors: 5

Quadriceps: 4

Gleteus medius: 4

Anterior tibial: 5

Plantar flexors: 5

Harmstrings: 4.5

Gluteus maximus: 4.5

4.2

4.2

4.3

4.6

4.6

4.5

PATIENT n°: 174

MRC mean score

Infraspinatus: 5

Deltoid: 5

Biceps brachii: 5

Triceps: 5

Wrist extensors: 5

Wrist flexors: 5

Finger extensors: 5

Finger flexors: 5

Finger spreaders: 5

MRC mean

5

5

5

5

total score: 417

Iliopsoas: 4.5

Adductors: 4.5

Quadriceps: 3.5

Gleteus medius: 4.5

Anterior tibial: 5

Plantar flexors: 5

Harmstrings: 4.5

Gluteus maximus: 4.5

4.2

4.2

4.4

4.7

4.7

4.5



PATIENT n°: 175

MRC mean score

Infraspinatus: 5

Deltoid: 5

Biceps brachii: 5

Triceps: 4

Wrist extensors: 5

Wrist flexors: 5

Finger extensors: 5

Finger flexors: 5

Finger spreaders: 5

MRC mean

5

4.9

4.8

4.9

total score: 418

Iliopsoas: 4

Adductors: 4

Quadriceps: 5


Gleteus medius: 5

Anterior tibial: 5

Plantar flexors: 5


Harmstrings: 4

Gluteus maximus: 5



PATIENT n°: 176

MRC mean score



PATIENT n°: 177

MRC mean score

Infraspinatus: 5

Deltoid: 5

Biceps brachii: 5

Triceps: 5

Wrist extensors: 5

Wrist flexors: 5

Finger extensors: 5

Finger flexors: 5

Finger spreaders: 5

MRC mean

5

5

5

5

total score: 425

Iliopsoas: 4

Adductors: 4

Quadriceps: 4.5

Gleteus medius: 5

Anterior tibial: 5

Plantar flexors: 5

Harmstrings: 5

Gluteus maximus: 5

4.2

4.2

4.5


5

5

5

PATIENT n°: 178

MRC mean score



PATIENT n°: 179

MRC mean score

Infraspinatus: 5

Deltoid: 5

Biceps brachii: 5

Triceps: 5

Wrist extensors: 5

Wrist flexors: 5

Finger extensors: 5

Finger flexors: 5

Finger spreaders: 5

MRC mean

5

5

5

5

total score: 434



Iliopsoas: 4

Adductors: 5

Quadriceps: 5

Gleteus medius: 5

Anterior tibial: 5

Plantar flexors: 5

Harmstrings: 5

Gluteus maximus: 5

4.7

4.7

4.8

5

5

5