# SADA QRCs - QUICK REFERENCE CODES FOR ICD-10 CODING
# FOR DENTAL PRACTITIONERS plus ALPHABETICAL INDEX

| ICD-10 Code | ICD-10 DESCRIPTOR FROM WHO (complete) |
|---|---|

**NB 1 :If you are viewing this electronically, click CONTROL-F and type in a relevant word to locate any item looking for.**

**NB 2: All codes marked with a hash # require a supplementary code to be valid**

| | |
|---|---|
| **K00** | **Disorders of tooth development and eruption** |
| **K00.0** | Anodontia |
| **K00.1** | Supernumerary teeth |
| **K00.2** | Abnormalities of tooth size and form |
| **K00.3** | Mottled teeth |
| **K00.4** | Disturbances in tooth formation |
| **K00.5** | Hereditary disturbances in tooth structure, not elsewhere classified |
| **K00.6** | Disturbances in tooth eruption |
| **K00.7** | Teething syndrome |
| **K00.8** | Other disorders of tooth development |
| **K00.9** | Disorders of tooth development, unspecified |
| **K01** | **Embedded and impacted teeth** |
| **K01.0** | Embedded teeth |
| **K01.1** | Impacted teeth |
| **K02** | **Dental caries** |
| **K02.0** | Caries limited to enamel |
| **K02.1** | Caries of dentine |
| **K02.2** | Caries of cementum |
| **K02.3** | Arrested dental caries |
| **K02.4** | Odontoclasia |
| **K02.5** | Caries with pulp exposure |
| **K02.8** | Other dental caries |
| **K02.9** | Dental caries, unspecified |
| **K03** | **Other diseases of hard tissues of teeth** |
| **K03.0** | Excessive attrition of teeth |
| **K03.1** | Abrasion of teeth |
| **K03.2** | Erosion of teeth |
| **K03.3** | Pathological resorption of teeth |
| **K03.4** | Hypercementosis |
| **K03.5** | Ankylosis of teeth |
| **K03.6** | Deposits [accretions] on teeth |
| **K03.7** | Posteruptive colour change of dental hard tissues |
| **K03.8** | Other specified diseases of hard tissue of teeth |
| **K03.9** | Diseases of hard tissue or teeth, unspecified |
| **K04** | **Diseases of the pulp and periapical tissues** |
| **K04.0** | Pulpitis |
| **K04.1** | Necrosis of pulp |
| **K04.2** | Pulp degeneration |

| | |
|---|---|
| **K04.3** | Abnormal hard tissue formation in pulp |
| **K04.4** | Acute apical periodontitis of pulpal origin |
| **K04.5** | Chronic apical periodontitis |
| **K04.6** | Periapical abscess with sinus |
| **K04.7** | Periapical abscess without sinus |
| **K04.8** | Radicular cyst |
| **K04.9** | Other and unspecified diseases of pulp and periapical tissues |
| | |
| **K05** | **Gingivitis and periodontal diseases** |
| K05.0 | Acute gingivitis |
| K05.1 | Chronic gingivitis |
| K05.2 | Acute periodontitis |
| K05.3 | Chronic periodontitis |
| K05.4 | Periodontosis |
| K05.5 | Other periodontal diseases |
| K05.6 | Periodontal disease, unspecified |
| | |
| **K06** | **Other disorders of the gingiva and edentulous alveolar ridges** |
| **K06.0** | Gingival recession |
| **K06.1** | Gingival enlargement |
| **K06.2** | Gingival and edentulous alveolar ridge lesions associated with trauma |
| **K06.8** | Other specified disorders of gingiva and edentulous alveolar ridge |
| **K06.9** | Disorder of gingiva and edentulous alveolar ridge, unspecified |
| | |
| **K07** | **Dento-facial anomalies including malocclusion** |
| **K07.0** | Major anomalies of jaw size |
| **K07.1** | Anomalies of jaw-cranial base relationship |
| **K07.2** | Anomaliies of dental arch relationship |

| | |
|---|---|
| **K07** | **Dento-facial anomalies including malocclusion (continued)** |
| **K07.3** | Anomalies of tooth position |
| **K07.4** | Malocclusion, unspecified |
| **K07.5** | Dentofacial functional abnormalities |
| **K07.6** | Temporo-mandibular joint disorders |
| **K07.8** | Other dentofacial anomalies |
| **K07.9** | Dentofacial anomaly, unspecified |
| | |
| **K08** | **Other disorders of the teeth and supporting structures** |
| **K08.0** | Exfoliation of teeth due to systemic causes |
| **K08.1** | Loss of teeth due to accident, extraction or local periodontal disease |
| **K08.2** | Atrophy of edentulous alveolar ridge |
| **K08.3** | Retained dental root |
| **K08.8** | Other specified disorders of teeth and supporting structures |
| **K08.9** | Disorders of teeth and supporting structures, unspecified |

| | |
|---|---|
| **K09** | **Cysts of oral origin, not elsewhere classified** |
| **K09.0** | Developmental odontogenic cysts |
| **K09.1** | Developmental (nonodontogenic) cysts of oral region |
| **K09.2** | Other cysts of jaws |
| **K09.8** | Other cysts of oral region, not elsewhere classified |
| **K09.9** | Cyst of oral region, unspecified |
| | |
| **K10** | **Other diseases of jaws** |
| **K10.0** | Developmental disorders of jaws |

| | |
|---|---|
| K10.1 | Giant cell granuloma, central |
| K10.2 | Inflammatory conditions of jaws |
| K10.3 | Alveolitis of jaws |
| K10.8 | Other specified diseases of jaws |
| K10.9 | Disease of jaws, unspecified |
| | |
| **K11** | **Diseases of the salivary glands** |
| K11.0 | Atrophy of salivary gland |
| K11.1 | Hypertrophy of salivary gland |
| K11.2 | Sialoadenitis |
| K11.3 | Abscess of salivary gland |
| K11.4 | Fistula of salivary gland |
| K11.5 | Sialolithiasis |
| K11.6 | Mucocoele of salivary gland |
| K11.7 | Disturbances of salivary secretion |
| K11.8 | Other diseases of salivary glands |
| K11.9 | Disease of salivary gland, unspecified |
| | |
| **K12** | **Stomatitis and related lesions** |
| K12.0 | Recurrent oral aphthae |
| K12.1 | Other forms of stomatitis |
| K12.2 | Cellulitis and abscess of mouth (Excludes periapical abscess) |
| K12.3 | Oral mucositis (ulcerative) |
| | |
| **K13** | **Other diseases of the lip and oral mucosa** |
| K13.0 | Diseases of lips |
| K13.1 | Cheek and lip biting |
| K13.2 | Leukoplakia and other disturbances of the oral epithelium, including tongue |
| K13.3 | Hairy Leukoplakia |
| K13.4 | Granuloma and granuloma-like lesions of oral mucosa |
| K13.5 | Oral submucous fibrosis |
| K13.6 | Irritative hyperplasia of oral mucosa |
| K13.7 | Other and unspecified lesions of oral mucosa |
| | |
| **K14** | **Diseases of the tongue** |
| K14.0 | Glossitis |
| K14.1 | Geographic tongue |
| K14.2 | Median rhomboid glossitis |
| K14.3 | Hypertrophy of papillae |
| K14.4 | Atrophy of papillae |
| K14.5 | Plicated tongue |
| K14.6 | Glossodynia |
| K14.8 | Other diseases of tongue |
| K14.9 | Disease of tongue, unspecified |

| **Z CODES** | | |
|---|---|---|
| Z01.2 | **Dental examination** | |
| NOT Z COD | **Code accoding to dagnosis** | |
| Z13.8 | **Special screening examination for other specified** | **Periodontal screening** |
| Z41.8 | **Other procedures for purposes other than remedying health state** | |
| Z41.9 | **Procedure for purposes other than remedying health** | |
| Z29.8 | **Other specified prophylactic procedures** | **Fluoride treatment** |

| | | |
|---|---|---|
| Z45.8 | Adjustment and management of other implanted devices | |
| Z46.3 | Fitting and adjusting of dental prosthetic device | Lab fee. Ease |
| Z46.4 | Fitting and adjusting of orthodontic device | Lab fee. Adjustment |
| Z48.0 | Attention to surgical dressings and sutures | Suture or dressing removal or re-placement by another dentist |
| Z53.2 | Procedure not carried out because of patient's decision | |
| | | |
| **S CODES** | | **[ selection of most relevant ] [Must be followed by a supplementary external cause code, beginning with a V, W ,X or Y]** |
| S03.2 | Dislocation of tooth | Does not need 5th caracter but must be followed by supplementay code |
| S09.90/V48.5 | S09.9 =Facial injury. Unspecified injury of head. V48.5 = Car. occupant injured in noncollision transport accident | |
| K03.8 | Other specified diseases of hard tissues of teeth | Fractured cusp (NOT RESULTING FROM TRAUMA) |
| S02.6- | Fracture of mandible | A 5th character is required for S02.6 to indicate if the fracture is open or closed; must be accompanied by a supplementary external cause |
| S02.51 | Fracture of tooth, open | (from trauma) |
| S02.50 | Fracture of tooth, closed | |
| **R CODES** | | |
| R20.2 | Paraesthesia of skin | Use for tongue paraesthesia |
| | | |
| **T CODES** | | **[Must be followed by a supplementary external cause code, beginning with a V, W ,X or Y]** |
| T81.0 | Haemorrhage and haematoma complicating a procedure, | |
| T02.0 | Fractures involving head with neck | |
| T03.0 | Dislocations, sprains and strains involving head with neck | |
| T17 | Foreign body in respiratory tract | T17.4 = in trachea |
| T18 | Freign body in alimentary tract | T18.1 = in oesophagus |
| T88.8/Y88.2 | Other specified complications of surgical and medical | |
| T17.- | Foreign body in respiratory tract | |
| T18.- | Foreign body in alimentary tract | See 4 character codes in volume 1 or reference the Master Industry Table (MIT) http://www.health.gov.za/index.php/shortcodes/2015-03-29-10-42-47/2015-06-10-09-23-36/2015-06-10-09-26-11) |
| T85.8 | Other complications of internal prosthetic devices, | Implant damage to inf. alveolar nerve |
| T85.9 | Unspecified complication of internal prosthetic device, implant | Implant - failed, |
| T88.8 | Other specified complication of surgical and medical care | Fractured post |
| | | |
| **V CODES** | | **V codes are not valid in the primary position** |
| V01 - V99 | Transport accidents | V20-V29= Motorcyclist Must be specified to the 5th character level to be valid |
| | | |
| **W CODES** | | **W codes are not valid in the primary position** |
| W00-W19 | Falls | W09 = fall involving playground equipment. Must be specified to the 5th character level to be valid |
| W20-W49 | Exposure to inanimate mechanicl forces | Must be specified to the 5th character level to be valid |
| | | |
| **X CODES** | | **X codes are not valid in the primary position Must be specified to the 5th character level to be valid** |
| X99 | Assault by a sharp object | e.g. stab wound |
| | | |
| **Y CODES** | | **Y codes are not valid in the primary position. Codes Y60 -Y65 must have a 4th character except for code Y66 and Y69. Y codes are external cause codes, not valid in the primary position. Y codes must be preceeded by a code from the section for complications of medical or surgical treatment** |
| Y60 - Y69 | Misadventures to patients during surgical and medical | e,g, cut tongue or cheek |
| Y48.3 | Adverse effects in therapeutic use, local anaesthetics | Complications of of medical and surgical; (Morbidity as result of local anaesthetic) |
| Y60.0 | Unintentional cut, puncture, perforation or haemorrhage | Cut on tongue, cheeks or lip during dental procedure |

| PLACE OF OCCURANCE - | | For use with supplementary codes |
|---|---|---|
| .0 | HOME | |
| .1 | RESIDENTIAL INSTITUTION | |
| .2 | SCHOOL, OTHER INSTITUTION AND PUBLIC | |
| .3 | SPORTS AND ATHLETICS AREA | |
| .4 | STREET & HIGHWAY | |
| .5 | TRADE AND SERVICE AREA | |
| .6 | INDUSTRIAL AND CONSTRUCTION AREA | |
| .7 | FARM | |
| .8 | OTHER SPECIFIED PLACES | |
| .9 | UNSPECIFIED PLACE | |

| ACTIVITY - | | For use with supplementary codes |
|---|---|---|
| 0 | WHILE ENGAGED IN SPORTS ACTIVITY | |
| 1 | WHILE ENGAGED IN LEISURE ACTIVITY | |
| 2 | WHILE WORING FOR INCOME | |
| 3 | WHILE ENGAGED IN OTHER TYPES OF WORK | |
| 4 | WHILE RESTING, SLEEPING, EATING OR ENGAGING IN | |
| 8 | WHILE ENGAGED IN OTHER SPECIFIED ACTIVITIES | |
| 9 | DURING UNSPECIFIED ACTIVITY | |

## ALPHABETICAL LIST OF COMMON CONDITIONS and APPROPRIATE ICD-10 CODES

TIP: If viewing electronically, to locate any word in the list, click CONTROL - F and type in word you are looking for.

ALL CODES IN RED REQUIRE SUPPLEMENTARY CODES

| COMMON DESCRIPTION | CODE | ICD-10 DESCPRIPTOR |
|---|---|---|
| Abutment | K08.1 | Loss of teeth due to accident, extraction or local periodontal disease |
| Adjust denture | Z46.3 | Fitting and adjusting of dental prosthetic device |
| Adjust ortho appliance | Z46.4 | Fitting and adjusting of orthodontic device |
| Amalgam filling | K02.8 | Other dental caries |
| Anaesthetic - local - injection | # | Use same code as for procedure being done |
| Anaesthesia / numbness of tongue / lip | R20.0 | Paraesthesia of skin |
| Analgesia [ inhalation or IV] | R45.8 | Other symptoms and signs involving emotional state |
| Antibiotic precribed | # | Use code apppropriate for condition being treated. |
| Apexification | K04.5 or K00.4 | K04.5 = Chronic apical periodontitis or K00.4 = Disturbances in tooth formation |
| Apnoea | G47.3 | Sleep apnoea (obstructive) |
| Apthous ulcers | K12.0 | Recurrent oral aphthae |
| Attrition | K03.1 | Abrasion of teeth |
| Avulsion, luxation or extrusion of tooth. | S03.2 | Dislocation of tooth ( NB: this code does not require a 5th character) |
| Basic cleaning | Z29.8 | Other specified prophylactic measures |
| Biopsy | Z03.1 | Observation for suspected malignant neoplasm |
| Bite plate | K03.0 or M25.58 | K0.3 = Excessive attrition of teeth or M25.58 = Pain in joint, other site (M25.5 must have a 5th character to be valid) |
| Bitewing x-ray | Z01.2 | Dental examination |
| Bleaching non vital tooth | K03.7 | Posteruptive colour change of dental hard tissues |
| Bleaching full arch/es | Z41.8 | Other procedures for purposes other than remedying health state |
| Bleeding socket | T81.0 | Haemorrhage and haematoma complicating a procedure, not elsewhere classified. All T codes require a supplementary external cause code |
| Bridge new | K08.1 | Loss of teeth due to accident, extraction or local periodontal disease |
| Broken endodontic instrument | Y61.0 | Foreign object accidentally left in body during surgical and medical care, surgical operation Not a primary code) |
| Broken filling | K02.8 | Other dental caries |
| Broken tooth (not from external trauma) | K02.8 | Other dental caries |
| Broken tooth as a result of trauma | S02.51 | N.B. - S code must specified to a 5th charcter (open or closed) and be followed by a supplementary external cause code code. SEE UNDER "CUSP FRACTURE DUE TO TRAUMA" |
| Bruxism | F45.8 | Other somatoform disorders. Teeth grinding |
| Broken/failed/cancelled appointment | Z53.2 | Procedure not carried out because of patient's decision for other and unspecified reasons |
| Calculus removal of | K03.6 | Deposits [accretions] on teeth |
| Caries | K02.8 | Other dental caries (Applies to most restorations because most have caries through dentine) |

| | | |
|---|---|---|
| Cavity | K02.8 | Other dental caries. (Applies to most restorations because most have caries through dentine) |
| Cleft lip | K07.8 | Other dento-facial anomalies |
| Cleft palate | K07.8 | Other dento-facial anomalies |
| Composite filling | K02.8 | Other dental caries |
| Comperhensive examination / detailed consultation / extensive oral evaluation | # | Use appropriate code for condition that is reason for the comprehensiv exam e.g. K05.3 = Chronic Periodontitis; K03.0 = Excessive attrition of teeth. Z13.8 = Special screening examination for other specified diseases and disorders |
| Conscious sedation | F41.9 | Anxiety disorder, unspecified |
| Coping | K02.8 | Other dental caries |
| Crown | K02.8 | Other dental caries |
| Crown lengthening | K06.8 | Other specified disorders of the gingiva and edentulous alveolar ridge |
| CBCT | Z01.2 | Dental examination |
| Curettage - gingival | K05.3 | Chronic Periodontitis |
| Cusp fracture as a result of trauma | S02.51/W21.30 | S02.5- = Fracture of tooth. N.B. - S code must be followed by a supplementary external cause code. |
| Cut tongue/cheek while operating | Y60.0 | Unintentional cut, puncture, perforation or haemorrhage during surgical operation. Y60.0 is an external cause code and is not valid in the primary |
| Cyst | K09.9 | Cyst of oral region, unspecified |
| Dental implant | K08.1 | Loss of teeth due to accident, extraction or periodontal disease |
| Denture new - full or partial | K08.1 | Loss of teeth due to accident, extraction or periodontal disease |
| Denture clasps | K08.1 | Loss of teeth due to accident, extraction or periodontal disease |
| Denture ease | Z46.3 | Fitting or adjustment of dental prosthetic device |
| Denture - new - full or partial | K08.1 | Loss of teeth due to accident, extraction or periodontal disease |
| Denture repair | Z46.3 | Fitting and adjusting of dental prosthetic device |
| Diagnostic model | Z01.2 | Dental examination |
| Dry mouth | R68. 2 | Dry mouth, unspecified |
| Dry socket | K10.3 | Alveolitis of jaws |
| Ease denture | Z46.3 | Fitting and adjusting of dental prosthetic device |
| Edentulous | K08.1 | Loss of teeth due to accident, extraction or periodontal disease |
| Endodontics | K04.9 | Other and unspecified diseases of the pulp and periapical tissues |
| Erosion | K03.2 | Erosion of teeth |
| Eruption problem | K00.6 | Disturbances in tooth eruption |
| Examination / consultation 8101 | Z01.2 | Dental examination |
| Excision of tissue | D10.3 | Benign neoplasm, other and unspecified parts of mouth |
| Facial injury in overturned car | S09.9/V48.5- | S09.9 =Unspecified injury of head. V48.5- = Car occupant injured in noncollision transport accident. Follow with other supplementary external |
| Facing replacement | Z46.3 | Fitting and adjusting of dental prosthetic device |
| Failed implant | T85.9 | Unspecified complication of internal prosthetic device, implant and graft. (All T codes require a supplementary external cause code) |
| Filling | K02.8 | Other dental caries |
| Fissure sealant | Z29.8 | Other specified prophylactic procedures |
| Fixed or fixed removable prosthesisi | K08.1 | Loss of teeth due to accident, extraction or periodontal disease |
| Fluoride treatment | Z29.8 | Other specified prophylactic measures |
| Foreign body inrespiratory tract | T17.- | T17.4 = Foreign body in trachea, T17.0 = Foreign body in nasal sinus. ( All T codes require a supplementary external cause code) |
| Foreign body in alimentary tract | T18 | T18.1 = Foreign body in oesophagus. T18.2 = Foreign body in stomach. ( All T codes require a supplementary external cause code) |
| Fracture of mandible in motor accident | S02.6 | S02.6- = Fracture of mandible. Indicate if open [.-1] or closed[.-0] S02.61<br>N.B. - S code must be followed by a supplementary external cause code.<br>a. codes must be separated by forward slash.<br>b. V43 = car occupant injured in collision with car, pickup truck or van.<br>c. place = on street or highway = .4<br>d. activity = while working for income = .-2<br>FULL VALID CODE = S02.61/V43.42 |
| Fractured cusp due to traumatic injury | # | See under "Cusp fracture" |
| Fractured cusp from chewing | K02.2 or K03.8 | Other dental caries |
| Fractured endodontics instrument | Y61.9 | Foreign object accidentally left in body during unspecified surgical and medical care. xternal cause code, not valid in the primary position. Must be |
| Fractured filling in absence of caries | K02.2 | Other dental caries |

| | | |
|---|---|---|
| Fractured implant body | T85.6 | Mechanical complication of other specified internal prosthetic devices, implants and grafts. All T codes require a supplementary external cause code |
| Fractured post - removal | T88.8/Y88.2 | T88.8 Other specified complications of surgical and medical care, not elsewhere specified; Y88.2 Sequelae of adverse incidents associated with medical |
| Frenecomy of lip | Q38.0 | Congenital malformations of lips, not elsewhere |
| Frenectomy of tongue - ankyloglossis | Q38.1 | Ankyloglosia |
| Full mouth x-rays | Z01.2 | Dental examination |
| General anaestetic | # | Use same code as for procedure being done |
| Gingival hyperplasia | K06.1 | Gingival enlargement |
| Gingivectomy or gingivoplasty | K06.1 | Gingival enlargement |
| Hemisection of tooth | K04.5 | K04.5 Chronic apical periodontitis or K02.2 Caries of cementum (if inter-radicular caries) |
| Impacted tooth | K01.1 | Impacted teeth |
| Implant | K08.1 | Loss of teeth due to accident, extraction or periodontal disease |
| Implant maintenence | Z45.8 | Adjustment and management of other implanted devices |
| Implant - failed | T85.9 | Unspecified complication of internal prosthetic device, implant and graft |
| Injection of local anaesthetic | # | use code applicable to main procedure |
| Implant damage to inf. alveolar nerve | T88.8/Y88.29 | Other specified complications of surgical. (Primary and supplementary external cause code code required) |
| Mouth breathing . Snoring | R06.5 | Mouth breathing |
| Incision and drainnage | K04.9 | Other and unspecified diseases of pulp and periapical tissues |
| Injury | # | See under specific anatomical areas e.g. fractured mandible, fractured cusp, avulsed tooth, etc |
| Intravenous sedation | F41.9 | Anxiety disorder, unspecified |
| Laminate veneer | # | A couple of possible reasons: caries, aesthetic Z41.8, fractured tooth |
| Lip - cancer of | D04.0 | Carcinoma in situ, skin of lip |
| Local anaesthetic | # | Use same code as for procedure being done |
| Maintenance - periodontal | K05.5 | Other periodontal diseases |
| Malocclusion | K07.2 | Anomalies of dental arch relationship |
| Maryland bridge | K08.1 | Loss of teeth due to accident, extraction or periodontal disease |
| Medication | # | Use  code apppropriate for condition being treated. |
| Mouth guard (sports) | Z29.8 | Other specified prophylactic procedures |
| Obstructive sleep apnnoea | G47.3 | Sleep apnoea |
| Occlusal guard | K03.0 or M25.58 | K03.0 Excessive attrition of teeth or M25.58 = Pain in joint, other site. Note that M25.5 must have a 5th character to be valid, |
| Odontogenic cyst | K09.0 | Developmental odontogenic cysts |
| Operculectomy | K05.2 | Acute periodontal diseases |
| Orthodontic treatment | K07.2 | Anomalies of dental arch relationship  (For minor ortho, might be K07.3 - Anomalies of tooth position) |
| Ortho device adjustment or repair | Z46.4 | Fitting and adjusting of orthodontic device |
| Osteoplasty | K08.8 | Other specified disorders of the gingiva and edentulous alveolar ridge |
| Osteotomy | K08.8 | Other specified disorders of the gingiva and edentulous alveolar ridge |
| Overdenture | K08.1 | Loss of teeth due to accident, extraction or periodontal disease |
| Panoramic radiograph | Z01.2 | Dental examination |
| Paraesthesia/tingling of tongue or lip | R20.2 | Paraesthesia of skin |
| Periapical cyst | K04.5 | Chronic apical periodontitis |
| Periiapical infection | K04.- | K04.6 = Periapical abscess with sinus.  K04.7 = Periapical abscess without sinus |
| Pericoronitis | K05.5 | Other periodontal diseases |
| Perio abscess | K05.2 | Acute periodontitis |
| Periodontal screening | Z13.8 | Special screening examination for other specified diseases and disorders |
| Pin for restoration | K02.8 | Other dental caries |
| Pontic | K08.1 | Loss of teeth due to accident, extraction or periodontal disease |
| Post for crown | K02.8 | Other dental caries |
| Post extraction/surgery haemmorhage | T81.0 | Haemmorhage and haematoma complicating a procedure, not elsewhere classified. All T codes require a supplementary external cause code |
| Precision attachment | Z46.3 | Fitting and adjusting of dental prosthetic device |
| Premedication prophylactic | Z29.8 | Other specified prophylactic procedures |
| Premedication sedative | F41.9 | Anxiety disorder, unspecified |
| Prescription | # | Us code for condition for which prescription is given |
| Preventive procedure | Z29.8 | Other specified prophylactic procedures |
| Prophylactic antibiotic therapy | Z29.8 | Other specified prophylactic procedures |

| | | |
|---|---|---|
| Prosthodontic abutment retainer | K08.1 | Loss of teeth due to accident, extraction or periodontal disease |
| Provisional crown | K02.9 | Dental caries, unspecified |
| Pulp cap | K04.0 | Pulpitis |
| Radiograph routine | Z01.2 | Dental examination |
| Radiograph during endodontics | K04.9 | Other and unspecified diseases of the pulp and periapical tissues |
| Reaction to local anaesthetic | Y48.3 | Adverse effects in therapeutic use, local anaesthetics. external cause code, not valid in the primary position. |
| Recement crown/bridge, | Z46.3 | Fitting and adjusting of dental prosthetic device |
| Re-implant (avulsed) tooth | S03.2 | Dislocation of tooth. Does not need 5th character but S code must be followed by a supplementary code |
| Reline denture | Z46.3 | Fitting and adjusting of dental prosthetic device |
| Remove (residual) root | K08.3 | Retained dental root |
| Replace amalgams with composites at | Z41.8 | Other procedures for purposes other than remedying health state |
| Retrograde filling | K04.2 | Pulp degeneration |
| Root planing an curettage | K05.3 | Chronic periodontitis |
| Root treatment | K04.1 | Necrosis of pulp |
| Rubber dam | # | Use ICD-10 code for procedure for which rubber dam is being used |
| Scaling | K03.6 | Deposits [accretions] on teeth |
| Sealant | Z29.8 | Other specified prophylactic procedures |
| Sedation - conscious or IV | F41.9 | Anxiety disorder, unspecified or code R45.8 = Other symptoms and signs involving emotional state |
| Sinusitis | J01.0 | Acute maxillary sinusitis |
| Sleep apnoea | G47.3 | Sleep apnoea |
| Snoring device | R06.5 | Mouth breathing |
| Space maintainer | K08.1 | Loss of teeth due to accident, extraction or periodontal disease |
| Splinting of teeth | S03.2 or K05.5 | K03.21 Avulsion, luxation or extrusion of tooth. OR K05.5 Other periodontal disease |
| Stomatitis | K12.1 | Other forms of stomatitis |
| Study model | Z01.2 | Dental examination |
| Supernumery tooth | K00.1 | Supernumery teeth |
| Suture or dressing removal or re-placement | Z48.0 | Attention to surgical dressings or sutures |
| Teeth whitening - full archess | Z41.8 | Other procedures for purposes other than remedying health state |
| Tissue conditioner | Z46.3 | Fitting and adjustment of dental prosthetic device |
| T M Joint pain | M25.58 | Pain in joint, other site |
| Toothache of uncertain origin | K08.8 | Other specified disorders of teeth and supporting structures |
| Tooth whitening single tooth | K03.7 | Posteruptive colour changes of dental hard tissues |
| Tomograph | Z01.2 | Dental examination |
| Trismus | K10.8 | Other specified diseases of jaws |
| Uneruptd tooth - removal of | K01.0 | Embedded teeth |
| Veneer | # | A couple of possible reasons: caries, aesthetic( Z41.8) - Other procedures for purposes other than remedying health state, fractured tooth |
| Vincent's disease | A69.0 | Acute necrotising stomatitis |
| Wisdom tooth impacted | K01.1 | Impacted teeth |
| Wisdom tooth pericoronitis | K05.2 | Acute periodontitis |
| Xerostomia | K11.7 | Disturbances of salivary secretion |
| X-ray | Z01.2 | Dental examination |
| X-rays full mouth | Z01.2 | Dental examination |
| X-ray panoramic | Z01.2 | Dental examination |
| X-rays [ routine ] | Z01.2 | Dental examination |
| Zygomatic arch fracture | S02.41 | Fracture of malar and maxillary bones, open (Follow with supplementary external cause code, as with other injuries.) |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

| | | |
|---|---|---|
| | | |
| | | |
| | | |