


Analizando email suspeito (phishing)

Cenário

Irei analisar um email suspeito que chegou na caixa de entrada da empresa com o objetivo de identificar e responder algumas perguntas:



1 - Qual organização de boa reputação está sendo falsificada nesta tentativa de phishing?

A empresa é a **Home Depot** já visto logo de cara na área do remetente.

2 - Qual é o endereço de e-mail do remetente?

Também aqui verifico que o endereço de email do remetente é **support@teckbe.com**

3 - Qual é o endereço IP de origem (X-Originating-IP) defanged?

Para analisar isso eu inspecionei o código-fonte da mensagem e primeiramente identifiquei o IP:

```
Received: from 10.253.62.157
  by atlas102.free.mail.gql.yahoo.com with HTTPS; Sun, 11 Jul 2021 11:48:13 +0000
Return-Path: <support@teckbe.com>
X-Originating-IP: [103.234.236.83]
Received-SPF: pass (domain of teckbe.com designates 103.234.236.83 as permitted sender)
Authentication-Results: atlas102.free.mail.gql.yahoo.com;
  dkim=pass header.i=@teckbe.com header.s=dk2048;
```

Depois disso usei o CyberChef para converter em Defang IP com o objetivo de “quebrar” visualmente o IP para evitar que ele vire um link clicável automaticamente.

[https://gchq.github.io/CyberChef/#recipe=Defang_IP_Addresses\(\)](https://gchq.github.io/CyberChef/#recipe=Defang_IP_Addresses())

The screenshot shows the CyberChef web application. The browser address bar displays the URL: `gchq.github.io/CyberChef/#recipe=Defang_IP_Addresses()&input=MTAzLjIzNC4yMzYuODM`. The interface includes a sidebar with 'Operations' and 'Favourites' sections. The 'Recipe' section is active, showing 'Defang IP Addresses'. The 'Input' field contains the IP address '103.234.236.83'. The 'Output' field displays the defanged result: '103[.]234[.]236[.]83'.

IP defanged: **103[.]234[.]236[.]83**

4 - Qual servidor de e-mail gerou o cabeçalho Authentication-Results?

Ainda analisando o código fonte identifiquei o email:

```
return-path: <support@teckbe.com>
X-Originating-IP: [103.234.236.83]
Received-SPF: pass (domain of teckbe.com designates 103.234.236.83 as pe
Authentication-Results: atlas102.free.mail.gq1.yahoo.com;
dkim=pass header.i=@teckbe.com header.s=dk2048;
spf=pass smtp.mailfrom=teckbe.com;
dmarc=pass (p=NONE) header.from=teckbe.com;
```

atlas102.free.mail.gq1.yahoo.com

Conclusão

Nesse laboratório, eu desenvolvi habilidades técnicas necessárias para investigar e-mails suspeitos, extraindo e analisando o código-fonte do cabeçalho e do corpo da mensagem.



Autor: Paulo Cesar
Formado em Segurança da informação
[linkedin.com/in/paulo-cesar-security](https://www.linkedin.com/in/paulo-cesar-security)