



a IWC: fewer replicate sets split in the Galaxy condition




Split: the three output-agreement values ranged by more than 0.05; 3/3 and 0/3 are not defined for a continuous endpoint. Split sets: open-ended code 11 of 39, Galaxy 5 of 40.

b BixBench-Verified-50: the Galaxy condition had more unanimous and fewer split replicate sets



All five model configurations, 250 replicate sets per condition: open-ended code 187 at 3/3, 33 split, 30 at 0/3; Galaxy 197, 28 and 25 (0/3: 5 of 50 for every model configuration).


c CompBioBench: fewer Galaxy-condition replicate sets split on the consensus answer



Success: the consensus answer, given by at least 20 of the 25 runs of a task (82 of 100 tasks). Open-ended code 293 at 3/3, 35 split, 0 at 0/3; Galaxy 305, 22 and 1.

d Replicate runs diverged for different reasons in the two conditions (BixBench-Verified-50)

Hand-written method or software-version difference: 30 of 45 open-ended code runs, 5 of 36 Galaxy runs;
Galaxy interface trap: 6 of 36 Galaxy runs.



e Requiring all three replicate runs to succeed widened differences between model configurations

Condition difference, Galaxy - open-ended code (percentage points):
four Codex model configurations, run-level +1.3, unanimous +3.0;
all five model configurations, run-level +3.2, unanimous +4.0.

