

maximum of 4 lines

to keep
format
ok

Report ID: 1
Name: basic report more info
Report Date: 08-17-2022

Electroencephalogram (EEG) Report

Patient	basic report more info	EEG Scope	Settings
Gender	Sex	Sample Rate	200
Age	number	Low Freq Filter	filter
Diagnosis	very short	High Freq Filter	filter

EEG WEAVER REPORTER. A Freeware software for neurophysiologic reports.

EEG Weaver Reporter (EWR) is a windows application (app) to be used by neurophysiologists to report electroencephalogram (EEG) findings. We wrote EWR because there are a lot of commercial EEG recording softwares but some of them don't have satisfactory report options. This problem is mostly important in developing countries. Consequently, EWR can help researches and clinical neurophysiologists to describe their EEG analysis results. It is built in python 3.10 with use of tkinter and report lab libraries to work in windows 10-11 systems. EWR is free, light, simple, it generates EEG reports in pdf and it can create as many databanks as needed. Each of those databanks can store many individual EEG reports, classified by patient or record name.

Keywords: electroencephalogram; report; neurophysiology, python, windows

Subject classification codes: include these here if the journal requires them

EEG Weaver Reporter (EWR) and its purpose.

The EEG study consists of three basic steps: recording, reviewing data, discussing or explaining results to clinical staff. The latter is "the report", the stage where the neurophysiologist conveys a written result of EEG visual analysis, along with an interpretation of its clinical significance. Here a clinical correlation is offered, directed at the

maximum of 4 lines

to keep
format
ok

Report ID: 1
Name: basic report more info
Report Date: 08-17-2022

Electroencephalogram (EEG) Report

specific diagnostic implications. The report is characterized by (1) an outline of the study parameters, (2) a description of the record, (3) an interpretation or summary that includes an impression of whether the study is normal or abnormal, the degree of abnormality, and (4) the correlation of the EEG with the clinical picture¹. EWR is a package that provides a free, automatic and easy to use alternative of EEG report creation, although, it can be used to report almost anything. EWR was created because it is difficult to find a similar free alternative to generate EEG reports and because there are scenarios where some EEG softwares have limited report capabilities. Furthermore, there are some very good options of reporters in some free apps, for example, the reporter module of MNE2, but it depends on proficiency in programming, and it generates a specific summary of results in HTML. Conversely, EWR is a windows 11 app that does not requires programming skills. The most impressive advantage of EWR is its capability of sqlite3 databanks creation which allows the user to create as many report databanks as needed. Reports are created inside those databanks and they can be duplicate, edited, deleted, stored and searched with easy. For instance, one can create a 'normal EEG' databank, a 'child EEG' databank, a 'temporal lobe EEG' databank, etc. Every database consists of a list of editable reports. The maximum database size is approximately 1.4e+14 bytes (281 terabytes, or 256 tebibytes, or 281474 gigabytes or 256,000 gibibytes). This particular upper bound is untested since the developers of SQLite do not have access to hardware capable of reaching this limit. However, tests do verify that SQLite behaves correctly and sanely when a database reaches the maximum file size of the underlying filesystem (which is usually much less than the maximum theoretical database size) and when a database is unable to grow due to disk space exhaustion³. This is huge and more than needed for a lifetime. Consequently, one can create just one databank and classify all his reports inside it. Nonetheless, EWR is not a complete text editor with a myriad of options. It just reports an

maximum of 4 lines

to keep
format
ok

Report ID: 1
Name: basic report more info
Report Date: 08-17-2022

Electroencephalogram (EEG) Report

EEG generating a Portable Document Format (PDF), standardized as ISO 32000. PDF is a file format developed by Adobe in 1992 to present documents, including text formatting and images, in a manner independent of application software, hardware, and operating systems⁴. Consequently, reports created are easily printed and distributed.

EWR is distributed freely on GNU GENERAL PUBLIC LICENSE, Version 3, 29 June 2007. Copyright (C) 2022. Free Software Foundation, Inc. <http://fsf.org/> . Everyone is permitted to copy and distribute verbatim copies of this software, but changing or use in a commercial product it is not allowed.

Material and methods EWR was written in a windows 11 machine. It was not tested in other operational systems or other configurations, but should work in windows 8 and 10. It is not expected to work in Linux or mac computers because some lines of code in python are different in those machines and EWR is packaged in an windows exec file. The ideal screen resolution of use is 1920x1080 pixels full HD. Some tools were used to write EWR, python program language, tkinter library, Reporlab library, PyCharm, books and web sites.

EWR is written in python 3.10.45. Python appears as computer language in the late 1980s created by Guido van Rossum at Centrum Wiskunde & Informatica (CWI) in the Netherlands. Its implementation began in December 1989. Van Rossum was the lead developer, until middle 2018. Python 3.0, released in 2008, was a major revision that is not completely backward-compatible with earlier versions⁶. In 2022, Python 3.10.4 was released. Today python ranks as one of the most popular programming languages. Python characteristically is multi-paradigm, can be or not object-oriented and structured. It also supports functional programming, aspect-oriented programming and magic methods⁷.

maximum of 4 lines

to keep
format
ok

Report ID: 1
Name: basic report more info
Report Date: 08-17-2022

Electroencephalogram (EEG) Report

Many other paradigms are supported via extensions, including design by contract and logic programming. We used an object-oriented approach to build EWR.

The interface was built in Tkinter which is integrated to Python. Tkinter works with a collection of Tk widgets that support most application needs. Tkinter is the Python interface to Tk, the GUI toolkit for Tcl/Tk. Tcl/Tk is a scripting and graphics library developed by John Ousterhout, who was originally at University of California at Berkeley and later at Sun Microsystems. Currently, Tcl/Tk is developed and supported by the Scriptics Corporation, which Ousterhout founded. Tcl/Tk adapts very well to Win32 systems and MacOS8. To create the final EWR report document we use ReportLab. It is a software library that lets you directly create documents in Adobe's Portable Document Format (PDF) using the Python programming language. ReportLab is a free open-source document creation engine for generating PDF documents and custom vector graphics.

The code was written in PyCharm Community, a dedicated Python Integrated Development Environment (IDE) with a wide range of essential tools for Python developers, tightly integrated to create a convenient environment for productive Python, web, and data science development⁹. Books were also necessary, to cite Meier's¹⁰, Summerfield's¹¹ and Roseman's¹² as well as 2 youtube channels Codemy.com¹³ and RfZorzi¹⁴. When we had doubts about how to fulfill a determinate result or the best way to do it, we went to the invaluable site <https://stackoverflow.com> where an enthusiastic and vibrant community of programmers join to learn, teach and help each other.

Icons for buttons are from <https://icons8.com/icon/>. It is a free site with lots of options for application implementation.

maximum of 4 lines

to keep
format
ok

Report ID: 1
Name: basic report more info
Report Date: 08-17-2022

Electroencephalogram (EEG) Report

Results

EWR software consists of three core modules which are fully integrated in the background: EEG_weaver_multiple_sqlite.py that build the databanks, when necessary, EEG_weaver_Reporter_funcs.py that store main functions and EEG_weaver_Reporter.py which starts main application. All code and necessary files are stored at https://github.com/paulokanda/EEG_Weaver_Reporter.git.

Using EWR

The windows 11 graphical user interface (GUI) can be download at https://github.com/paulokanda/EEG_Weaver_Reporter/tree/main/EXE_FILE_HERE. The GUI displays the icons for actions, texts objects for interaction, and canvas to write the actual report. EWR (GUI) has four tabs with different purposes. Tab one “Edit Report and create PDF” (figure1) is the editing tab where you write the name and address of your clinic using four or five lines, the body of your report, reporter’s name and at last one line commentary. Header and Doctor fields must be limited to few lines, End field to one line, but EEG Report Body supports as many lines as you wish. Pdf Pages will be automatically added to the report. Each page will have a Header and a page number. Last page has the name of the author of the report. An image can be added to the reader and a signature image can be added to the bottom alongside reporter’s name.

Tab two “Add Clinical History” (figure2) is a page where the neurophysiologist registers and

maximum of 4 lines

to keep
format
ok

Report ID: 1
Name: basic report more info
Report Date: 08-17-2022

Electroencephalogram (EEG) Report

store additional information about the patient. This info is not printed in the main pdf but separately if needed. One must remember to update the document each time it is changed. The button "Save as New Report" creates a copy of what is on the canvas. For instance, if it is pressed while the document is being edited, a new report is added to the databank. To update the edited document, you use button "Save Changes before Closing".

Tab three "Report List" (figure 3) shows the databank in use with all its individual reports in list. Columns in list have self explaining names. Here reports can be duplicated, deleted individually, deleted in groups or databank can be completely cleaned. Besides, any term can be searched in a report name and shown in list. After that all reports are restored in list hitting "Show All Reports" button. Arrows can align reports in ascending or descending order by the order of indexation. One last feature of this tab is "Data Bases" text button (DBb) (figure 4). DBb opens a new window where you create databanks instead of Reports. You can create as many databanks as you wish, for example, tda.db, absense.db, West.db, etc . In Tab three EWR shows a list of reports. In 'Data Base', however, EWR conveys a list of databanks created that can be selected for use in item (13) of figure 3.

EEG_weaver_Reporter_1.0.exe and a pdf example can be downloaded from https://sinapsy.com.br/eeg_weaver_reporter_1-0/. It must be copied to an empty folder. When you click on the app two files are created (kanda_multi_sql3.db and test.db) that must remain in the same folder as EWR . To start working the first thing to do is to create a specific databank for reports (item 7, Tab2), such as, alzheimers.db, epilepsy.db, my_reports.db or multiple databases. Then select created databank (item13, Tab2). Go to Tab1, fill the blanks save and print reports. Going back to Tab2 the report is saved in list.

maximum of 4 lines

to keep
format
ok

Report ID: 1
Name: basic report more info
Report Date: 08-17-2022

Electroencephalogram (EEG) Report

Results

EWR software consists of three core modules which are fully integrated in the background: EEG_weaver_multiple_sqlite.py that build the databanks, when necessary, EEG_weaver_Reporter_funcs.py that store main functions and EEG_weaver_Reporter.py which starts main application. All code and necessary files are stored at https://github.com/paulokanda/EEG_Weaver_Reporter.git.

Using EWR The project with all its files is posted at https://github.com/paulokanda/EEG_Weaver_Reporter. The windows 11 graphical user interface (GUI) can be download at https://github.com/paulokanda/EEG_Weaver_Reporter/tree/main/EXE_FILE_HERE or at https://sinapsy.com.br/eeg_weaver_reporter_1-0/ were there is also a pdf example. The GUI displays the icons for actions, texts objects for interaction, and canvas to write the actual report. EWR (GUI) has four tabs with different purposes.

Tab one "Edit Report and create PDF" (figure1) is the editing tab where you write the name and address of your clinic using four or five lines, the body of your report, reporter's name and at last one line commentary. Header and Doctor fields must be limited to few lines, End field to one line, but EEG Report Body supports as many lines as you wish. Pdf Pages will be automatically added to the report. Each page will have a Header and a page number. Last page has the name of the author of the report. An image can be added to the reader and a signature image can be added to the bottom alongside reporter's name.

Tab two "Add Clinical History" (figure2) is a page where the neurophysiologist registers and

maximum of 4 lines

to keep
format
ok

Report ID: 1
Name: basic report more info
Report Date: 08-17-2022

Electroencephalogram (EEG) Report

store additional information about the patient. This info is not printed in the main pdf but separately if needed. One must remember to update the document each time it is changed. The button "Save as New Report" creates a copy of what is on the canvas. For instance, if it is pressed while the document is being edited, a new report is added to the databank. To update the edited document, you use button "Save Changes before Closing".

Tab three "Report List" (figure 3) shows the databank in use with all its individual reports in list. Columns in list have self explaining names. Here reports can be duplicated, deleted individually, deleted in groups or databank can be completely cleaned. Besides, any term can be searched in a report name and shown in list. After that all reports are restored in list hitting "Show All Reports" button. Arrows can align reports in ascending or descending order by the order of indexation. One last feature of this tab is "Data Bases" text button (DBb) (figure 4). DBb opens a new window where you create databanks instead of Reports. You can create as many databanks as you wish, for example, tda.db, absense.db, West.db, etc . In Tab three EWR shows a list of reports. In 'Data Base', however, EWR conveys a list of databanks created that can be selected for use in item (13) of figure 3.

When you click on the app two files are created (kanda_multi_sql3.db and test.db) that must remain in the same folder as EWR . To start working the first thing to do is to create a specific databank for reports (item 7, Tab2), such as, alzheimers.db, epilepsy.db, my_reports.db or multiple databases. Then select created databank (item13, Tab2). Go to Tab1, fill the blanks save and print reports. Going back to Tab2 the report is saved in list.

Conclusion:

In developing countries many local companies digitally record and process EEG,

maximum of 4 lines

to keep
format
ok

Report ID: 1
Name: basic report more info
Report Date: 08-17-2022

Electroencephalogram (EEG) Report

unfortunately, some of their solutions to report EEG are very limited. EEG Weaver Reporter is a free and compact python solution to write reports keeping them in databanks for ease review and restoration.

References:

1. Kaplan PW, Benbadis SRJN. How to write an EEG report: dos and don'ts. 2013;80:S43-S46.
2. Gramfort A, Luessi M, Larson E, et al. MNE software for processing MEG and EEG data. 2014;86:446-460.
3. Documentation S. Limits In SQLite [online]. Available at: <https://www.sqlite.org/limits.html>.
4. Bienz T, Cohn R, Systems A. Portable document format reference manual: Citeseer, 1993.
5. Inden M. Short Introduction to Python 3.10. Python Challenges: 100 Proven Programming Tasks Designed to Prepare You for Anything. Berkeley, CA: Apress, 2022: 635-643.
6. Peterson BJPI. Python Insider: Python 2.7. 18, the last release of Python 2. 2020.
7. The Python Language Reference. Python Software Foundation. Archived from the original on 15 December 2018. Retrieved 14 june 2022. [online]. Available at: <https://docs.python.org/3.0/reference/datamodel.html#special-method-names>.
8. Grayson JE. Python and Tkinter programming: Manning Publications Co. Greenwich, 2000.
9. 2022.1 JP. Choose the best PyCharm for you. [online]. Available at: <https://www.jetbrains.com/help/pycharm/quick-start-guide.html>.
10. Meier B. Python GUI Programming Cookbook: Develop functional and responsive user

maximum of 4 lines

to keep
format
ok

Report ID: 1
Name: basic report more info
Report Date: 08-17-2022

Electroencephalogram (EEG) Report

interfaces with tkinter and PyQt5: Packt Publishing Ltd, 2019.

11. Summerfield M. Python in practice: create better programs using concurrency, libraries, and patterns: Addison-Wesley, 2013.

12. Roseman M. Modern Tkinter for Busy Python Developers: Quickly Learn to Create Great Looking User Interfaces for Windows, Mac and Linux Using Python's Standard GUI Toolkit: Late Afternoon Press, 2020.

13. Elder J. Create Graphical User Interfaces With Python And TKinter. Codemy.com [online]. Available at: <https://www.youtube.com/channel/UCFB0dxMudkws1q8w5NJEA mw>.

14. Serafim R. Tkinter course.RfZorzi [online]. Available at: <https://www.youtube.com/watch?v=RtrZcoVD1WM&t;=41s>.

Interpreted and Reviewed by:
maximum of 4 lines to keep format ok

08-17-2022