

This is a test of Markdown syntax

This is a test of Markdown syntax

Arquivo usado para testar o programa pasdoc.

{ @abstract(**This is a test of Markdown syntax**) Correct lists

- list item #1.1
- list item #1.2

end list

- list item #2.1
- list item #2.2

end list

- list item #3

end list

- list item #4
1. list item #5.1
 2. list item #5.2
 3. list item #5.10

Simple list with multiline text

- item 6.1 text text text
- item 6.2
item text

end list

List with nested list

- item 7.1 text
 - item 7.1.1 texttext2

List with more nesting

- item 8.1
- item 8.1.1
- item 8.1.1.1

```
text 8.1.1
```

- item 8.1.2
- item 8.1.2.1

text 8.1

end list

You can even mix markdown and PasDoc tags

@unorderedList(

- list item #8.1
- list item #8.2)

Incorrect lists

not a list

1not a list

1 not a list

1.not a list

Emphasis, aka italics, with *asterisks* or *underscores*.

Strong emphasis, aka bold, with **asterisks** or **underscores**.

Some **bold text**.

Some ***bold and italic text***.

Some **some bold and italic and italic and italic once again text**.

Some *italic text*.

Some **bold text with some tags: My name is @name, some @code(begin end) and a link to me: @link(ok_markdown)**.

*markers could be escaped

and also escaped at end of a word*

or placed inside_word or placed_inside_word_multiple_times or at the end_

Multiplications are OK: ABC*D and with spaces too: A * B * C * D

underscore _ is used to name some deprecated thing: something_

Some inline code, some ***formatting*** _inside_ code

Some preformatted code:

```
```pascal
program Foo;
 Some long code
 with
 syntax highlight
```
```

Some Pascal code:

```
```pascal
program Foo;
 Some long code
 with
 syntax highlight
```
```

Correct URLs:

[Some one-line descr](#)

[Some multi-line descr](#)

[Escaped \[\] descr](#)

[\](#)

[a\](#)

[Bracket URL](#)

Incorrect URLs:

[\(http://example\)](#)

[\[Some descr\] \(http://example\)](#)

[\[Some descr\]\(http://example](#)

[\[Bug fix: URL preceeded by block in square brackets\] descr](#)

[} unit ok_markdown;](#)

[interface](#)

[const // Bug fix: URL at the end of comment](#) foo = 1;

[implementation](#)

[end.](#)

