

Index of blog.pssp.app.br/ [programacao/](#) [pascal/](#) [lazarus/](#) [maricarai/](#) [mi.rtl/](#) [docs/](#)

..

 # Documentação do Método CreateStruct.md

 Action2.TAction1.html

 Action2.html

 AllClasses.html

 AllConstants.html

 AllFunctions.html

 AllIdentifiers.html

 AllTypes.html

 AllUnits.html

 AllVariables.html

 ClassHierarchy.html

 Classes_C.TClass.html

 Classes_C.TJSON_BaseObject.html

 Classes_C.TNSComponent.html

 Classes_C.html

 Console.html

 Create_Tipue_Search.html

 Crypt32.CERT_CONTEXT.html

 Crypt32.CERT_EXTENSION.html

 Crypt32.CERT_INFO.html

 Crypt32.CERT_PUBLIC_KEY_INFO.html

 Crypt32.CRL_CONTEXT.html

 Crypt32.CRL_ENTRY.html

-  Crypt32.CRL_INFO.html
-  Crypt32.CRYPT_ALGORITHM_IDENTIFIER.html
-  Crypt32.CRYPT_ATTRIBUTE.html
-  Crypt32.CRYPT_DATA_BLOB.html
-  Crypt32.CRYPT_HASH_BLOB.html
-  Crypt32.CRYPT_KEY_PROV_INFO.html
-  Crypt32.CRYPT_KEY_PROV_PARAM.html
-  Crypt32.CRYPT_SIGN_MESSAGE_PARA.html
-  Crypt32.html
-  Historicos.html
-  MI_UI_InputBox_lcl_u.TMI_UI_InputBox_lcl.html
-  MI_UI_InputBox_lcl_u.html
-  Mi.rtl.WebModule.Custom.TMi_rtl_WebModule_Custom.html
-  Mi.rtl.WebModule.Custom.html
-  Mi.rtl.WebModule.TMi_rtl_WebModule.html
-  Mi.rtl.WebModule.html
-  Mi_SQLQuery.TMi_SQLQuery.html
-  Mi_SQLQuery.html
-  Tarefas_a_fazer.html
-  Unit1.TFPWebModule1.html
-  Unit1.html
-  asn1util.html
-  automated.gif
-  blksock.ESynapseError.html
-  blksock.TBlockSocket.html

-  blksock.TCustomSSL.html
-  blksock.TDgramBlockSocket.html
-  blksock.TICMPBlockSocket.html
-  blksock.TIPHeader.html
-  blksock.TPGMMessageBlockSocket.html
-  blksock.TPGMStreamBlockSocket.html
-  blksock.TRAWBlockSocket.html
-  blksock.TSSLNone.html
-  blksock.TSocksBlockSocket.html
-  blksock.TSynaClient.html
-  blksock.TSynaOption.html
-  blksock.TTCPBlockSocket.html
-  blksock.TUDPBlockSocket.html
-  blksock.html
-  clamsend.TClamSend.html
-  clamsend.html
-  create_config_stork.html
-  create_index_stork.html
-  create_tipuesearch.html
-  dnssend.TDNSSend.html
-  dnssend.html
-  fpTemplate.ETemplateParser.html
-  fpTemplate.TFPCustomTemplate.html
-  fpTemplate.TFPTemplate.html
-  fpTemplate.TTemplateParser.html
-  fpTemplate.html

-  fpmake.html
-  ftpsend.TFTPList.html
-  ftpsend.TFTPListRec.html
-  ftpsend.TFTPSend.html
-  ftpsend.html
-  ftptsend.TTFTPSend.html
-  ftptsend.html
-  httpproject1.html
-  httpsend.THHTPSend.html
-  httpsend.html
-  imapsend.TIMAPSend.html
-  imapsend.html
-  index.html
-  laz_synapse.html
-  ldapsend.TLDAPAttribute.html
-  ldapsend.TLDAPAttributeList.html
-  ldapsend.TLDAPResult.html
-  ldapsend.TLDAPResultList.html
-  ldapsend.TLDAPSend.html
-  ldapsend.html
-  legend.html
-  mi.rtl.ApplicationAbstract.TApplicationAbstract.html
-  mi.rtl.ApplicationAbstract.html
-  mi.rtl.Class_Of_Char.TClass_Of_Char.html
-  mi.rtl.Class_Of_Char.html
-  mi.rtl.Consts.StrError.TStrError.html

-  [mi.rtl.Consts.StrError.html](#)
-  [mi.rtl.Consts.StringList.TMiStringList.html](#)
-  [mi.rtl.Consts.StringList.html](#)
-  [mi.rtl.Consts.StringListBase.TStringListBase.html](#)
-  [mi.rtl.Consts.StringListBase.html](#)
-  [mi.rtl.Consts.TConsts.html](#)
-  [mi.rtl.Consts.html](#)
-  [mi.rtl.Consts.transaction.TMi_Transaction.html](#)
-  [mi.rtl.Consts.transaction.html](#)
-  [mi.rtl.MiStringlistbase.TStringListBase.html](#)
-  [mi.rtl.MiStringlistbase.html](#)
-  [mi.rtl.Objects.Consts.Logs.TFilesLogs.html](#)
-  [mi.rtl.Objects.Consts.Logs.html](#)
-  [mi.rtl.Objects.Consts.Mi_MsgBox.TMI_MsgBox.html](#)
-  [mi.rtl.Objects.Consts.Mi_MsgBox.TMI_MsgBoxConsts.html](#)
-  [mi.rtl.Objects.Consts.Mi_MsgBox.TMI_MsgBoxTypes.html](#)
-  [mi.rtl.Objects.Consts.Mi_MsgBox.html](#)
-  [mi.rtl.Objects.Consts.ProgressDlg_If.TProgressDlg_If.html](#)
-  [mi.rtl.Objects.Consts.ProgressDlg_If.html](#)
-  [mi.rtl.Objects.Consts.TObjectsConsts.html](#)
-  [mi.rtl.Objects.Consts.html](#)
-  [mi.rtl.Objects.Methods.Collection.FilesStreams.TFilesStreams.html](#)
-  [mi.rtl.Objects.Methods.Collection.FilesStreams.html](#)
-  [mi.rtl.Objects.Methods.Collection.SortedCollection.StrCollection.TStrCollection.html](#)
-  [mi.rtl.Objects.Methods.Collection.SortedCollection.StrCollection.TUnSortedStrCollection.html](#)

-  [mi.rtl.Objects.Methods.Collection.SortedCollection.StrCollection.html](#)
-  [mi.rtl.Objects.Methods.Collection.SortedCollection.StringCollection.TStringCollection.html](#)
-  [mi.rtl.Objects.Methods.Collection.SortedCollection.StringCollection.TUnSortedStringCollection.html](#)
-  [mi.rtl.Objects.Methods.Collection.SortedCollection.StringCollection.html](#)
-  [mi.rtl.Objects.Methods.Collection.SortedCollection.TSortedCollection.html](#)
-  [mi.rtl.Objects.Methods.Collection.SortedCollection.html](#)
-  [mi.rtl.Objects.Methods.Collection.Sortedcollection.Stringcollection.Collectionstring.TCollectionSt...](#)
-  [mi.rtl.Objects.Methods.Collection.Sortedcollection.Stringcollection.Collectionstring.TCollectionSt...](#)
-  [mi.rtl.Objects.Methods.Collection.Sortedcollection.Stringcollection.Collectionstring.html](#)
-  [mi.rtl.Objects.Methods.Collection.TCollection.html](#)
-  [mi.rtl.Objects.Methods.Collection.html](#)
-  [mi.rtl.Objects.Methods.Db.Tb_Access.TDataFile.html](#)
-  [mi.rtl.Objects.Methods.Db.Tb_Access.TFilesOpens.html](#)
-  [mi.rtl.Objects.Methods.Db.Tb_Access.TTb_Access.html](#)
-  [mi.rtl.Objects.Methods.Db.Tb_Access.TTb_Access_consts.html](#)
-  [mi.rtl.Objects.Methods.Db.Tb_Access.TTb_Access_types.DataFile.html](#)
-  [mi.rtl.Objects.Methods.Db.Tb_Access.TTb_Access_types.IndexFile.html](#)
-  [mi.rtl.Objects.Methods.Db.Tb_Access.TTb_Access_types.TErroDOS.html](#)
-  [mi.rtl.Objects.Methods.Db.Tb_Access.TTb_Access_types.Taltem.html](#)
-  [mi.rtl.Objects.Methods.Db.Tb_Access.TTb_Access_types.TaPage.html](#)
-  [mi.rtl.Objects.Methods.Db.Tb_Access.TTb_Access_types.TaRecordBuffer.html](#)
-  [mi.rtl.Objects.Methods.Db.Tb_Access.TTb_Access_types.TaSearchStep.html](#)
-  [mi.rtl.Objects.Methods.Db.Tb_Access.TTb_Access_types.TaStackRec.html](#)
-  [mi.rtl.Objects.Methods.Db.Tb_Access.TTb_Access_types.TsImagemHeader.html](#)
-  [mi.rtl.Objects.Methods.Db.Tb_Access.TTb_Access_types.TypeHeaderRecord.html](#)
-  [mi.rtl.Objects.Methods.Db.Tb_Access.TTb_Access_types.TypeHeaderRecordItem.html](#)

-  [mi.rtl.Objects.Methods.Db.Tb_Access.TTb_Access_types.TypeHeaderRecordMaster.html](#)
-  [mi.rtl.Objects.Methods.Db.Tb_Access.TTb_Access_types.TypeHeaderRecordNovo.html](#)
-  [mi.rtl.Objects.Methods.Db.Tb_Access.TTb_Access_types.html](#)
-  [mi.rtl.Objects.Methods.Db.Tb_Access.html](#)
-  [mi.rtl.Objects.Methods.Db.Tb__Access.TTb__Access.html](#)
-  [mi.rtl.Objects.Methods.Db.Tb__Access.TTb__Access_consts.html](#)
-  [mi.rtl.Objects.Methods.Db.Tb__Access.TTb__Access_types.TMI_DataFile.html](#)
-  [mi.rtl.Objects.Methods.Db.Tb__Access.TTb__Access_types.TMI_IndexFile.html](#)
-  [mi.rtl.Objects.Methods.Db.Tb__Access.TTb__Access_types.TipoPonteiroBD.html](#)
-  [mi.rtl.Objects.Methods.Db.Tb__Access.TTb__Access_types.html](#)
-  [mi.rtl.Objects.Methods.Db.Tb__Access.html](#)
-  [mi.rtl.Objects.Methods.Db.Tb___Access.TTb___Access.html](#)
-  [mi.rtl.Objects.Methods.Db.Tb___Access.TTb___Access_consts.html](#)
-  [mi.rtl.Objects.Methods.Db.Tb___Access.TTb___Access_types.html](#)
-  [mi.rtl.Objects.Methods.Db.Tb___Access.html](#)
-  [mi.rtl.Objects.Methods.Exception.TException.html](#)
-  [mi.rtl.Objects.Methods.Exception.html](#)
-  [mi.rtl.Objects.Methods.Paramexecucao.Application.TApplication.html](#)
-  [mi.rtl.Objects.Methods.Paramexecucao.Application.TApplicationConsts.html](#)
-  [mi.rtl.Objects.Methods.Paramexecucao.Application.TApplication_type.html](#)
-  [mi.rtl.Objects.Methods.Paramexecucao.Application.TMI_UI_InputBox_Base.html](#)
-  [mi.rtl.Objects.Methods.Paramexecucao.Application.html](#)
-  [mi.rtl.Objects.Methods.Paramexecucao.TParamExecucao.html](#)
-  [mi.rtl.Objects.Methods.Paramexecucao.TParamExecucao_consts.html](#)
-  [mi.rtl.Objects.Methods.Paramexecucao.TParamExecucao_types.TEnvironmentVariables.html](#)
-  [mi.rtl.Objects.Methods.Paramexecucao.TParamExecucao_types.TIdentificacao.html](#)

-  [mi.rtl.Objects.Methods.Paramexecucao.TParamExecucao_types.html](#)
-  [mi.rtl.Objects.Methods.Paramexecucao.TR_ParamExecucao_Local.html](#)
-  [mi.rtl.Objects.Methods.Paramexecucao.html](#)
-  [mi.rtl.Objects.Methods.StreamBase.Stream.FileStream.TFileStream.html](#)
-  [mi.rtl.Objects.Methods.StreamBase.Stream.FileStream.html](#)
-  [mi.rtl.Objects.Methods.StreamBase.Stream.MemoryStream.TMemoryStream.html](#)
-  [mi.rtl.Objects.Methods.StreamBase.Stream.MemoryStream.html](#)
-  [mi.rtl.Objects.Methods.StreamBase.Stream.TStream.html](#)
-  [mi.rtl.Objects.Methods.StreamBase.Stream.html](#)
-  [mi.rtl.Objects.Methods.StreamBase.TStreamBase.html](#)
-  [mi.rtl.Objects.Methods.StreamBase.html](#)
-  [mi.rtl.Objects.Methods.System.TObjectsSystem.html](#)
-  [mi.rtl.Objects.Methods.System.html](#)
-  [mi.rtl.Objects.Methods.TObjectsMethods.html](#)
-  [mi.rtl.Objects.Methods.html](#)
-  [mi.rtl.Objectss.TObjectss.TListBoxRec.html](#)
-  [mi.rtl.Objectss.TObjectss.html](#)
-  [mi.rtl.Objectss.html](#)
-  [mi.rtl.Types.TTypes.LongRec.html](#)
-  [mi.rtl.Types.TTypes.TEnumField.html](#)
-  [mi.rtl.Types.TTypes.TEnumField_ofs.html](#)
-  [mi.rtl.Types.TTypes.TEvent.html](#)
-  [mi.rtl.Types.TTypes.TIdentification.html](#)
-  [mi.rtl.Types.TTypes.TMsg.html](#)
-  [mi.rtl.Types.TTypes.TObjectList.html](#)

-  [mi.rtl.Types.TTypes.TPoint.html](#)
-  [mi.rtl.Types.TTypes.TPointer.html](#)
-  [mi.rtl.Types.TTypes.TRect.html](#)
-  [mi.rtl.Types.TTypes.TReg_Of_Char.html](#)
-  [mi.rtl.Types.TTypes.TSItem.html](#)
-  [mi.rtl.Types.TTypes.TStr255.html](#)
-  [mi.rtl.Types.TTypes.TWebMsg.html](#)
-  [mi.rtl.Types.TTypes.TipoOfsSeg.html](#)
-  [mi.rtl.Types.TTypes.WordRec.html](#)
-  [mi.rtl.Types.TTypes._TStr255.html](#)
-  [mi.rtl.Types.TTypes.html](#)
-  [mi.rtl.Types.html](#)
-  [mi.rtl.all.TMi_rtl.html](#)
-  [mi.rtl.all.html](#)
-  [mi.rtl.connection.postgresSQL.TDM_Connections.html](#)
-  [mi.rtl.connection.postgresSQL.TParam.html](#)
-  [mi.rtl.connection.postgresSQL.html](#)
-  [mi.rtl.files.TFiles.html](#)
-  [mi.rtl.files.html](#)
-  [mi.rtl.html](#)
-  [mi.rtl.miStringlist.TMiStringList.html](#)
-  [mi.rtl.miStringlist.html](#)
-  [mi.rtl.objects.Methods.dates.TDates.TVarGetDate.html](#)
-  [mi.rtl.objects.Methods.dates.TDates.TVarGetTime.html](#)
-  [mi.rtl.objects.Methods.dates.TDates.TipoHora.html](#)
-  [mi.rtl.objects.Methods.dates.TDates.TypeData.html](#)

-  [mi.rtl.objects.Methods.dates.TDates.html](#)
-  [mi.rtl.objects.Methods.dates.html](#)
-  [mi.rtl.objects.Methods.db.types.consts.Methods.TDb_Methods.html](#)
-  [mi.rtl.objects.Methods.db.types.consts.Methods.html](#)
-  [mi.rtl.objects.consts.strings.html](#)
-  [mi.rtl.objects.methods.StreamBase.Stream.MemoryStream.BufferMemory.TBufferMemory.html](#)
-  [mi.rtl.objects.methods.StreamBase.Stream.MemoryStream.BufferMemory.html](#)
-  [mi.rtl.objects.methods.db.tb__access_test.TAluno.TRegAluno.html](#)
-  [mi.rtl.objects.methods.db.tb__access_test.TAluno.html](#)
-  [mi.rtl.objects.methods.db.tb__access_test.html](#)
-  [mi.rtl.objects.methods.html.tags.Thtml_tags.TValue_Html.html](#)
-  [mi.rtl.objects.methods.html.tags.Thtml_tags.html](#)
-  [mi.rtl.objects.methods.html.tags.html](#)
-  [mi.rtl.objects.methods.pageproducer.TBasePageProducer.html](#)
-  [mi.rtl.objects.methods.pageproducer.TPageProducer.html](#)
-  [mi.rtl.objects.methods.pageproducer.html](#)
-  [mi.rtl.objects.methods.pageproducer.test.TForm_pageproducer_test.html](#)
-  [mi.rtl.objects.methods.pageproducer.test.html](#)
-  [mi.rtl.objects.types.DummyClass.TStrIndexRec.html](#)
-  [mi.rtl.objects.types.DummyClass.TypeData.html](#)
-  [mi.rtl.objects.types.DummyClass.html](#)
-  [mi.rtl.objects.types.html](#)
-  [mi.rtl.treenode.TMi_rtl_treenode.html](#)
-  [mi.rtl.treenode.TMi_rtl_treenodeComponent.html](#)
-  [mi.rtl.treenode.TPath.html](#)
-  [mi.rtl.treenode.TPathAction.html](#)

-  mi.rtl.treenode.html
-  mi.rtl.ui.Dmxscroller.dates.TDatesFreePascal.html
-  mi.rtl.ui.Dmxscroller.dates.html
-  mi.rtl.ui.dmxscroller.inputbox.TMI_InputBoxTypes.html
-  mi.rtl.ui.dmxscroller.inputbox.TMI_UI_InputBox.html
-  mi.rtl.ui.dmxscroller.inputbox.html
-  mi.ui.dialogs.TDialogs.html
-  mi.ui.dialogs.html
-  mi_rtl_tarefas_a_fazer.html
-  mi_rtl_ui_DmxScroller_Buttons.TUiDmxScroller_Buttons.html
-  mi_rtl_ui_DmxScroller_Buttons.html
-  mi_rtl_ui_Dmxscroller.IMi_rtl_ui_Form.html
-  mi_rtl_ui_Dmxscroller.TDataFields.html
-  mi_rtl_ui_Dmxscroller.TDmxFieldRec.html
-  mi_rtl_ui_Dmxscroller.TFields.html
-  mi_rtl_ui_Dmxscroller.TFldEnum_Lookup.html
-  mi_rtl_ui_Dmxscroller.TMiBufDataset.html
-  mi_rtl_ui_Dmxscroller.TUiDmxScroller.html
-  mi_rtl_ui_Dmxscroller.html
-  mi_rtl_ui_Dmxscroller_sql.TDmxScroller_sql_Atributos.html
-  mi_rtl_ui_Dmxscroller_sql.TUiDmxScroller_sql.html
-  mi_rtl_ui_Dmxscroller_sql.html
-  mi_rtl_ui_custom_application.TMI_ui_Custom_Application.html
-  mi_rtl_ui_custom_application.html
-  mi_rtl_ui_dmxscroller_form.TDmxScroller_Form.html

-  mi_rtl_ui_dmxcroller_form.TMi_rtl_ui_Form_abstract.html
-  mi_rtl_ui_dmxcroller_form._TDmxScroller_Form.html
-  mi_rtl_ui_dmxcroller_form._TDmxScroller_Form_Atributos.html
-  mi_rtl_ui_dmxcroller_form.html
-  mi_rtl_ui_dmxcroller_form_ds.TDmxScroller_Form_DS.html
-  mi_rtl_ui_dmxcroller_form_ds.html
-  mi_rtl_ui_form_abstract.TMi_rtl_ui_Form_abstract.html
-  mi_rtl_ui_form_abstract.html
-  mi_rtl_ui_interfaces.html
-  mi_rtl_ui_methods.TUiMethods.html
-  mi_rtl_ui_methods.html
-  mi_rtl_ui_types.TOverflow.html
-  mi_rtl_ui_types.TUiTypes.TRCommand.html
-  mi_rtl_ui_types.TUiTypes.TStrSQL.html
-  mi_rtl_ui_types.TUiTypes.TValue.html
-  mi_rtl_ui_types.TUiTypes.TViRect.html
-  mi_rtl_ui_types.TUiTypes.html
-  mi_rtl_ui_types.html
-  mi_ui_mi_msgbox_dm.TMi_ui_mi_msgBox.html
-  mi_ui_mi_msgbox_dm.html
-  mimeinln.html
-  mimemess.TMessHeader.html
-  mimemess.TMimeMess.html
-  mimemess.html
-  mimepart.TMimePart.html
-  mimepart.html

-  nntpsend.TNNTPSend.html
-  nntpsend.html
-  pasdoc.css
-  pop3send.TPOP3Send.html
-  pop3send.html
-  private.gif
-  project1.html
-  protected.gif
-  public.gif
-  published.gif
-  slogsend.TSyslogMessage.html
-  slogsend.TSyslogSend.html
-  slogsend.html
-  smtpsend.TSMTPSend.html
-  smtpsend.html
-  snmpsend.TSNMPMib.html
-  snmpsend.TSNMPRec.html
-  snmpsend.TSNMPSend.html
-  snmpsend.TV3Sync.html
-  snmpsend.html
-  sntpsend.TNtp.html
-  sntpsend.TSNTPSend.html
-  sntpsend.html
-  ssl_cryptlib.TSSLCryptLib.html
-  ssl_cryptlib.html
-  ssl_libssh2.TSSLLibSSH2.html

-  [ssl_libssh2.html](#)
-  [ssl_openssl.TSSLOpenSSL.html](#)
-  [ssl_openssl.html](#)
-  [ssl_openssl11.TSSLOpenSSL.html](#)
-  [ssl_openssl11.html](#)
-  [ssl_openssl11_lib.des_ks_struct.html](#)
-  [ssl_openssl11_lib.html](#)
-  [ssl_openssl3.TSSLOpenSSL3.html](#)
-  [ssl_openssl3.html](#)
-  [ssl_openssl3_lib.des_ks_struct.html](#)
-  [ssl_openssl3_lib.html](#)
-  [ssl_openssl_capi.TSSLOpenSSLCapi.html](#)
-  [ssl_openssl_capi.html](#)
-  [ssl_openssl_lib.des_ks_struct.html](#)
-  [ssl_openssl_lib.html](#)
-  [ssl_sbb.TSSLSBB.html](#)
-  [ssl_sbb.html](#)
-  [ssl_streamsec.TSSLStreamSec.html](#)
-  [ssl_streamsec.html](#)
-  [svr_http_listRecords.html](#)
-  [synachar.html](#)
-  [synacode.html](#)
-  [synacrypt.TSyna3Des.html](#)
-  [synacrypt.TSynaAes.html](#)
-  [synacrypt.TSynaBlockCipher.html](#)
-  [synacrypt.TSynaCustomDes.html](#)

-  synacrypt.TSynaDes.html
-  synacrypt.html
-  synadbg.TSynaDebug.html
-  synadbg.html
-  synafpc.html
-  synaicnv.html
-  synaip.html
-  synamisc.TProxySetting.html
-  synamisc.html
-  synaser.ESynaSerError.html
-  synaser.TBlockSerial.html
-  synaser.TDCB.html
-  synaser.html
-  synautil.html
-  test_num_version.html
-  tipue_results.html
-  tipuesearch.html
-  tipuesearch/
-  tlntsend.TTelnetsend.html
-  tlntsend.html
-  tzutil.html
-  uMiConnectionsDb.TMiConnectionsDb.TParam.html
-  uMiConnectionsDb.TMiConnectionsDb.html
-  uMiConnectionsDb.html
-  uMiDataModule.TMiDataModule.html



uMiDataModule.html



u_conts.html



u_conts_mapa_site.html



u_criate_index_stork.TIndex_stork.html



u_criate_index_stork.html



u_dm_mapa_site.TDM_Mapa_site.html



u_dm_mapa_site.html



u_gerar_mapa_site.html



u_mapa_site.TMapa_site.html



u_mapa_site.html



webModule1.TFPWebModule1.html



webModule1.html



webmodule2.TFPWebModule2.html



webmodule2.html