

Results simulation study DelayedGSD

February 21, 2023

1 Rejection rate

Power by method (columns) and scenario (rows): (nominal level 0.8)

scenario	N	missing	binding	fixC	ar	method 1	method 2	method 3
1	10000	TRUE	TRUE	FALSE	10	81.00	80.79	80.45
3	10000	TRUE	TRUE	FALSE	5	80.60	80.45	80.21
5	10000	TRUE	TRUE	TRUE	10	79.81	80.41	80.39
7	10000	TRUE	TRUE	TRUE	5	80.00	80.46	80.08
9	10000	TRUE	FALSE	TRUE	10	80.50	80.85	80.91
11	10000	TRUE	FALSE	TRUE	5	80.73	80.82	80.75
13	10000	TRUE	FALSE	FALSE	10	80.67	80.60	80.65
15	10000	TRUE	FALSE	FALSE	5	80.65	80.64	80.46
17	10000	FALSE	TRUE	FALSE	5	80.31	80.28	79.93

⚠ slightly too high power for some scenario

Type 1 error by method (columns) and scenario (rows): (nominal level 0.025)

scenario	N	missing	binding	fixC	ar	method 1	method 2	method 3
2	10000	TRUE	TRUE	FALSE	10	2.46	2.53	2.40
4	10000	TRUE	TRUE	FALSE	5	2.42	2.41	2.40
6	10000	TRUE	TRUE	TRUE	10	2.25	2.25	2.45
8	10000	TRUE	TRUE	TRUE	5	2.42	2.39	2.50
10	10000	TRUE	FALSE	TRUE	10	2.16	2.18	2.31
12	10000	TRUE	FALSE	TRUE	5	2.36	2.35	2.38
14	10000	TRUE	FALSE	FALSE	10	2.44	2.44	2.58
16	10000	TRUE	FALSE	FALSE	5	2.51	2.50	2.58
18	10000	FALSE	TRUE	FALSE	5	2.46	2.44	2.45

Type 1 error slightly below nominal level when fixC is TRUE (as expected?)




Figure 1: Naive and adjusted p-value distribution over all simulations under the null. Each row correspond to a different scenario




Figure 2: Naive and adjusted p-value distribution over all simulations under the alternative. Each row correspond to a different scenario

2 Conclusion of the trial

Relative frequency of stopping for efficacy/futility at decision/final

- Method 1

	N	missing	hypo	binding	fixC	ar	decision.eff	decision.fut	final.eff	final.fut
1:	10000	TRUE	power	TRUE	FALSE	10	37.82	6.05	43.18	13.0
2:	10000	TRUE	typeI	TRUE	FALSE	10	0.79	70.85	1.67	26.7
3:	10000	TRUE	power	TRUE	FALSE	5	35.60	6.02	45.00	13.4
4:	10000	TRUE	typeI	TRUE	FALSE	5	0.68	69.21	1.74	28.4
5:	10000	TRUE	power	TRUE	TRUE	10	36.45	6.53	43.36	13.7
6:	10000	TRUE	typeI	TRUE	TRUE	10	0.64	71.29	1.61	26.5
7:	10000	TRUE	power	TRUE	TRUE	5	34.68	5.86	45.32	14.1
8:	10000	TRUE	typeI	TRUE	TRUE	5	0.72	69.11	1.70	28.5
9:	10000	TRUE	power	FALSE	TRUE	10	37.57	6.63	42.93	12.9
10:	10000	TRUE	typeI	FALSE	TRUE	10	0.57	0.28	1.59	97.6
11:	10000	TRUE	power	FALSE	TRUE	5	36.02	6.28	44.71	13.0
12:	10000	TRUE	typeI	FALSE	TRUE	5	0.73	0.09	1.63	97.5
13:	10000	TRUE	power	FALSE	FALSE	10	38.32	5.87	42.35	13.5
14:	10000	TRUE	typeI	FALSE	FALSE	10	0.69	0.09	1.75	97.5
15:	10000	TRUE	power	FALSE	FALSE	5	36.75	5.70	43.90	13.6
16:	10000	TRUE	typeI	FALSE	FALSE	5	0.67	0.00	1.84	97.5
17:	10000	FALSE	power	TRUE	FALSE	5	33.98	5.33	46.33	14.4
18:	10000	FALSE	typeI	TRUE	FALSE	5	0.74	67.48	1.72	30.1

Method 2:

	N	missing	hypo	binding	fixC	ar	decision.eff	decision.fut	final.eff	final.fut
1:	10000	TRUE	power	TRUE	FALSE	10	37.66	6.22	43.13	13.0
2:	10000	TRUE	typeI	TRUE	FALSE	10	0.85	71.18	1.68	26.3
3:	10000	TRUE	power	TRUE	FALSE	5	35.55	6.10	44.90	13.5
4:	10000	TRUE	typeI	TRUE	FALSE	5	0.67	69.05	1.74	28.5
5:	10000	TRUE	power	TRUE	TRUE	10	36.82	5.94	43.59	13.6
6:	10000	TRUE	typeI	TRUE	TRUE	10	0.63	70.02	1.62	27.7
7:	10000	TRUE	power	TRUE	TRUE	5	35.06	5.63	45.40	13.9
8:	10000	TRUE	typeI	TRUE	TRUE	5	0.71	68.46	1.68	29.1
9:	10000	TRUE	power	FALSE	TRUE	10	37.76	6.21	43.09	12.9
10:	10000	TRUE	typeI	FALSE	TRUE	10	0.56	0.26	1.62	97.6
11:	10000	TRUE	power	FALSE	TRUE	5	36.07	6.10	44.75	13.1
12:	10000	TRUE	typeI	FALSE	TRUE	5	0.72	0.07	1.63	97.6
13:	10000	TRUE	power	FALSE	FALSE	10	38.33	6.11	42.27	13.3
14:	10000	TRUE	typeI	FALSE	FALSE	10	0.69	0.09	1.75	97.5
15:	10000	TRUE	power	FALSE	FALSE	5	36.78	5.72	43.86	13.6
16:	10000	TRUE	typeI	FALSE	FALSE	5	0.66	0.01	1.84	97.5
17:	10000	FALSE	power	TRUE	FALSE	5	33.68	5.17	46.60	14.5
18:	10000	FALSE	typeI	TRUE	FALSE	5	0.72	67.42	1.72	30.1

Method 3:

	N	missing	hypo	binding	fixC	ar	decision.eff	decision.fut	final.eff	final.fut
1:	10000	TRUE	power	TRUE	FALSE	10	40.44	6.54	40.01	13.0
2:	10000	TRUE	typeI	TRUE	FALSE	10	0.74	68.77	1.66	28.8
3:	10000	TRUE	power	TRUE	FALSE	5	36.49	6.42	43.72	13.4
4:	10000	TRUE	typeI	TRUE	FALSE	5	0.68	68.37	1.72	29.2
5:	10000	TRUE	power	TRUE	TRUE	10	39.85	5.83	40.54	13.8
6:	10000	TRUE	typeI	TRUE	TRUE	10	0.73	68.89	1.72	28.7
7:	10000	TRUE	power	TRUE	TRUE	5	35.70	5.81	44.38	14.1
8:	10000	TRUE	typeI	TRUE	TRUE	5	0.78	68.26	1.72	29.2
9:	10000	TRUE	power	FALSE	TRUE	10	41.03	6.39	39.88	12.7
10:	10000	TRUE	typeI	FALSE	TRUE	10	0.72	0.38	1.59	97.3
11:	10000	TRUE	power	FALSE	TRUE	5	37.08	6.14	43.67	13.1
12:	10000	TRUE	typeI	FALSE	TRUE	5	0.74	0.14	1.64	97.5
13:	10000	TRUE	power	FALSE	FALSE	10	41.47	6.05	39.18	13.3
14:	10000	TRUE	typeI	FALSE	FALSE	10	0.81	0.31	1.77	97.1
15:	10000	TRUE	power	FALSE	FALSE	5	37.37	5.86	43.09	13.7
16:	10000	TRUE	typeI	FALSE	FALSE	5	0.75	0.08	1.83	97.3
17:	10000	FALSE	power	TRUE	FALSE	5	34.66	5.58	45.27	14.5
18:	10000	FALSE	typeI	TRUE	FALSE	5	0.68	66.54	1.77	31.0

3 Bias (True effect: 0.6 under the alternative)

Bias per estimator and method¹:

	hypo	missing	binding	fixC	ar	biasMLE1	biasMLE2	biasMLE3	biasMUE1	biasMUE2	biasMUE3
1: power	TRUE	TRUE	FALSE	10	0.012970	0.013058	0.014139	0.005472	0.005564	0.00216	
2: typeI	TRUE	TRUE	FALSE	10	-0.018416	-0.018430	-0.018509	-0.004261	-0.004326	-0.00464	
3: power	TRUE	TRUE	FALSE	5	0.022430	0.022231	0.023386	0.010079	0.010156	0.00864	
4: typeI	TRUE	TRUE	FALSE	5	-0.030419	-0.030822	-0.030577	-0.011757	-0.012140	-0.01213	
5: power	TRUE	TRUE	TRUE	10	0.011558	0.012119	0.012968	0.001017	0.001972	0.00212	
6: typeI	TRUE	TRUE	TRUE	10	-0.022074	-0.022256	-0.022266	-0.008120	-0.008149	-0.00830	
7: power	TRUE	TRUE	TRUE	5	0.021638	0.022029	0.022692	0.008407	0.008660	0.00842	
8: typeI	TRUE	TRUE	TRUE	5	-0.033857	-0.034379	-0.034138	-0.014560	-0.014719	-0.01503	
9: power	TRUE	FALSE	TRUE	10	0.015026	0.015050	0.016312	0.000405	0.000655	0.00121	
10: typeI	TRUE	FALSE	TRUE	10	0.000543	0.000547	0.000883	0.001271	0.001309	0.00208	
11: power	TRUE	FALSE	TRUE	5	0.024204	0.024192	0.025190	0.006976	0.006478	0.00759	
12: typeI	TRUE	FALSE	TRUE	5	0.001472	0.001451	0.001545	0.001680	0.001708	0.00172	
13: power	TRUE	FALSE	FALSE	10	0.014415	0.014146	0.015747	0.003384	0.002971	0.00239	
14: typeI	TRUE	FALSE	FALSE	10	0.000139	0.000139	0.000555	0.000611	0.000628	0.00181	
15: power	TRUE	FALSE	FALSE	5	0.023380	0.023344	0.024346	0.008843	0.008827	0.00767	
16: typeI	TRUE	FALSE	FALSE	5	0.000602	0.000602	0.000949	0.000637	0.000599	0.00125	
17: power	FALSE	TRUE	FALSE	5	0.022836	0.022825	0.023807	0.011971	0.012078	0.01031	
18: typeI	FALSE	TRUE	FALSE	5	-0.029516	-0.029722	-0.029915	-0.011048	-0.011395	-0.01144	

Median bias ² per estimator and method:

	hypo	missing	binding	fixC	ar	mbiasMLE1	mbiasMLE2	mbiasMLE3	mbiasMUE1	mbiasMUE2	mbiasMUE3
1:	power	TRUE	TRUE	FALSE	10	0.0250	0.0240	0.0266	-0.0023	-0.0017	-0.0062
2:	typeI	TRUE	TRUE	FALSE	10	-0.0193	-0.0198	-0.0223	0.0002	-0.0013	0.0001
3:	power	TRUE	TRUE	FALSE	5	0.0387	0.0382	0.0406	-0.0030	-0.0016	-0.0028
4:	typeI	TRUE	TRUE	FALSE	5	-0.0346	-0.0339	-0.0361	0.0000	-0.0002	0.0001
5:	power	TRUE	TRUE	TRUE	10	0.0164	0.0188	0.0179	-0.0132	-0.0126	-0.0101
6:	typeI	TRUE	TRUE	TRUE	10	-0.0327	-0.0314	-0.0347	-0.0113	-0.0079	-0.0099
7:	power	TRUE	TRUE	TRUE	5	0.0356	0.0369	0.0361	-0.0106	-0.0114	-0.0082
8:	typeI	TRUE	TRUE	TRUE	5	-0.0473	-0.0492	-0.0493	-0.0105	-0.0081	-0.0105
9:	power	TRUE	FALSE	TRUE	10	0.0328	0.0301	0.0345	-0.0089	-0.0106	-0.0055
10:	typeI	TRUE	FALSE	TRUE	10	0.0007	-0.0019	0.0007	0.0024	-0.0005	0.0034
11:	power	TRUE	FALSE	TRUE	5	0.0479	0.0459	0.0499	-0.0049	-0.0048	-0.0034
12:	typeI	TRUE	FALSE	TRUE	5	0.0009	-0.0017	0.0009	0.0012	-0.0012	0.0020
13:	power	TRUE	FALSE	FALSE	10	0.0326	0.0324	0.0339	-0.0033	-0.0036	-0.0004
14:	typeI	TRUE	FALSE	FALSE	10	-0.0039	-0.0039	-0.0037	-0.0031	-0.0030	-0.0011
15:	power	TRUE	FALSE	FALSE	5	0.0442	0.0442	0.0465	-0.0010	-0.0010	-0.0037
16:	typeI	TRUE	FALSE	FALSE	5	-0.0039	-0.0039	-0.0039	-0.0039	-0.0039	-0.0028
17:	power	FALSE	TRUE	FALSE	5	0.0383	0.0378	0.0400	-0.0026	-0.0008	-0.0046
18:	typeI	FALSE	TRUE	FALSE	5	-0.0329	-0.0336	-0.0353	0.0044	0.0031	0.0035

¹e.g. biasMLE1 mixed model estimator (treatment effect), method 1 (boundaries)

²Relative frequency at which the estimate is greater than the truth minus 0.5

4 Distribution of the estimates

Distribution of the estimates:




Figure 3: Naive and Median unbiased estimate distribution over all simulations. Each row correspond to a different scenario




Figure 4: Same but specific to scenario 1

Distribution of the median unbiased estimate conditional to the stage:




Figure 5: Median unbiased estimate distribution conditional to the stage. Each row correspond to a different scenario.

5 Special cases

Reason for stopping (first 4) or continuing the trial (last):

		scenario	1	2	3	4	5	6	7	8
reason	method									
decreasing information	1		0	0	1	1	0	0	0	0
	2		0	0	1	1	0	0	0	0
	3		0	0	1	1	0	0	0	0
efficacy	1		3740	77	3559	67	3696	82	3502	82
	2		3729	82	3554	68	3732	82	3546	83
	3		4137	107	3712	83	4071	110	3632	92
futility	1		646	7086	603	6922	600	7109	552	6901
	2		658	7120	611	6904	542	6981	523	6834
	3		560	6843	579	6822	495	6850	519	6812
Imax reached	1		1	1	0	0	2	2	0	0
	2		1	1	0	0	2	2	0	0
	3		1	1	0	0	2	2	0	0
no boundary crossed	1		5613	2836	5838	3011	5702	2807	5946	3017
	2		5612	2797	5835	3028	5724	2935	5931	3083
	3		5302	3049	5709	3095	5432	3038	5849	3096

		scenario	9	10	11	12	13	14	15	16
reason	method									
decreasing information	1		0	0	1	0	0	0	0	0
	2		0	0	1	0	0	0	0	0
	3		0	0	1	0	0	0	0	0
efficacy	1		3805	84	3634	82	3815	78	3674	67
	2		3824	81	3646	79	3816	78	3677	67
	3		4206	109	3761	88	4238	112	3788	83
futility	1		614	7130	596	6957	604	7126	571	6920
	2		572	7044	571	6907	628	7180	573	6925
	3		535	6914	561	6867	514	6870	535	6837
Imax reached	1		1	1	0	0	0	0	0	0
	2		1	1	0	0	0	0	0	0
	3		1	1	0	0	0	0	0	0
no boundary crossed	1		5580	2785	5770	2961	5581	2796	5755	3013
	2		5603	2874	5783	3014	5556	2742	5750	3008
	3		5258	2976	5678	3045	5248	3018	5677	3080

6 Reversal probability

Percentage of time we observe a reversal:

	N	hypo	missing	ar	binding	fixC	fu2eff_1	fu2eff_2	fu2eff_3	eff2fu_1	eff2fu_2	eff2fu_3
1:	10000	power	FALSE	5	TRUE	FALSE	0.06	0.07	0.01	0.04	0.04	0.63
2:	10000	power	TRUE	5	FALSE	FALSE	0.04	0.04	0.00	0.03	0.03	0.51
3:	10000	power	TRUE	5	FALSE	TRUE	0.04	0.03	0.03	0.36	0.42	0.56
4:	10000	power	TRUE	5	TRUE	FALSE	0.06	0.08	0.02	0.05	0.07	0.65
5:	10000	power	TRUE	5	TRUE	TRUE	0.02	0.02	0.01	0.36	0.42	0.63
6:	10000	power	TRUE	10	FALSE	FALSE	0.35	0.38	0.05	0.18	0.21	0.96
7:	10000	power	TRUE	10	FALSE	TRUE	0.15	0.13	0.10	0.63	0.61	1.13
8:	10000	power	TRUE	10	TRUE	FALSE	0.57	0.57	0.13	0.15	0.20	1.06
9:	10000	power	TRUE	10	TRUE	TRUE	0.17	0.16	0.11	0.70	0.68	0.99
10:	10000	typeI	FALSE	5	TRUE	FALSE	0.01	0.03	0.00	0.01	0.03	0.12
11:	10000	typeI	TRUE	5	FALSE	FALSE	0.00	0.00	0.00	0.00	0.01	0.08
12:	10000	typeI	TRUE	5	FALSE	TRUE	0.00	0.00	0.00	0.09	0.07	0.14
13:	10000	typeI	TRUE	5	TRUE	FALSE	0.02	0.02	0.00	0.01	0.03	0.15
14:	10000	typeI	TRUE	5	TRUE	TRUE	0.00	0.00	0.00	0.10	0.12	0.14
15:	10000	typeI	TRUE	10	FALSE	FALSE	0.00	0.00	0.00	0.09	0.09	0.31
16:	10000	typeI	TRUE	10	FALSE	TRUE	0.00	0.00	0.00	0.27	0.25	0.37
17:	10000	typeI	TRUE	10	TRUE	FALSE	0.11	0.11	0.03	0.09	0.08	0.36
18:	10000	typeI	TRUE	10	TRUE	TRUE	0.02	0.00	0.00	0.22	0.21	0.39

7 Frequency mismatch p-value / boundaries

When concluding for futility:

	hypo	missing	ar	binding	fixC	method 1	method 2	method 3
1: power	FALSE	5	TRUE	FALSE	0.00000000	0.00000000	0.74738416	
2: power	TRUE	5	FALSE	FALSE	0.41343669	0.41322314	0.56294780	
3: power	TRUE	5	FALSE	TRUE	1.34924754	0.93847758	0.57142857	
4: power	TRUE	5	TRUE	FALSE	0.00000000	0.00000000	0.55583628	
5: power	TRUE	5	TRUE	TRUE	2.55000000	1.84237462	0.65261044	
6: power	TRUE	10	FALSE	FALSE	2.43145370	2.47422680	1.34366925	
7: power	TRUE	10	FALSE	TRUE	3.33333333	3.39425587	0.68098481	
8: power	TRUE	10	TRUE	FALSE	0.00000000	0.00000000	1.07416880	
9: power	TRUE	10	TRUE	TRUE	3.91282813	3.77743747	1.22386537	
10: typeI	FALSE	5	TRUE	FALSE	0.00000000	0.00000000	0.02050231	
11: typeI	TRUE	5	FALSE	FALSE	0.03077239	0.03076923	0.06158900	
12: typeI	TRUE	5	FALSE	TRUE	0.07169193	0.06144393	0.02048760	
13: typeI	TRUE	5	TRUE	FALSE	0.00000000	0.00000000	0.02049180	
14: typeI	TRUE	5	TRUE	TRUE	0.14347202	0.12293822	0.02051282	
15: typeI	TRUE	10	FALSE	FALSE	0.14350144	0.14350144	0.10264833	
16: typeI	TRUE	10	FALSE	TRUE	0.20441537	0.16356573	0.05118231	
17: typeI	TRUE	10	TRUE	FALSE	0.00000000	0.00000000	0.01024590	
18: typeI	TRUE	10	TRUE	TRUE	0.26598465	0.25575448	0.09226038	

When concluding for efficacy:

	hypo	missing	ar	binding	fixC	method 1	method 2	method 3
1: power	FALSE	5	TRUE	FALSE		0	0	0
2: power	TRUE	5	FALSE	FALSE		0	0	0
3: power	TRUE	5	FALSE	TRUE		0	0	0
4: power	TRUE	5	TRUE	FALSE		0	0	0
5: power	TRUE	5	TRUE	TRUE		0	0	0
6: power	TRUE	10	FALSE	FALSE		0	0	0
7: power	TRUE	10	FALSE	TRUE		0	0	0
8: power	TRUE	10	TRUE	FALSE		0	0	0
9: power	TRUE	10	TRUE	TRUE		0	0	0
10: typeI	FALSE	5	TRUE	FALSE		0	0	0
11: typeI	TRUE	5	FALSE	FALSE		0	0	0
12: typeI	TRUE	5	FALSE	TRUE		0	0	0
13: typeI	TRUE	5	TRUE	FALSE		0	0	0
14: typeI	TRUE	5	TRUE	TRUE		0	0	0
15: typeI	TRUE	10	FALSE	FALSE		0	0	0
16: typeI	TRUE	10	FALSE	TRUE		0	0	0
17: typeI	TRUE	10	TRUE	FALSE		0	0	0
18: typeI	TRUE	10	TRUE	TRUE		0	0	0

8 Percentage of missing values

Here only for method 1 - values are very similar between different methods:

- `pc.all` percentage of observations with full data
- `pc.missing3` percentage of observations missing the final outcome but with intermediate outcome value and baseline.
- `pc.missing23` percentage of observations with only baseline value

	method	missing	ar	hypo	fixC	binding	N	pc.all	pc.missing3	pc.missing23
1:	1	TRUE	5	power	FALSE	TRUE	10000	79.53472	9.562374	10.902910
2:	1	TRUE	5	typeI	FALSE	TRUE	10000	79.53472	9.562374	10.902910
3:	1	TRUE	5	power	TRUE	TRUE	10000	79.44022	9.531225	11.028558
4:	1	TRUE	5	typeI	TRUE	TRUE	10000	79.44022	9.531225	11.028558
5:	1	TRUE	5	power	TRUE	FALSE	10000	79.71917	9.427430	10.853396
6:	1	TRUE	5	typeI	TRUE	FALSE	10000	79.71917	9.427430	10.853396
7:	1	TRUE	5	power	FALSE	FALSE	10000	79.64196	9.449136	10.908902
8:	1	TRUE	5	typeI	FALSE	FALSE	10000	79.64196	9.449136	10.908902
9:	1	FALSE	5	power	FALSE	TRUE	10000	87.78863	6.090240	6.121126
10:	1	FALSE	5	typeI	FALSE	TRUE	10000	87.78863	6.090240	6.121126
11:	1	TRUE	10	power	FALSE	TRUE	10000	71.60971	13.327969	15.062319
12:	1	TRUE	10	typeI	FALSE	TRUE	10000	71.60971	13.327969	15.062319
13:	1	TRUE	10	power	TRUE	TRUE	10000	71.52189	13.282615	15.195496
14:	1	TRUE	10	typeI	TRUE	TRUE	10000	71.52189	13.282615	15.195496
15:	1	TRUE	10	power	TRUE	FALSE	10000	71.85935	13.144488	14.996166
16:	1	TRUE	10	typeI	TRUE	FALSE	10000	71.85935	13.144488	14.996166
17:	1	TRUE	10	power	FALSE	FALSE	10000	71.79364	13.168843	15.037522
18:	1	TRUE	10	typeI	FALSE	FALSE	10000	71.79364	13.168843	15.037522

9 Information

Percentage of information for method 1³:

scenario	missing	binding	fixC	ar	interim	decision	final
1	TRUE	TRUE	FALSE	10	54.63862	63.33698	102.69943
2	TRUE	TRUE	FALSE	10	54.63862	68.96135	102.32310
3	TRUE	TRUE	FALSE	5	53.27109	57.38550	102.74966
4	TRUE	TRUE	FALSE	5	53.27109	60.22345	102.34459
5	TRUE	TRUE	TRUE	10	54.54008	63.10923	102.78945
6	TRUE	TRUE	TRUE	10	54.54008	68.95137	102.12003
7	TRUE	TRUE	TRUE	5	53.17744	57.18426	102.80673
8	TRUE	TRUE	TRUE	5	53.17744	60.12266	102.22328
9	TRUE	FALSE	TRUE	10	54.51044	63.16647	102.56935
10	TRUE	FALSE	TRUE	10	54.51044	54.66970	103.09893
11	TRUE	FALSE	TRUE	5	53.17317	57.27740	102.61166
12	TRUE	FALSE	TRUE	5	53.17317	53.24797	103.10060
13	TRUE	FALSE	FALSE	10	54.49750	63.16580	102.56590
14	TRUE	FALSE	FALSE	10	54.49750	54.64468	103.12067
15	TRUE	FALSE	FALSE	5	53.15611	57.29003	102.60917
16	TRUE	FALSE	FALSE	5	53.15611	53.21806	103.12463
17	FALSE	TRUE	FALSE	5	52.06840	56.28978	99.96969
18	FALSE	TRUE	FALSE	5	52.06840	59.42197	99.62860

Similar results for other methods.

³average over the reached stages